

# Tim F Oberlander

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9470492/tim-f-oberlander-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159  
papers

8,188  
citations

47  
h-index

88  
g-index

176  
ext. papers

9,072  
ext. citations

4.5  
avg, IF

5.93  
L-index

#	Paper	IF	Citations
159	Prenatal exposure to maternal depression, neonatal methylation of human glucocorticoid receptor gene (NR3C1) and infant cortisol stress responses. <i>Epigenetics</i> , <b>2008</b> , 3, 97-106	5.7	1104
158	Neonatal outcomes after prenatal exposure to selective serotonin reuptake inhibitor antidepressants and maternal depression using population-based linked health data. <i>Archives of General Psychiatry</i> , <b>2006</b> , 63, 898-906		454
157	Enhancing cognitive and social-emotional development through a simple-to-administer mindfulness-based school program for elementary school children: a randomized controlled trial. <i>Developmental Psychology</i> , <b>2015</b> , 51, 52-66	3.7	335
156	The management of depression during pregnancy: a report from the American Psychiatric Association and the American College of Obstetricians and Gynecologists. <i>General Hospital Psychiatry</i> , <b>2009</b> , 31, 403-13	5.6	290
155	Neonatal procedural pain exposure predicts lower cortisol and behavioral reactivity in preterm infants in the NICU. <i>Pain</i> , <b>2005</b> , 113, 293-300	8	251
154	Prenatal exposure to maternal depressed mood and the MTHFR C677T variant affect SLC6A4 methylation in infants at birth. <i>PLoS ONE</i> , <b>2010</b> , 5, e12201	3.7	227
153	Bedside application of the Neonatal Facial Coding System in pain assessment of premature neonates. <i>Pain</i> , <b>1998</b> , 76, 277-286	8	224
152	Demographic and therapeutic determinants of pain reactivity in very low birth weight neonates at 32 Weeks' postconceptional Age. <i>Pediatrics</i> , <b>2001</b> , 107, 105-12	7.4	192
151	Pharmacologic factors associated with transient neonatal symptoms following prenatal psychotropic medication exposure. <i>Journal of Clinical Psychiatry</i> , <b>2004</b> , 65, 230-7	4.6	165
150	Internalizing behaviors in 4-year-old children exposed in utero to psychotropic medications. <i>American Journal of Psychiatry</i> , <b>2006</b> , 163, 1026-32	11.9	159
149	Prenatal exposure to antidepressants and depressed maternal mood alter trajectory of infant speech perception. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109 Suppl 2, 17221-7	11.5	151
148	Externalizing and attentional behaviors in children of depressed mothers treated with a selective serotonin reuptake inhibitor antidepressant during pregnancy. <i>JAMA Pediatrics</i> , <b>2007</b> , 161, 22-9		151
147	Major congenital malformations following prenatal exposure to serotonin reuptake inhibitors and benzodiazepines using population-based health data. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , <b>2008</b> , 83, 68-76		137
146	Pain reactivity in 2-month-old infants after prenatal and postnatal serotonin reuptake inhibitor medication exposure. <i>Pediatrics</i> , <b>2005</b> , 115, 411-25	7.4	137
145	Expression of pain in children with autism. <i>Clinical Journal of Pain</i> , <b>2004</b> , 20, 88-97	3.5	131
144	Prenatal effects of selective serotonin reuptake inhibitor antidepressants, serotonin transporter promoter genotype (SLC6A4), and maternal mood on child behavior at 3 years of age. <i>JAMA Pediatrics</i> , <b>2010</b> , 164, 444-51		119
143	Stereoselective disposition of fluoxetine and norfluoxetine during pregnancy and breast-feeding. <i>British Journal of Clinical Pharmacology</i> , <b>2006</b> , 61, 155-63	3.8	116

142	Prolonged prenatal psychotropic medication exposure alters neonatal acute pain response. <i>Pediatric Research</i> , <b>2002</b> , 51, 443-53	3.2	112
141	Biobehavioral pain responses in former extremely low birth weight infants at four months' corrected age. <i>Pediatrics</i> , <b>2000</b> , 105, e6	7.4	111
140	Effects of timing and duration of gestational exposure to serotonin reuptake inhibitor antidepressants: population-based study. <i>British Journal of Psychiatry</i> , <b>2008</b> , 192, 338-43	5.4	106
139	Infant developmental outcomes following prenatal exposure to antidepressants, and maternal depressed mood and positive affect. <i>Early Human Development</i> , <b>2013</b> , 89, 519-24	2.2	105
138	Hypothalamic-pituitary-adrenal (HPA) axis function in 3-month old infants with prenatal selective serotonin reuptake inhibitor (SSRI) antidepressant exposure. <i>Early Human Development</i> , <b>2008</b> , 84, 689-97	2.2	103
137	Analgesia and local anesthesia during invasive procedures in the neonate. <i>Clinical Therapeutics</i> , <b>2005</b> , 27, 844-76	3.5	101
136	Prior pain induces heightened motor responses during clustered care in preterm infants in the NICU. <i>Early Human Development</i> , <b>2005</b> , 81, 293-302	2.2	98
135	Infants Tolerate Spinal Anesthesia with Minimal Overall Autonomic Changes. <i>Anesthesia and Analgesia</i> , <b>1995</b> , 80, 20-27	3.9	89
134	Specific Newborn Individualized Developmental Care and Assessment Program movements are associated with acute pain in preterm infants in the neonatal intensive care unit. <i>Pediatrics</i> , <b>2004</b> , 114, 65-72	7.4	84
133	Pain in children with significant neurological impairment. <i>Journal of Developmental and Behavioral Pediatrics</i> , <b>1999</b> , 20, 235-43	2.4	79
132	Body movements: an important additional factor in discriminating pain from stress in preterm infants. <i>Clinical Journal of Pain</i> , <b>2005</b> , 21, 491-8	3.5	76
131	Behavioral responses to pain are heightened after clustered care in preterm infants born between 30 and 32 weeks gestational age. <i>Clinical Journal of Pain</i> , <b>2006</b> , 22, 757-64	3.5	75
130	Effects of intra-oral sucrose on crying, mouthing and hand-mouth contact in newborn and six-week-old infants. <i>Developmental Medicine and Child Neurology</i> , <b>1994</b> , 36, 608-18	3.3	72
129	Antenatal depression and anxiety affect postpartum parenting stress: a longitudinal, prospective study. <i>Canadian Journal of Psychiatry</i> , <b>2010</b> , 55, 222-8	4.8	71
128	Fetal serotonin signaling: setting pathways for early childhood development and behavior. <i>Journal of Adolescent Health</i> , <b>2012</b> , 51, S9-16	5.8	70
127	Time and frequency domain methods for heart rate variability analysis: a methodological comparison. <i>Psychophysiology</i> , <b>1995</b> , 32, 492-504	4.1	70
126	Biobehavioral responses to acute pain in adolescents with a significant neurologic impairment. <i>Clinical Journal of Pain</i> , <b>1999</b> , 15, 201-9	3.5	66
125	Relations between behavioral and cardiac autonomic reactivity to acute pain in preterm neonates. <i>Clinical Journal of Pain</i> , <b>2001</b> , 17, 350-8	3.5	63

124	Cortisol, behavior, and heart rate reactivity to immunization pain at 4 months corrected age in infants born very preterm. <i>Clinical Journal of Pain</i> , <b>2010</b> , 26, 698-704	3.5	63
123	Are there developmentally distinct motor indicators of pain in preterm infants?. <i>Early Human Development</i> , <b>2003</b> , 72, 131-46	2.2	59
122	Prenatal antidepressant exposure associated with CYP2E1 DNA methylation change in neonates. <i>Epigenetics</i> , <b>2015</b> , 10, 361-72	5.7	58
121	Prenatal SSRI exposure alters neonatal corticosteroid binding globulin, infant cortisol levels, and emerging HPA function. <i>Psychoneuroendocrinology</i> , <b>2012</b> , 37, 1019-28	5	58
120	A prospective controlled study of neurodevelopment in HIV-uninfected children exposed to combination antiretroviral drugs in pregnancy. <i>Pediatrics</i> , <b>2006</b> , 118, e1139-45	7.4	58
119	Neonatal pain and COMT Val158Met genotype in relation to serotonin transporter (SLC6A4) promoter methylation in very preterm children at school age. <i>Frontiers in Behavioral Neuroscience</i> , <b>2014</b> , 8, 409	3.5	57
118	Maternal depression trajectories from pregnancy to 3½ years postpartum are associated with children's behavior and executive functions at 3 and 6½ years. <i>Archives of Women's Mental Health</i> , <b>2018</b> , 21, 353-363	5	56
117	Prenatal exposure to serotonin reuptake inhibitor antidepressants and childhood behavior. <i>Pediatric Research</i> , <b>2015</b> , 78, 174-80	3.2	55
116	Is it painful or not? Discriminant validity of the Behavioral Indicators of Infant Pain (BIIP) scale. <i>Clinical Journal of Pain</i> , <b>2008</b> , 24, 83-8	3.5	55
115	Does parenchymal brain injury affect biobehavioral pain responses in very low birth weight infants at 32 weeks' postconceptional age?. <i>Pediatrics</i> , <b>2002</b> , 110, 570-6	7.4	55
114	The symphonic structure of childhood stress reactivity: patterns of sympathetic, parasympathetic, and adrenocortical responses to psychological challenge. <i>Development and Psychopathology</i> , <b>2014</b> , 26, 963-82	4.3	48
113	Prenatal serotonin reuptake inhibitor (SRI) antidepressant exposure and serotonin transporter promoter genotype (SLC6A4) influence executive functions at 6 years of age. <i>Frontiers in Cellular Neuroscience</i> , <b>2013</b> , 7, 180	6.1	47
112	Analgesia and anesthesia for neonates: study design and ethical issues. <i>Clinical Therapeutics</i> , <b>2005</b> , 27, 814-43	3.5	47
111	Association of Prenatal Exposure to Air Pollution With Autism Spectrum Disorder. <i>JAMA Pediatrics</i> , <b>2019</b> , 173, 86-92	8.3	47
110	Neonatal S100B protein levels after prenatal exposure to selective serotonin reuptake inhibitors. <i>Pediatrics</i> , <b>2009</b> , 124, e662-70	7.4	46
109	Prenatal alcohol exposure alters biobehavioral reactivity to pain in newborns. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2010</b> , 34, 681-92	3.7	46
108	Does prone or supine position influence pain responses in preterm infants at 32 weeks gestational age?. <i>Clinical Journal of Pain</i> , <b>2004</b> , 20, 76-82	3.5	46
107	The developmental character of cardiac autonomic responses to an acute noxious event in 4- and 8-month-old healthy infants. <i>Pediatric Research</i> , <b>1999</b> , 45, 519-25	3.2	46

106	Pain reactivity in former extremely low birth weight infants at corrected age 8 months compared with term born controls <b>2001</b> , 24, 41-55		45
105	The effect of perinatal exposures on the infant: antidepressants and depression. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , <b>2014</b> , 28, 37-48	4.6	41
104	Trends and Determinants of Prescription Drug Use during Pregnancy and Postpartum in British Columbia, 2002-2011: A Population-Based Cohort Study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0128312	3.7	41
103	Developmental Character and Long-Term Consequences of Pain in Infants and Children. <i>Child and Adolescent Psychiatric Clinics of North America</i> , <b>1997</b> , 6, 703-724	3.3	40
102	Relation between prenatal maternal mood and anxiety and neonatal health. <i>Canadian Journal of Psychiatry</i> , <b>2004</b> , 49, 684-9	4.8	39
101	Third trimester fetal heart rate and Doppler middle cerebral artery blood flow velocity characteristics during prenatal selective serotonin reuptake inhibitor exposure. <i>Pediatric Research</i> , <b>2011</b> , 70, 96-101	3.2	37
100	The impact of prenatal serotonin reuptake inhibitor (SRI) antidepressant exposure and maternal mood on mother-infant interactions at 3 months of age. <i>Research in Social and Administrative Pharmacy</i> , <b>2013</b> , 36, 485-93	2.9	34
99	Dysregulation of the cortisol diurnal rhythm following prenatal alcohol exposure and early life adversity. <i>Alcohol</i> , <b>2016</b> , 53, 9-18	2.7	34
98	Intervention minimizing preterm infants' exposure to NICU light and noise. <i>Clinical Nursing Research</i> , <b>2013</b> , 22, 337-58	1.7	32
97	Perinatal selective serotonin reuptake inhibitor medication (SSRI) effects on social behaviors, neurodevelopment and the epigenome. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2018</b> , 85, 102-116	9	30
96	SLC6A4 promoter region methylation and socio-emotional stress response in very preterm and full-term infants. <i>Epigenomics</i> , <b>2016</b> , 8, 895-907	4.4	30
95	Variations in Neurodevelopmental Outcomes in Children with Prenatal SSRI Antidepressant Exposure. <i>Birth Defects Research</i> , <b>2017</b> , 109, 909-923	2.9	28
94	Frontal EEG/ERP correlates of attentional processes, cortisol and motivational states in adolescents from lower and higher socioeconomic status. <i>Frontiers in Human Neuroscience</i> , <b>2012</b> , 6, 306	3.3	28
93	Neurodevelopmental outcomes following prenatal exposure to serotonin reuptake inhibitor antidepressants: a "social teratogen" or moderator of developmental risk?. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , <b>2012</b> , 94, 651-9		28
92	Prenatal and breast milk morphine exposure following maternal intrathecal morphine treatment. <i>Journal of Human Lactation</i> , <b>2000</b> , 16, 137-42	2.6	27
91	Contingency Learning and Reactivity in Preterm and Full-Term Infants at 3 Months. <i>Infancy</i> , <b>2008</b> , 13, 570-595	2.4	26
90	Infants tolerate spinal anesthesia with minimal overall autonomic changes: analysis of heart rate variability in former premature infants undergoing hernia repair. <i>Anesthesia and Analgesia</i> , <b>1995</b> , 80, 20-7	3.9	26
89	Postpartum Hemorrhage and Use of Serotonin Reuptake Inhibitor Antidepressants in Pregnancy. <i>Obstetrics and Gynecology</i> , <b>2016</b> , 127, 553-561	4.9	25

88	The association between domperidone and ventricular arrhythmia in the postpartum period. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25, 1210-1214	2.6	22
87	Antenatal exposure to antidepressants is associated with altered brain development in very preterm-born neonates. <i>Neuroscience</i> , <b>2017</b> , 342, 252-262	3.9	21
86	Postpartum domperidone use in British Columbia: a retrospective cohort study. <i>CMAJ Open</i> , <b>2016</b> , 4, E13-9	2.5	21
85	Pain management of junctional epidermolysis bullosa in an 11-year-Old boy. <i>Pediatric Dermatology</i> , <b>1999</b> , 16, 465-8	1.9	20
84	Beliefs about pain among professionals working with children with significant neurologic impairment. <i>Developmental Medicine and Child Neurology</i> , <b>2001</b> , 43, 138-40	3.3	20
83	Transcranial direct current stimulation (tDCS) for depression in pregnancy: A pilot randomized controlled trial. <i>Brain Stimulation</i> , <b>2019</b> , 12, 1475-1483	5.1	19
82	Physiological correlates of memory recall in infancy: vagal tone, cortisol, and imitation in preterm and full-term infants at 6 months. <i>Research in Social and Administrative Pharmacy</i> , <b>2010</b> , 33, 219-34	2.9	19
81	Physician variability in treating pain and irritability of unknown origin in children with severe neurological impairment. <i>Pain Research and Management</i> , <b>2013</b> , 18, 243-8	2.6	18
80	Biobehavioural reactivity to pain in preterm infants: a marker of neuromotor development. <i>Developmental Medicine and Child Neurology</i> , <b>2006</b> , 48, 471-6	3.3	18
79	Perinatal selective serotonin reuptake inhibitor (SSRI) effects on body weight at birth and beyond: A review of animal and human studies. <i>Reproductive Toxicology</i> , <b>2018</b> , 77, 109-121	3.4	17
78	Focused attention, heart rate deceleration, and cognitive development in preterm and full-term infants. <i>Developmental Psychobiology</i> , <b>2012</b> , 54, 383-400	3	17
77	The role of glucocorticoid and mineralocorticoid receptor DNA methylation in antenatal depression and infant stress regulation. <i>Psychoneuroendocrinology</i> , <b>2020</b> , 115, 104611	5	16
76	A patient decision aid for antidepressant use in pregnancy: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2016</b> , 17, 110	2.8	16
75	Children's stress regulation mediates the association between prenatal maternal mood and child executive functions for boys, but not girls. <i>Development and Psychopathology</i> , <b>2018</b> , 30, 953-969	4.3	16
74	Third trimester fetal pulmonary artery Doppler blood flow velocity characteristics following prenatal selective serotonin reuptake inhibitor (SSRI) exposure. <i>Early Human Development</i> , <b>2012</b> , 88, 609-15	2.2	16
73	Factors impacting decisions to decline or adhere to antidepressant medication in perinatal women with mood and anxiety disorders. <i>Depression and Anxiety</i> , <b>2013</b> , 30, 1129-36	8.4	16
72	A patient decision aid for antidepressant use in pregnancy: Pilot randomized controlled trial. <i>Journal of Affective Disorders</i> , <b>2019</b> , 251, 91-99	6.6	13
71	Differences in White Matter Microstructure Among Children With Developmental Coordination Disorder. <i>JAMA Network Open</i> , <b>2020</b> , 3, e201184	10.4	13

70	Alterations in Resting-State Networks Following In Utero Selective Serotonin Reuptake Inhibitor Exposure in the Neonatal Brain. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , <b>2019</b> , 4, 39-49	3.4	12
69	Fetal serotonin reuptake inhibitor antidepressant exposure: maternal and fetal factors. <i>Canadian Journal of Psychiatry</i> , <b>2012</b> , 57, 523-9	4.8	12
68	Exposure to Citalopram Mitigates Maternal Stress Effects on Fetal Brain Development. <i>ACS Chemical Neuroscience</i> , <b>2019</b> , 10, 3307-3317	5.7	11
67	Hub distribution of the brain functional networks of newborns prenatally exposed to maternal depression and SSRI antidepressants. <i>Depression and Anxiety</i> , <b>2019</b> , 36, 753-765	8.4	11
66	Afternoon Cortisol in Elementary School Classrooms: Associations with Peer and Teacher Support and Child Behavior. <i>School Mental Health</i> , <b>2012</b> , 4, 181-192	2.6	11
65	Halothane and cardiac autonomic control in infants: assessment with quantitative respiratory sinus arrhythmia. <i>Pediatric Research</i> , <b>1996</b> , 40, 710-7	3.2	11
64	Sculpting infant soothability: the role of prenatal SSRI antidepressant exposure and neonatal SLC6A4 methylation status. <i>Developmental Psychobiology</i> , <b>2016</b> , 58, 745-58	3	10
63	Afternoon cortisol provides a link between self-regulated anger and peer-reported aggression in typically developing children in the school context. <i>Developmental Psychobiology</i> , <b>2017</b> , 59, 688-695	3	9
62	Antidepressant use in children and adolescents: Practice touch points to guide paediatricians. <i>Paediatrics and Child Health</i> , <b>2011</b> , 16, 549-53	0.7	9
61	Pain Assessment and Management in Infants and Young Children with Developmental Disabilities. <i>Infants and Young Children</i> , <b>2001</b> , 14, 33-47	1	9
60	A 6-year longitudinal study: Are maternal depressive symptoms and Selective Serotonin Reuptake Inhibitor (SSRI) antidepressant treatment during pregnancy associated with everyday measures of executive function in young children?. <i>Early Human Development</i> , <b>2019</b> , 128, 21-26	2.2	9
59	A randomized controlled trial of eye shields and earmuffs to reduce pain response of preterm infants. <i>Journal of Neonatal Nursing</i> , <b>2015</b> , 21, 93-103	1	8
58	Variations from morning to afternoon of middle cerebral and umbilical artery blood flow, and fetal heart rate variability, and fetal characteristics in the normally developing fetus. <i>Journal of Clinical Ultrasound</i> , <b>2018</b> , 46, 235-240	1	8
57	Socioeconomic status and treatment of depression during pregnancy: a retrospective population-based cohort study in British Columbia, Canada. <i>Archives of Women's Mental Health</i> , <b>2018</b> , 21, 765-775	5	8
56	Prenatal SSRI antidepressant use and maternal internalizing symptoms during pregnancy and postpartum: Exploring effects on infant temperament trajectories for boys and girls. <i>Journal of Affective Disorders</i> , <b>2019</b> , 258, 179-194	6.6	8
55	Unpacking the Heterogeneity of Cognitive Functioning in Children and Adolescents with Fetal Alcohol Spectrum Disorder: Determining the Role of Moderators and Strengths. <i>Advances in Neurodevelopmental Disorders</i> , <b>2017</b> , 1, 271-282	1.1	7
54	Identification of Pediatric Autism Spectrum Disorder Cases Using Health Administrative Data. <i>Autism Research</i> , <b>2020</b> , 13, 456-463	5.1	7
53	"Placebo by Proxy" and "Nocebo by Proxy" in Children: A Review of Parents' Role in Treatment Outcomes. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 169	5	6

52	Depressed Women of Low Socioeconomic Status Have High Numbers of Physician Visits in the Year Before Pregnancy: Implications for Care. <i>Journal of Clinical Medicine Research</i> , <b>2018</b> , 10, 516-522	2.9	5
51	Selective serotonin reuptake inhibitor effects on neural biomarkers of perinatal depression. <i>Archives of Women's Mental Health</i> , <b>2019</b> , 22, 431-435	5	5
50	Perinatal selective serotonin reuptake inhibitor (SSRI) and other antidepressant exposure effects on anxiety and depressive behaviors in offspring: A review of findings in humans and rodent models. <i>Reproductive Toxicology</i> , <b>2021</b> , 99, 80-95	3.4	5
49	In-utero Selective Serotonin Reuptake Inhibitor Antidepressant Exposure: Fetal Programming and Developmental Interactions With Context. <i>Clinical Pharmacology and Therapeutics</i> , <b>2018</b> , 104, 616-618	6.1	4
48	Association of Epidural Analgesia During Labor and Delivery With Autism Spectrum Disorder in Offspring. <i>JAMA - Journal of the American Medical Association</i> , <b>2021</b> , 326, 1178-1185	27.4	4
47	Advanced neuroimaging: A window into the neural correlates of fetal programming related to prenatal exposure to maternal depression and SSRIs. <i>Seminars in Perinatology</i> , <b>2020</b> , 44, 151223	3.3	3
46	Predictors of Recovery from Depression and Anxiety in Women: A Longitudinal Study from Childbirth to 6 Years. <i>Canadian Journal of Psychiatry</i> , <b>2017</b> , 62, 318-326	4.8	3
45	Biopsychosocial determinants of treatment outcome for mood and anxiety disorders up to 8 months postpartum. <i>Archives of Women's Mental Health</i> , <b>2012</b> , 15, 313-6	5	3
44	Pain Management for Children with a Developmental Disability in a Primary Care Setting <b>2008</b> , 29-37		3
43	Effects of maternal depression and prenatal SSRI exposure on executive functions and susceptibility to household chaos in 6-year-old children: prospective cohort study. <i>BJPsych Open</i> , <b>2020</b> , 6, e106	5	3
42	Decision-making about antidepressant medication use in pregnancy: a comparison between women making the decision in the preconception period versus in pregnancy. <i>BMC Psychiatry</i> , <b>2020</b> , 20, 54	4.2	2
41	Beliefs about pain among professionals working with children with significant neurologic impairment <i>Developmental Medicine and Child Neurology</i> , <b>2007</b> , 43, 138-140	3.3	2
40	Assessing the association between lifetime exposure to greenspace and early childhood development and the mediation effects of air pollution and noise in Canada: a population-based birth cohort study. <i>Lancet Planetary Health</i> , <b>2021</b> , 5, e709-e717	9.8	2
39	Biomarkers of pain: physiological indices of pain reactivity in infants and children <b>2013</b> , 391-400		2
38	Conditioned Placebo- and Nocebo-Like Effects in Adolescents: The Role of Conscious Awareness, Sensory Discrimination, and Executive Function. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 586455	5	2
37	The Association Between Antidepressant Exposure and Birth Defects-Are We There Yet?. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 1215-1216	14.5	2
36	Epidural Analgesia and Autism Spectrum Disorder Risk-The Challenges Inherent in Complex Observational Research. <i>JAMA Pediatrics</i> , <b>2021</b> , 175, 675-677	8.3	2
35	Behavior regulation skills are associated with adaptive functioning in children and adolescents with prenatal alcohol exposure. <i>Applied Neuropsychology: Child</i> , <b>2021</b> , 1-11	1.4	2



34	The impact of maternal positive and negative affect on fetal physiology and diurnal patterns. <i>Israel Journal of Psychiatry</i> , <b>2014</b> , 51, 109-17		2
33	Do We Know If They Work and If They Are Safe <b>2015</b> , 27-64		1
32	ISDN2014_0204: Performance- and questionnaire-based tools for the evaluation of executive function in children and adolescents with fetal alcohol spectrum disorder. <i>International Journal of Developmental Neuroscience</i> , <b>2015</b> , 47, 60-60	2.7	1
31	Socioeconomic status and psychotropic medicine use during pregnancy: a population-based study in British Columbia, Canada. <i>Archives of Women's Mental Health</i> , <b>2020</b> , 23, 689-697	5	1
30	The Management of Depression During Pregnancy: A Report from the American Psychiatric Association and the American College of Obstetricians and Gynecologists. <i>Focus (American Psychiatric Publishing)</i> , <b>2012</b> , 10, 78-89	1.1	1
29	Evaluating Treatment Outcome in an Interdisciplinary Pediatric Pain Service. <i>Pain Research and Management</i> , <b>2000</b> , 5, 169-172	2.6	1
28	Neighborhood environmental exposures and incidence of attention deficit/hyperactivity disorder: A population-based cohort study.. <i>Environment International</i> , <b>2022</b> , 161, 107120	12.9	1
27	Risk factors for hospitalizations associated with depression among women during the years around a birth: a retrospective cohort study. <i>International Journal of Population Data Science</i> , <b>2019</b> , 4, 453	1.4	1
26	Adolescents with solid organ transplant: Using the BRIEF2 parent-report and self-report to measure parent-child agreement and everyday executive function. <i>Applied Neuropsychology: Child</i> , <b>2020</b> , 1-10	1.4	1
25	Prenatal antidepressant exposure and sex differences in neonatal corpus callosum microstructure. <i>Developmental Psychobiology</i> , <b>2021</b> , 63, e22125	3	1
24	Impact of Prenatal Selective Serotonin Reuptake Inhibitor Antidepressant Exposure and Maternal Mood on Physical Activity, Dietary Intake, and Markers of Adiposity at Age 6 Years. <i>Journal of Developmental and Behavioral Pediatrics</i> , <b>2019</b> , 40, 266-274	2.4	1
23	Prenatal antidepressant exposure and child development at kindergarten age: a population-based study. <i>Pediatric Research</i> , <b>2021</b> , 89, 1515-1522	3.2	1
22	School staff and teachers during the second year of COVID-19: Higher anxiety symptoms, higher psychological distress, and poorer mental health compared to the general population.. <i>Journal of Affective Disorders Reports</i> , <b>2022</b> , 100335	1.4	1
21	A text messaging intervention and quality of life in adolescents with solid organ transplants.. <i>Pediatric Transplantation</i> , <b>2022</b> , e14219	1.8	0
20	Antidepressant exposure in pregnancy and child sensorimotor and visuospatial development. <i>Journal of Psychiatric Research</i> , <b>2021</b> , 143, 485-491	5.2	0
19	Placebo and nocebo effects in youth: subjective thermal discomfort can be modulated by a conditioning paradigm utilizing mental states of low and high self-efficacy.. <i>British Journal of Pain</i> , <b>2022</b> , 16, 60-70	2.1	0
18	Maternal Serotonin Reuptake Inhibitor Antidepressants Have Acute Effects on Fetal Heart Rate Variability in Late Gestation. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 680177	5	0
17	The influence of early-life residential exposure to different vegetation types and paved surfaces on early childhood development: A population-based birth cohort study.. <i>Environment International</i> , <b>2022</b> , 163, 107196	12.9	0

- 16 COVID-19 Vaccine Intentions and Perceptions Among Public School Staff of the Greater Vancouver Metropolitan Area, British Columbia, Canada.. *Frontiers in Public Health*, **2022**, 10, 832444 6 0
- 15 Fetal Effects of In Utero Serotonin Reuptake Inhibitor (SRI) Antidepressant Exposure **2016**, 365-381
- 14 Reply to Klinger et al. *Birth Defects Research Part A: Clinical and Molecular Teratology*, **2012**, 94, 962-962
- 13 Optimizing neurodevelopmental outcomes in infants and children following prenatal SSRI exposure. *Pediatric Health*, **2009**, 3, 511-514
- 12 Associations Between Prenatal Exposure to Serotonergic Medications and Biobehavioral Stress Regulation: Protocol for a Systematic Review and Meta-analysis.. *JMIR Research Protocols*, **2022**, 11, e333363
- 11 Pain in Individuals with Intellectual Disabilities 326-334
- 10 Maternal and Fetal Factors That Influence Prenatal Exposure to Selective Serotonin Reuptake Inhibitor Antidepressants **2014**, 33-46
- 9 Pain in Children with Autism **2014**, 191-209
- 8 Prenatal exposure to maternal depression is related to the functional connectivity organization underlying emotion perception in 8-10-month-old infants - Preliminary findings. *Research in Social and Administrative Pharmacy*, **2021**, 63, 101545 2.9
- 7 A cross-sectional study of the relationship between CYP2D6 and CYP2C19 variations and depression symptoms, for women taking SSRIs during pregnancy. *Archives of Women's Mental Health*, **2021**, 1 5
- 6 The Other Side of Prenatal Depression: Developmental Outcomes Associated with Antidepressant Medication Therapy **2021**, 565-593
- 5 The Microbiome-Gut-Brain Axis: A New Window to View the Impact of Prenatal Stress on Early Neurodevelopment **2021**, 165-191
- 4 Pain in individuals with intellectual disabilities **2022**, 439-449
- 3 Somatization in Adolescents With Persistent Symptoms After Concussion: A Retrospective Chart Review.. *Journal of Neuropsychiatry and Clinical Neurosciences*, **2022**, appineuropsych21070169 2.7
- 2 The development of a patient decision aid to reduce decisional conflict about antidepressant use in pregnancy.. *BMC Medical Informatics and Decision Making*, **2022**, 22, 130 3.6
- 1 A multicentre Canadian survey of caregiver perspectives on COVID vaccine-related pain and stress for their family. *British Journal of Pain*, 204946372210904 2.1