

Tim F Oberlander

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9470492/tim-f-oberlander-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159
papers

8,188
citations

47
h-index

88
g-index

176
ext. papers

9,072
ext. citations

4.5
avg, IF

5.93
L-index

#	Paper	IF	Citations
159	Associations Between Prenatal Exposure to Serotonergic Medications and Biobehavioral Stress Regulation: Protocol for a Systematic Review and Meta-analysis.. <i>JMIR Research Protocols</i> , 2022 , 11, e333363		3
158	A text messaging intervention and quality of life in adolescents with solid organ transplants.. <i>Pediatric Transplantation</i> , 2022 , e14219	1.8	0
157	Neighborhood environmental exposures and incidence of attention deficit/hyperactivity disorder: A population-based cohort study.. <i>Environment International</i> , 2022 , 161, 107120	12.9	1
156	Placebo and nocebo effects in youth: subjective thermal discomfort can be modulated by a conditioning paradigm utilizing mental states of low and high self-efficacy.. <i>British Journal of Pain</i> , 2022 , 16, 60-70	2.1	0
155	Pain in individuals with intellectual disabilities 2022 , 439-449		
154	School staff and teachers during the second year of COVID-19: Higher anxiety symptoms, higher psychological distress, and poorer mental health compared to the general population.. <i>Journal of Affective Disorders Reports</i> , 2022 , 100335	1.4	1
153	The influence of early-life residential exposure to different vegetation types and paved surfaces on early childhood development: A population-based birth cohort study.. <i>Environment International</i> , 2022 , 163, 107196	12.9	0
152	Somatization in Adolescents With Persistent Symptoms After Concussion: A Retrospective Chart Review.. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2022 , appineuropsych21070169	2.7	
151	COVID-19 Vaccine Intentions and Perceptions Among Public School Staff of the Greater Vancouver Metropolitan Area, British Columbia, Canada.. <i>Frontiers in Public Health</i> , 2022 , 10, 832444	6	0
150	The development of a patient decision aid to reduce decisional conflict about antidepressant use in pregnancy.. <i>BMC Medical Informatics and Decision Making</i> , 2022 , 22, 130	3.6	
149	Assessing the association between lifetime exposure to greenspace and early childhood development and the mediation effects of air pollution and noise in Canada: a population-based birth cohort study. <i>Lancet Planetary Health</i> , 2021 , 5, e709-e717	9.8	2
148	Antidepressant exposure in pregnancy and child sensorimotor and visuospatial development. <i>Journal of Psychiatric Research</i> , 2021 , 143, 485-491	5.2	0
147	Epidural Analgesia and Autism Spectrum Disorder Risk-The Challenges Inherent in Complex Observational Research. <i>JAMA Pediatrics</i> , 2021 , 175, 675-677	8.3	2
146	Prenatal exposure to maternal depression is related to the functional connectivity organization underlying emotion perception in 8-10-month-old infants - Preliminary findings. <i>Research in Social and Administrative Pharmacy</i> , 2021 , 63, 101545	2.9	
145	Prenatal antidepressant exposure and sex differences in neonatal corpus callosum microstructure. <i>Developmental Psychobiology</i> , 2021 , 63, e22125	3	1
144	Behavior regulation skills are associated with adaptive functioning in children and adolescents with prenatal alcohol exposure. <i>Applied Neuropsychology: Child</i> , 2021 , 1-11	1.4	2
143	A cross-sectional study of the relationship between CYP2D6 and CYP2C19 variations and depression symptoms, for women taking SSRIs during pregnancy. <i>Archives of Women's Mental Health</i> , 2021 , 1	5	

142	Perinatal selective serotonin reuptake inhibitor (SSRI) and other antidepressant exposure effects on anxiety and depressive behaviors in offspring: A review of findings in humans and rodent models. <i>Reproductive Toxicology</i> , 2021 , 99, 80-95	3.4	5
141	Prenatal antidepressant exposure and child development at kindergarten age: a population-based study. <i>Pediatric Research</i> , 2021 , 89, 1515-1522	3.2	1
140	The Other Side of Prenatal Depression: Developmental Outcomes Associated with Antidepressant Medication Therapy 2021 , 565-593		
139	The Microbiome-Gut-Brain Axis: A New Window to View the Impact of Prenatal Stress on Early Neurodevelopment 2021 , 165-191		
138	Maternal Serotonin Reuptake Inhibitor Antidepressants Have Acute Effects on Fetal Heart Rate Variability in Late Gestation. <i>Frontiers in Psychiatry</i> , 2021 , 12, 680177	5	0
137	Association of Epidural Analgesia During Labor and Delivery With Autism Spectrum Disorder in Offspring. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 1178-1185	27.4	4
136	Socioeconomic status and psychotropic medicine use during pregnancy: a population-based study in British Columbia, Canada. <i>Archives of Women's Mental Health</i> , 2020 , 23, 689-697	5	1
135	Decision-making about antidepressant medication use in pregnancy: a comparison between women making the decision in the preconception period versus in pregnancy. <i>BMC Psychiatry</i> , 2020 , 20, 54	4.2	2
134	The role of glucocorticoid and mineralocorticoid receptor DNA methylation in antenatal depression and infant stress regulation. <i>Psychoneuroendocrinology</i> , 2020 , 115, 104611	5	16
133	Advanced neuroimaging: A window into the neural correlates of fetal programming related to prenatal exposure to maternal depression and SSRIs. <i>Seminars in Perinatology</i> , 2020 , 44, 151223	3.3	3
132	Differences in White Matter Microstructure Among Children With Developmental Coordination Disorder. <i>JAMA Network Open</i> , 2020 , 3, e201184	10.4	13
131	"Placebo by Proxy" and "Nocebo by Proxy" in Children: A Review of Parents' Role in Treatment Outcomes. <i>Frontiers in Psychiatry</i> , 2020 , 11, 169	5	6
130	Identification of Pediatric Autism Spectrum Disorder Cases Using Health Administrative Data. <i>Autism Research</i> , 2020 , 13, 456-463	5.1	7
129	Effects of maternal depression and prenatal SSRI exposure on executive functions and susceptibility to household chaos in 6-year-old children: prospective cohort study. <i>BJPsych Open</i> , 2020 , 6, e106	5	3
128	Conditioned Placebo- and Nocebo-Like Effects in Adolescents: The Role of Conscious Awareness, Sensory Discrimination, and Executive Function. <i>Frontiers in Psychiatry</i> , 2020 , 11, 586455	5	2
127	The Association Between Antidepressant Exposure and Birth Defects-Are We There Yet?. <i>JAMA Psychiatry</i> , 2020 , 77, 1215-1216	14.5	2
126	Adolescents with solid organ transplant: Using the BRIEF2 parent-report and self-report to measure parent-child agreement and everyday executive function. <i>Applied Neuropsychology: Child</i> , 2020 , 1-10	1.4	1
125	Transcranial direct current stimulation (tDCS) for depression in pregnancy: A pilot randomized controlled trial. <i>Brain Stimulation</i> , 2019 , 12, 1475-1483	5.1	19

124	Exposure to Citalopram Mitigates Maternal Stress Effects on Fetal Brain Development. <i>ACS Chemical Neuroscience</i> , 2019 , 10, 3307-3317	5.7	11
123	Hub distribution of the brain functional networks of newborns prenatally exposed to maternal depression and SSRI antidepressants. <i>Depression and Anxiety</i> , 2019 , 36, 753-765	8.4	11
122	A patient decision aid for antidepressant use in pregnancy: Pilot randomized controlled trial. <i>Journal of Affective Disorders</i> , 2019 , 251, 91-99	6.6	13
121	Alterations in Resting-State Networks Following In Utero Selective Serotonin Reuptake Inhibitor Exposure in the Neonatal Brain. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 39-49	3.4	12
120	Prenatal SSRI antidepressant use and maternal internalizing symptoms during pregnancy and postpartum: Exploring effects on infant temperament trajectories for boys and girls. <i>Journal of Affective Disorders</i> , 2019 , 258, 179-194	6.6	8
119	Risk factors for hospitalizations associated with depression among women during the years around a birth: a retrospective cohort study. <i>International Journal of Population Data Science</i> , 2019 , 4, 453	1.4	1
118	Impact of Prenatal Selective Serotonin Reuptake Inhibitor Antidepressant Exposure and Maternal Mood on Physical Activity, Dietary Intake, and Markers of Adiposity at Age 6 Years. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2019 , 40, 266-274	2.4	1
117	A 6-year longitudinal study: Are maternal depressive symptoms and Selective Serotonin Reuptake Inhibitor (SSRI) antidepressant treatment during pregnancy associated with everyday measures of executive function in young children?. <i>Early Human Development</i> , 2019 , 128, 21-26	2.2	9
116	Association of Prenatal Exposure to Air Pollution With Autism Spectrum Disorder. <i>JAMA Pediatrics</i> , 2019 , 173, 86-92	8.3	47
115	Selective serotonin reuptake inhibitor effects on neural biomarkers of perinatal depression. <i>Archives of Women's Mental Health</i> , 2019 , 22, 431-435	5	5
114	Perinatal selective serotonin reuptake inhibitor (SSRI) effects on body weight at birth and beyond: A review of animal and human studies. <i>Reproductive Toxicology</i> , 2018 , 77, 109-121	3.4	17
113	Maternal depression trajectories from pregnancy to 3 years postpartum are associated with children's behavior and executive functions at 3 and 6 years. <i>Archives of Women's Mental Health</i> , 2018 , 21, 353-363	5	56
112	Variations from morning to afternoon of middle cerebral and umbilical artery blood flow, and fetal heart rate variability, and fetal characteristics in the normally developing fetus. <i>Journal of Clinical Ultrasound</i> , 2018 , 46, 235-240	1	8
111	Perinatal selective serotonin reuptake inhibitor medication (SSRI) effects on social behaviors, neurodevelopment and the epigenome. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 85, 102-116	9	30
110	In-utero Selective Serotonin Reuptake Inhibitor Antidepressant Exposure: Fetal Programming and Developmental Interactions With Context. <i>Clinical Pharmacology and Therapeutics</i> , 2018 , 104, 616-618	6.1	4
109	Children's stress regulation mediates the association between prenatal maternal mood and child executive functions for boys, but not girls. <i>Development and Psychopathology</i> , 2018 , 30, 953-969	4.3	16
108	Socioeconomic status and treatment of depression during pregnancy: a retrospective population-based cohort study in British Columbia, Canada. <i>Archives of Women's Mental Health</i> , 2018 , 21, 765-775	5	8
107	Depressed Women of Low Socioeconomic Status Have High Numbers of Physician Visits in the Year Before Pregnancy: Implications for Care. <i>Journal of Clinical Medicine Research</i> , 2018 , 10, 516-522	2.9	5

106	Afternoon cortisol provides a link between self-regulated anger and peer-reported aggression in typically developing children in the school context. <i>Developmental Psychobiology</i> , 2017 , 59, 688-695	3	9
105	Antenatal exposure to antidepressants is associated with altered brain development in very preterm-born neonates. <i>Neuroscience</i> , 2017 , 342, 252-262	3.9	21
104	Unpacking the Heterogeneity of Cognitive Functioning in Children and Adolescents with Fetal Alcohol Spectrum Disorder: Determining the Role of Moderators and Strengths. <i>Advances in Neurodevelopmental Disorders</i> , 2017 , 1, 271-282	1.1	7
103	Variations in Neurodevelopmental Outcomes in Children with Prenatal SSRI Antidepressant Exposure. <i>Birth Defects Research</i> , 2017 , 109, 909-923	2.9	28
102	Predictors of Recovery from Depression and Anxiety in Women: A Longitudinal Study from Childbirth to 6 Years. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 318-326	4.8	3
101	SLC6A4 promoter region methylation and socio-emotional stress response in very preterm and full-term infants. <i>Epigenomics</i> , 2016 , 8, 895-907	4.4	30
100	A patient decision aid for antidepressant use in pregnancy: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 110	2.8	16
99	Fetal Effects of In Utero Serotonin Reuptake Inhibitor (SRI) Antidepressant Exposure 2016 , 365-381		
98	Postpartum domperidone use in British Columbia: a retrospective cohort study. <i>CMAJ Open</i> , 2016 , 4, E13-9	2.5	21
97	The association between domperidone and ventricular arrhythmia in the postpartum period. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 1210-1214	2.6	22
96	Sculpting infant soothability: the role of prenatal SSRI antidepressant exposure and neonatal SLC6A4 methylation status. <i>Developmental Psychobiology</i> , 2016 , 58, 745-58	3	10
95	Postpartum Hemorrhage and Use of Serotonin Reuptake Inhibitor Antidepressants in Pregnancy. <i>Obstetrics and Gynecology</i> , 2016 , 127, 553-561	4.9	25
94	Dysregulation of the cortisol diurnal rhythm following prenatal alcohol exposure and early life adversity. <i>Alcohol</i> , 2016 , 53, 9-18	2.7	34
93	A randomized controlled trial of eye shields and earmuffs to reduce pain response of preterm infants. <i>Journal of Neonatal Nursing</i> , 2015 , 21, 93-103	1	8
92	Do We Know If They Work and If They Are Safe 2015 , 27-64		1
91	Prenatal antidepressant exposure associated with CYP2E1 DNA methylation change in neonates. <i>Epigenetics</i> , 2015 , 10, 361-72	5.7	58
90	ISDN2014_0204: Performance- and questionnaire-based tools for the evaluation of executive function in children and adolescents with fetal alcohol spectrum disorder. <i>International Journal of Developmental Neuroscience</i> , 2015 , 47, 60-60	2.7	1
89	Enhancing cognitive and social-emotional development through a simple-to-administer mindfulness-based school program for elementary school children: a randomized controlled trial. <i>Developmental Psychology</i> , 2015 , 51, 52-66	3.7	335

88	Trends and Determinants of Prescription Drug Use during Pregnancy and Postpartum in British Columbia, 2002-2011: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0128312	3.7	41
87	Prenatal exposure to serotonin reuptake inhibitor antidepressants and childhood behavior. <i>Pediatric Research</i> , 2015 , 78, 174-80	3.2	55
86	The effect of perinatal exposures on the infant: antidepressants and depression. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2014 , 28, 37-48	4.6	41
85	The symphonic structure of childhood stress reactivity: patterns of sympathetic, parasympathetic, and adrenocortical responses to psychological challenge. <i>Development and Psychopathology</i> , 2014 , 26, 963-82	4.3	48
84	Neonatal pain and COMT Val158Met genotype in relation to serotonin transporter (SLC6A4) promoter methylation in very preterm children at school age. <i>Frontiers in Behavioral Neuroscience</i> , 2014 , 8, 409	3.5	57
83	Maternal and Fetal Factors That Influence Prenatal Exposure to Selective Serotonin Reuptake Inhibitor Antidepressants 2014 , 33-46		
82	Pain in Children with Autism 2014 , 191-209		
81	The impact of maternal positive and negative affect on fetal physiology and diurnal patterns. <i>Israel Journal of Psychiatry</i> , 2014 , 51, 109-17		2
80	Intervention minimizing preterm infants' exposure to NICU light and noise. <i>Clinical Nursing Research</i> , 2013 , 22, 337-58	1.7	32
79	The impact of prenatal serotonin reuptake inhibitor (SRI) antidepressant exposure and maternal mood on mother-infant interactions at 3 months of age. <i>Research in Social and Administrative Pharmacy</i> , 2013 , 36, 485-93	2.9	34
78	Infant developmental outcomes following prenatal exposure to antidepressants, and maternal depressed mood and positive affect. <i>Early Human Development</i> , 2013 , 89, 519-24	2.2	105
77	Factors impacting decisions to decline or adhere to antidepressant medication in perinatal women with mood and anxiety disorders. <i>Depression and Anxiety</i> , 2013 , 30, 1129-36	8.4	16
76	Prenatal serotonin reuptake inhibitor (SRI) antidepressant exposure and serotonin transporter promoter genotype (SLC6A4) influence executive functions at 6 years of age. <i>Frontiers in Cellular Neuroscience</i> , 2013 , 7, 180	6.1	47
75	Physician variability in treating pain and irritability of unknown origin in children with severe neurological impairment. <i>Pain Research and Management</i> , 2013 , 18, 243-8	2.6	18
74	Biomarkers of pain: physiological indices of pain reactivity in infants and children 2013 , 391-400		2
73	Prenatal SSRI exposure alters neonatal corticosteroid binding globulin, infant cortisol levels, and emerging HPA function. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1019-28	5	58
72	The Management of Depression During Pregnancy: A Report from the American Psychiatric Association and the American College of Obstetricians and Gynecologists. <i>Focus (American Psychiatric Publishing)</i> , 2012 , 10, 78-89	1.1	1
71	Reply to Klinger et al. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2012 , 94, 962-962		

70	Fetal serotonin signaling: setting pathways for early childhood development and behavior. <i>Journal of Adolescent Health</i> , 2012 , 51, S9-16	5.8	70
69	Third trimester fetal pulmonary artery Doppler blood flow velocity characteristics following prenatal selective serotonin reuptake inhibitor (SSRI) exposure. <i>Early Human Development</i> , 2012 , 88, 609-15	2.2	16
68	Prenatal exposure to antidepressants and depressed maternal mood alter trajectory of infant speech perception. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109 Suppl 2, 17221-7	11.5	151
67	Afternoon Cortisol in Elementary School Classrooms: Associations with Peer and Teacher Support and Child Behavior. <i>School Mental Health</i> , 2012 , 4, 181-192	2.6	11
66	Frontal EEG/ERP correlates of attentional processes, cortisol and motivational states in adolescents from lower and higher socioeconomic status. <i>Frontiers in Human Neuroscience</i> , 2012 , 6, 306	3.3	28
65	Focused attention, heart rate deceleration, and cognitive development in preterm and full-term infants. <i>Developmental Psychobiology</i> , 2012 , 54, 383-400	3	17
64	Neurodevelopmental outcomes following prenatal exposure to serotonin reuptake inhibitor antidepressants: a "social teratogen" or moderator of developmental risk?. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2012 , 94, 651-9		28
63	Biopsychosocial determinants of treatment outcome for mood and anxiety disorders up to 8 months postpartum. <i>Archives of Women's Mental Health</i> , 2012 , 15, 313-6	5	3
62	Fetal serotonin reuptake inhibitor antidepressant exposure: maternal and fetal factors. <i>Canadian Journal of Psychiatry</i> , 2012 , 57, 523-9	4.8	12
61	Antidepressant use in children and adolescents: Practice touch points to guide paediatricians. <i>Paediatrics and Child Health</i> , 2011 , 16, 549-53	0.7	9
60	Third trimester fetal heart rate and Doppler middle cerebral artery blood flow velocity characteristics during prenatal selective serotonin reuptake inhibitor exposure. <i>Pediatric Research</i> , 2011 , 70, 96-101	3.2	37
59	Prenatal exposure to maternal depressed mood and the MTHFR C677T variant affect SLC6A4 methylation in infants at birth. <i>PLoS ONE</i> , 2010 , 5, e12201	3.7	227
58	Prenatal effects of selective serotonin reuptake inhibitor antidepressants, serotonin transporter promoter genotype (SLC6A4), and maternal mood on child behavior at 3 years of age. <i>JAMA Pediatrics</i> , 2010 , 164, 444-51		119
57	Antenatal depression and anxiety affect postpartum parenting stress: a longitudinal, prospective study. <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 222-8	4.8	71
56	Physiological correlates of memory recall in infancy: vagal tone, cortisol, and imitation in preterm and full-term infants at 6 months. <i>Research in Social and Administrative Pharmacy</i> , 2010 , 33, 219-34	2.9	19
55	Prenatal alcohol exposure alters biobehavioral reactivity to pain in newborns. <i>Alcoholism: Clinical and Experimental Research</i> , 2010 , 34, 681-92	3.7	46
54	Cortisol, behavior, and heart rate reactivity to immunization pain at 4 months corrected age in infants born very preterm. <i>Clinical Journal of Pain</i> , 2010 , 26, 698-704	3.5	63
53	Neonatal S100B protein levels after prenatal exposure to selective serotonin reuptake inhibitors. <i>Pediatrics</i> , 2009 , 124, e662-70	7.4	46

52	The management of depression during pregnancy: a report from the American Psychiatric Association and the American College of Obstetricians and Gynecologists. <i>General Hospital Psychiatry</i> , 2009 , 31, 403-13	5.6	290
51	Optimizing neurodevelopmental outcomes in infants and children following prenatal SSRI exposure. <i>Pediatric Health</i> , 2009 , 3, 511-514		
50	Hypothalamic-pituitary-adrenal (HPA) axis function in 3-month old infants with prenatal selective serotonin reuptake inhibitor (SSRI) antidepressant exposure. <i>Early Human Development</i> , 2008 , 84, 689-97	7.2	103
49	Prenatal exposure to maternal depression, neonatal methylation of human glucocorticoid receptor gene (NR3C1) and infant cortisol stress responses. <i>Epigenetics</i> , 2008 , 3, 97-106	5.7	1104
48	Effects of timing and duration of gestational exposure to serotonin reuptake inhibitor antidepressants: population-based study. <i>British Journal of Psychiatry</i> , 2008 , 192, 338-43	5.4	106
47	Is it painful or not? Discriminant validity of the Behavioral Indicators of Infant Pain (BIIP) scale. <i>Clinical Journal of Pain</i> , 2008 , 24, 83-8	3.5	55
46	Major congenital malformations following prenatal exposure to serotonin reuptake inhibitors and benzodiazepines using population-based health data. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2008 , 83, 68-76		137
45	Contingency Learning and Reactivity in Preterm and Full-Term Infants at 3 Months. <i>Infancy</i> , 2008 , 13, 570-595	2.4	26
44	Pain Management for Children with a Developmental Disability in a Primary Care Setting 2008 , 29-37		3
43	Beliefs about pain among professionals working with children with significant neurologic impairment <i>Developmental Medicine and Child Neurology</i> , 2007 , 43, 138-140	3.3	2
42	Externalizing and attentional behaviors in children of depressed mothers treated with a selective serotonin reuptake inhibitor antidepressant during pregnancy. <i>JAMA Pediatrics</i> , 2007 , 161, 22-9		151
41	Neonatal outcomes after prenatal exposure to selective serotonin reuptake inhibitor antidepressants and maternal depression using population-based linked health data. <i>Archives of General Psychiatry</i> , 2006 , 63, 898-906		454
40	A prospective controlled study of neurodevelopment in HIV-uninfected children exposed to combination antiretroviral drugs in pregnancy. <i>Pediatrics</i> , 2006 , 118, e1139-45	7.4	58
39	Internalizing behaviors in 4-year-old children exposed in utero to psychotropic medications. <i>American Journal of Psychiatry</i> , 2006 , 163, 1026-32	11.9	159
38	Behavioral responses to pain are heightened after clustered care in preterm infants born between 30 and 32 weeks gestational age. <i>Clinical Journal of Pain</i> , 2006 , 22, 757-64	3.5	75
37	Stereoselective disposition of fluoxetine and norfluoxetine during pregnancy and breast-feeding. <i>British Journal of Clinical Pharmacology</i> , 2006 , 61, 155-63	3.8	116
36	Biobehavioural reactivity to pain in preterm infants: a marker of neuromotor development. <i>Developmental Medicine and Child Neurology</i> , 2006 , 48, 471-6	3.3	18
35	Analgesia and local anesthesia during invasive procedures in the neonate. <i>Clinical Therapeutics</i> , 2005 , 27, 844-76	3.5	101

34	Analgesia and anesthesia for neonates: study design and ethical issues. <i>Clinical Therapeutics</i> , 2005 , 27, 814-43	3.5	47
33	Neonatal procedural pain exposure predicts lower cortisol and behavioral reactivity in preterm infants in the NICU. <i>Pain</i> , 2005 , 113, 293-300	8	251
32	Body movements: an important additional factor in discriminating pain from stress in preterm infants. <i>Clinical Journal of Pain</i> , 2005 , 21, 491-8	3.5	76
31	Prior pain induces heightened motor responses during clustered care in preterm infants in the NICU. <i>Early Human Development</i> , 2005 , 81, 293-302	2.2	98
30	Pain reactivity in 2-month-old infants after prenatal and postnatal serotonin reuptake inhibitor medication exposure. <i>Pediatrics</i> , 2005 , 115, 411-25	7.4	137
29	Specific Newborn Individualized Developmental Care and Assessment Program movements are associated with acute pain in preterm infants in the neonatal intensive care unit. <i>Pediatrics</i> , 2004 , 114, 65-72	7.4	84
28	Expression of pain in children with autism. <i>Clinical Journal of Pain</i> , 2004 , 20, 88-97	3.5	131
27	Does prone or supine position influence pain responses in preterm infants at 32 weeks gestational age?. <i>Clinical Journal of Pain</i> , 2004 , 20, 76-82	3.5	46
26	Relation between prenatal maternal mood and anxiety and neonatal health. <i>Canadian Journal of Psychiatry</i> , 2004 , 49, 684-9	4.8	39
25	Pharmacologic factors associated with transient neonatal symptoms following prenatal psychotropic medication exposure. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 230-7	4.6	165
24	Are there developmentally distinct motor indicators of pain in preterm infants?. <i>Early Human Development</i> , 2003 , 72, 131-46	2.2	59
23	Does parenchymal brain injury affect biobehavioral pain responses in very low birth weight infants at 32 weeks' postconceptional age?. <i>Pediatrics</i> , 2002 , 110, 570-6	7.4	55
22	Prolonged prenatal psychotropic medication exposure alters neonatal acute pain response. <i>Pediatric Research</i> , 2002 , 51, 443-53	3.2	112
21	Pain Assessment and Management in Infants and Young Children with Developmental Disabilities. <i>Infants and Young Children</i> , 2001 , 14, 33-47	1	9
20	Pain reactivity in former extremely low birth weight infants at corrected age 8 months compared with term born controls 2001 , 24, 41-55		45
19	Demographic and therapeutic determinants of pain reactivity in very low birth weight neonates at 32 Weeks' postconceptional Age. <i>Pediatrics</i> , 2001 , 107, 105-12	7.4	192
18	Relations between behavioral and cardiac autonomic reactivity to acute pain in preterm neonates. <i>Clinical Journal of Pain</i> , 2001 , 17, 350-8	3.5	63
17	Beliefs about pain among professionals working with children with significant neurologic impairment. <i>Developmental Medicine and Child Neurology</i> , 2001 , 43, 138-40	3.3	20

16	Biobehavioral pain responses in former extremely low birth weight infants at four months' corrected age. <i>Pediatrics</i> , 2000 , 105, e6	7.4	111
15	Evaluating Treatment Outcome in an Interdisciplinary Pediatric Pain Service. <i>Pain Research and Management</i> , 2000 , 5, 169-172	2.6	1
14	Prenatal and breast milk morphine exposure following maternal intrathecal morphine treatment. <i>Journal of Human Lactation</i> , 2000 , 16, 137-42	2.6	27
13	Pain management of junctional epidermolysis bullosa in an 11-year-Old boy. <i>Pediatric Dermatology</i> , 1999 , 16, 465-8	1.9	20
12	Pain in children with significant neurological impairment. <i>Journal of Developmental and Behavioral Pediatrics</i> , 1999 , 20, 235-43	2.4	79
11	The developmental character of cardiac autonomic responses to an acute noxious event in 4- and 8-month-old healthy infants. <i>Pediatric Research</i> , 1999 , 45, 519-25	3.2	46
10	Biobehavioral responses to acute pain in adolescents with a significant neurologic impairment. <i>Clinical Journal of Pain</i> , 1999 , 15, 201-9	3.5	66
9	Bedside application of the Neonatal Facial Coding System in pain assessment of premature neonates. <i>Pain</i> , 1998 , 76, 277-286	8	224
8	Developmental Character and Long-Term Consequences of Pain in Infants and Children. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 1997 , 6, 703-724	3.3	40
7	Halothane and cardiac autonomic control in infants: assessment with quantitative respiratory sinus arrhythmia. <i>Pediatric Research</i> , 1996 , 40, 710-7	3.2	11
6	Time and frequency domain methods for heart rate variability analysis: a methodological comparison. <i>Psychophysiology</i> , 1995 , 32, 492-504	4.1	70
5	Infants tolerate spinal anesthesia with minimal overall autonomic changes: analysis of heart rate variability in former premature infants undergoing hernia repair. <i>Anesthesia and Analgesia</i> , 1995 , 80, 20-7	3.9	26
4	Infants Tolerate Spinal Anesthesia with Minimal Overall Autonomic Changes. <i>Anesthesia and Analgesia</i> , 1995 , 80, 20-27	3.9	89
3	Effects of intra-oral sucrose on crying, mouthing and hand-mouth contact in newborn and six-week-old infants. <i>Developmental Medicine and Child Neurology</i> , 1994 , 36, 608-18	3.3	72
2	Pain in Individuals with Intellectual Disabilities 326-334		
1	A multicentre Canadian survey of caregiver perspectives on COVID vaccine-related pain and stress for their family. <i>British Journal of Pain</i> , 204946372210904	2.1	