

Seung-Jin Han

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9471437/seung-jin-han-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

1,459
citations

21
h-index

34
g-index

83
ext. papers

1,739
ext. citations

4.7
avg, IF

4.21
L-index

#	Paper	IF	Citations
79	Empagliflozin Reduces the Progression of Hepatic Fibrosis in a Mouse Model and Inhibits the Activation of Hepatic Stellate Cells via the Hippo Signalling Pathway. <i>Biomedicines</i> , 2022 , 10, 1032	4.8	0
78	Hepatoprotective effects of gemigliptin and empagliflozin in a murine model of diet-induced non-alcoholic fatty liver disease.. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 588, 154-160	3.4	2
77	Anti-inflammatory Effects of Empagliflozin and Gemigliptin on LPS-Stimulated Macrophage via the IKK/NF-B, MKK7/JNK, and JAK2/STAT1 Signalling Pathways. <i>Journal of Immunology Research</i> , 2021 , 2021, 9944880	4.5	16
76	Effectiveness and safety of sodium-glucose co-transporter-2 inhibitors compared with dipeptidyl peptidase-4 inhibitors in older adults with type 2 diabetes: A nationwide population-based study. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 682-691	6.7	12
75	Leptin and Adiponectin Concentrations Independently Predict Future Accumulation of Visceral Fat in Nondiabetic Japanese Americans. <i>Obesity</i> , 2021 , 29, 233-239	8	3
74	Trends in the effects of pre-transplant diabetes on mortality and cardiovascular events after kidney transplantation. <i>Journal of Diabetes Investigation</i> , 2021 , 12, 811-818	3.9	3
73	Hypoglycemia and Dementia Risk in Older Patients with Type 2 Diabetes Mellitus: A Propensity-Score Matched Analysis of a Population-Based Cohort Study. <i>Diabetes and Metabolism Journal</i> , 2020 , 44, 125-133	5	16
72	Response: Hypoglycemia and Dementia Risk in Older Patients with Type 2 Diabetes Mellitus: A Propensity-Score Matched Analysis of a Population-Based Cohort Study (2020;44:125-33). <i>Diabetes and Metabolism Journal</i> , 2020 , 44, 360-361	5	0
71	Apolipoprotein B Levels Predict Future Development of Hypertension Independent of Visceral Adiposity and Insulin Sensitivity. <i>Endocrinology and Metabolism</i> , 2020 , 35, 351-358	3.5	0
70	The Association of Adiponectin and Visceral Fat with Insulin Resistance and ECell Dysfunction. <i>Journal of Korean Medical Science</i> , 2019 , 34, e7	4.7	19
69	Response: Association of Thigh Muscle Mass with Insulin Resistance and Incident Type 2 Diabetes Mellitus in Japanese Americans (Diabetes Metab J 2018;42:488-95). <i>Diabetes and Metabolism Journal</i> , 2019 , 43, 125-126	5	1
68	Risk of Dementia in Older Patients with Type 2 Diabetes on Dipeptidyl-Peptidase IV Inhibitors Versus Sulfonylureas: A Real-World Population-Based Cohort Study. <i>Journal of Clinical Medicine</i> , 2018 , 8,	5.1	10
67	Association of Thigh Muscle Mass with Insulin Resistance and Incident Type 2 Diabetes Mellitus in Japanese Americans. <i>Diabetes and Metabolism Journal</i> , 2018 , 42, 488-495	5	25
66	Effect of sarpogrelate, a selective 5-HT receptor antagonist, on characteristics of coronary artery disease in patients with type 2 diabetes. <i>Atherosclerosis</i> , 2017 , 257, 47-54	3.1	8
65	Low Plasma Adiponectin Concentrations Predict Increases in Visceral Adiposity and Insulin Resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 4626-4633	5.6	25
64	Effects of combination of change in visceral fat and thigh muscle mass on the development of type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2017 , 134, 131-138	7.4	6
63	Incidence and predictors of type 2 diabetes among Koreans: A 12-year follow up of the Korean Genome and Epidemiology Study. <i>Diabetes Research and Clinical Practice</i> , 2017 , 123, 173-180	7.4	34

62	MicroRNA-132 Negatively Regulates Palmitate-Induced NLRP3 Inflammasome Activation through FOXO3 Down-Regulation in THP-1 Cells. <i>Nutrients</i> , 2017 , 9,	6.7	10
61	Glutamate dehydrogenase activator BCH stimulating reductive amination prevents high fat/high fructose diet-induced steatohepatitis and hyperglycemia in C57BL/6J mice. <i>Scientific Reports</i> , 2016 , 5, 37468	4.9	9
60	Risk factors of severe hypoglycemia requiring medical assistance and neurological sequelae in patients with diabetes: A case-control study. <i>Medicine (United States)</i> , 2016 , 95, e5365	1.8	10
59	Association between insulin resistance and impairment of FGF21 signal transduction in skeletal muscles. <i>Endocrine</i> , 2016 , 53, 97-106	4	12
58	Treatment Strategy to Prevent Hypoglycemia. <i>Journal of Korean Diabetes</i> , 2016 , 17, 30	0.1	1
57	Obesity and Hyperglycemia in Korean Men with Klinefelter Syndrome: The Korean Endocrine Society Registry. <i>Endocrinology and Metabolism</i> , 2016 , 31, 598-603	3.5	18
56	Renal Protective Effect of DPP-4 Inhibitors in Type 2 Diabetes Mellitus Patients: A Cohort Study. <i>Journal of Diabetes Research</i> , 2016 , 2016, 1423191	3.9	24
55	A Korean version of the Appraisal of Diabetes Scale (ADS-K): psychometric evaluation with a population of Koreans with type 2 diabetes. <i>Journal of Transcultural Nursing</i> , 2015 , 26, 270-8	2.2	4
54	Involvement of iron depletion in palmitate-induced lipotoxicity of beta cells. <i>Molecular and Cellular Endocrinology</i> , 2015 , 407, 74-84	4.4	20
53	Effect of socio-economic status on the prevalence of diabetes. <i>Yonsei Medical Journal</i> , 2015 , 56, 641-7	3	20
52	Impact of Cadmium Exposure on the Association between Lipopolysaccharide and Metabolic Syndrome. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 11396-409	4.6	12
51	Newly Developed Sarcopenia as a Prognostic Factor for Survival in Patients who Underwent Liver Transplantation. <i>PLoS ONE</i> , 2015 , 10, e0143966	3.7	31
50	Psychometric Properties of the Diabetes Management Self-Efficacy Scale in Korean Patients with Type 2 Diabetes. <i>International Journal of Endocrinology</i> , 2015 , 2015, 780701	2.7	10
49	Effects of pentoxifylline on proteinuria and glucose control in patients with type 2 diabetes: a prospective randomized double-blind multicenter study. <i>Diabetology and Metabolic Syndrome</i> , 2015 , 7, 64	5.6	18
48	Clinical and economic outcomes in medication-adherent and -nonadherent patients with type 2 diabetes mellitus in the Republic of Korea. <i>Clinical Therapeutics</i> , 2014 , 36, 245-54	3.5	6
47	Toxicity generated through inhibition of pyruvate carboxylase and carnitine palmitoyl transferase-1 is similar to high glucose/palmitate-induced glucolipotoxicity in INS-1 beta cells. <i>Molecular and Cellular Endocrinology</i> , 2014 , 383, 48-59	4.4	17
46	IL-6 induction of TLR-4 gene expression via STAT3 has an effect on insulin resistance in human skeletal muscle. <i>Acta Diabetologica</i> , 2013 , 50, 189-200	3.9	49
45	Increased risk of suicidal ideation in Korean adults with both diabetes and depression. <i>Diabetes Research and Clinical Practice</i> , 2013 , 101, e14-7	7.4	24

44	Gastrectomy for early gastric cancer is associated with decreased cardiovascular mortality in association with postsurgical metabolic changes. <i>Annals of Surgical Oncology</i> , 2013 , 20, 1250-7	3.1	20
43	Differential significance of plasma visfatin concentrations according to adiposity in children and adolescents. <i>Hormone Research in Paediatrics</i> , 2013 , 79, 208-13	3.3	6
42	Beneficial effects of fresh and fermented kimchi in prediabetic individuals. <i>Annals of Nutrition and Metabolism</i> , 2013 , 63, 111-9	4.5	54
41	Sleep duration and glycemic control in patients with diabetes mellitus: Korea National Health and Nutrition Examination Survey 2007-2010. <i>Journal of Korean Medical Science</i> , 2013 , 28, 1334-9	4.7	25
40	Dual pathways of p53 mediated glucolipototoxicity-induced apoptosis of rat cardiomyoblast cell: activation of p53 proapoptosis and inhibition of Nrf2-NQO1 antiapoptosis. <i>Metabolism: Clinical and Experimental</i> , 2012 , 61, 496-503	12.7	13
39	Fibroblast growth factor-21 protects human skeletal muscle myotubes from palmitate-induced insulin resistance by inhibiting stress kinase and NF- κ B. <i>Metabolism: Clinical and Experimental</i> , 2012 , 61, 1142-51	12.7	64
38	Serum fibroblast growth factor 21 was elevated in subjects with type 2 diabetes mellitus and was associated with the presence of carotid artery plaques. <i>Diabetes Research and Clinical Practice</i> , 2012 , 96, 196-203	7.4	56
37	A compound (DW1182v) protecting high glucose/palmitate-induced glucolipototoxicity to INS-1 beta cells preserves islet integrity and improves hyperglycemia in obese db/db mouse. <i>European Journal of Pharmacology</i> , 2012 , 696, 187-93	5.3	4
36	Direct medical costs for patients with type 2 diabetes and related complications: a prospective cohort study based on the Korean National Diabetes Program. <i>Journal of Korean Medical Science</i> , 2012 , 27, 876-82	4.7	35
35	A Case of an Adrenocortical Carcinoma with Pulmonary Embolism as the Initial Manifestation. <i>Endocrinology and Metabolism</i> , 2012 , 27, 93	3.5	0
34	Cell-protective effect of 2-aminobicyclo-(2,2,1)-heptane-2-carboxylic acid as a glutamate dehydrogenase activator in db/db mice. <i>Journal of Endocrinology</i> , 2012 , 212, 307-15	4.7	14
33	Supplement of TCA cycle intermediates protects against high glucose/palmitate-induced INS-1 beta cell death. <i>Archives of Biochemistry and Biophysics</i> , 2011 , 505, 231-41	4.1	18
32	Effect of sitagliptin plus metformin on cell function, islet integrity and islet gene expression in Zucker diabetic fatty rats. <i>Diabetes Research and Clinical Practice</i> , 2011 , 92, 213-22	7.4	23
31	Utilization patterns and cost of complementary and alternative medicine compared to conventional medicine in patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2011 , 93, 115-22	7.4	12
30	Supplementation of pyruvate prevents palmitate-induced impairment of glucose uptake in C2 myotubes. <i>Molecular and Cellular Endocrinology</i> , 2011 , 345, 79-87	4.4	3
29	Intake of brown rice lees reduces waist circumference and improves metabolic parameters in type 2 diabetes. <i>Nutrition Research</i> , 2011 , 31, 131-8	4	15
28	Capsaicin attenuates palmitate-induced expression of macrophage inflammatory protein 1 and interleukin 8 by increasing palmitate oxidation and reducing c-Jun activation in THP-1 (human acute monocytic leukemia cell) cells. <i>Nutrition Research</i> , 2011 , 31, 468-78	4	37
27	Fermented kimchi reduces body weight and improves metabolic parameters in overweight and obese patients. <i>Nutrition Research</i> , 2011 , 31, 436-43	4	107

26	A higher burden of small low-density lipoprotein particles is associated with profound changes in the free androgen index in male adolescents. <i>Journal of Korean Medical Science</i> , 2011 , 26, 534-9	4.7	2
25	The Relationship between Diabetes Mellitus and Health-Related Quality of Life in Korean Adults: The Fourth Korea National Health and Nutrition Examination Survey (2007-2009). <i>Diabetes and Metabolism Journal</i> , 2011 , 35, 587-94	5	45
24	Exercise in the Elderly with Diabetes. <i>Journal of Korean Diabetes</i> , 2011 , 12, 37	0.1	
23	Involvement of visfatin in palmitate-induced upregulation of inflammatory cytokines in hepatocytes. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 1781-9	12.7	15
22	Effects of pioglitazone on subclinical atherosclerosis and insulin resistance in nondiabetic renal allograft recipients. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 976-84	4.3	14
21	Incretin secretion and serum DPP-IV activity in Korean patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2010 , 89, e49-52	7.4	14
20	Atherosclerosis induced by a high-fat diet is alleviated by lithium chloride via reduction of VCAM expression in ApoE-deficient mice. <i>Vascular Pharmacology</i> , 2010 , 53, 264-72	5.9	36
19	A Case of Persistent Hyperkalemia After Unilateral Adrenalectomy for Aldosterone-Producing Adenoma. <i>Journal of Korean Endocrine Society</i> , 2009 , 24, 201		
18	Classical PKC is not associated with defective insulin signaling in patients with impaired glucose tolerance. <i>Diabetes Research and Clinical Practice</i> , 2009 , 83, 334-40	7.4	5
17	The C609T variant of NQO1 is associated with carotid artery plaques in patients with type 2 diabetes. <i>Molecular Genetics and Metabolism</i> , 2009 , 97, 85-90	3.7	20
16	Association of common type 2 diabetes risk gene variants and posttransplantation diabetes mellitus in renal allograft recipients in Korea. <i>Transplantation</i> , 2009 , 88, 693-8	1.8	32
15	Effects of Adding ω Fatty Acids to Simvastatin on Lipids, Lipoprotein Size and Subspecies in Type 2 Diabetes Mellitus with Hypertriglyceridemia. <i>Korean Diabetes Journal</i> , 2009 , 33, 494		
14	Pituitary Hormonal Changes after Transsphenoidal Tumor Removal in Non-Functioning Pituitary Adenoma. <i>Journal of Korean Endocrine Society</i> , 2009 , 24, 181		1
13	Lithospermic acid B ameliorates the development of diabetic nephropathy in OLETF rats. <i>European Journal of Pharmacology</i> , 2008 , 579, 418-25	5.3	26
12	Adiponectin gene polymorphism 45T>G is associated with carotid artery plaques in patients with type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2008 , 57, 274-9	12.7	19
11	LPIN1 genetic variation is associated with rosiglitazone response in type 2 diabetic patients. <i>Molecular Genetics and Metabolism</i> , 2008 , 95, 96-100	3.7	21
10	A polymorphism in the zinc transporter gene SLC30A8 confers resistance against posttransplantation diabetes mellitus in renal allograft recipients. <i>Diabetes</i> , 2008 , 57, 1043-7	0.9	66
9	Rosiglitazone inhibits early stage of glucolipotoxicity-induced beta-cell apoptosis. <i>Hormone Research</i> , 2008 , 70, 165-73		18

- 8 Effects of Walking and Physical Activity on Glucose Regulation among Type 2 Diabetics. *Korean Diabetes Journal*, **2008**, 32, 60 5
- 7 Association between polymorphisms in SLC30A8, HHEX, CDKN2A/B, IGF2BP2, FTO, WFS1, CDKAL1, KCNQ1 and type 2 diabetes in the Korean population. *Journal of Human Genetics*, **2008**, 53, 991-998 4-3 126
- 6 Protective Effects of Lithospermic Acid B on Diabetic Nephropathy in OLETF Rats Comparing with Amlodipine and Losartan. *Korean Diabetes Journal*, **2008**, 32, 10
- 5 Non-functional Pituitary Adenoma Detected on 18F-fluorodeoxyglucose Positron Emission Tomography (18F-FDG-PET) in a Patient with Mucosa-associated Lymphoid Tissue Lymphoma. *Journal of Korean Endocrine Society*, **2008**, 23, 137 1
- 4 Multi-disciplinary treatment of a rare pelvic cavity ependymoma. *Yonsei Medical Journal*, **2007**, 48, 719-23 6
- 3 Adiponectin Gene Polymorphism and Carotid Artery Intima-Media thickness in Type 2 Diabetes. *Journal of Korean Endocrine Society*, **2005**, 20, 29
- 2 A Case of Multiple Endocrine Neoplasia Type 1 with Mutation in MENIN Gene. *Journal of Korean Endocrine Society*, **2005**, 20, 71 6
- 1 Multiple Cavitory Pulmonary Metastases from Cholangiocarcinoma. *Tuberculosis and Respiratory Diseases*, **2004**, 56, 216