

# Deborah J Wexler

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/947252/deborah-j-wexler-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125  
papers

6,855  
citations

37  
h-index

82  
g-index

139  
ext. papers

8,751  
ext. citations

8.6  
avg, IF

6.24  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 125 | Sodium-Glucose Cotransporter-2 Inhibitors Versus Glucagon-like Peptide-1 Receptor Agonists and the Risk for Cardiovascular Outcomes in Routine Care Patients With Diabetes Across Categories of Cardiovascular Disease.. <i>Annals of Internal Medicine</i> , <b>2022</b> , 175, W4-W5  | 8    |           |
| 124 | Islet Autoimmunity is Highly Prevalent and Associated With Diminished $\beta$ Cell Function in Patients With Type 2 Diabetes in the Grade Study.. <i>Diabetes</i> , <b>2022</b> ,   | 0.9  | 2         |
| 123 | Newly diagnosed diabetes vs. pre-existing diabetes upon admission for COVID-19: Associated factors, short-term outcomes, and long-term glycemc phenotypes.. <i>Journal of Diabetes and Its Complications</i> , <b>2022</b> , 108145   | 3.2  | 3         |
| 122 | Differences in Complications, Cardiovascular Risk Factor, and Diabetes Management among participants enrolled at Veterans Affairs (VA) and Non-VA Medical Centers in the Glycemia Reduction Approaches in Diabetes: A Comparative Effectiveness Study (GRADE).. <i>Diabetes Research and Clinical Practice</i> , <b>2021</b> , 109188 | 7.4  | 0         |
| 121 | Effectiveness and safety of empagliflozin in routine care patients: Results from the EMPagliflozin compaRative effectiveness and SaFety (EMPRISE) study. <i>Diabetes, Obesity and Metabolism</i> , <b>2021</b> ,  | 6.7  | 2         |
| 120 | SGLT2 Inhibitors and the Risk of Acute Kidney Injury in Older Adults With Type 2 Diabetes. <i>American Journal of Kidney Diseases</i> , <b>2021</b> ,   | 7.4  | 4         |
| 119 | HbA1c-Triggered Endocrinology Electronic Consultation for Type 2 Diabetes Management. <i>Journal of General Internal Medicine</i> , <b>2021</b> , 1   | 4    | 1         |
| 118 | Barriers to Type 2 Diabetes Management Among Older Adult Haitian Immigrants. <i>Science of Diabetes Self-Management and Care</i> , <b>2021</b> , 47, 382-390  |      | 1         |
| 117 | Association of Sodium-Glucose Cotransporter-2 Inhibitors With Fracture Risk in Older Adults With Type 2 Diabetes. <i>JAMA Network Open</i> , <b>2021</b> , 4, e2130762  | 10.4 | 4         |
| 116 | Visceral Adiposity and Severe COVID-19 Disease: Application of an Artificial Intelligence Algorithm to Improve Clinical Risk Prediction. <i>Open Forum Infectious Diseases</i> , <b>2021</b> , 8, ofab275   | 1    | 7         |
| 115 | Association of glycemia with insulin sensitivity and $\beta$ cell function in adults with early type 2 diabetes on metformin alone. <i>Journal of Diabetes and Its Complications</i> , <b>2021</b> , 35, 107912   | 3.2  | 2         |
| 114 | Application of 2021 American Diabetes Association Glycemic Treatment Clinical Practice Recommendations in Primary Care. <i>Diabetes Care</i> , <b>2021</b> , 44, 1443-1446  | 14.6 | 4         |
| 113 | Correlates of analog vs human basal insulin use among individuals with type 2 diabetes: A cross-sectional study. <i>Diabetes Research and Clinical Practice</i> , <b>2021</b> , 175, 108825   | 7.4  | 1         |
| 112 | The state of diabetes treatment coverage in 55 low-income and middle-income countries: a cross-sectional study of nationally representative, individual-level data in 680 102 adults.. <i>The Lancet Healthy Longevity</i> , <b>2021</b> , 2, e340-e351   | 9.5  | 18        |
| 111 | Body-mass index and diabetes risk in 57 low-income and middle-income countries: a cross-sectional study of nationally representative, individual-level data in 685 616 adults. <i>Lancet, The</i> , <b>2021</b> , 398, 238-248  | 10   | 11        |
| 110 | Incremental Risk of Developing Severe COVID-19 Among Mexican Patients With Diabetes Attributed to Social and Health Care Access Disadvantages. <i>Diabetes Care</i> , <b>2021</b> , 44, 373-380   | 14.6 | 13        |
| 109 | A positive psychology-motivational interviewing program to promote physical activity in type 2 diabetes: The BEHOLD-16 pilot randomized trial. <i>General Hospital Psychiatry</i> , <b>2021</b> , 68, 65-73   | 5.6  | 5         |

|     |   |      |     |
|-----|---|------|-----|
| 108 | Comparative Effectiveness and Safety of Sodium-Glucose Cotransporter 2 Inhibitors Versus Glucagon-Like Peptide 1 Receptor Agonists in Older Adults. <i>Diabetes Care</i> , <b>2021</b> , 44, 826-835  | 14.6 | 19  |
| 107 | Opportunities for Interventions That Address Socioeconomic Barriers to Type 2 Diabetes Management: Patient Perspectives. <i>Science of Diabetes Self-Management and Care</i> , <b>2021</b> , 47, 153-163  |      | 1   |
| 106 | Association of Glycemia, Lipids, and Blood Pressure With Cognitive Performance in People With Type 2 Diabetes in the Glycemia Reduction Approaches in Diabetes: A Comparative Effectiveness Study (GRADE). <i>Diabetes Care</i> , <b>2021</b> , 44, 2286-2292                             | 14.6 | 1   |
| 105 | Regional and state-level patterns of type 2 diabetes prevalence in Mexico over the last three decades. <i>Diabetes Research and Clinical Practice</i> , <b>2021</b> , 177, 108927   | 7.4  | 0   |
| 104 | Diabetes mellitus as a risk factor for SARS-CoV-2 test positivity in Mexico: A propensity score matched study. <i>Diabetes Research and Clinical Practice</i> , <b>2021</b> , 178, 108953   | 7.4  |     |
| 103 | Sodium-Glucose Cotransporter-2 Inhibitors Versus Glucagon-like Peptide-1 Receptor Agonists and the Risk for Cardiovascular Outcomes in Routine Care Patients With Diabetes Across Categories of Cardiovascular Disease. <i>Annals of Internal Medicine</i> , <b>2021</b> , 174, 1528-1541 | 8    | 8   |
| 102 | An Adaptive, Algorithm-based Text Message Intervention to Promote Health Behavior Adherence in Type 2 Diabetes: Treatment Development and Proof-of-Concept Trial.. <i>Journal of Diabetes Science and Technology</i> , <b>2021</b> , 19322968211065067                                    | 4.1  | 0   |
| 101 | COVID-19 in People With Diabetes: Urgently Needed Lessons From Early Reports. <i>Diabetes Care</i> , <b>2020</b> , 43, 1378-1381  | 14.6 | 55  |
| 100 | Improved Glycemic Control in Adults With Serious Mental Illness and Diabetes With a Behavioral and Educational Intervention. <i>Psychiatric Services</i> , <b>2020</b> , 71, 730-733  | 3.3  | 2   |
| 99  | Diabetes Prevalence and Its Relationship With Education, Wealth, and BMI in 29 Low- and Middle-Income Countries. <i>Diabetes Care</i> , <b>2020</b> , 43, 767-775   | 14.6 | 38  |
| 98  | Optimization of Metformin in the GRADE Cohort: Effect on Glycemia and Body Weight. <i>Diabetes Care</i> , <b>2020</b> , 43, 940-947   | 14.6 | 6   |
| 97  | Trends in Clinical Characteristics and Prescribing Preferences for SGLT2 Inhibitors and GLP-1 Receptor Agonists, 2013-2018. <i>Diabetes Care</i> , <b>2020</b> , 43, 921-924  | 14.6 | 30  |
| 96  | "I was able to eat what I am supposed to eat"-- patient reflections on a medically-tailored meal intervention: a qualitative analysis. <i>BMC Endocrine Disorders</i> , <b>2020</b> , 20, 10  | 3.3  | 5   |
| 95  | Effectiveness of Lifestyle Intervention for Type 2 Diabetes in Primary Care: the REAL HEALTH-Diabetes Randomized Clinical Trial. <i>Journal of General Internal Medicine</i> , <b>2020</b> , 35, 2637-2646  | 4    | 8   |
| 94  | 55. Diabetes, Obesity and COVID-19 Disease: An Observational Study of Outcomes Among Hospitalized Patients in Boston, Massachusetts. <i>Open Forum Infectious Diseases</i> , <b>2020</b> , 7, S158-S159   | 1    |     |
| 93  | Prevalence of microvascular and macrovascular disease in the Glycemia Reduction Approaches in Diabetes - A Comparative Effectiveness (GRADE) Study cohort. <i>Diabetes Research and Clinical Practice</i> , <b>2020</b> , 165, 108235   | 7.4  | 7   |
| 92  | Geospatial Analysis of Individual and Community-Level Socioeconomic Factors Impacting SARS-CoV-2 Prevalence and Outcomes <b>2020</b> ,  |      | 11  |
| 91  | 2019 update to: Management of hyperglycaemia in type 2 diabetes, 2018. A consensus report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). <i>Diabetologia</i> , <b>2020</b> , 63, 221-228                                       | 10.3 | 235 |

|    |  |      |     |
|----|--|------|-----|
| 90 | 2019 Update to: Management of Hyperglycemia in Type 2 Diabetes, 2018. A Consensus Report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). <i>Diabetes Care</i> , <b>2020</b> , 43, 487-493  | 14.6 | 483 |
| 89 | Social Factors and Patient Perceptions Associated With Preventable Hospital Readmissions. <i>Journal of Patient Experience</i> , <b>2020</b> , 7, 19-26  | 1.3  | 10  |
| 88 | Does the effect of lifestyle intervention for individuals with diabetes vary by food insecurity status? A preplanned subgroup analysis of the REAL HEALTH randomized clinical trial. <i>BMJ Open Diabetes Research and Care</i> , <b>2020</b> , 8,   | 4.5  | 1   |
| 87 | Predictors of health facility readiness for diabetes service delivery in low- and middle-income countries: The case of Bangladesh. <i>Diabetes Research and Clinical Practice</i> , <b>2020</b> , 169, 108417  | 7.4  | 1   |
| 86 | Exploring the feasibility and impact of positive psychology-motivational interviewing interventions to promote positive affect and physical activity in type 2 diabetes: design and methods from the BEHOLD-8 and BEHOLD-16 clinical trials. <i>Health Psychology and Behavioral Medicine</i> , <b>2020</b> , 8, 398-422 | 2.2  | 2   |
| 85 | A Positive Psychology-Motivational Interviewing Intervention to Promote Positive Affect and Physical Activity in Type 2 Diabetes: The BEHOLD-8 Controlled Clinical Trial. <i>Psychosomatic Medicine</i> , <b>2020</b> , 82, 641-649  | 3.7  | 6   |
| 84 | Diabetes as a Risk Factor for Poor Early Outcomes in Patients Hospitalized With COVID-19. <i>Diabetes Care</i> , <b>2020</b> , 43, 2938-2944   | 14.6 | 48  |
| 83 | S54. INTEGRATED DIABETES MANAGEMENT FOR INDIVIDUALS WITH SERIOUS MENTAL ILLNESS (SMI). <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S327-S327   | 1.3  | 78  |
| 82 | Rationale and Design for a GRADE Substudy of Continuous Glucose Monitoring. <i>Diabetes Technology and Therapeutics</i> , <b>2019</b> , 21, 682-690  | 8.1  | 2   |
| 81 | Sulfonylureas and Cardiovascular Safety: The Final Verdict?. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 322, 1147-1149  | 27.4 | 10  |
| 80 | The role of spousal support for dietary adherence among type 2 diabetes patients: a narrative review. <i>Social Work in Health Care</i> , <b>2019</b> , 58, 304-323  | 2    | 14  |
| 79 | Effective recruitment for practice-based research: Lessons from the REAL HEALTH-Diabetes Study. <i>Contemporary Clinical Trials Communications</i> , <b>2019</b> , 15, 100374  | 1.8  | 10  |
| 78 | Development and Validation of PREDICT-DM: A New Microsimulation Model to Project and Evaluate Complications and Treatments of Type 2 Diabetes Mellitus. <i>Diabetes Technology and Therapeutics</i> , <b>2019</b> , 21, 344-355  | 8.1  | 4   |
| 77 | A positive psychology-motivational interviewing intervention for patients with type 2 diabetes: Proof-of-concept trial. <i>International Journal of Psychiatry in Medicine</i> , <b>2019</b> , 54, 97-114  | 1    | 13  |
| 76 | Evaluation of the Cascade of Diabetes Care in the United States, 2005-2016. <i>JAMA Internal Medicine</i> , <b>2019</b> , 179, 1376-1385   | 11.5 | 90  |
| 75 | Baseline Characteristics of Randomized Participants in the Glycemia Reduction Approaches in Diabetes: A Comparative Effectiveness Study (GRADE). <i>Diabetes Care</i> , <b>2019</b> , 42, 2098-2107  | 14.6 | 15  |
| 74 | Well-being interventions for individuals with diabetes: A systematic review. <i>Diabetes Research and Clinical Practice</i> , <b>2019</b> , 147, 118-133   | 7.4  | 31  |
| 73 | Medically Tailored Meal Delivery for Diabetes Patients with Food Insecurity: a Randomized Cross-over Trial. <i>Journal of General Internal Medicine</i> , <b>2019</b> , 34, 396-404  | 4    | 39  |

|    |   |      |      |
|----|---|------|------|
| 72 | Multidisciplinary coordinated care for Type 2 diabetes: A qualitative analysis of patient perspectives. <i>Primary Care Diabetes</i> , <b>2018</b> , 12, 218-223  | 2.4  | 16   |
| 71 | Characteristics Associated With Decreased or Increased Mortality Risk From Glycemic Therapy Among Patients With Type 2 Diabetes and High Cardiovascular Risk: Machine Learning Analysis of the ACCORD Trial. <i>Diabetes Care</i> , <b>2018</b> , 41, 604-612 | 14.6 | 35   |
| 70 | Food Insecurity, Food "Deserts," and Glycemic Control in Patients With Diabetes: A Longitudinal Analysis. <i>Diabetes Care</i> , <b>2018</b> , 41, 1188-1195  | 14.6 | 60   |
| 69 | Case 23-2018: A 36-Year-Old Man with Episodes of Confusion and Hypoglycemia. <i>New England Journal of Medicine</i> , <b>2018</b> , 379, 376-385  | 59.2 | 7    |
| 68 | Design and participant characteristics of a primary care adaptation of the Look AHEAD Lifestyle Intervention for weight loss in type 2 diabetes: The REAL HEALTH-diabetes study. <i>Contemporary Clinical Trials</i> , <b>2018</b> , 71, 9-17                 | 2.3  | 6    |
| 67 | The association between patient experience factors and likelihood of 30-day readmission: a prospective cohort study. <i>BMJ Quality and Safety</i> , <b>2018</b> , 27, 683-690  | 5.4  | 25   |
| 66 | In Reply. <i>Obstetrics and Gynecology</i> , <b>2018</b> , 132, 1302  | 4.9  |      |
| 65 | Case 23-2018: A Man with Episodes of Confusion and Hypoglycemia. <i>New England Journal of Medicine</i> , <b>2018</b> , 379, 1882   | 59.2 | 1    |
| 64 | Research Gaps in Gestational Diabetes Mellitus: Executive Summary of a National Institute of Diabetes and Digestive and Kidney Diseases Workshop. <i>Obstetrics and Gynecology</i> , <b>2018</b> , 132, 496-505   | 4.9  | 43   |
| 63 | Management of hyperglycaemia in type 2 diabetes, 2018. A consensus report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). <i>Diabetologia</i> , <b>2018</b> , 61, 2461-2498                         | 10.3 | 656  |
| 62 | Management of Hyperglycemia in Type 2 Diabetes, 2018. A Consensus Report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). <i>Diabetes Care</i> , <b>2018</b> , 41, 2669-2701                         | 14.6 | 1307 |
| 61 | S94. INTEGRATED DIABETES MANAGEMENT FOR INDIVIDUALS WITH SERIOUS MENTAL ILLNESS. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S361-S362  | 1.3  | 78   |
| 60 | Development and Implementation of a Collaborative Team Care Model for Effective Insulin Use in an Academic Medical Center Primary Care Network. <i>American Journal of Medical Quality</i> , <b>2017</b> , 32, 397-405  | 11.1 | 5    |
| 59 | Trends in food insecurity for adults with cardiometabolic disease in the United States: 2005-2012. <i>PLoS ONE</i> , <b>2017</b> , 12, e0179172   | 3.7  | 78   |
| 58 | Prevalence of Intervillous Thrombi Is Increased in Placentas from Pregnancies Complicated by Diabetes. <i>Pediatric and Developmental Pathology</i> , <b>2016</b> , 19, 502-505   | 2.2  | 14   |
| 57 | Response to Comment on American Diabetes Association. Approaches to Glycemic Treatment. Sec. 7. In Standards of Medical Care in Diabetes-2016. <i>Diabetes Care</i> 2016;39(Suppl. 1):S52-S59. <i>Diabetes Care</i> , <b>2016</b> , 39, e88-9                 | 14.6 | 11   |
| 56 | Hypoglycemia in Diabetes Mellitus as a Coronary Artery Disease Risk Factor in Patients at Elevated Vascular Risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 659-68   | 5.6  | 17   |
| 55 | Feasibility and Acceptability of a Positive Psychological Intervention for Patients With Type 2 Diabetes. <i>primary care companion for CNS disorders, The</i> , <b>2016</b> , 18,  | 1.2  | 20   |

|    |  |      |     |
|----|--|------|-----|
| 54 | Glycemic control after hospital discharge in insulin-treated type 2 diabetes: a randomized pilot study of daily remote glucose monitoring. <i>Endocrine Practice</i> , <b>2015</b> , 21, 115-21                                    | 3.2  | 12  |
| 53 | Material need support interventions for diabetes prevention and control: a systematic review. <i>Current Diabetes Reports</i> , <b>2015</b> , 15, 574  | 5.6  | 37  |
| 52 | Type 1, type 2 and gestational diabetes mellitus differentially impact placental pathologic characteristics of uteroplacental malperfusion. <i>Placenta</i> , <b>2015</b> , 36, 1161-6   | 3.4  | 40  |
| 51 | Improving diabetes outcomes through lifestyle change--A randomized controlled trial. <i>Obesity</i> , <b>2015</b> , 23, 1792-9   | 8    | 35  |
| 50 | Positive Psychological Interventions for Patients with Type 2 Diabetes: Rationale, Theoretical Model, and Intervention Development. <i>Journal of Diabetes Research</i> , <b>2015</b> , 2015, 428349                               | 3.9  | 50  |
| 49 | Material need insecurities, control of diabetes mellitus, and use of health care resources: results of the Measuring Economic Insecurity in Diabetes study. <i>JAMA Internal Medicine</i> , <b>2015</b> , 175, 257-65              | 11.5 | 117 |
| 48 | The study to understand the genetics of the acute response to metformin and glipizide in humans (SUGAR-MGH): design of a pharmacogenetic resource for type 2 diabetes. <i>PLoS ONE</i> , <b>2015</b> , 10, e0121553 <sup>3.7</sup> | 3.7  | 13  |
| 47 | Patients who self-monitor blood glucose and their unused testing results. <i>American Journal of Managed Care</i> , <b>2015</b> , 21, e119-29  | 2.1  | 16  |
| 46 | Effectiveness of diabetes interventions in the patient-centered medical home. <i>Current Diabetes Reports</i> , <b>2014</b> , 14, 471  | 5.6  | 30  |
| 45 | Individualizing HbA1c targets for patients with diabetes: impact of an automated algorithm within a primary care network. <i>Diabetic Medicine</i> , <b>2014</b> , 31, 839-46  | 3.5  | 9   |
| 44 | A randomized controlled trial of cognitive behavioral therapy for adherence and depression (CBT-AD) in patients with uncontrolled type 2 diabetes. <i>Diabetes Care</i> , <b>2014</b> , 37, 625-33                                 | 14.6 | 140 |
| 43 | The differential associations of depression and diabetes distress with quality of life domains in type 2 diabetes. <i>Journal of Behavioral Medicine</i> , <b>2014</b> , 37, 501-10  | 3.6  | 47  |
| 42 | Validity of medication adherence self-reports in adults with type 2 diabetes. <i>Diabetes Care</i> , <b>2013</b> , 36, 831-7   | 14.6 | 74  |
| 41 | Positive psychological characteristics in diabetes: a review. <i>Current Diabetes Reports</i> , <b>2013</b> , 13, 917-29   | 5.6  | 35  |
| 40 | Age at type 2 diabetes onset and glycaemic control: results from the National Health and Nutrition Examination Survey (NHANES) 2005-2010. <i>Diabetologia</i> , <b>2013</b> , 56, 2593-600   | 10.3 | 50  |
| 39 | Intensification of diabetes medication and risk for 30-day readmission. <i>Diabetic Medicine</i> , <b>2013</b> , 30, e56-62 <sup>5</sup>   | 6.25 | 37  |
| 38 | Pathways to quality inpatient management of hyperglycemia and diabetes: a call to action. <i>Diabetes Care</i> , <b>2013</b> , 36, 1807-14   | 14.6 | 111 |
| 37 | Central diabetes insipidus: a previously unreported side effect of temozolomide. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, 3926-31   | 5.6  | 18  |

|    |   |      |     |
|----|---|------|-----|
| 36 | Lower blood pressure associated with higher mortality in retrospective study of patients with newly diagnosed type 2 diabetes. <i>Evidence-Based Medicine</i> , <b>2013</b> , 18, e35                           |      |     |
| 35 | Food insecurity and metabolic control among U.S. adults with diabetes. <i>Diabetes Care</i> , <b>2013</b> , 36, 3093-9  | 14.6 | 124 |
| 34 | Rationale and design of the glycemia reduction approaches in diabetes: a comparative effectiveness study (GRADE). <i>Diabetes Care</i> , <b>2013</b> , 36, 2254-61  | 14.6 | 173 |
| 33 | The association of maximum body weight on the development of type 2 diabetes and microvascular complications: MAXWEL study. <i>PLoS ONE</i> , <b>2013</b> , 8, e80525   | 3.7  | 13  |
| 32 | Basal-bolus insulin protocols enter the computer age. <i>Current Diabetes Reports</i> , <b>2012</b> , 12, 119-26  | 5.6  | 14  |
| 31 | High rate of placental infarcts in type 2 compared with type 1 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, E1160-4  | 5.6  | 20  |
| 30 | Impact of inpatient diabetes management, education, and improved discharge transition on glycemic control 12 months after discharge. <i>Diabetes Research and Clinical Practice</i> , <b>2012</b> , 98, 249-56  | 7.4  | 53  |
| 29 | Perioperative Glucose Management. <i>Hospital Medicine Clinics</i> , <b>2012</b> , 1, e508-e519   |      |     |
| 28 | Characteristics of "complex" patients with type 2 diabetes mellitus according to their primary care physicians. <i>Archives of Internal Medicine</i> , <b>2012</b> , 172, 821-3                                 |      | 28  |
| 27 | Effect of hospital admission on glycemic control 1 year after discharge. <i>Endocrine Practice</i> , <b>2012</b> , 18, 456-63   | 3.2  | 12  |
| 26 | Efficacy and cost-effectiveness of an automated screening algorithm in an inpatient clinical trial. <i>Clinical Trials</i> , <b>2012</b> , 9, 198-203   | 2.2  | 24  |
| 25 | Taking AIM at a moving target: the challenge of improving on high-performance care. <i>Circulation</i> , <b>2012</b> , 125, 2812-4  | 16.7 |     |
| 24 | Diabetes differentially affects depression and self-rated health by age in the U.S. <i>Diabetes Care</i> , <b>2012</b> , 35, 1575-7   | 14.6 | 22  |
| 23 | Personalized medicine in Type 2 diabetes: what does the future hold?. <i>Diabetes Management</i> , <b>2012</b> , 2, 199-204   | 0    | 11  |
| 22 | Effect of Hospital Admission on Glycemic Control One Year after Discharge. <i>Endocrine Practice</i> , <b>2012</b> , 1, 1-22  | 3.2  | 1   |
| 21 | Intensive dietary advice significantly improves HbA(1c) in patients with type II diabetes who remain hyperglycaemic despite optimised drug treatment. <i>Evidence-Based Medicine</i> , <b>2010</b> , 15, 179-80 |      |     |
| 20 | Effectiveness of a computerized insulin order template in general medical inpatients with type 2 diabetes: a cluster randomized trial. <i>Diabetes Care</i> , <b>2010</b> , 33, 2181-3                          | 14.6 | 58  |
| 19 | Loss-of-function CYP2C9 variants: finding the correct clinical role for Type 2 diabetes pharmacogenetic testing. <i>Expert Review of Cardiovascular Therapy</i> , <b>2010</b> , 8, 339-43                       | 2.5  | 5   |

|    |  |      |     |
|----|--|------|-----|
| 18 | Dietary intake of eicosapentaenoic and docosahexaenoic acid and diabetic nephropathy: cohort analysis of the diabetes control and complications trial. <i>Diabetes Care</i> , <b>2010</b> , 33, 1454-6               | 14.6 | 29  |
| 17 | Cognitive Behavioral Therapy for Adherence and Depression (CBT-AD) in Type 2 Diabetes. <i>Journal of Cognitive Psychotherapy</i> , <b>2010</b> , 24, 329-343   | 0.9  | 31  |
| 16 | Update in diabetes and cardiovascular disease: synthesizing the evidence from recent trials of glycemic control to prevent cardiovascular disease. <i>Current Opinion in Lipidology</i> , <b>2010</b> , 21, 8-14     | 4.4  | 7   |
| 15 | Association of diet with glycated hemoglobin during intensive treatment of type 1 diabetes in the Diabetes Control and Complications Trial. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 89, 518-24 | 7    | 103 |
| 14 | An algorithm for the care of type 2 diabetes. <i>Critical Pathways in Cardiology</i> , <b>2009</b> , 8, 156-65   | 1.3  | 3   |
| 13 | Symptoms of depression prospectively predict poorer self-care in patients with Type 2 diabetes. <i>Diabetic Medicine</i> , <b>2008</b> , 25, 1102-7  | 3.5  | 127 |
| 12 | Prevalence of elevated hemoglobin A1c among patients admitted to the hospital without a diagnosis of diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2008</b> , 93, 4238-44                   | 5.6  | 62  |
| 11 | Association of diabetes-related emotional distress with diabetes treatment in primary care patients with Type 2 diabetes. <i>Diabetic Medicine</i> , <b>2007</b> , 24, 48-54   | 3.5  | 155 |
| 10 | Prevalence of hyper- and hypoglycemia among inpatients with diabetes: a national survey of 44 U.S. hospitals. <i>Diabetes Care</i> , <b>2007</b> , 30, 367-9   | 14.6 | 139 |
| 9  | Inpatient diabetes management in general medical and surgical settings: evidence and update. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , <b>2007</b> , 7, 491-502                              | 2.2  | 2   |
| 8  | How doctors choose medications to treat type 2 diabetes: a national survey of specialists and academic generalists. <i>Diabetes Care</i> , <b>2007</b> , 30, 1448-53   | 14.6 | 74  |
| 7  | Depression, self-care, and medication adherence in type 2 diabetes: relationships across the full range of symptom severity. <i>Diabetes Care</i> , <b>2007</b> , 30, 2222-7   | 14.6 | 413 |
| 6  | Inpatient diabetes management in non-ICU settings: evidence and strategies. <i>Current Diabetes Reviews</i> , <b>2007</b> , 3, 239-43  | 2.7  | 9   |
| 5  | Correlates of health-related quality of life in type 2 diabetes. <i>Diabetologia</i> , <b>2006</b> , 49, 1489-97   | 10.3 | 196 |
| 4  | Low risk of depression in diabetes? Would that it were so. <i>Cmaj</i> , <b>2006</b> , 175, 47   | 3.5  | 2   |
| 3  | Sex disparities in treatment of cardiac risk factors in patients with type 2 diabetes. <i>Diabetes Care</i> , <b>2005</b> , 28, 514-20   | 14.6 | 249 |
| 2  | Mediating effects of inflammatory biomarkers on insulin resistance associated with obesity. <i>Obesity</i> , <b>2005</b> , 13, 1772-83   |      | 20  |
| 1  | Predictors of costs of caring for elderly patients discharged with heart failure. <i>American Heart Journal</i> , <b>2001</b> , 142, 350-7   | 4.9  | 37  |



