

Zhiyong Liang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9473198/publications.pdf>

Version: 2024-02-01

124
papers

2,585
citations

201674

27
h-index

254184

43
g-index

133
all docs

133
docs citations

133
times ranked

4661
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular spectrum of KRAS, NRAS, BRAF and PIK3CA mutations in Chinese colorectal cancer patients: analysis of 1,110 cases. <i>Scientific Reports</i> , 2015, 5, 18678.	3.3	98
2	<i>TERT</i> Promoter Mutation Predicts Radioiodine-Refractory Character in Distant Metastatic Differentiated Thyroid Cancer. <i>Journal of Nuclear Medicine</i> , 2017, 58, 258-265.	5.0	92
3	Clinicopathological Features and Outcomes of Acute Kidney Injury in Critically Ill COVID-19 with Prolonged Disease Course: A Retrospective Cohort. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 2205-2221.	6.1	86
4	Whole-genome sequencing reveals distinct genetic bases for insulinomas and non-functional pancreatic neuroendocrine tumours: leading to a new classification system. <i>Gut</i> , 2020, 69, 877-887.	12.1	81
5	Paracrine SDF-1 α signaling mediates the effects of PSCs on GEM chemoresistance through an IL-6 autocrine loop in pancreatic cancer cells. <i>Oncotarget</i> , 2015, 6, 3085-3097.	1.8	80
6	Relationship between EGFR expression, copy number and mutation in lung adenocarcinomas. <i>BMC Cancer</i> , 2010, 10, 376.	2.6	70
7	Asporin promotes pancreatic cancer cell invasion and migration by regulating the epithelial-to-mesenchymal transition (EMT) through both autocrine and paracrine mechanisms. <i>Cancer Letters</i> , 2017, 398, 24-36.	7.2	70
8	Expert consensus on multidisciplinary therapy of colorectal cancer with lung metastases (2019) <i>TJ ETQqO O O rgBT /Overlock 10 Tf 50 46</i>	17.0	69
9	Analysis of EGFR, HER2, and TOP2A gene status and chromosomal polysomy in gastric adenocarcinoma from Chinese patients. <i>BMC Cancer</i> , 2008, 8, 363.	2.6	63
10	Primary Pulmonary Mucoepidermoid Carcinoma: Histopathological and Molecular Genetic Studies of 26 Cases. <i>PLoS ONE</i> , 2015, 10, e0143169.	2.5	63
11	ZIP4 Promotes Pancreatic Cancer Progression by Repressing ZO-1 and Claudin-1 through a ZEB1-Dependent Transcriptional Mechanism. <i>Clinical Cancer Research</i> , 2018, 24, 3186-3196.	7.0	59
12	A Prognostic Model of Triple-Negative Breast Cancer Based on miR-27b-3p and Node Status. <i>PLoS ONE</i> , 2014, 9, e100664.	2.5	56
13	PD1 protein expression in tumor infiltrated lymphocytes rather than PDL1 in tumor cells predicts survival in triple-negative breast cancer. <i>Cancer Biology and Therapy</i> , 2018, 19, 373-380.	3.4	56
14	Mutational profiling of poorly differentiated and anaplastic thyroid carcinoma by the use of targeted next-generation sequencing. <i>Histopathology</i> , 2019, 75, 890-899.	2.9	55
15	The significance of programmed cell death ligand 1 expression in resected lung adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 16421-16429.	1.8	50
16	Primary lymphocytic hypophysitis: Clinical characteristics and treatment of 50 cases in a single centre in China over 18 years. <i>Clinical Endocrinology</i> , 2017, 87, 177-184.	2.4	47
17	Hobnail variant of papillary thyroid carcinoma: molecular profiling and comparison to classical papillary thyroid carcinoma, poorly differentiated thyroid carcinoma and anaplastic thyroid carcinoma. <i>Oncotarget</i> , 2017, 8, 22023-22033.	1.8	46
18	Mutation profiles of follicular thyroid tumors by targeted sequencing. <i>Diagnostic Pathology</i> , 2019, 14, 39.	2.0	45

#	ARTICLE	IF	CITATIONS
19	PD-L1 expression in lung adenosquamous carcinomas compared with the more common variants of non-small cell lung cancer. <i>Scientific Reports</i> , 2017, 7, 46209.	3.3	41
20	A universal plasmid library encoding all permutations of small interfering RNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 2356-2361.	7.1	40
21	Prevalence of recurrent oncogenic fusion in mismatch repair-deficient colorectal carcinoma with hypermethylated MLH1 and wild-type BRAF and KRAS. <i>Modern Pathology</i> , 2019, 32, 1053-1064.	5.5	40
22	HER2 Status in Advanced or Metastatic Gastric, Esophageal, or Gastroesophageal Adenocarcinoma for Entry to the TRIO-013/LOGiC Trial of Lapatinib. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 228-238.	4.1	38
23	YAP1-mediated pancreatic stellate cell activation inhibits pancreatic cancer cell proliferation. <i>Cancer Letters</i> , 2019, 462, 51-60.	7.2	38
24	Gemcitabine exhibits a suppressive effect on pancreatic cancer cell growth by regulating processing of PVT1 to miR1207. <i>Molecular Oncology</i> , 2018, 12, 2147-2164.	4.6	36
25	Deep Learning-Based Multi-Class Classification of Breast Digital Pathology Images. <i>Cancer Management and Research</i> , 2021, Volume 13, 4605-4617.	1.9	36
26	Validation of targeted next-generation sequencing for RAS mutation detection in FFPE colorectal cancer tissues: comparison with Sanger sequencing and ARMS-Scorpion real-time PCR. <i>BMJ Open</i> , 2016, 6, e009532.	1.9	32
27	miR-19a correlates with poor prognosis of clear cell renal cell carcinoma patients via promoting cell proliferation and suppressing PTEN/SMAD4 expression. <i>International Journal of Oncology</i> , 2016, 49, 2589-2599.	3.3	31
28	PD-1/PD-L1 expressions in medullary thyroid carcinoma: Clinicopathologic and prognostic analysis of Chinese population. <i>European Journal of Surgical Oncology</i> , 2019, 45, 353-358.	1.0	31
29	Molecular genetic studies on EGFR, KRAS, BRAF, ALK, PIK3CA, PDGFRA, and DDR2 in primary pulmonary adenoid cystic carcinoma. <i>Diagnostic Pathology</i> , 2015, 10, 161.	2.0	29
30	RNA m6A Demethylase ALKBH5 Protects Against Pancreatic Ductal Adenocarcinoma via Targeting Regulators of Iron Metabolism. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 724282.	3.7	29
31	EGFR T790M ctDNA testing platforms and their role as companion diagnostics: Correlation with clinical outcomes to EGFR-TKIs. <i>Cancer Letters</i> , 2017, 403, 186-194.	7.2	27
32	Upregulation of exosomal microRNA-21 in pancreatic stellate cells promotes pancreatic cancer cell migration and enhances Ras/ERK pathway activity. <i>International Journal of Oncology</i> , 2020, 56, 1025-1033.	3.3	27
33	SERP1 is a novel marker of poor prognosis in pancreatic ductal adenocarcinoma patients via anti-apoptosis and regulating SRPRB/NF- κ B axis. <i>International Journal of Oncology</i> , 2017, 51, 1104-1114.	3.3	26
34	Upregulation of nucleoprotein AHNK is associated with poor outcome of pancreatic ductal adenocarcinoma prognosis via mediating epithelial-mesenchymal transition. <i>Journal of Cancer</i> , 2019, 10, 3860-3870.	2.5	26
35	Expression of amphiregulin predicts poor outcome in patients with pancreatic ductal adenocarcinoma. <i>Diagnostic Pathology</i> , 2016, 11, 60.	2.0	24
36	Transperineal template-guided prostate biopsy: 10 years of experience. <i>BJU International</i> , 2016, 117, 424-429.	2.5	24

#	ARTICLE	IF	CITATIONS
37	HPV16 DNA and integration in normal and malignant epithelium: implications for the etiology of laryngeal squamous cell carcinoma. <i>Annals of Oncology</i> , 2017, 28, 1105-1110.	1.2	24
38	DNAzyme-mediated cleavage of survivin mRNA and inhibition of the growth of PANC-1 cells. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005, 20, 1595-1602.	2.8	23
39	PD-L1 in pancreatic ductal adenocarcinoma: a retrospective analysis of 373 Chinese patients using an in vitro diagnostic assay. <i>Diagnostic Pathology</i> , 2018, 13, 5.	2.0	23
40	Comparison of EGFR mutation status between plasma and tumor tissue in non-small cell lung cancer using the Scorpion ARMS method and the possible prognostic significance of plasma EGFR mutation status. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 13136-45.	0.5	23
41	Germline and Somatic BRCA1/2 Mutations in 172 Chinese Women With Epithelial Ovarian Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 295.	2.8	21
42	Automatic Pancreatic Ductal Adenocarcinoma Detection in Whole Slide Images Using Deep Convolutional Neural Networks. <i>Frontiers in Oncology</i> , 2021, 11, 665929.	2.8	21
43	AREG mediates the epithelial-mesenchymal transition in pancreatic cancer cells via the EGFR/ERK/NF- κ B signalling pathway. <i>Oncology Reports</i> , 2020, 43, 1558-1568.	2.6	21
44	Co-existing of adenoid cystic carcinoma and invasive squamous cell carcinoma of the uterine cervix: a report of 3 cases with immunohistochemical study and evaluation of human papillomavirus status. <i>Diagnostic Pathology</i> , 2015, 10, 145.	2.0	20
45	TTK is a favorable prognostic biomarker for triple-negative breast cancer survival. <i>Oncotarget</i> , 2016, 7, 81815-81829.	1.8	20
46	Adenoid cystic carcinoma of the tracheobronchial tree: clinicopathologic and immunohistochemical studies of 21 cases. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 7527-35.	0.5	20
47	Association between BRAF V600E mutation and regional lymph node metastasis in papillary thyroid carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 793-9.	0.5	20
48	Screening for major driver oncogene alterations in adenosquamous lung carcinoma using PCR coupled with next-generation and Sanger sequencing methods. <i>Scientific Reports</i> , 2016, 6, 22297.	3.3	19
49	Intravascular NK-cell lymphoma: a case report and review of the literature. <i>Diagnostic Pathology</i> , 2015, 10, 84.	2.0	17
50	The transverse and vertical distribution of prostate cancer in biopsy and radical prostatectomy specimens. <i>BMC Cancer</i> , 2018, 18, 1205.	2.6	17
51	Next-generation sequencing reveals heterogeneous genetic alterations in key signaling pathways of mismatch repair deficient colorectal carcinomas. <i>Modern Pathology</i> , 2020, 33, 2591-2601.	5.5	17
52	Comparison of lesions detected and undetected by template-guided transperineal saturation prostate biopsy. <i>BJU International</i> , 2018, 121, 415-420.	2.5	16
53	Application of next-generation sequencing technology to precision medicine in cancer: joint consensus of the Tumor Biomarker Committee of the Chinese Society of Clinical Oncology. <i>Cancer Biology and Medicine</i> , 2019, 16, 189.	3.0	16
54	Genetic alterations and protein expression in combined small cell lung cancers and small cell lung cancers arising from lung adenocarcinomas after therapy with tyrosine kinase inhibitors. <i>Oncotarget</i> , 2016, 7, 34240-34249.	1.8	16

#	ARTICLE	IF	CITATIONS
55	Coexpression of EGFR and CXCR4 Predicts Poor Prognosis in Resected Pancreatic Ductal Adenocarcinoma. <i>PLoS ONE</i> , 2015, 10, e0116803.	2.5	15
56	DNA Mismatch Repair Deficiency Detection in Colorectal Cancer by a New Microsatellite Instability Analysis System. <i>Interdisciplinary Sciences, Computational Life Sciences</i> , 2020, 12, 145-154.	3.6	15
57	Papanicolaou Society of Cytopathology new guidelines have a greater ability of risk stratification for pancreatic endoscopic ultrasound-guided fine-needle aspiration specimens. <i>Oncotarget</i> , 2017, 8, 8154-8161.	1.8	15
58	PSME3 Promotes TGFB1 Secretion by Pancreatic Cancer Cells to Induce Pancreatic Stellate Cell Proliferation. <i>Journal of Cancer</i> , 2019, 10, 2128-2138.	2.5	14
59	Performance validation of an amplicon-based targeted next-generation sequencing assay and mutation profiling of 648 Chinese colorectal cancer patients. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 959-968.	2.8	13
60	Identification and Validation of Immune Molecular Subtypes in Pancreatic Ductal Adenocarcinoma: Implications for Prognosis and Immunotherapy. <i>Frontiers in Immunology</i> , 2021, 12, 690056.	4.8	13
61	Prognostic implications of human papillomavirus type 16 status in non-oropharyngeal head and neck cancer: a propensity score matching analysis. <i>Annals of Translational Medicine</i> , 2019, 7, 759-759.	1.7	13
62	Immunohistochemistry is highly sensitive and specific for detecting the BRAF V600E mutation in papillary thyroid carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 15072-8.	0.5	13
63	Multi-omics analysis of intra-tumoural and inter-tumoural heterogeneity in pancreatic ductal adenocarcinoma. <i>Clinical and Translational Medicine</i> , 2022, 12, e670.	4.0	13
64	c-Met and ER β expression differences in basal-like and non-basal-like triple-negative breast cancer. <i>Tumor Biology</i> , 2016, 37, 11385-11395.	1.8	12
65	Genetic aberrations in Chinese pancreatic cancer patients and their association with anatomic location and disease outcomes. <i>Cancer Medicine</i> , 2021, 10, 933-943.	2.8	12
66	Gallbladder papillary neoplasms share pathological features with intraductal papillary neoplasm of the bile duct. <i>Oncotarget</i> , 2017, 8, 31532-31539.	1.8	12
67	Rare and misincorporated DNA N6-methyladenine is a hallmark of cytotoxic stresses for selectively stimulating the stemness and proliferation of glioblastoma cells. <i>Cell Discovery</i> , 2022, 8, 39.	6.7	12
68	Clinicopathological Characteristics and Mutation Spectrum of Colorectal Adenocarcinoma With Mucinous Component in a Chinese Cohort: Comparison With Classical Adenocarcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 917.	2.8	11
69	ALK detection in lung cancer: identification of atypical and cryptic ALK rearrangements using an optimal algorithm. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 1307-1320.	2.5	11
70	Genome-wide DNA methylation profile of thymomas and potential epigenetic regulation of thymoma subtypes. <i>Oncology Reports</i> , 2019, 41, 2762-2774.	2.6	10
71	Intravenous leiomyomatosis is inclined to a solid entity different from uterine leiomyoma based on RNA-seq analysis with RT-qPCR validation. <i>Cancer Medicine</i> , 2020, 9, 4581-4592.	2.8	10
72	Primary non-Hodgkin lymphoma of the tongue base: the clinicopathology of seven cases and evaluation of HPV and EBV status. <i>Diagnostic Pathology</i> , 2020, 15, 30.	2.0	10

#	ARTICLE	IF	CITATIONS
73	Tall cell carcinoma of the breast with reverse polarity: case report with gene sequencing and literature review. <i>Gland Surgery</i> , 2021, 10, 837-843.	1.1	10
74	Clinicopathological features and BRAFV600E mutations in patients with isolated hypothalamic-pituitary Langerhans cell histiocytosis. <i>Diagnostic Pathology</i> , 2016, 11, 100.	2.0	9
75	External quality assessment (EQA) program for the immunohistochemical detection of ER, PR and Ki-67 in breast cancer: results of an interlaboratory reproducibility ring study in China. <i>BMC Cancer</i> , 2019, 19, 978.	2.6	9
76	Evaluation of NTRK Gene Fusion by Five Different Platforms in Triple-Negative Breast Carcinoma. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 654387.	3.5	9
77	Differential transcriptomic landscapes of multiple organs from SARS-CoV-2 early infected rhesus macaques. <i>Protein and Cell</i> , 2022, 13, 920-939.	11.0	9
78	Risk of synchronous endometrial disorders in women with endometrioid borderline tumors of the ovary. <i>Journal of Ovarian Research</i> , 2018, 11, 30.	3.0	8
79	HER2 double-equivocal breast cancer in Chinese patients: a high concordance of HER2 status between different blocks from the same tumor. <i>Breast Cancer Research and Treatment</i> , 2019, 178, 275-281.	2.5	8
80	DNA Methylation Haplotype Block Markers Efficiently Discriminate Follicular Thyroid Carcinoma from Follicular Adenoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e1011-e1021.	3.6	8
81	Comprehensive analysis of oncogenic fusions in mismatch repair deficient colorectal carcinomas by sequential DNA and RNA next generation sequencing. <i>Journal of Translational Medicine</i> , 2021, 19, 433.	4.4	8
82	Clinical Characteristics and Management of Patients With McCune-Albright Syndrome With GH Excess and Precocious Puberty: A Case Series and Literature Review. <i>Frontiers in Endocrinology</i> , 2021, 12, 672394.	3.5	8
83	Adrenal cortical neoplasms: a study of clinicopathological features related to epidermal growth factor receptor gene status. <i>Diagnostic Pathology</i> , 2014, 9, 19.	2.0	7
84	EGFR T790M detection in formalin-fixed paraffin-embedded tissues of patients with lung cancer using RNA-based in situ hybridization: A preliminary feasibility study. <i>Thoracic Cancer</i> , 2019, 10, 1936-1944.	1.9	7
85	Driver mutation profiles and clinicopathological correlation in pulmonary adenocarcinoma with a micropapillary component. <i>Human Pathology</i> , 2019, 85, 242-250.	2.0	7
86	Clinicopathological and prognostic significance of ubiquitin-specific peptidase 15 and its relationship with transforming growth factor- β 2 receptors in patients with pancreatic ductal adenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 507-515.	2.8	7
87	Three ultrasound phenotypes of non-invasive follicular thyroid neoplasm with papillary-like nuclear features proposed for imaging-pathology analysis: single center experience. <i>Gland Surgery</i> , 2021, 10, 307-318.	1.1	7
88	Programmed death ligand 1 (PD-L1) expression in parathyroid tumors. <i>Endocrine Connections</i> , 2019, 8, 887-897.	1.9	7
89	Primary gliosarcoma with long-survival: report of two cases and review of literature. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 6323-32.	0.5	7
90	Artificial intelligence for histological subtype classification of breast cancer: combining multi-scale feature maps and the recurrent attention model. <i>Histopathology</i> , 2022, 80, 836-846.	2.9	7

#	ARTICLE	IF	CITATIONS
91	Impact of germline and somatic BRCA1/2 mutations: tumor spectrum and detection platforms. <i>Gene Therapy</i> , 2017, 24, 601-609.	4.5	6
92	Protein overexpression and gene amplification of cellular mesenchymal-epithelial transition factor is associated with poor prognosis in micropapillary-predominant subtype pulmonary adenocarcinoma. <i>Human Pathology</i> , 2018, 72, 59-65.	2.0	6
93	Primary adrenal diffuse large B cell lymphoma: a clinicopathological and molecular study from China. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 95-103.	2.8	6
94	Prognostic implications of human papillomavirus status and p16 expression in laryngeal squamous cell carcinoma. <i>Head and Neck</i> , 2019, 41, 4151-4163.	2.0	6
95	Matrix Metalloproteinase 11 as a Novel Tumor Promoter and Diagnostic and Prognostic Biomarker for Pancreatic Ductal Adenocarcinoma. <i>Pancreas</i> , 2020, 49, 812-821.	1.1	6
96	Synergistic alterations in the multilevel chromatin structure anchor dysregulated genes in small cell lung cancer. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 5946-5959.	4.1	6
97	Functioning gonadotroph adenomas in premenopausal women: clinical and molecular characterization and review of the literature. <i>Pituitary</i> , 2022, 25, 454-467.	2.9	6
98	Mutant-specific BRAF and CD117 immunocytochemistry potentially facilitate risk stratification for papillary thyroid carcinoma in fine-needle aspiration biopsy specimens. <i>Tumor Biology</i> , 2016, 37, 611-618.	1.8	5
99	Transducin-Like Enhancer of Split-1 Inhibits Malignant Behaviors in vitro and Predicts a Better Prognosis in Pancreatic Ductal Adenocarcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 576.	2.8	5
100	PD-L1, Mismatch Repair Protein, and NTRK Immunohistochemical Expression in Cervical Small Cell Neuroendocrine Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 752453.	2.8	5
101	p53 Immunohistochemistry Patterns Are Surrogate Biomarkers for TP53 Mutations in Gastrointestinal Neuroendocrine Neoplasms. <i>Gastroenterology Research and Practice</i> , 2021, 2021, 1-9.	1.5	5
102	Clinicopathological analysis of Large Cell Lung Carcinomas definitely diagnosed according to the New World Health Organization Criteria. <i>Pathology Research and Practice</i> , 2018, 214, 555-559.	2.3	4
103	Ubiquitin-specific protease 4 predicts an unfavorable prognosis and promotes malignant behaviors in vitro in pancreatic cancer. <i>Experimental Cell Research</i> , 2020, 396, 112317.	2.6	4
104	Next-Generation Sequencing Reveals a Very Low Prevalence of Deleterious Mutations of Homologous Recombination Repair Genes and Homologous Recombination Deficiency in Ovarian Clear Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 798173.	2.8	4
105	Long-Term Follow-Up of Significant Improvement After CAPTEM Treatment for Rare Adrenocorticotropin-Producing Cardiac Neuroendocrine Tumor. <i>Frontiers in Endocrinology</i> , 2019, 10, 713.	3.5	3
106	Automated tumor proportion scoring for PD-L1 expression based on multistage ensemble strategy in non-small cell lung cancer. <i>Journal of Translational Medicine</i> , 2021, 19, 249.	4.4	3
107	Expression of signaling adaptor proteins predicts poor prognosis in pancreatic ductal adenocarcinoma. <i>Diagnostic Pathology</i> , 2017, 12, 42.	2.0	2
108	Use of needle-based confocal laser endomicroscopy in the diagnosis of multifocal intraductal papillary mucinous neoplasm with high grade dysplasia. <i>Endoscopy</i> , 2017, 49, E277-E278.	1.8	2

#	ARTICLE	IF	CITATIONS
109	Next-generation sequencing revealed recurrent ZFPM1 mutations in encapsulated papillary carcinoma of the breast. <i>Npj Precision Oncology</i> , 2021, 5, 42.	5.4	2
110	Establishment of an Ultrasound Malignancy Risk Stratification Model for Thyroid Nodules Larger Than 4 cm. <i>Frontiers in Oncology</i> , 2021, 11, 592927.	2.8	2
111	Comparison of the mutation profile between pancreatic head/neck and body/tail cancers.. <i>Journal of Clinical Oncology</i> , 2019, 37, e15752-e15752.	1.6	2
112	PDZ-containing 1 acts as a suppressor of pancreatic cancer by regulating PTEN phosphorylation. <i>Oncotarget</i> , 2017, 8, 72893-72909.	1.8	2
113	Tumor microenvironment and its clinicopathological and prognostic associations in surgically resected cutaneous angiosarcoma. <i>Clinical and Translational Oncology</i> , 2022, 24, 941-949.	2.4	2
114	CK20 and lymph node involvement predict adverse outcome of malignant intraductal papillary neoplasm of the bile duct. <i>Histology and Histopathology</i> , 2020, 35, 449-456.	0.7	2
115	Prognostic significance of different molecular typing methods and immune status based on RNA sequencing in HR-positive and HER2-negative early-stage breast cancer. <i>BMC Cancer</i> , 2022, 22, 548.	2.6	2
116	A rare mixed breast cancer of intraductal and solid papillary with tubular carcinoma histotypes in a young woman. <i>Journal of Thoracic Disease</i> , 2017, 9, E792-E796.	1.4	0
117	Tonghua Liu: A life dedicated to clinical pathology. <i>Protein and Cell</i> , 2019, 10, 857-860.	11.0	0
118	Discrepancies in Genetic Testing Procedures of BRCA1/2 Mutations: A National Survey Across China. <i>Molecular Diagnosis and Therapy</i> , 2020, 24, 715-721.	3.8	0
119	Detect T790M in cell free tumor DNA of Chinese advanced non-small cell lung cancer adenocarcinoma patients by different platforms and evaluate clinical outcomes of T790M positive patients with osimertinib monotherapy.. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS9104-TPS9104.	1.6	0
120	Performance study of an amplification-based NGS test on clinical FFPE specimens in Chinaâ€™s first multi-center study.. <i>Journal of Clinical Oncology</i> , 2017, 35, e13112-e13112.	1.6	0
121	Effect of YAP1 on pancreatic stellate cell activation and tumor microenvironment.. <i>Journal of Clinical Oncology</i> , 2018, 36, e16199-e16199.	1.6	0
122	Using target capture sequencing detect microsatellite instability(MSI), tumor mutational burden(TMB) and POLE/POLD1 mutations in colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, e15012-e15012.	1.6	0
123	High-grade encapsulated papillary carcinoma of the breast is clinicopathologically distinct from low/intermediate-grade neoplasms in Chinese patients. <i>Histology and Histopathology</i> , 2019, 34, 137-147.	0.7	0
124	A comparative clinicopathological and survival analysis of synchronous bilateral breast cancers.. <i>Histology and Histopathology</i> , 2022, , 18449.	0.7	0