

Zhiyong Liang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9473198/publications.pdf>

Version: 2024-02-01

124
papers

2,585
citations

201674

27
h-index

254184

43
g-index

133
all docs

133
docs citations

133
times ranked

4661
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1 | Multiomics analysis of intra-tumoural and inter-tumoural heterogeneity in pancreatic ductal adenocarcinoma. <i>Clinical and Translational Medicine</i> , 2022, 12, e670. | 4.0 | 13 |
| 2 | Tumor microenvironment and its clinicopathological and prognostic associations in surgically resected cutaneous angiosarcoma. <i>Clinical and Translational Oncology</i> , 2022, 24, 941-949. | 2.4 | 2 |
| 3 | Functioning gonadotroph adenomas in premenopausal women: clinical and molecular characterization and review of the literature. <i>Pituitary</i> , 2022, 25, 454-467. | 2.9 | 6 |
| 4 | Artificial intelligence for histological subtype classification of breast cancer: combining multi-scale feature maps and the recurrent attention model. <i>Histopathology</i> , 2022, 80, 836-846. | 2.9 | 7 |
| 5 | Differential transcriptomic landscapes of multiple organs from SARS-CoV-2 early infected rhesus macaques. <i>Protein and Cell</i> , 2022, 13, 920-939. | 11.0 | 9 |
| 6 | A comparative clinicopathological and survival analysis of synchronous bilateral breast cancers.. <i>Histology and Histopathology</i> , 2022, , 18449. | 0.7 | 0 |
| 7 | Rare and misincorporated DNA N6-methyladenine is a hallmark of cytotoxic stresses for selectively stimulating the stemness and proliferation of glioblastoma cells. <i>Cell Discovery</i> , 2022, 8, 39. | 6.7 | 12 |
| 8 | Prognostic significance of different molecular typing methods and immune status based on RNA sequencing in HR-positive and HER2-negative early-stage breast cancer. <i>BMC Cancer</i> , 2022, 22, 548. | 2.6 | 2 |
| 9 | Genetic aberrations in Chinese pancreatic cancer patients and their association with anatomic location and disease outcomes. <i>Cancer Medicine</i> , 2021, 10, 933-943. | 2.8 | 12 |
| 10 | Clinicopathological and prognostic significance of ubiquitin-specific peptidase 15 and its relationship with transforming growth factor- β 2 receptors in patients with pancreatic ductal adenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 507-515. | 2.8 | 7 |
| 11 | DNA Methylation Haplotype Block Markers Efficiently Discriminate Follicular Thyroid Carcinoma from Follicular Adenoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e1011-e1021. | 3.6 | 8 |
| 12 | Three ultrasound phenotypes of non-invasive follicular thyroid neoplasm with papillary-like nuclear features proposed for imaging-pathology analysis: single center experience. <i>Gland Surgery</i> , 2021, 10, 307-318. | 1.1 | 7 |
| 13 | Tall cell carcinoma of the breast with reverse polarity: case report with gene sequencing and literature review. <i>Gland Surgery</i> , 2021, 10, 837-843. | 1.1 | 10 |
| 14 | Next-generation sequencing revealed recurrent ZFPM1 mutations in encapsulated papillary carcinoma of the breast. <i>Npj Precision Oncology</i> , 2021, 5, 42. | 5.4 | 2 |
| 15 | Deep Learning-Based Multi-Class Classification of Breast Digital Pathology Images. <i>Cancer Management and Research</i> , 2021, Volume 13, 4605-4617. | 1.9 | 36 |
| 16 | Establishment of an Ultrasound Malignancy Risk Stratification Model for Thyroid Nodules Larger Than 4 cm. <i>Frontiers in Oncology</i> , 2021, 11, 592927. | 2.8 | 2 |
| 17 | Automated tumor proportion scoring for PD-L1 expression based on multistage ensemble strategy in non-small cell lung cancer. <i>Journal of Translational Medicine</i> , 2021, 19, 249. | 4.4 | 3 |
| 18 | Automatic Pancreatic Ductal Adenocarcinoma Detection in Whole Slide Images Using Deep Convolutional Neural Networks. <i>Frontiers in Oncology</i> , 2021, 11, 665929. | 2.8 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Identification and Validation of Immune Molecular Subtypes in Pancreatic Ductal Adenocarcinoma: Implications for Prognosis and Immunotherapy. <i>Frontiers in Immunology</i> , 2021, 12, 690056. | 4.8 | 13 |
| 20 | Evaluation of NTRK Gene Fusion by Five Different Platforms in Triple-Negative Breast Carcinoma. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 654387. | 3.5 | 9 |
| 21 | PD-L1, Mismatch Repair Protein, and NTRK Immunohistochemical Expression in Cervical Small Cell Neuroendocrine Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 752453. | 2.8 | 5 |
| 22 | RNA m6A Demethylase ALKBH5 Protects Against Pancreatic Ductal Adenocarcinoma via Targeting Regulators of Iron Metabolism. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 724282. | 3.7 | 29 |
| 23 | Comprehensive analysis of oncogenic fusions in mismatch repair deficient colorectal carcinomas by sequential DNA and RNA next generation sequencing. <i>Journal of Translational Medicine</i> , 2021, 19, 433. | 4.4 | 8 |
| 24 | Clinical Characteristics and Management of Patients With McCune-Albright Syndrome With GH Excess and Precocious Puberty: A Case Series and Literature Review. <i>Frontiers in Endocrinology</i> , 2021, 12, 672394. | 3.5 | 8 |
| 25 | Synergistic alterations in the multilevel chromatin structure anchor dysregulated genes in small cell lung cancer. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 5946-5959. | 4.1 | 6 |
| 26 | Next-Generation Sequencing Reveals a Very Low Prevalence of Deleterious Mutations of Homologous Recombination Repair Genes and Homologous Recombination Deficiency in Ovarian Clear Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 798173. | 2.8 | 4 |
| 27 | p53 Immunohistochemistry Patterns Are Surrogate Biomarkers for TP53 Mutations in Gastrointestinal Neuroendocrine Neoplasms. <i>Gastroenterology Research and Practice</i> , 2021, 2021, 1-9. | 1.5 | 5 |
| 28 | Discrepancies in Genetic Testing Procedures of BRCA1/2 Mutations: A National Survey Across China. <i>Molecular Diagnosis and Therapy</i> , 2020, 24, 715-721. | 3.8 | 0 |
| 29 | Ubiquitin-specific protease 4 predicts an unfavorable prognosis and promotes malignant behaviors in vitro in pancreatic cancer. <i>Experimental Cell Research</i> , 2020, 396, 112317. | 2.6 | 4 |
| 30 | Matrix Metalloproteinase 11 as a Novel Tumor Promoter and Diagnostic and Prognostic Biomarker for Pancreatic Ductal Adenocarcinoma. <i>Pancreas</i> , 2020, 49, 812-821. | 1.1 | 6 |
| 31 | Clinicopathological Features and Outcomes of Acute Kidney Injury in Critically Ill COVID-19 with Prolonged Disease Course: A Retrospective Cohort. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 2205-2221. | 6.1 | 86 |
| 32 | Transducin-Like Enhancer of Split-1 Inhibits Malignant Behaviors in vitro and Predicts a Better Prognosis in Pancreatic Ductal Adenocarcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 576. | 2.8 | 5 |
| 33 | Intravenous leiomyomatosis is inclined to a solid entity different from uterine leiomyoma based on RNA-seq analysis with RT-qPCR validation. <i>Cancer Medicine</i> , 2020, 9, 4581-4592. | 2.8 | 10 |
| 34 | Clinicopathological Characteristics and Mutation Spectrum of Colorectal Adenocarcinoma With Mucinous Component in a Chinese Cohort: Comparison With Classical Adenocarcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 917. | 2.8 | 11 |
| 35 | Germline and Somatic BRCA1/2 Mutations in 172 Chinese Women With Epithelial Ovarian Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 295. | 2.8 | 21 |
| 36 | ALK detection in lung cancer: identification of atypical and cryptic ALK rearrangements using an optimal algorithm. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 1307-1320. | 2.5 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 37 | Next-generation sequencing reveals heterogeneous genetic alterations in key signaling pathways of mismatch repair deficient colorectal carcinomas. <i>Modern Pathology</i> , 2020, 33, 2591-2601. | 5.5 | 17 |
| 38 | DNA Mismatch Repair Deficiency Detection in Colorectal Cancer by a New Microsatellite Instability Analysis System. <i>Interdisciplinary Sciences, Computational Life Sciences</i> , 2020, 12, 145-154. | 3.6 | 15 |
| 39 | Whole-genome sequencing reveals distinct genetic bases for insulinomas and non-functional pancreatic neuroendocrine tumours: leading to a new classification system. <i>Gut</i> , 2020, 69, 877-887. | 12.1 | 81 |
| 40 | Primary non-Hodgkin lymphoma of the tongue base: the clinicopathology of seven cases and evaluation of HPV and EBV status. <i>Diagnostic Pathology</i> , 2020, 15, 30. | 2.0 | 10 |
| 41 | Upregulation of exosomal microRNA-21 in pancreatic stellate cells promotes pancreatic cancer cell migration and enhances Ras/ERK pathway activity. <i>International Journal of Oncology</i> , 2020, 56, 1025-1033. | 3.3 | 27 |
| 42 | AREG mediates the epithelial-mesenchymal transition in pancreatic cancer cells via the EGFR/ERK/NF- κ B signalling pathway. <i>Oncology Reports</i> , 2020, 43, 1558-1568. | 2.6 | 21 |
| 43 | CK20 and lymph node involvement predict adverse outcome of malignant intraductal papillary neoplasm of the bile duct. <i>Histology and Histopathology</i> , 2020, 35, 449-456. | 0.7 | 2 |
| 44 | HER2 double-equivocal breast cancer in Chinese patients: a high concordance of HER2 status between different blocks from the same tumor. <i>Breast Cancer Research and Treatment</i> , 2019, 178, 275-281. | 2.5 | 8 |
| 45 | EGFR T790M detection in formalin-fixed paraffin-embedded tissues of patients with lung cancer using RNA-based in situ hybridization: A preliminary feasibility study. <i>Thoracic Cancer</i> , 2019, 10, 1936-1944. | 1.9 | 7 |
| 46 | Upregulation of nucleoprotein AHNAK is associated with poor outcome of pancreatic ductal adenocarcinoma prognosis via mediating epithelial-mesenchymal transition. <i>Journal of Cancer</i> , 2019, 10, 3860-3870. | 2.5 | 26 |
| 47 | YAP1-mediated pancreatic stellate cell activation inhibits pancreatic cancer cell proliferation. <i>Cancer Letters</i> , 2019, 462, 51-60. | 7.2 | 38 |
| 48 | Prognostic implications of human papillomavirus status and p16 expression in laryngeal squamous cell carcinoma. <i>Head and Neck</i> , 2019, 41, 4151-4163. | 2.0 | 6 |
| 49 | External quality assessment (EQA) program for the immunohistochemical detection of ER, PR and Ki-67 in breast cancer: results of an interlaboratory reproducibility ring study in China. <i>BMC Cancer</i> , 2019, 19, 978. | 2.6 | 9 |
| 50 | PSME3 Promotes TGF β 1 Secretion by Pancreatic Cancer Cells to Induce Pancreatic Stellate Cell Proliferation. <i>Journal of Cancer</i> , 2019, 10, 2128-2138. | 2.5 | 14 |
| 51 | Mutational profiling of poorly differentiated and anaplastic thyroid carcinoma by the use of targeted next-generation sequencing. <i>Histopathology</i> , 2019, 75, 890-899. | 2.9 | 55 |
| 52 | Mutation profiles of follicular thyroid tumors by targeted sequencing. <i>Diagnostic Pathology</i> , 2019, 14, 39. | 2.0 | 45 |
| 53 | Application of next-generation sequencing technology to precision medicine in cancer: joint consensus of the Tumor Biomarker Committee of the Chinese Society of Clinical Oncology. <i>Cancer Biology and Medicine</i> , 2019, 16, 189. | 3.0 | 16 |
| 54 | Genome-wide DNA methylation profile of thymomas and potential epigenetic regulation of thymoma subtypes. <i>Oncology Reports</i> , 2019, 41, 2762-2774. | 2.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 55 | Prevalence of recurrent oncogenic fusion in mismatch repair-deficient colorectal carcinoma with hypermethylated MLH1 and wild-type BRAF and KRAS. <i>Modern Pathology</i> , 2019, 32, 1053-1064. | 5.5 | 40 |
| 56 | Expert consensus on multidisciplinary therapy of colorectal cancer with lung metastases (2019) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70</i> | 17.0 | 69 |
| 57 | Long-Term Follow-Up of Significant Improvement After CAPTEM Treatment for Rare Adrenocorticotropin-Producing Cardiac Neuroendocrine Tumor. <i>Frontiers in Endocrinology</i> , 2019, 10, 713. | 3.5 | 3 |
| 58 | Tonghua Liu: A life dedicated to clinical pathology. <i>Protein and Cell</i> , 2019, 10, 857-860. | 11.0 | 0 |
| 59 | Driver mutation profiles and clinicopathological correlation in pulmonary adenocarcinoma with a micropapillary component. <i>Human Pathology</i> , 2019, 85, 242-250. | 2.0 | 7 |
| 60 | PD-1/PD-L1 expressions in medullary thyroid carcinoma: Clinicopathologic and prognostic analysis of Chinese population. <i>European Journal of Surgical Oncology</i> , 2019, 45, 353-358. | 1.0 | 31 |
| 61 | Comparison of the mutation profile between pancreatic head/neck and body/tail cancers.. <i>Journal of Clinical Oncology</i> , 2019, 37, e15752-e15752. | 1.6 | 2 |
| 62 | Prognostic implications of human papillomavirus type 16 status in non-oropharyngeal head and neck cancer: a propensity score matching analysis. <i>Annals of Translational Medicine</i> , 2019, 7, 759-759. | 1.7 | 13 |
| 63 | Programmed death ligand 1 (PD-L1) expression in parathyroid tumors. <i>Endocrine Connections</i> , 2019, 8, 887-897. | 1.9 | 7 |
| 64 | High-grade encapsulated papillary carcinoma of the breast is clinicopathologically distinct from low/intermediate-grade neoplasms in Chinese patients. <i>Histology and Histopathology</i> , 2019, 34, 137-147. | 0.7 | 0 |
| 65 | Clinicopathological analysis of Large Cell Lung Carcinomas definitely diagnosed according to the New World Health Organization Criteria. <i>Pathology Research and Practice</i> , 2018, 214, 555-559. | 2.3 | 4 |
| 66 | ZIP4 Promotes Pancreatic Cancer Progression by Repressing ZO-1 and Claudin-1 through a ZEB1-Dependent Transcriptional Mechanism. <i>Clinical Cancer Research</i> , 2018, 24, 3186-3196. | 7.0 | 59 |
| 67 | PD1 protein expression in tumor infiltrated lymphocytes rather than PDL1 in tumor cells predicts survival in triple-negative breast cancer. <i>Cancer Biology and Therapy</i> , 2018, 19, 373-380. | 3.4 | 56 |
| 68 | PD-L1 in pancreatic ductal adenocarcinoma: a retrospective analysis of 373 Chinese patients using an in vitro diagnostic assay. <i>Diagnostic Pathology</i> , 2018, 13, 5. | 2.0 | 23 |
| 69 | Risk of synchronous endometrial disorders in women with endometrioid borderline tumors of the ovary. <i>Journal of Ovarian Research</i> , 2018, 11, 30. | 3.0 | 8 |
| 70 | Performance validation of an amplicon-based targeted next-generation sequencing assay and mutation profiling of 648 Chinese colorectal cancer patients. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 959-968. | 2.8 | 13 |
| 71 | Comparison of lesions detected and undetected by template-guided transperineal saturation prostate biopsy. <i>BJU International</i> , 2018, 121, 415-420. | 2.5 | 16 |
| 72 | Protein overexpression and gene amplification of cellular mesenchymal-epithelial transition factor is associated with poor prognosis in micropapillary-predominant subtype pulmonary adenocarcinoma. <i>Human Pathology</i> , 2018, 72, 59-65. | 2.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | The transverse and vertical distribution of prostate cancer in biopsy and radical prostatectomy specimens. <i>BMC Cancer</i> , 2018, 18, 1205. | 2.6 | 17 |
| 74 | Gemcitabine exhibits a suppressive effect on pancreatic cancer cell growth by regulating processing of <sc>PVT</sc>1 to miR1207. <i>Molecular Oncology</i> , 2018, 12, 2147-2164. | 4.6 | 36 |
| 75 | Primary adrenal diffuse large B cell lymphoma: a clinicopathological and molecular study from China. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 95-103. | 2.8 | 6 |
| 76 | Effect of YAP1 on pancreatic stellate cell activation and tumor microenvironment.. <i>Journal of Clinical Oncology</i> , 2018, 36, e16199-e16199. | 1.6 | 0 |
| 77 | Using target capture sequencing detect microsatellite instability(MSI), tumor mutational burden(TMB) and POLE/POLD1 mutations in colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, e15012-e15012. | 1.6 | 0 |
| 78 | Asporin promotes pancreatic cancer cell invasion and migration by regulating the epithelial-to-mesenchymal transition (EMT) through both autocrine and paracrine mechanisms. <i>Cancer Letters</i> , 2017, 398, 24-36. | 7.2 | 70 |
| 79 | HPV16 DNA and integration in normal and malignant epithelium: implications for the etiology of laryngeal squamous cell carcinoma. <i>Annals of Oncology</i> , 2017, 28, 1105-1110. | 1.2 | 24 |
| 80 | Primary lymphocytic hypophysitis: Clinical characteristics and treatment of 50 cases in a single centre in China over 18Ayears. <i>Clinical Endocrinology</i> , 2017, 87, 177-184. | 2.4 | 47 |
| 81 | Expression of signaling adaptor proteins predicts poor prognosis in pancreatic ductal adenocarcinoma. <i>Diagnostic Pathology</i> , 2017, 12, 42. | 2.0 | 2 |
| 82 | PD-L1 expression in lung adenosquamous carcinomas compared with the more common variants of non-small cell lung cancer. <i>Scientific Reports</i> , 2017, 7, 46209. | 3.3 | 41 |
| 83 | SERP1 is a novel marker of poor prognosis in pancreatic ductal adenocarcinoma patients via anti-apoptosis and regulating SRPRB/NF- κ B axis. <i>International Journal of Oncology</i> , 2017, 51, 1104-1114. | 3.3 | 26 |
| 84 | Use of needle-based confocal laser endomicroscopy in the diagnosis of multifocal intraductal papillary mucinous neoplasm with high grade dysplasia. <i>Endoscopy</i> , 2017, 49, E277-E278. | 1.8 | 2 |
| 85 | Impact of germline and somatic BRCA1/2 mutations: tumor spectrum and detection platforms. <i>Gene Therapy</i> , 2017, 24, 601-609. | 4.5 | 6 |
| 86 | EGFR T790M ctDNA testing platforms and their role as companion diagnostics: Correlation with clinical outcomes to EGFR-TKIs. <i>Cancer Letters</i> , 2017, 403, 186-194. | 7.2 | 27 |
| 87 | <i>HER2</i> Status in Advanced or Metastatic Gastric, Esophageal, or Gastroesophageal Adenocarcinoma for Entry to the TRIO-013/LOGiC Trial of Lapatinib. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 228-238. | 4.1 | 38 |
| 88 | <i>TERT</i> Promoter Mutation Predicts Radioiodine-Refractory Character in Distant Metastatic Differentiated Thyroid Cancer. <i>Journal of Nuclear Medicine</i> , 2017, 58, 258-265. | 5.0 | 92 |
| 89 | Hobnail variant of papillary thyroid carcinoma: molecular profiling and comparison to classical papillary thyroid carcinoma, poorly differentiated thyroid carcinoma and anaplastic thyroid carcinoma. <i>Oncotarget</i> , 2017, 8, 22023-22033. | 1.8 | 46 |
| 90 | The significance of programmed cell death ligand 1 expression in resected lung adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 16421-16429. | 1.8 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | A rare mixed breast cancer of intraductal and solid papillary with tubular carcinoma histotypes in a young woman. <i>Journal of Thoracic Disease</i> , 2017, 9, E792-E796. | 1.4 | 0 |
| 92 | Papanicolaou Society of Cytopathology new guidelines have a greater ability of risk stratification for pancreatic endoscopic ultrasound-guided fine-needle aspiration specimens. <i>Oncotarget</i> , 2017, 8, 8154-8161. | 1.8 | 15 |
| 93 | Gallbladder papillary neoplasms share pathological features with intraductal papillary neoplasm of the bile duct. <i>Oncotarget</i> , 2017, 8, 31532-31539. | 1.8 | 12 |
| 94 | PDZ-containing 1 acts as a suppressor of pancreatic cancer by regulating PTEN phosphorylation. <i>Oncotarget</i> , 2017, 8, 72893-72909. | 1.8 | 2 |
| 95 | Detect T790M in cell free tumor DNA of Chinese advanced non-small cell lung cancer adenocarcinoma patients by different platforms and evaluate clinical outcomes of T790M positive patients with osimertinib monotherapy.. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS9104-TPS9104. | 1.6 | 0 |
| 96 | Performance study of an amplification-based NGS test on clinical FFPE specimens in China's first multi-center study.. <i>Journal of Clinical Oncology</i> , 2017, 35, e13112-e13112. | 1.6 | 0 |
| 97 | Expression of amphiregulin predicts poor outcome in patients with pancreatic ductal adenocarcinoma. <i>Diagnostic Pathology</i> , 2016, 11, 60. | 2.0 | 24 |
| 98 | Validation of targeted next-generation sequencing for <i>RAS</i> mutation detection in FFPE colorectal cancer tissues: comparison with Sanger sequencing and ARMS-Scorpion real-time PCR. <i>BMJ Open</i> , 2016, 6, e009532. | 1.9 | 32 |
| 99 | Screening for major driver oncogene alterations in adenosquamous lung carcinoma using PCR coupled with next-generation and Sanger sequencing methods. <i>Scientific Reports</i> , 2016, 6, 22297. | 3.3 | 19 |
| 100 | miR-19a correlates with poor prognosis of clear cell renal cell carcinoma patients via promoting cell proliferation and suppressing PTEN/SMAD4 expression. <i>International Journal of Oncology</i> , 2016, 49, 2589-2599. | 3.3 | 31 |
| 101 | Clinicopathological features and BRAFV600E mutations in patients with isolated hypothalamic-pituitary Langerhans cell histiocytosis. <i>Diagnostic Pathology</i> , 2016, 11, 100. | 2.0 | 9 |
| 102 | Transperineal template-guided prostate biopsy: 10 years of experience. <i>BJU International</i> , 2016, 117, 424-429. | 2.5 | 24 |
| 103 | c-Met and ER β expression differences in basal-like and non-basal-like triple-negative breast cancer. <i>Tumor Biology</i> , 2016, 37, 11385-11395. | 1.8 | 12 |
| 104 | Mutant-specific BRAF and CD117 immunocytochemistry potentially facilitate risk stratification for papillary thyroid carcinoma in fine-needle aspiration biopsy specimens. <i>Tumor Biology</i> , 2016, 37, 611-618. | 1.8 | 5 |
| 105 | TTK is a favorable prognostic biomarker for triple-negative breast cancer survival. <i>Oncotarget</i> , 2016, 7, 81815-81829. | 1.8 | 20 |
| 106 | Genetic alterations and protein expression in combined small cell lung cancers and small cell lung cancers arising from lung adenocarcinomas after therapy with tyrosine kinase inhibitors. <i>Oncotarget</i> , 2016, 7, 34240-34249. | 1.8 | 16 |
| 107 | Molecular spectrum of KRAS, NRAS, BRAF and PIK3CA mutations in Chinese colorectal cancer patients: analysis of 1,110 cases. <i>Scientific Reports</i> , 2015, 5, 18678. | 3.3 | 98 |
| 108 | Molecular genetic studies on EGFR, KRAS, BRAF, ALK, PIK3CA, PDGFRA, and DDR2 in primary pulmonary adenoid cystic carcinoma. <i>Diagnostic Pathology</i> , 2015, 10, 161. | 2.0 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Co-existing of adenoid cystic carcinoma and invasive squamous cell carcinoma of the uterine cervix: a report of 3 cases with immunohistochemical study and evaluation of human papillomavirus status. <i>Diagnostic Pathology</i> , 2015, 10, 145. | 2.0 | 20 |
| 110 | Intravascular NK-cell lymphoma: a case report and review of the literature. <i>Diagnostic Pathology</i> , 2015, 10, 84. | 2.0 | 17 |
| 111 | Coexpression of EGFR and CXCR4 Predicts Poor Prognosis in Resected Pancreatic Ductal Adenocarcinoma. <i>PLoS ONE</i> , 2015, 10, e0116803. | 2.5 | 15 |
| 112 | Paracrine SDF-1 α signaling mediates the effects of PSCs on GEM chemoresistance through an IL-6 autocrine loop in pancreatic cancer cells. <i>Oncotarget</i> , 2015, 6, 3085-3097. | 1.8 | 80 |
| 113 | Primary Pulmonary Mucoepidermoid Carcinoma: Histopathological and Molecular Genetic Studies of 26 Cases. <i>PLoS ONE</i> , 2015, 10, e0143169. | 2.5 | 63 |
| 114 | Association between BRAF V600E mutation and regional lymph node metastasis in papillary thyroid carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 793-9. | 0.5 | 20 |
| 115 | Comparison of EGFR mutation status between plasma and tumor tissue in non-small cell lung cancer using the Scorpion ARMS method and the possible prognostic significance of plasma EGFR mutation status. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 13136-45. | 0.5 | 23 |
| 116 | Immunohistochemistry is highly sensitive and specific for detecting the BRAF V600E mutation in papillary thyroid carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 15072-8. | 0.5 | 13 |
| 117 | A Prognostic Model of Triple-Negative Breast Cancer Based on miR-27b-3p and Node Status. <i>PLoS ONE</i> , 2014, 9, e100664. | 2.5 | 56 |
| 118 | Adrenal cortical neoplasms: a study of clinicopathological features related to epidermal growth factor receptor gene status. <i>Diagnostic Pathology</i> , 2014, 9, 19. | 2.0 | 7 |
| 119 | Primary gliosarcoma with long-survival: report of two cases and review of literature. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 6323-32. | 0.5 | 7 |
| 120 | Adenoid cystic carcinoma of the tracheobronchial tree: clinicopathologic and immunohistochemical studies of 21 cases. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 7527-35. | 0.5 | 20 |
| 121 | Relationship between EGFR expression, copy number and mutation in lung adenocarcinomas. <i>BMC Cancer</i> , 2010, 10, 376. | 2.6 | 70 |
| 122 | Analysis of EGFR, HER2, and TOP2A gene status and chromosomal polysomy in gastric adenocarcinoma from Chinese patients. <i>BMC Cancer</i> , 2008, 8, 363. | 2.6 | 63 |
| 123 | DNAzyme-mediated cleavage of survivin mRNA and inhibition of the growth of PANC-1 cells. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005, 20, 1595-1602. | 2.8 | 23 |
| 124 | A universal plasmid library encoding all permutations of small interfering RNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 2356-2361. | 7.1 | 40 |