

Penny Buykx

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9473733/publications.pdf>

Version: 2024-02-01

74
papers

1,778
citations

279487

23
h-index

301761

39
g-index

74
all docs

74
docs citations

74
times ranked

2255
citing authors

#	ARTICLE	IF	CITATIONS
1	Is disinvestment from alcohol and drug treatment services associated with treatment access, completions and related harm? An analysis of English expenditure and outcomes data. <i>Drug and Alcohol Review</i> , 2022, 41, 54-61.	1.1	7
2	Print and online textual news media coverage of <sc>UK</sc> low-risk drinking guidelines from 2014 to 2017: A review and thematic analysis. <i>Drug and Alcohol Review</i> , 2022, .	1.1	3
3	The impact of a minimum unit price on wholesale alcohol supply trends in the Northern Territory, Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2021, 45, 26-33.	0.8	33
4	Psychosocial Interventions to Improve Psychological, Social and Physical Wellbeing in Family Members Affected by an Adult Relative's Substance Use: A Systematic Search and Review of the Evidence. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1793.	1.2	18
5	Potential effects of minimum unit pricing at local authority level on alcohol-attributed harms in North West and North East England: a modelling study. <i>Public Health Research</i> , 2021, 9, 1-106.	0.5	7
6	Negotiating identities of "responsible drinking": Exploring accounts of alcohol consumption of working mothers in their early parenting period. <i>Sociology of Health and Illness</i> , 2021, 43, 1454-1470.	1.1	11
7	Women's informal surveillance of alcohol consumption in intimate heterosexual relationships during the early parenting period. <i>Social Science and Medicine</i> , 2021, 291, 114499.	1.8	1
8	The impact of disinvestment on alcohol and drug treatment delivery and outcomes: a systematic review. <i>BMC Public Health</i> , 2021, 21, 2140.	1.2	1
9	The acceptability of alcohol intoxication management services to users: A mixed methods study. <i>Drug and Alcohol Review</i> , 2020, 39, 36-43.	1.1	2
10	Protocol for Take-home naloxone In Multicentre Emergency (TIME) settings: feasibility study. <i>Pilot and Feasibility Studies</i> , 2020, 6, 96.	0.5	5
11	Effects on alcohol consumption of announcing and implementing revised UK low-risk drinking guidelines: findings from an interrupted time series analysis. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2020-213820.	2.0	8
12	Reweighting national survey data for small area behaviour estimates: modelling alcohol consumption in Local Authorities in England. <i>Population Health Metrics</i> , 2020, 18, 1.	1.3	20
13	Evaluating alcohol intoxication management services: the EDARA mixed-methods study. <i>Health Services and Delivery Research</i> , 2020, 8, 1-214.	1.4	4
14	The impact of promoting revised UK low-risk drinking guidelines on alcohol consumption: interrupted time series analysis. <i>Public Health Research</i> , 2020, 8, 1-108.	0.5	1
15	How should we set consumption thresholds for low risk drinking guidelines? Achieving objectivity and transparency using evidence, expert judgement and pragmatism. <i>Addiction</i> , 2019, 114, 590-600.	1.7	25
16	Improved Quality of Life Following Addiction Treatment Is Associated with Reductions in Substance Use. <i>Journal of Clinical Medicine</i> , 2019, 8, 1407.	1.0	20
17	Modeling the Potential Impact of Changing Access Rates to Specialist Treatment for Alcohol Dependence for Local Authorities in England: The Specialist Treatment for Alcohol Model (STreAM). <i>Journal of Studies on Alcohol and Drugs Supplement</i> , 2019, Sup 18, 96-109.	3.7	12
18	Drinking guidelines and the need for evidence beyond the epidemiological. <i>Addiction</i> , 2019, 114, 607-608.	1.7	1

#	ARTICLE	IF	CITATIONS
19	Socioeconomic inequalities in the delivery of brief interventions for smoking and excessive drinking: findings from a cross-sectional household survey in England. <i>BMJ Open</i> , 2019, 9, e023448.	0.8	14
20	Mapping alcohol and tobacco tax interventions for health in the UK: a qualitative framework analysis. <i>Lancet, The</i> , 2019, 394, S51.	6.3	0
21	Effects on alcohol consumption of announcing revised UK low-risk drinking guidelines: findings from a monthly cross-sectional survey. <i>Lancet, The</i> , 2019, 394, S54.	6.3	2
22	Processes of local alcohol policy-making in England: Does the theory of policy transfer provide useful insights into public health decision-making?. <i>Health and Place</i> , 2019, 57, 358-364.	1.5	11
23	Attempts to reduce alcohol intake and treatment needs among people with probable alcohol dependence in England: a general population survey. <i>Addiction</i> , 2018, 113, 1430-1438.	1.7	11
24	New national alcohol guidelines in the UK: public awareness, understanding and behavioural intentions. <i>Journal of Public Health</i> , 2018, 40, 549-556.	1.0	37
25	Self-Reported Knowledge, Correct Knowledge and use of UK Drinking Guidelines Among a Representative Sample of the English Population. <i>Alcohol and Alcoholism</i> , 2018, 53, 453-460.	0.9	15
26	Population Level Effects of a Mass Media Alcohol and Breast Cancer Campaign: A Cross-Sectional Pre-Intervention and Post-Intervention Evaluation. <i>Alcohol and Alcoholism</i> , 2018, 53, 31-38.	0.9	30
27	Exposure to revised drinking guidelines and "COM-B" determinants of behaviour change: descriptive analysis of a monthly cross-sectional survey in England. <i>BMC Public Health</i> , 2018, 18, 251.	1.2	15
28	Evaluation of a local government "shelter and van" intervention to improve safety and reduce alcohol-related harm. <i>BMC Public Health</i> , 2018, 18, 1370.	1.2	6
29	Using affective judgement to increase physical activity in British adults. <i>Health Promotion International</i> , 2018, 33, 648-656.	0.9	3
30	Awareness of alcohol as a risk factor for cancer is associated with public support for alcohol policies. <i>BMC Public Health</i> , 2018, 18, 688.	1.2	53
31	Liquor licences issued to Australian schools. <i>BMC Public Health</i> , 2018, 18, 72.	1.2	2
32	Substance use outcomes following treatment: Findings from the Australian Patient Pathways Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 177-189.	1.3	50
33	Identification of cancer risk and associated behaviour: implications for social marketing campaigns for cancer prevention. <i>BMC Cancer</i> , 2017, 17, 550.	1.1	16
34	Acceptability of alcohol supply to children " associations with adults' own age of initiation and social norms. <i>Health Promotion Journal of Australia</i> , 2017, 28, 151-155.	0.6	4
35	Consultation liaison in primary care for people with mental disorders. <i>The Cochrane Library</i> , 2016, 2016, CD007193.	1.5	46
36	Short-term effects of announcing revised lower risk national drinking guidelines on related awareness and knowledge: a trend analysis of monthly survey data in England. <i>BMJ Open</i> , 2016, 6, e013804.	0.8	15

#	ARTICLE	IF	CITATIONS
37	Factors associated with public support for alcohol policy in England: a population-based survey. <i>Lancet, The</i> , 2016, 388, S31.	6.3	6
38	Consultation liaison in primary care for people with mental disorders. <i>BJ Psych Advances</i> , 2016, 22, 74-74.	0.5	1
39	Social disadvantage and past treatment among clients entering public alcohol and drug services in two Australian states. <i>International Journal of Drug Policy</i> , 2016, 29, 88-90.	1.6	2
40	Local policies to tackle a national problem: Comparative qualitative case studies of an English local authority alcohol availability intervention. <i>Health and Place</i> , 2016, 41, 11-18.	1.5	25
41	Commentary on Chalmers et al . (2016): A thoughtful integration of routine data sources and primary research findings. <i>Addiction</i> , 2016, 111, 2050-2051.	1.7	0
42	Are schools and alcohol a good mix? A qualitative study of school principals' experiences of adults' alcohol use in Australian secondary schools. <i>BMJ Open</i> , 2016, 6, e010904.	0.8	4
43	Characteristics of individuals presenting to treatment for primary alcohol problems versus other drug problems in the Australian patient pathways study. <i>BMC Psychiatry</i> , 2016, 16, 250.	1.1	42
44	Public awareness of the link between alcohol and cancer in England in 2015: a population-based survey. <i>BMC Public Health</i> , 2016, 16, 1194.	1.2	56
45	Principals' reports of adults' alcohol use in Australian secondary schools. <i>BMC Public Health</i> , 2016, 16, 195.	1.2	3
46	Public support for alcohol policies associated with knowledge of cancer risk. <i>International Journal of Drug Policy</i> , 2015, 26, 371-379.	1.6	69
47	Parents' level of support for adults' purchase and consumption of alcohol at primary school events when children are present. <i>Drug and Alcohol Review</i> , 2015, 34, 202-206.	1.1	5
48	Adult drinking in Australian schools. <i>Australian and New Zealand Journal of Public Health</i> , 2014, 38, 205-208.	0.8	7
49	Review of policies and guidelines concerning adults' alcohol consumption and promotion in Australian government schools. <i>Health Promotion Journal of Australia</i> , 2014, 25, 125-128.	0.6	6
50	Staff perceptions of primary healthcare service change: influences on staff satisfaction. <i>Australian Health Review</i> , 2014, 38, 580.	0.5	5
51	What primary health care services should residents of rural and remote Australia be able to access? A systematic review of 'core' primary health care services. <i>BMC Health Services Research</i> , 2013, 13, 178.	0.9	23
52	Helping policy-makers address rural health access problems. <i>Australian Journal of Rural Health</i> , 2013, 21, 61-71.	0.7	89
53	The FIRST ² ACT simulation program improves nursing practice in a rural Australian hospital. <i>Australian Journal of Rural Health</i> , 2012, 20, 270-274.	0.7	33
54	Managing women with acute physiological deterioration: Student midwives performance in a simulated setting. <i>Women and Birth</i> , 2012, 25, e27-e36.	0.9	29

#	ARTICLE	IF	CITATIONS
55	Clinical decision-making: midwifery students' recognition of, and response to, post partum haemorrhage in the simulation environment. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 19.	0.9	35
56	How do small rural primary health care services sustain themselves in a constantly changing health system environment?. <i>BMC Health Services Research</i> , 2012, 12, 81.	0.9	24
57	Patient deterioration simulation experiences: Impact on teaching and learning. <i>Collegian</i> , 2012, 19, 125-129.	0.6	23
58	Patients Who Attend the Emergency Department Following Medication Overdose: Self-reported Mental Health History and Intended Outcomes of Overdose. <i>International Journal of Mental Health and Addiction</i> , 2012, 10, 501-511.	4.4	7
59	“Making evidence count”: A framework to monitor the impact of health services research. <i>Australian Journal of Rural Health</i> , 2012, 20, 51-58.	0.7	38
60	Do clinical pathways enhance access to evidence-based acute myocardial infarction treatment in rural emergency departments?. <i>Australian Journal of Rural Health</i> , 2012, 20, 59-66.	0.7	22
61	FIRST2ACT: Educating nurses to identify patient deterioration “ A theory-based model for best practice simulation education. <i>Nurse Education Today</i> , 2011, 31, 687-693.	1.4	77
62	Study protocol: Evaluating the impact of a rural Australian primary health care service on rural health. <i>BMC Health Services Research</i> , 2011, 11, 52.	0.9	10
63	The characteristics of acute non-fatal medication-related events attended by ambulance services in the Melbourne Metropolitan Area 1998-2002. <i>Drug and Alcohol Review</i> , 2010, 29, 53-58.	1.1	4
64	Final-year nursing students' ability to assess, detect and act on clinical cues of deterioration in a simulated environment. <i>Journal of Advanced Nursing</i> , 2010, 66, 2722-2731.	1.5	64
65	Medications used in overdose and how they are acquired “ an investigation of cases attending an inner Melbourne emergency department. <i>Australian and New Zealand Journal of Public Health</i> , 2010, 34, 401-404.	0.8	24
66	Systematic review of effective retention incentives for health workers in rural and remote areas: Towards evidence-based policy. <i>Australian Journal of Rural Health</i> , 2010, 18, 102-109.	0.7	261
67	Evaluating the impact of sustainable comprehensive primary health care on rural health. <i>Australian Journal of Rural Health</i> , 2010, 18, 166-172.	0.7	19
68	Characteristics of medication overdose presentations to the ED: how do they differ from illicit drug overdose and self-harm cases?. <i>Emergency Medicine Journal</i> , 2010, 27, 499-503.	0.4	16
69	Managing the deteriorating patient in a simulated environment: nursing students' knowledge, skill and situation awareness. <i>Journal of Clinical Nursing</i> , 2010, 19, 2309-2318.	1.4	127
70	A cluster randomised trial to assess the impact of clinical pathways on AMI management in rural Australian emergency departments. <i>BMC Health Services Research</i> , 2009, 9, 83.	0.9	11
71	Gamma-hydroxybutyrate: A 30-month emergency department review. <i>EMA - Emergency Medicine Australasia</i> , 2008, 20, 521-530.	0.5	40
72	Intentional Overdose Among Heroin Overdose Survivors. <i>Journal of Urban Health</i> , 2003, 80, 230-237.	1.8	42

#	ARTICLE	IF	CITATIONS
73	Estimated alcohol-caused deaths in Australia, 1990-97. <i>Drug and Alcohol Review</i> , 2002, 21, 121-129.	1.1	5
74	Arrest, Court and Social Impacts of Conviction for a Minor Cannabis Offense under Strict Prohibition. <i>Contemporary Drug Problems</i> , 2000, 27, 805-833.	0.7	15