
Mark A Bellis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/947607/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The effect of multiple adverse childhood experiences on health: a systematic review and meta-analysis. Lancet Public Health, The, 2017, 2, e356-e366.	10.0	2,675
2	Prevalence and risk of violence against children with disabilities: a systematic review and meta-analysis of observational studies. Lancet, The, 2012, 380, 899-907.	13.7	719
3	Life course health consequences and associated annual costs of adverse childhood experiences across Europe and North America: a systematic review and meta-analysis. Lancet Public Health, The, 2019, 4, e517-e528.	10.0	488
4	Prevalence and risk of violence against adults with disabilities: a systematic review and meta-analysis of observational studies. Lancet, The, 2012, 379, 1621-1629.	13.7	446
5	Adverse childhood experiences: retrospective study to determine their impact on adult health behaviours and health outcomes in a UK population. Journal of Public Health, 2014, 36, 81-91.	1.8	356
6	Effects of backpacking holidays in Australia on alcohol, tobacco and drug use of UK residents. BMC Public Health, 2007, 7, 1.	2.9	340
7	Adverse childhood experiences and associations with health-harming behaviours in young adults: surveys in eight eastern European countries. Bulletin of the World Health Organization, 2014, 92, 641-655.	3.3	264
8	National household survey of adverse childhood experiences and their relationship with resilience to health-harming behaviors in England. BMC Medicine, 2014, 12, 72.	5.5	242
9	Alcohol, nightlife and violence: the relative contributions of drinking before and during nights out to negative health and criminal justice outcomes. Addiction, 2008, 103, 60-65.	3.3	219
10	Measuring paternal discrepancy and its public health consequences. Journal of Epidemiology and Community Health, 2005, 59, 749-754.	3.7	196
11	Sexual uses of alcohol and drugs and the associated health risks: A cross sectional study of young people in nine European cities. BMC Public Health, 2008, 8, 155.	2.9	167
12	The alcohol harm paradox: using a national survey to explore how alcohol may disproportionately impact health in deprived individuals. BMC Public Health, 2016, 16, 111.	2.9	159
13	Relationships between adverse childhood experiences and adult mental well-being: results from an English national household survey. BMC Public Health, 2016, 16, 222.	2.9	136
14	Relationship between alcohol-attributable disease and socioeconomic status, and the role of alcohol consumption in this relationship: a systematic review and meta-analysis. BMC Public Health, 2015, 15, 400.	2.9	120
15	Does continuous trusted adult support in childhood impart life-course resilience against adverse childhood experiences - a retrospective study on adult health-harming behaviours and mental well-being. BMC Psychiatry, 2017, 17, 110.	2.6	117
16	Adverse childhood experiences and sources of childhood resilience: a retrospective study of their combined relationships with child health and educational attendance. BMC Public Health, 2018, 18, 792.	2.9	117
17	The role of an international nightlife resort in the proliferation of recreational drugs. Addiction, 2003, 98, 1713-1721.	3.3	103
18	Health and financial costs of adverse childhood experiences in 28 European countries: a systematic review and meta-analysis. Lancet Public Health, The, 2021, 6, e848-e857.	10.0	101

Mark A Bellis

#	Article	IF	CITATIONS
19	Predictors of risky alcohol consumption in schoolchildren and their implications for preventing alcohol-related harm. Substance Abuse Treatment, Prevention, and Policy, 2007, 2, 15.	2.2	99
20	Associations between e-cigarette access and smoking and drinking behaviours in teenagers. BMC Public Health, 2015, 15, 244.	2.9	94
21	Reducing harm in drinking environments: A systematic review of effective approaches. Health and Place, 2011, 17, 508-518.	3.3	81
22	The evidence base for routine enquiry into adverse childhood experiences: A scoping review. Child Abuse and Neglect, 2019, 91, 131-146.	2.6	74
23	The impact of adverse childhood experiences on health service use across the life course using a retrospective cohort study. Journal of Health Services Research and Policy, 2017, 22, 168-177.	1.7	70
24	Teenage drinking, alcohol availability and pricing: a cross-sectional study of risk and protective factors for alcohol-related harms in school children. BMC Public Health, 2009, 9, 380.	2.9	66
25	Adverse childhood experiences, childhood relationships and associated substance use and mental health in young Europeans. European Journal of Public Health, 2019, 29, 741-747.	0.3	55
26	Elvis to Eminem: quantifying the price of fame through early mortality of European and North American rock and pop stars. Journal of Epidemiology and Community Health, 2007, 61, 896-901.	3.7	54
27	Global development and diffusion of outcome evaluation research for interpersonal and self-directed violence prevention from 2007 to 2013: A systematic review. Aggression and Violent Behavior, 2014, 19, 655-662.	2.1	43
28	Harms from other people's drinking: an international survey of their occurrence, impacts on feeling safe and legislation relating to their control. BMJ Open, 2015, 5, e010112.	1.9	38
29	Holidays, celebrations, and commiserations: measuring drinking during feasting and fasting to improve national and individual estimates of alcohol consumption. BMC Medicine, 2015, 13, 113.	5.5	36
30	Drunk and Disorganised: Relationships between Bar Characteristics and Customer Intoxication in European Drinking Environments. International Journal of Environmental Research and Public Health, 2012, 9, 4068-4082.	2.6	35
31	Interventions that enhance health services for parents and infants to improve child development and social and emotional well-being in high-income countries: a systematic review. BMJ Open, 2018, 8, e014899.	1.9	35
32	National five-year examination of inequalities and trends in emergency hospital admission for violence across England. Injury Prevention, 2011, 17, 319-325.	2.4	34
33	Variations in risk and protective factors for life satisfaction and mental wellbeing with deprivation: a cross-sectional study. BMC Public Health, 2012, 12, 492.	2.9	33
34	Health and financial burden of adverse childhood experiences in England and Wales: a combined primary data study of five surveys. BMJ Open, 2020, 10, e036374.	1.9	33
35	Predictors of hepatitis B and C infection in injecting drug users both in and out of drug treatment. Addiction, 2001, 96, 1787-1797.	3.3	32
36	Reducing intoxication among bar patrons: some lessons from prevention of drinking and driving. Addiction, 2014, 109, 693-698.	3.3	32

MARK A BELLIS

#	Article	IF	CITATIONS
37	Relative Contributions of Holiday Location and Nationality to Changes in Recreational Drug Taking Behaviour: A Natural Experiment in the Balearic Islands. European Addiction Research, 2009, 15, 78-86.	2.4	31
38	Risk of emergency hospital admission in children associated with mental disorders and alcohol misuse in the household: an electronic birth cohort study. Lancet Public Health, The, 2018, 3, e279-e288.	10.0	31
39	â€~Health in All Policies'—A Key Driver for Health and Well-Being in a Post-COVID-19 Pandemic World. International Journal of Environmental Research and Public Health, 2021, 18, 9468.	2.6	30
40	Cross-sectional measures and modelled estimates of blood alcohol levels in UK nightlife and their relationships with drinking behaviours and observed signs of inebriation. Substance Abuse Treatment, Prevention, and Policy, 2010, 5, 5.	2.2	29
41	Substance Use, Violence, and Unintentional Injury in Young Holidaymakers Visiting Mediterranean Destinations. Journal of Travel Medicine, 2011, 18, 80-89.	3.0	29
42	Getting drunk safely? Nightâ€life policy in the UK and its public health consequences. Drug and Alcohol Review, 2011, 30, 536-545.	2.1	28
43	Childhood happiness and violence: a retrospective study of their impacts on adult well-being. BMJ Open, 2013, 3, e003427.	1.9	27
44	Adverse childhood experiences: a retrospective study to understand their associations with lifetime mental health diagnosis, self-harm or suicide attempt, and current low mental wellbeing in a male Welsh prison population. Health and Justice, 2020, 8, 13.	2.1	26
45	Does legislation to prevent alcohol sales to drunk individuals work? Measuring the propensity for night-time sales to drunks in a UK city: TableÂ1. Journal of Epidemiology and Community Health, 2014, 68, 453-456.	3.7	24
46	Impact of childhood experience and adult well-being on eating preferences and behaviours. BMJ Open, 2016, 6, e007770.	1.9	24
47	Nighttime assaults: using a national emergency department monitoring system to predict occurrence, target prevention and plan services. BMC Public Health, 2012, 12, 746.	2.9	23
48	Comparative views of the public, sex workers, businesses and residents on establishing managed zones for prostitution: Analysis of a consultation in Liverpool. Health and Place, 2007, 13, 603-616.	3.3	22
49	A cross-sectional survey of compliance with national guidance for alcohol consumption by children: measuring risk factors, protective factors and social norms for excessive and unsupervised drinking. BMC Public Health, 2010, 10, 547.	2.9	22
50	The social value of investing in public health across the life course: a systematic scoping review. BMC Public Health, 2020, 20, 597.	2.9	22
51	Understanding the association between self-reported poor oral health and exposure to adverse childhood experiences: a retrospective study. BMC Oral Health, 2020, 20, 51.	2.3	22
52	Effectiveness of interventions to increase hepatitis C testing uptake among high-risk groups: a systematic review. European Journal of Public Health, 2014, 24, 781-788.	0.3	21
53	Using health impact assessment (HIA) to understand the wider health and well-being implications of policy decisions: the COVID-19 †staying at home and social distancing policy' in Wales. BMC Public Health, 2021, 21, 1456.	2.9	19
54	Dying to be famous: retrospective cohort study of rock and pop star mortality and its association with adverse childhood experiences. BMJ Open, 2012, 2, e002089.	1.9	18

MARK A BELLIS

#	Article	IF	CITATIONS
55	Effects of the 2010 World Cup football tournament on emergency department assault attendances in England. European Journal of Public Health, 2013, 23, 383-385.	0.3	18
56	Cycles of violence in England and Wales: the contribution of childhood abuse to risk of violence revictimisation in adulthood. BMC Medicine, 2020, 18, 325.	5.5	18
57	Do emotions related to alcohol consumption differ by alcohol type? An international cross-sectional survey of emotions associated with alcohol consumption and influence on drink choice in different settings. BMJ Open, 2017, 7, e016089.	1.9	16
58	Young peoples' perspective on the portrayal of alcohol and drinking on television: Findings of a focus group study. Addiction Research and Theory, 2013, 21, 91-99.	1.9	15
59	Adverse childhood experiences and child mental health: an electronic birth cohort study. BMC Medicine, 2021, 19, 172.	5.5	15
60	Associations between adverse childhood experiences, attitudes towards COVID-19 restrictions and vaccine hesitancy: a cross-sectional study. BMJ Open, 2022, 12, e053915.	1.9	15
61	Mini-symposium — Public Health Observatories. Public Health, 2005, 119, 253-261.	2.9	14
62	Using clustering techniques to identify localities with multiple health and social needs. Health and Place, 2012, 18, 138-143.	3.3	14
63	Exploring practices and perceptions of alcohol use during pregnancy in England and Sweden through a cross-cultural lens. European Journal of Public Health, 2018, 28, 533-537.	0.3	13
64	Associations between childhood deaths and adverse childhood experiences: An audit of data from a child death overview panel. Child Abuse and Neglect, 2019, 90, 22-31.	2.6	13
65	Demographic and socioeconomic inequalities in the risk of emergency hospital admission for violence: cross-sectional analysis of a national database in Wales. BMJ Open, 2016, 6, e011169.	1.9	11
66	Violence-related ambulance call-outs in the North West of England: a cross-sectional analysis of nature, extent and relationships to temporal, celebratory and sporting events. Emergency Medicine Journal, 2017, 34, 364-369.	1.0	11
67	The impact of behavioural risk factors on communicable diseases: a systematic review of reviews. BMC Public Health, 2021, 21, 2110.	2.9	11
68	Evaluation of work-based screening for early signs of alcohol-related liver disease in hazardous and harmful drinkers: the PrevAIL study. BMC Public Health, 2015, 15, 532.	2.9	10
69	Drink Less Enjoy More: effects of a multiâ€component intervention on improving adherence to, and knowledge of, alcohol legislation in a UK nightlife setting. Addiction, 2018, 113, 1420-1429.	3.3	10
70	Global perspective on ACEs. , 2020, , 209-231.		9
71	Alcohol's harms to others in Wales, United Kingdom: Nature, magnitude and associations with mental well-being. Addictive Behaviors Reports, 2019, 9, 100162.	1.9	8
72	Public acceptability of public health policy to improve population health: A populationâ€based survey. Health Expectations, 2020, 23, 802-812.	2.6	8

MARK A BELLIS

#	#	Article	IF	CITATIONS
7	73	Adult support during childhood: a retrospective study of trusted adult relationships, sources of personal adult support and their association with childhood resilience resources. BMC Psychology, 2021, 9, 101.	2.1	8
7	74	"l think we should all be singing from the same hymn sheet―– English and Swedish midwives' views of advising pregnant women about alcohol. Drugs: Education, Prevention and Policy, 2019, 26, 394-400.	1.3	7
7	75	Maternal adverse childhood experiences and their association with preterm birth: secondary analysis of data from universal health visiting. BMC Pregnancy and Childbirth, 2022, 22, 129.	2.4	7
7	76	Understanding the outcome of police safeguarding notifications to social services in South Wales. The Police Journal: A Quarterly Review for the Police Forces of the Commonwealth and English-speaking World, 2020, 93, 87-108.	1.7	6
7	77	Mental health selection: common mental disorder and migration between multiple states of deprivation in a UK cohort. BMJ Open, 2020, 10, e033238.	1.9	6
7	78	A review of the impact of the Licensing Act 2003 on levels of violence in England and Wales: A public health perspective. Crime Prevention and Community Safety, 2009, 11, 204-218.	0.9	5
7	79	Does adult alcohol consumption combine with adverse childhood experiences to increase involvement in violence in men and women? A cross-sectional study in England and Wales. BMJ Open, 2018, 8, e020591.	1.9	5
8	80	Ideal, expected and perceived descriptive norm drunkenness in UK nightlife environments: a cross-sectional study. BMC Public Health, 2019, 19, 442.	2.9	5
8	31	The impact of COVID-19 and associated measures on health, police, and non-government organisation service utilisation related to violence against women and children. BMC Public Health, 2022, 22, 288.	2.9	5
8	82	A shared data approach more accurately represents the rates and patterns of violence with injury assaults. Journal of Epidemiology and Community Health, 2017, 71, jech-2017-209872.	3.7	4
8	83	Alcohol age of initiation and long-term impact: a cross sectional survey of adults in England. Journal of Substance Use, 0, , 1-7.	0.7	3
8	84	Exploring the health and service utilisation of general practice patients with a history of adverse childhood experiences (ACEs): an observational study using electronic health records. BMJ Open, 2020, 10, e036239.	1.9	3
8	85	An evaluation of a short film promoting kindness in Wales during COVID-19 restrictions #TimeToBeKind. BMC Public Health, 2022, 22, 583.	2.9	3
8	36	Rising to the triple challenge of covid-19, Brexit, and climate change. BMJ, The, 2020, 370, m2798.	6.0	2
8	37	Digital Overuse and Addictive Traits and Their Relationship With Mental Well-Being and Socio-Demographic Factors: A National Population Survey for Wales. Frontiers in Public Health, 2021, 9, 585715.	2.7	2
8	38	Perceptions of a short animated film on adverse childhood experiences: a mixed methods evaluation. BMJ Open, 2021, 11, e050398.	1.9	2
8	89	PW 0661â€Estimating the financial costs of adverse childhood experiences (ACES) in europe. , 2018, , .		1
ç	€0	Know your limits. Nursing Standard (Royal College of Nursing (Great Britain): 1987), 2011, 25, 22-3.	0.1	1

#	Article	IF	CITATIONS
91	Effects of multi-component programmes in preventing sales of alcohol to intoxicated patrons in nightlife settings in the United Kingdom. Addictive Behaviors Reports, 2022, 15, 100422.	1.9	1
92	Health impact assessment of Brexit: it's not too late. BMJ: British Medical Journal, 2019, 367, I5812.	2.3	0
93	2E.002â€Cycle of violence: childhood abuse and risk of violence revictimisation in adulthood. , 2021, , .		0