

# Marco Foiani

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9477306/marco-foiani-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109  
papers

11,668  
citations

52  
h-index

108  
g-index

115  
ext. papers

12,830  
ext. citations

19.1  
avg, IF

6.3  
L-index

#	Paper	IF	Citations
109	Vps30/Atg6/BECN1 at the crossroads between cell metabolism and DNA damage response.. <i>Autophagy</i> , <b>2022</b> , 1-3	10.2	
108	The transcription factor PREP1(PKNOX1) regulates nuclear stiffness, the expression of LINC complex proteins and mechanotransduction.. <i>Communications Biology</i> , <b>2022</b> , 5, 456	6.7	
107	Topology of RNA:DNA Hybrids and R-Loops in Yeast. <i>Methods in Molecular Biology</i> , <b>2022</b> , 317-328	1.4	
106	Fasting-mimicking diet is safe and reshapes metabolism and antitumor immunity in cancer patients. <i>Cancer Discovery</i> , <b>2021</b> ,	24.4	15
105	Palmdelphin Regulates Nuclear Resilience to Mechanical Stress in the Endothelium. <i>Circulation</i> , <b>2021</b> , 144, 1629-1645	16.7	1
104	The human nucleoporin Tpr protects cells from RNA-mediated replication stress. <i>Nature Communications</i> , <b>2021</b> , 12, 3937	17.4	1
103	Endosomal trafficking and DNA damage checkpoint kinases dictate survival to replication stress by regulating amino acid uptake and protein synthesis. <i>Developmental Cell</i> , <b>2021</b> , 56, 2607-2622.e6	10.2	1
102	A rapid method to visualize human mitochondrial DNA replication through rotary shadowing and transmission electron microscopy. <i>Nucleic Acids Research</i> , <b>2021</b> , 49, e121	20.1	2
101	Ubiquitinated Fanconi ID complex embraces DNA. <i>Cell Research</i> , <b>2020</b> , 30, 554-555	24.7	
100	Berberine in the treatment of metabolism-related chronic diseases: A drug cloud (dCloud) effect to target multifactorial disorders. <i>Pharmacology &amp; Therapeutics</i> , <b>2020</b> , 209, 107496	13.9	31
99	Negative supercoil at gene boundaries modulates gene topology. <i>Nature</i> , <b>2020</b> , 577, 701-705	50.4	26
98	ATR is essential for preservation of cell mechanics and nuclear integrity during interstitial migration. <i>Nature Communications</i> , <b>2020</b> , 11, 4828	17.4	15
97	The Rad53-Spt21 and Tel1 axes couple glucose tolerance to histone dosage and subtelomeric silencing. <i>Nature Communications</i> , <b>2020</b> , 11, 4154	17.4	7
96	Combination of Hypoglycemia and Metformin Impairs Tumor Metabolic Plasticity and Growth by Modulating the PP2A-GSK3 $\beta$ MCL-1 Axis. <i>Cancer Cell</i> , <b>2019</b> , 35, 798-815.e5	24.3	108
95	An Error-Prone Polymerase in the Fight against Cancer. <i>Cell</i> , <b>2019</b> , 176, 1241-1243	56.2	2
94	A model of DNA damage response activation at stalled replication forks by SPRTN. <i>Nature Communications</i> , <b>2019</b> , 10, 5671	17.4	2
93	Impact of systemic and tumor lipid metabolism on everolimus efficacy in advanced pancreatic neuroendocrine tumors (pNETs). <i>International Journal of Cancer</i> , <b>2019</b> , 144, 1704-1712	7.5	9

92	Dna2 processes behind the fork long ssDNA flaps generated by Pif1 and replication-dependent strand displacement. <i>Nature Communications</i> , <b>2018</b> , 9, 4830	17.4	18
91	Dormant origins and fork protection mechanisms rescue sister forks arrested by transcription. <i>Nucleic Acids Research</i> , <b>2018</b> , 46, 1227-1239	20.1	24
90	A Mad2-Mediated Translational Regulatory Mechanism Promoting S-Phase Cyclin Synthesis Controls Origin Firing and Survival to Replication Stress. <i>Molecular Cell</i> , <b>2018</b> , 70, 628-638.e5	17.6	7
89	Ultrastructure of fibroblasts from patients with progeria. <i>Ultrastructural Pathology</i> , <b>2017</b> , 41, 108-109	1.3	
88	Major Roles for Pyrimidine Dimers, Nucleotide Excision Repair, and ATR in the Alternative Splicing Response to UV Irradiation. <i>Cell Reports</i> , <b>2017</b> , 18, 2868-2879	10.6	29
87	PP2A Controls Genome Integrity by Integrating Nutrient-Sensing and Metabolic Pathways with the DNA Damage Response. <i>Molecular Cell</i> , <b>2017</b> , 67, 266-281.e4	17.6	17
86	Coordinating Replication with Transcription. <i>Advances in Experimental Medicine and Biology</i> , <b>2017</b> , 1042, 455-487	3.6	8
85	DNA damage causes rapid accumulation of phosphoinositides for ATR signaling. <i>Nature Communications</i> , <b>2017</b> , 8, 2118	17.4	41
84	Targeting Cancer Metabolism: Dietary and Pharmacologic Interventions. <i>Cancer Discovery</i> , <b>2016</b> , 6, 1315-1333	14.4	107
83	ATR-mediated regulation of nuclear and cellular plasticity. <i>DNA Repair</i> , <b>2016</b> , 44, 143-150	4.3	22
82	Nuclear envelope and chromatin, lock and key of genome integrity. <i>International Review of Cell and Molecular Biology</i> , <b>2015</b> , 317, 267-330	6	16
81	ATM and ATR signaling at a glance. <i>Journal of Cell Science</i> , <b>2015</b> , 128, 4255-62	5.3	148
80	Rad53-Mediated Regulation of Rrm3 and Pif1 DNA Helicases Contributes to Prevention of Aberrant Fork Transitions under Replication Stress. <i>Cell Reports</i> , <b>2015</b> , 13, 80-92	10.6	40
79	Golgi feels DNA pain. <i>Cell</i> , <b>2014</b> , 156, 392-3	56.2	7
78	ATR mediates a checkpoint at the nuclear envelope in response to mechanical stress. <i>Cell</i> , <b>2014</b> , 158, 633-46	56.2	125
77	Visualization of recombination-mediated damage bypass by template switching. <i>Nature Structural and Molecular Biology</i> , <b>2014</b> , 21, 884-92	17.6	101
76	Dangerous liaisons: MYCN meets condensins. <i>Cell Cycle</i> , <b>2014</b> , 13, 1225-6	4.7	
75	Beclin 1 restrains tumorigenesis through Mcl-1 destabilization in an autophagy-independent reciprocal manner. <i>Nature Communications</i> , <b>2014</b> , 5, 5637	17.4	54

74	Preserving the genome by regulating chromatin association with the nuclear envelope. <i>Trends in Cell Biology</i> , <b>2012</b> , 22, 465-73	18.3	31
73	Senataxin associates with replication forks to protect fork integrity across RNA-polymerase-II-transcribed genes. <i>Cell</i> , <b>2012</b> , 151, 835-846	56.2	154
72	Preventing replication stress to maintain genome stability: resolving conflicts between replication and transcription. <i>Molecular Cell</i> , <b>2012</b> , 45, 710-8	17.6	135
71	Dna2 offers support for stalled forks. <i>Cell</i> , <b>2012</b> , 149, 1181-3	56.2	10
70	Acetylation: a novel link between double-strand break repair and autophagy. <i>Cancer Research</i> , <b>2012</b> , 72, 1332-5	10.1	36
69	Molecular pathways: old drugs define new pathways: non-histone acetylation at the crossroads of the DNA damage response and autophagy. <i>Clinical Cancer Research</i> , <b>2012</b> , 18, 2436-42	12.9	31
68	The replication checkpoint protects fork stability by releasing transcribed genes from nuclear pores. <i>Cell</i> , <b>2011</b> , 146, 233-46	56.2	169
67	HDACs link the DNA damage response, processing of double-strand breaks and autophagy. <i>Nature</i> , <b>2011</b> , 471, 74-79	50.4	305
66	Genome-wide function of THO/TREX in active genes prevents R-loop-dependent replication obstacles. <i>EMBO Journal</i> , <b>2011</b> , 30, 3106-19	13	154
65	G-quadruplex-induced instability during leading-strand replication. <i>EMBO Journal</i> , <b>2011</b> , 30, 4033-46	13	219
64	Maintaining genome stability at the replication fork. <i>Nature Reviews Molecular Cell Biology</i> , <b>2010</b> , 11, 208-19	48.7	608
63	Leaping forks at inverted repeats. <i>Genes and Development</i> , <b>2010</b> , 24, 5-9	12.6	9
62	The double life of Holliday junctions. <i>Cell Research</i> , <b>2010</b> , 20, 611-3	24.7	6
61	Replication termination at eukaryotic chromosomes is mediated by Top2 and occurs at genomic loci containing pausing elements. <i>Molecular Cell</i> , <b>2010</b> , 39, 595-605	17.6	115
60	A lethal combination for cancer cells: synthetic lethality screenings for drug discovery. <i>European Journal of Cancer</i> , <b>2010</b> , 46, 2889-95	7.5	27
59	The <i>Saccharomyces cerevisiae</i> Esc2 and Smc5-6 proteins promote sister chromatid junction-mediated intra-S repair. <i>Molecular Biology of the Cell</i> , <b>2009</b> , 20, 1671-82	3.5	85
58	The checkpoint response to replication stress. <i>DNA Repair</i> , <b>2009</b> , 8, 1038-46	4.3	160
57	Sgs1 function in the repair of DNA replication intermediates is separable from its role in homologous recombinational repair. <i>EMBO Journal</i> , <b>2009</b> , 28, 915-25	13	55

56	Replicon dynamics, dormant origin firing, and terminal fork integrity after double-strand break formation. <i>Cell</i> , <b>2009</b> , 137, 247-58	56.2	92
55	Genome-organizing factors Top2 and Hmo1 prevent chromosome fragility at sites of S phase transcription. <i>Cell</i> , <b>2009</b> , 138, 870-84	56.2	92
54	CHIP-on-chip analysis of DNA topoisomerases. <i>Methods in Molecular Biology</i> , <b>2009</b> , 582, 103-18	1.4	14
53	SUMOylation regulates Rad18-mediated template switch. <i>Nature</i> , <b>2008</b> , 456, 915-20	50.4	208
52	Regulation of DNA repair throughout the cell cycle. <i>Nature Reviews Molecular Cell Biology</i> , <b>2008</b> , 9, 297-308	12.7	874
51	Role of homologous recombination in trabectedin-induced DNA damage. <i>European Journal of Cancer</i> , <b>2008</b> , 44, 609-18	7.5	81
50	Cohesion by topology: sister chromatids interlocked by DNA. <i>Genes and Development</i> , <b>2008</b> , 22, 2297-301	12.6	6
49	Interplay of replication checkpoints and repair proteins at stalled replication forks. <i>DNA Repair</i> , <b>2007</b> , 6, 994-1003	4.3	96
48	RecQ helicases queuing with Srs2 to disrupt Rad51 filaments and suppress recombination. <i>Genes and Development</i> , <b>2007</b> , 21, 3019-26	12.6	40
47	Top1- and Top2-mediated topological transitions at replication forks ensure fork progression and stability and prevent DNA damage checkpoint activation. <i>Genes and Development</i> , <b>2007</b> , 21, 1921-36	12.6	118
46	Template switching: from replication fork repair to genome rearrangements. <i>Cell</i> , <b>2007</b> , 131, 1228-30	56.2	39
45	Replication forks and replication checkpoints in repair. <i>Topics in Current Genetics</i> , <b>2007</b> , 201-219		
44	Methods to study replication fork collapse in budding yeast. <i>Methods in Enzymology</i> , <b>2006</b> , 409, 442-62	1.7	36
43	Replication forks and replication checkpoints in repair <b>2006</b> , 201-219		
42	The Rad53 signal transduction pathway: Replication fork stabilization, DNA repair, and adaptation. <i>Experimental Cell Research</i> , <b>2006</b> , 312, 2654-9	4.2	92
41	Ubc9- and mms21-mediated sumoylation counteracts recombinogenic events at damaged replication forks. <i>Cell</i> , <b>2006</b> , 127, 509-22	56.2	243
40	Multiple mechanisms control chromosome integrity after replication fork uncoupling and restart at irreparable UV lesions. <i>Molecular Cell</i> , <b>2006</b> , 21, 15-27	17.6	462
39	Exo1 processes stalled replication forks and counteracts fork reversal in checkpoint-defective cells. <i>Molecular Cell</i> , <b>2005</b> , 17, 153-9	17.6	212

38	Recombination at collapsed replication forks: the payoff for survival. <i>Molecular Cell</i> , <b>2005</b> , 18, 614-5	17.6	4
37	The DNA damage response during DNA replication. <i>Current Opinion in Cell Biology</i> , <b>2005</b> , 17, 568-75	9	193
36	Signal transduction: how rad53 kinase is activated. <i>Current Biology</i> , <b>2005</b> , 15, R769-71	6.3	61
35	Srs2 and Sgs1 DNA helicases associate with Mre11 in different subcomplexes following checkpoint activation and CDK1-mediated Srs2 phosphorylation. <i>Molecular and Cellular Biology</i> , <b>2005</b> , 25, 5738-51	4.8	76
34	Rad51-dependent DNA structures accumulate at damaged replication forks in sgs1 mutants defective in the yeast ortholog of BLM RecQ helicase. <i>Genes and Development</i> , <b>2005</b> , 19, 339-50	12.6	256
33	Checkpoint-mediated control of replisome-fork association and signalling in response to replication pausing. <i>Oncogene</i> , <b>2004</b> , 23, 1206-13	9.2	139
32	DNA end resection, homologous recombination and DNA damage checkpoint activation require CDK1. <i>Nature</i> , <b>2004</b> , 431, 1011-7	50.4	585
31	Characterization of the BUD31 gene of <i>Saccharomyces cerevisiae</i> . <i>Biochemical and Biophysical Research Communications</i> , <b>2004</b> , 320, 1342-50	3.4	13
30	Initiation of DNA replication: a new hint from archaea. <i>Cell</i> , <b>2004</b> , 116, 3-4	56.2	4
29	Mechanisms Controlling the Integrity of Replicating Chromosomes in Budding Yeast. <i>Cell Cycle</i> , <b>2003</b> , 2, 563-566	4.7	10
28	The DNA polymerase alpha-primase complex: multiple functions and interactions. <i>Scientific World Journal, The</i> , <b>2003</b> , 3, 21-33	2.2	44
27	Srs2 and Sgs1-Top3 suppress crossovers during double-strand break repair in yeast. <i>Cell</i> , <b>2003</b> , 115, 401-416	36.2	489
26	Branch migrating sister chromatid junctions form at replication origins through Rad51/Rad52-independent mechanisms. <i>Molecular Cell</i> , <b>2003</b> , 12, 1499-510	17.6	102
25	Yeast Rad52 and Rad51 recombination proteins define a second pathway of DNA damage assessment in response to a single double-strand break. <i>Molecular and Cellular Biology</i> , <b>2003</b> , 23, 8913-23	4.8	45
24	Budding Yeast DNA Damage Checkpoint: A Signal Transduction-Mediated Surveillance System <b>2003</b> , 197-202		
23	A dominant-negative MEC3 mutant uncovers new functions for the Rad17 complex and Tel1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 12997-3002	11.5	12
22	Fork reversal and ssDNA accumulation at stalled replication forks owing to checkpoint defects. <i>Science</i> , <b>2002</b> , 297, 599-602	33.3	694
21	Recovery from checkpoint-mediated arrest after repair of a double-strand break requires Srs2 helicase. <i>Molecular Cell</i> , <b>2002</b> , 10, 373-85	17.6	279

20	Unique pattern of ET-743 activity in different cellular systems with defined deficiencies in DNA-repair pathways. <i>International Journal of Cancer</i> , <b>2001</b> , 92, 583-8	7.5	143
19	The DNA replication checkpoint response stabilizes stalled replication forks. <i>Nature</i> , <b>2001</b> , 412, 557-61	50.4	633
18	The <i>Saccharomyces</i> recombination protein Tid1p is required for adaptation from G2/M arrest induced by a double-strand break. <i>Current Biology</i> , <b>2001</b> , 11, 1053-7	6.3	60
17	Regulation of <i>Saccharomyces</i> Rad53 checkpoint kinase during adaptation from DNA damage-induced G2/M arrest. <i>Molecular Cell</i> , <b>2001</b> , 7, 293-300	17.6	231
16	DNA damage checkpoints and DNA replication controls in <i>Saccharomyces cerevisiae</i> . <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>2000</b> , 451, 187-96	3.3	90
15	Activation of Rad53 kinase in response to DNA damage and its effect in modulating phosphorylation of the lagging strand DNA polymerase. <i>EMBO Journal</i> , <b>1999</b> , 18, 6561-72	13	320
14	Evidence for a Cdc6p-independent mitotic resetting event involving DNA polymerase alpha. <i>EMBO Journal</i> , <b>1998</b> , 17, 4139-46	13	63
13	DNA damage checkpoint in budding yeast. <i>EMBO Journal</i> , <b>1998</b> , 17, 5525-8	13	129
12	A role for DNA primase in coupling DNA replication to DNA damage response. <i>EMBO Journal</i> , <b>1997</b> , 16, 639-50	13	88
11	A meiosis-specific protein kinase, Ime2, is required for the correct timing of DNA replication and for spore formation in yeast meiosis. <i>Molecular Genetics and Genomics</i> , <b>1996</b> , 253, 278-88		58
10	Spk1/Rad53 is regulated by Mec1-dependent protein phosphorylation in DNA replication and damage checkpoint pathways. <i>Genes and Development</i> , <b>1996</b> , 10, 395-406	12.6	265
9	Phosphorylation of the DNA polymerase alpha-primase B subunit is dependent on its association with the p180 polypeptide. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 8661-6	5.4	23
8	Guanine nucleotide exchange factor for eukaryotic translation initiation factor 2 in <i>Saccharomyces cerevisiae</i> : interactions between the essential subunits GCD2, GCD6, and GCD7 and the regulatory subunit GCN3. <i>Molecular and Cellular Biology</i> , <b>1993</b> , 13, 4618-31	4.8	48
7	De novo synthesis of budding yeast DNA polymerase alpha and POL1 transcription at the G1/S boundary are not required for entrance into S phase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1993</b> , 90, 10519-23	11.5	50
6	GCD2, a translational repressor of the GCN4 gene, has a general function in the initiation of protein synthesis in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , <b>1991</b> , 11, 3203-16	4.8	173
5	Complex formation by positive and negative translational regulators of GCN4. <i>Molecular and Cellular Biology</i> , <b>1991</b> , 11, 3217-28	4.8	125
4	A single essential gene, PRI2, encodes the large subunit of DNA primase in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , <b>1989</b> , 9, 3081-7	4.8	66
3	The yeast DNA polymerase-primase complex: genes and proteins. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , <b>1988</b> , 951, 268-73		16

- 2 High molecular weight immunoreactive basic fibroblast growth factor-like proteins in rat pituitary and brain. *Neuroscience Letters*, **1988**, 90, 308-13 33 29
- 1 Mechanism of initiation of in vitro DNA synthesis by the immunopurified complex between yeast DNA polymerase I and DNA primase. *FEBS Journal*, **1986**, 161, 435-40 17