

# Andreas Bechdorf

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9477518/publications.pdf>

Version: 2024-02-01

60  
papers

3,915  
citations

172207

29  
h-index

128067

60  
g-index

70  
all docs

70  
docs citations

70  
times ranked

3841  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The Psychosis High-Risk State. <i>JAMA Psychiatry</i> , 2013, 70, 107.   | 6.0 | 1,222     |
| 2  | Preventing a first episode of psychosis: Meta-analysis of randomized controlled prevention trials of 12month and longer-term follow-ups. <i>Schizophrenia Research</i> , 2013, 149, 56-62.   | 1.1 | 333       |
| 3  | Prevention of Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 755.   | 6.0 | 287       |
| 4  | Basic Symptoms and the Prediction of First-Episode Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 351-357.  | 0.9 | 152       |
| 5  | What is good mental health? A scoping review. <i>European Neuropsychopharmacology</i> , 2020, 31, 33-46.   | 0.3 | 131       |
| 6  | A preliminary evaluation of the validity of at-risk criteria for bipolar disorders in help-seeking adolescents and young adults. <i>Journal of Affective Disorders</i> , 2010, 127, 316-320.   | 2.0 | 104       |
| 7  | The predictive validity of bipolar at-risk (prodromal) criteria in help-seeking adolescents and young adults: a prospective study. <i>Bipolar Disorders</i> , 2014, 16, 493-504.   | 1.1 | 103       |
| 8  | Subjective quality of life in subjects at risk for a first episode of psychosis: A comparison with first episode schizophrenia patients and healthy controls. <i>Schizophrenia Research</i> , 2005, 79, 137-143.   | 1.1 | 90        |
| 9  | Determinants of subjective quality of life in post acute patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2003, 253, 228-235.   | 1.8 | 84        |
| 10 | An International Society of Bipolar Disorders task force report: Precursors and prodromes of bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 720-740.   | 1.1 | 71        |
| 11 | Rationale and Baseline Characteristics of PREVENT: A Second-Generation Intervention Trial in Subjects At-Risk (Prodromal) of Developing First-Episode Psychosis Evaluating Cognitive Behavior Therapy, Aripiprazole, and Placebo for the Prevention of Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, S111-S121. | 2.3 | 69        |
| 12 | Interventions in the initial prodromal states of psychosis in Germany: concept and recruitment. <i>British Journal of Psychiatry</i> , 2005, 187, s45-s48.   | 1.7 | 57        |
| 13 | Cognitive-behavioral therapy in the pre-psychotic phase: An exploratory study. <i>Psychiatry Research</i> , 2005, 136, 251-255.  | 1.7 | 57        |
| 14 | Universal and selective interventions to promote good mental health in young people: Systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2020, 41, 28-39.   | 0.3 | 56        |
| 15 | Randomized controlled multicentre trial of cognitive behaviour therapy in the early initial prodromal state: effects on social adjustment post treatment. <i>Microbial Biotechnology</i> , 2007, 1, 71-78.   | 0.9 | 54        |
| 16 | Clinical high risk for psychosis: gender differences in symptoms and social functioning. <i>Microbial Biotechnology</i> , 2017, 11, 306-313.   | 0.9 | 54        |
| 17 | Preventive interventions for individuals at ultra high risk for psychosis: An updated and extended meta-analysis. <i>Clinical Psychology Review</i> , 2021, 86, 102005.  | 6.0 | 52        |
| 18 | Emotion recognition as a predictor of transition to a psychotic disorder in ultra-high risk participants. <i>Schizophrenia Research</i> , 2014, 153, 25-31.  | 1.1 | 51        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Recent approaches to psychological interventions for people at risk of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 159-173.  | 1.8 | 48        |
| 20 | Amygdala and insula volumes prior to illness onset in bipolar disorder: A magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2012, 201, 34-39.   | 0.9 | 46        |
| 21 | Why Do Bad Things Happen to Me? Attributional Style, Depressed Mood, and Persecutory Delusions in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2014, 40, 1338-1346.   | 2.3 | 46        |
| 22 | Randomized Comparison of Group Cognitive Behaviour Therapy and Group Psychoeducation in Acute Patients with Schizophrenia: Effects on Subjective Quality of Life. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 144-150.      | 1.3 | 44        |
| 23 | Self-experienced vulnerability, prodromal symptoms and coping strategies preceding schizophrenic and depressive relapses. <i>European Psychiatry</i> , 2002, 17, 384-393.   | 0.1 | 43        |
| 24 | Bipolar At-Risk Criteria: An Examination of Which Clinical Features Have Optimal Utility for Identifying Youth at Risk of Early Transition From Depression to Bipolar Disorders. <i>Schizophrenia Bulletin</i> , 2017, 43, 737-744.                 | 2.3 | 42        |
| 25 | Preventing and Reducing Coercive Measures – An Evaluation of the Implementation of the Safewards Model in Two Locked Wards in Germany. <i>Frontiers in Psychiatry</i> , 2019, 10, 340.  | 1.3 | 39        |
| 26 | European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , 2019, 29, 1301-1311.  | 0.3 | 38        |
| 27 | The bipolar disorder prodrome revisited: Is there a symptomatic pattern?. <i>Journal of Affective Disorders</i> , 2013, 151, 551-560.   | 2.0 | 34        |
| 28 | Prevalence of metabolic syndrome in female and male patients at risk of psychosis. <i>Schizophrenia Research</i> , 2017, 181, 38-42.  | 1.1 | 34        |
| 29 | Prospective progression from high-prevalence disorders to bipolar disorder: Exploring characteristics of pre-illness stages. <i>Journal of Affective Disorders</i> , 2015, 183, 45-48.  | 2.0 | 33        |
| 30 | Cognitive behavioural therapy versus supportive therapy for persistent positive symptoms in psychotic disorders: The POSITIVE Study, a multicenter, prospective, single-blind, randomised controlled clinical trial. <i>Trials</i> , 2010, 11, 123. | 0.7 | 26        |
| 31 | Evaluation of Flexible and Integrative Psychiatric Treatment Models in Germany – A Mixed-Method Patient and Staff-Oriented Exploratory Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 785.  | 1.3 | 24        |
| 32 | The Concept of Schizophrenia and Phase-Specific Treatment: Cognitive-Behavioral Treatment in Pre-Psychosis and in Nonresponders. <i>Journal of the American Academy of Psychoanalysis and Dynamic Psychiatry</i> , 2003, 31, 209-228.               | 0.3 | 23        |
| 33 | Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021, 294, 957-970.   | 2.0 | 23        |
| 34 | Temperament and prodromal symptoms prior to first manic/hypomanic episodes: Results from a pilot study. <i>Journal of Affective Disorders</i> , 2015, 173, 39-44.   | 2.0 | 21        |
| 35 | Coping as a predictor of treatment outcome in people at clinical high risk of psychosis. <i>Microbial Biotechnology</i> , 2016, 10, 17-27.  | 0.9 | 19        |
| 36 | Coping and the stages of psychosis: an investigation into the coping styles in people at risk of psychosis, in people with first episode and multiple episode psychoses. <i>Microbial Biotechnology</i> , 2017, 11, 147-155.                        | 0.9 | 18        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Improving early recognition and intervention in people at increased risk for the development of bipolar disorder: study protocol of a prospective-longitudinal, naturalistic cohort study (Early-BipoLife). <i>International Journal of Bipolar Disorders</i> , 2020, 8, 22.            | 0.8 | 18        |
| 38 | Evidence-based psychotherapy for the prevention and treatment of first-episode psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 17-25.  | 1.8 | 17        |
| 39 | Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , 2020, 36, 121-136.   | 0.3 | 17        |
| 40 | Implementation, efficacy, costs and processes of inpatient equivalent home-treatment in German mental health care (AKtiV): protocol of a mixed-method, participatory, quasi-experimental trial. <i>BMC Psychiatry</i> , 2021, 21, 173.  | 1.1 | 17        |
| 41 | Temporal dynamics of suspiciousness and hallucinations in clinical high risk and first episode psychosis. <i>Psychiatry Research</i> , 2020, 290, 113039.   | 1.7 | 15        |
| 42 | Efficacy of cognitive-behavioral group therapy in patients at risk for serious mental illness presenting with subthreshold bipolar symptoms: Results from a prespecified interim analysis of a multicenter, randomized, controlled study. <i>Bipolar Disorders</i> , 2020, 22, 517-529. | 1.1 | 14        |
| 43 | Implementation of Guidelines on Prevention of Coercion and Violence (PreVCo) in Psychiatry: Study Protocol of a Randomized Controlled Trial (RCT). <i>Frontiers in Psychiatry</i> , 2020, 11, 579176.   | 1.3 | 13        |
| 44 | Individuals at increased risk for development of bipolar disorder display structural alterations similar to people with manifest disease. <i>Translational Psychiatry</i> , 2021, 11, 485.  | 2.4 | 13        |
| 45 | Ethical considerations in preventive interventions for bipolar disorder. <i>Microbial Biotechnology</i> , 2017, 11, 104-112.  | 0.9 | 12        |
| 46 | Cognitive behavioral therapy in adolescents with early-onset psychosis: a randomized controlled pilot study. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1011-1022.   | 2.8 | 11        |
| 47 | Problems in measuring the JTC-bias in patients with psychotic disorders with the fish task: a secondary analysis of a baseline assessment of a randomized controlled trial. <i>BMC Psychiatry</i> , 2020, 20, 554.  | 1.1 | 11        |
| 48 | Creativity in persons at risk for bipolar disorder – A pilot study. <i>Microbial Biotechnology</i> , 2019, 13, 1165-1172.   | 0.9 | 10        |
| 49 | Evidence for preventive treatments in young patients at clinical high risk of psychosis: the need for context. <i>Lancet Psychiatry</i> , 2020, 7, 378-380.   | 3.7 | 9         |
| 50 | Promoting stigma coping and empowerment in patients with schizophrenia and depression: results of a cluster-RCT. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 501-511.   | 1.8 | 8         |
| 51 | The relationship between cannabis use and cognition in people diagnosed with first-episode psychosis. <i>Psychiatry Research</i> , 2020, 293, 113424.   | 1.7 | 8         |
| 52 | Negative schemata about the self and others and paranoid ideation in at-risk states and those with persisting positive symptoms. <i>Microbial Biotechnology</i> , 2018, 12, 1157-1165.  | 0.9 | 6         |
| 53 | Theory of mind, emotion recognition, delusions and the quality of the therapeutic relationship in patients with psychosis – a secondary analysis of a randomized-controlled therapy trial. <i>BMC Psychiatry</i> , 2020, 20, 59.  | 1.1 | 6         |
| 54 | A comprehensive meta-analysis of the self-serving bias in schizophrenia spectrum disorders compared to non-clinical subjects. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 120, 542-549.   | 2.9 | 6         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Predictors of treatment response to psychological interventions in people at clinical high risk of first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 120-127.                               | 0.9 | 5         |
| 56 | Implementation of a Global Treatment Budget in Psychiatric Departments in Germany—Results and Critical Factors for Success From the Staff Perspective. <i>Frontiers in Psychiatry</i> , 2020, 11, 610.        | 1.3 | 5         |
| 57 | Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , 2022, 54, 90-99. | 0.3 | 5         |
| 58 | Specialized inpatient treatment for young people with early psychosis: acute-treatment and 12-month results. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1-14.              | 1.8 | 5         |
| 59 | Cognitive Behavioral Therapy for Psychosis (CBTp): Multicenter Randomized Clinical Trial on Specific Efficacy. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 2         |
| 60 | Früherkennung und Frühbehandlung von Menschen mit erhöhtem Psychoserisiko. , 2020, , 1-25.  |     | 0         |