

Su-Chin Chen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9477618/su-chin-chen-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55
papers

767
citations

16
h-index

25
g-index

58
ext. papers

910
ext. citations

3.6
avg, IF

4.38
L-index

#	Paper	IF	Citations
55	The Evaluation of Color Spaces for Large Woody Debris Detection in Rivers Using XGBoost Algorithm. <i>Remote Sensing</i> , 2022 , 14, 998	5	0
54	Visual Harmony of Engineering Structures in a Mountain Stream. <i>Water (Switzerland)</i> , 2021 , 13, 3324	3	0
53	On Dam Failure Induced Seismic Signals Using Laboratory Tests and on Breach Morphology due to Overtopping by Modeling. <i>Water (Switzerland)</i> , 2021 , 13, 2757	3	0
52	A landslide ternary diagram for geometric form and topographic site in Taiwan. <i>Landslides</i> , 2021 , 18, 619-627	6.6	1
51	Upstream morphological effects of a sequential check dam adjustment process. <i>Earth Surface Processes and Landforms</i> , 2021 , 46, 2527	3.7	0
50	Determining transition reaches between torrents and downstream rivers using a valley morphology index in a mountainous landscape. <i>Hydrological Processes</i> , 2021 , 35, e14393	3.3	
49	Effective planting arrangement on floodplains to reduce soil loss in a flood regime: Study using physical models. <i>Ecological Engineering</i> , 2021 , 167, 106258	3.9	1
48	Indicators for Post-Disaster Search and Rescue Efficiency Developed Using Progressive Death Tolls. <i>Sustainability</i> , 2020 , 12, 8262	3.6	1
47	Analysis of the characteristics of seismic and acoustic signals produced by a dam failure and slope erosion test. <i>Landslides</i> , 2020 , 17, 1605-1618	6.6	11
46	Assessment of the Visual Quality of Sediment Control Structures in Mountain Streams. <i>Water (Switzerland)</i> , 2020 , 12, 3116	3	1
45	Incipient motion of large wood in river channels considering log density and orientation. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2020 , 58, 489-502	1.9	4
44	Exploring landslide erosion volume-area scaling relationships by slip depth using changes in DTMs for basin sediment volume estimation. <i>Journal of Mountain Science</i> , 2019 , 16, 581-594	2.1	5
43	Local Scour of Armor Layer Processes around the Circular Pier in Non-Uniform Gravel Bed. <i>Water (Switzerland)</i> , 2019 , 11, 1421	3	10
42	TXT-tool 4.886-1.2: Procedures for Constructing Disaster Evacuation Maps: Guidelines and Standards 2018 , 669-673		
41	Thermal monitoring and analysis of the large-scale field earth-dam breach process. <i>Environmental Monitoring and Assessment</i> , 2018 , 190, 483	3.1	5
40	The influence of large wood and rootwad on flow patterns and bed morphology in a moving bed channel. <i>E3S Web of Conferences</i> , 2018 , 40, 02044	0.5	
39	Effects of Vegetation Density and Arrangement on Sediment Budget in a Sediment-Laden Flow. <i>Water (Switzerland)</i> , 2018 , 10, 1412	3	6

38	A Hooked-Collar for Bridge Piers Protection: Flow Fields and Scour. <i>Water (Switzerland)</i> , 2018 , 10, 1251-1263	3	18
37	Evaluating an optimum slit check dam design by using a 2D unsteady numerical model. <i>E3S Web of Conferences</i> , 2018 , 40, 03027	0.5	2
36	Characteristics and interpretation of the seismic signal of a field-scale landslide dam failure experiment. <i>Journal of Mountain Science</i> , 2017 , 14, 219-236	2.1	11
35	Bedform development and its effect on bed stabilization and sediment transport based on a flume experiment with non-uniform sediment. <i>International Journal of Sediment Research</i> , 2017 , 32, 305-312	3	6
34	A Long-Term Vegetation Recovery Estimation for Mt. Jou-Jou Using Multi-Date SPOT 1, 2, and 4 Images. <i>Remote Sensing</i> , 2017 , 9, 893	5	7
33	Channel Planform Dynamics Monitoring and Channel Stability Assessment in Two Sediment-Rich Rivers in Taiwan. <i>Water (Switzerland)</i> , 2017 , 9, 84	3	9
32	Imaging Rainfall Infiltration Processes with the Time-Lapse Electrical Resistivity Imaging Method. <i>Pure and Applied Geophysics</i> , 2016 , 173, 2227-2239	2.2	7
31	Annual landslide risk and effectiveness of risk reduction measures in Shihmen watershed, Taiwan. <i>Landslides</i> , 2016 , 13, 551-563	6.6	8
30	Seismology-based early identification of dam-formation landquake events. <i>Scientific Reports</i> , 2016 , 6, 19259	4.9	16
29	Deep-seated gravitational deformation of mountain slopes caused by river incision in the Central Range, Taiwan: Spatial distribution and geological characteristics. <i>Engineering Geology</i> , 2015 , 196, 126-138	6	18
28	A Large-Scale Test on Overtopping Failure of Two Artificial Dams in Taiwan 2015 , 1177-1181		2
27	Modeling of natural dam failure modes and downstream riverbed morphological changes with different dam materials in a flume test. <i>Engineering Geology</i> , 2015 , 188, 148-158	6	35
26	Investigation of the Freeway No. 3 Landslide in Taiwan 2015 , 2093-2096		2
25	Formation, failure, and consequences of the Xiaolin landslide dam, triggered by extreme rainfall from Typhoon Morakot, Taiwan. <i>Landslides</i> , 2014 , 11, 357-367	6.6	43
24	Fluvial incision history that controlled the distribution of landslides in the Central Range of Taiwan. <i>Geomorphology</i> , 2014 , 226, 175-192	4.3	7
23	Debris flow disaster prevention and mitigation of non-structural strategies in Taiwan. <i>Journal of Mountain Science</i> , 2014 , 11, 308-322	2.1	14
22	The large Aral Sea water balance: a future prospective of the large Aral Sea depending on water volume alteration. <i>Carbonates and Evaporites</i> , 2014 , 29, 211-219	1.3	6
21	Characteristics of rainfall-induced landslides in Miocene formations: A case study of the Shenmu watershed, Central Taiwan. <i>Engineering Geology</i> , 2014 , 169, 133-146	6	19

20	Identifying nearshore groundwater and river hydrochemical variables influencing water quality of Kaoping River Estuary using dynamic factor analysis. <i>Journal of Hydrology</i> , 2013 , 486, 39-47	6	17
19	Typhoon-dominated influence on wood debris distribution and transportation in a high gradient headwater catchment. <i>Journal of Mountain Science</i> , 2013 , 10, 509-521	2.1	4
18	Dimension and frequency of bar formation in a braided river. <i>International Journal of Sediment Research</i> , 2013 , 28, 358-367	3	30
17	Long-term impact of extra sediment on notches and incised meanders in the Hoshe River, Taiwan. <i>Journal of Mountain Science</i> , 2013 , 10, 716-723	2.1	6
16	The Collapse Process of Granular Slopes Under Seismic Forcing 2013 , 45-57		3
15	Catastrophic Deep-Seated Landslide at Xiaolin Village in Taiwan Induced by 2009.8.9 Typhoon Morakot. <i>Environmental Science and Engineering</i> , 2013 , 401-419	0.2	1
14	Changes in water volume of the Aral Sea after 1960. <i>Applied Water Science</i> , 2012 , 2, 285-291	5	42
13	Observations on flow and local scour around submerged flexible vegetation. <i>Advances in Water Resources</i> , 2012 , 43, 28-37	4.7	36
12	Effects of submerged flexible vegetation and solid structure bars on channel bed scour. <i>International Journal of Sediment Research</i> , 2012 , 27, 323-336	3	8
11	Large-scale desiccation of the Aral Sea due to over-exploitation after 1960. <i>Journal of Mountain Science</i> , 2012 , 9, 538-546	2.1	37
10	Flow characteristics within different configurations of submerged flexible vegetation. <i>Journal of Hydrology</i> , 2011 , 398, 124-134	6	53
9	Geomorphologic characteristics of catastrophic landslides during typhoon Morakot in the Kaoping Watershed, Taiwan. <i>Engineering Geology</i> , 2011 , 123, 13-21	6	53
8	The efficiency of artificial materials used for erosion control on steep slopes. <i>Environmental Earth Sciences</i> , 2011 , 62, 197-206	2.9	15
7	Sediment removal efficiency of siphon dredging with wedge-type suction head and float tank. <i>International Journal of Sediment Research</i> , 2010 , 25, 149-160	3	15
6	Non-structural mitigation programs for sediment-related disasters after the Chichi Earthquake in Taiwan. <i>Journal of Mountain Science</i> , 2010 , 7, 291-300	2.1	16
5	Resilient capacity assessment for geological failure areas: examples from communities affected by debris flow disaster. <i>Environmental Geology</i> , 2009 , 56, 1523-1532		15
4	Determining landslide susceptibility in Central Taiwan from rainfall and six site factors using the analytical hierarchy process method. <i>Geomorphology</i> , 2009 , 112, 190-204	4.3	67
3	Assessment of disaster resilience capacity of hillslope communities with high risk for geological hazards. <i>Engineering Geology</i> , 2008 , 98, 86-101	6	40

- 2 Slope stabilization and landslide size on Mt. 99 Peaks after Chichi Earthquake in Taiwan.
Environmental Geology, **2006**, 50, 623-636 11
- 1 Two-dimensional numerical model of two-layer shallow water equations for confluence simulation.
Advances in Water Resources, **2006**, 29, 1608-1617 4-7 23