

Meral DoÄan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9478199/publications.pdf>

Version: 2024-02-01

14
papers

676
citations

759233

12
h-index

1058476

14
g-index

14
all docs

14
docs citations

14
times ranked

830
citing authors

#	ARTICLE	IF	CITATIONS
1	Baseline studies of the Clay Minerals Society source clays: specific surface area by the Brunauer Emmett Teller (BET) method. <i>Clays and Clay Minerals</i> , 2006, 54, 62-66.	1.3	168
2	Genetic Predisposition to Fiber Carcinogenesis Causes a Mesothelioma Epidemic in Turkey. <i>Cancer Research</i> , 2006, 66, 5063-5068.	0.9	156
3	Baseline studies of The Clay Minerals Society special clays: specific surface area by the Brunauer Emmett Teller (BET) method. <i>Clays and Clay Minerals</i> , 2007, 55, 534-541.	1.3	57
4	Crystal structure and iron topochemistry of erionite-K from Rome, Oregon, U.S.A.. <i>American Mineralogist</i> , 2009, 94, 1262-1270.	1.9	49
5	Erionite series minerals: mineralogical and carcinogenic properties. <i>Environmental Geochemistry and Health</i> , 2008, 30, 367-381.	3.4	48
6	Arsenic mineralization, source, distribution, and abundance in the Kutahya region of the western Anatolia, Turkey. <i>Environmental Geochemistry and Health</i> , 2007, 29, 119-129.	3.4	43
7	Re-evaluation and re-classification of erionite series minerals. <i>Environmental Geochemistry and Health</i> , 2008, 30, 355-366.	3.4	37
8	Morpho-chemical characterization and surface properties of carcinogenic zeolite fibers. <i>Journal of Hazardous Materials</i> , 2016, 306, 140-148.	12.4	32
9	Investigating palygorskite's role in the development of mesothelioma in southern Nevada: Insights into fiber-induced carcinogenicity. <i>Journal of Toxicology and Environmental Health - Part B: Critical Reviews</i> , 2016, 19, 213-230.	6.5	24
10	Potential carcinogenic erionite from Lessini Mounts, NE Italy: Morphological, mineralogical and chemical characterization. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2016, 79, 808-824.	2.3	17
11	An isobaric-isenthalpic magma mixing model for the Hasan Dagi volcano, Central Anatolia, Turkey. <i>Bulletin of Volcanology</i> , 2008, 70, 797-804.	3.0	14
12	Quantitative characterization of the mesothelioma-inducing erionite series minerals by transmission electron microscopy and energy dispersive spectroscopy. <i>Scanning</i> , 2012, 34, 37-42.	1.5	13
13	Quantitative Mineralogical Properties (Morphology-Chemistry-Structure) of Pharmaceutical Grade Kaolinites and Recommendations to Regulatory Agencies. <i>Microscopy and Microanalysis</i> , 2012, 18, 143-151.	0.4	12
14	Classifications of hardgrounds based upon their strength properties. <i>Carbonates and Evaporites</i> , 2006, 21, 14-20.	1.0	6