

Alejandro Lizaur-Utrilla

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9478477/publications.pdf>

Version: 2024-02-01

71
papers

2,008
citations

331670
21
h-index

265206
42
g-index

75
all docs

75
docs citations

75
times ranked

2089
citing authors

#	ARTICLE	IF	CITATIONS
1	Reverse shoulder arthroplasty versus hemiarthroplasty for acute proximal humeral fractures. A blinded, randomized, controlled, prospective study. Journal of Shoulder and Elbow Surgery, 2014, 23, 1419-1426.	2.6	288
2	Trochanteric Gamma Nail and Compression Hip Screw for Trochanteric Fractures. Journal of Orthopaedic Trauma, 2005, 19, 229-233.	1.4	255
3	Preoperative factors influencing the range of movement after total knee arthroplasty for severe osteoarthritis. Journal of Bone and Joint Surgery: British Volume, 1997, 79, 626-629.	3.4	133
4	Minimal clinically important differences and substantial clinical benefits for Knee Society Scores. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 1473-1478.	4.2	97
5	Intra-articular distal radius fractures in elderly patients: a randomized prospective study of casting versus volar plating. Journal of Hand Surgery: European Volume, 2018, 43, 142-147.	1.0	80
6	Total Knee Arthroplasty for Osteoarthritis Secondary to Fracture of the Tibial Plateau. A Prospective Matched Cohort Study. Journal of Arthroplasty, 2015, 30, 1328-1332.	3.1	65
7	No differences between direct anterior and lateral approach for primary total hip arthroplasty related to muscle damage or functional outcome. International Orthopaedics, 2016, 40, 2025-2030.	1.9	60
8	Long-term results of the surgical treatment of type III acromioclavicular dislocations. Journal of Bone and Joint Surgery: British Volume, 2011, 93-B, 1088-1092.	3.4	50
9	Outcomes of Reverse Total Shoulder Arthroplasty for Proximal Humeral Fractures: Primary Arthroplasty Versus Secondary Arthroplasty After Failed Proximal Humeral Locking Plate Fixation. Journal of Orthopaedic Trauma, 2017, 31, e236-e240.	1.4	50
10	Outcomes of cementless joint prosthesis versus tendon interposition for trapeziometacarpal osteoarthritis: a prospective study. Journal of Hand Surgery: European Volume, 2019, 44, 151-158.	1.0	48
11	Reasons for delaying surgery following hip fractures and its impact on one year mortality. International Orthopaedics, 2019, 43, 441-448.	1.9	43
12	Quality of life and prognostic factors after intra-articular tibial pilon fracture. Injury, 2017, 48, 1258-1263.	1.7	40
13	Early surgery within 2 days for hip fracture is not reliable as healthcare quality indicator. Injury, 2016, 47, 1530-1535.	1.7	39
14	Negative impact of waiting time for primary total knee arthroplasty on satisfaction and patient-reported outcome. International Orthopaedics, 2016, 40, 2303-2307.	1.9	37
15	Cementless acetabular reconstruction after acetabular fracture. Journal of Trauma and Acute Care Surgery, 2012, 73, 232-238.	2.1	33
16	Cruciate-Retaining vs Posterior-Stabilized Primary Total Arthroplasty. Clinical Outcome Comparison With a Minimum Follow-Up of 10 Years. Journal of Arthroplasty, 2018, 33, 2491-2495.	3.1	32
17	Early rehospitalization after hip fracture in elderly patients: risk factors and prognosis. Archives of Orthopaedic and Trauma Surgery, 2015, 135, 1663-1667.	2.4	31
18	Similar survival between screw cementless and cemented tibial components in young patients with osteoarthritis. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 1585-1590.	4.2	29

#	ARTICLE	IF	CITATIONS
19	Functional Outcome of Total Knee Arthroplasty After Periprosthetic Distal Femoral Fracture. Journal of Arthroplasty, 2013, 28, 1585-1588.	3.1	28
20	Prognostic factors of health-related quality of life in patients after tibial plafond fracture. A pilot study. Injury, 2015, 46, 2253-2257.	1.7	28
21	Elective Total Knee Arthroplasty in Patients With End-Stage Renal Disease: Is It a Safe Procedure?. Journal of Arthroplasty, 2016, 31, 2152-2155.	3.1	22
22	Outcomes and Patient Satisfaction With Arthroscopic Partial Meniscectomy for Degenerative and Traumatic Tears in Middle-Aged Patients With No or Mild Osteoarthritis. American Journal of Sports Medicine, 2019, 47, 2412-2419.	4.2	22
23	Debridement with prosthesis retention and antibiotherapy vs. two-stage revision for periprosthetic knee infection within 3 months after arthroplasty: a caseâ€control study. Clinical Microbiology and Infection, 2015, 21, 851.e11-851.e17.	6.0	21
24	Transdiscal screw versus pedicle screw fixation for high-grade L5-S1 isthmic spondylolisthesis in patients younger than 60Âyears: a caseâ€control study. European Spine Journal, 2016, 25, 1806-1812.	2.2	21
25	Comparable outcomes after total knee arthroplasty in patients under 55Âyears than in older patients: a matched prospective study with minimum follow-up of 10Âyears. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 3396-3402.	4.2	21
26	Ten-year mortality risk predictors after primary total knee arthroplasty for osteoarthritis. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 1848-1855.	4.2	20
27	Cementless Total Knee Arthroplasty in Obese Patients. Journal of Arthroplasty, 2014, 29, 1192-1196.	3.1	19
28	Prospective study of comminuted articular distal radius fractures stabilized by volar plating inÂthe elderly. International Orthopaedics, 2018, 42, 2243-2248.	1.9	19
29	Altered seric levels of albumin, sodium and parathyroid hormone may predict early mortality following hip fracture surgery in elderly. International Orthopaedics, 2019, 43, 2825-2829.	1.9	19
30	Greater Satisfaction in Older Patients With a Mobile-Bearing Compared With Fixed-Bearing Total Knee Arthroplasty. Journal of Arthroplasty, 2012, 27, 207-212.	3.1	18
31	Concomitant low back pain impairs outcomes after primary total knee arthroplasty in patients over 65Âyears: a prospective, matched cohort study. Archives of Orthopaedic and Trauma Surgery, 2016, 136, 1767-1771.	2.4	18
32	Risk-Benefit on Quality of Life After Total Knee Arthroplasty in Octogenarians. Journal of Arthroplasty, 2017, 32, 2417-2420.	3.1	18
33	Better functional outcome after single-radius TKA compared with multi-radius TKA. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 3508-3514.	4.2	18
34	Is Pseudo-Patella Baja Really a Serious Complication of Total Knee Arthroplasty?. Journal of Arthroplasty, 2020, 35, 557-562.	3.1	17
35	Validation of the Spanish Version of the Knee Injury and Osteoarthritis Outcome Score (KOOS) for Elderly Patients With Total Knee Replacement. Journal of Orthopaedic Research, 2019, 37, 2157-2162.	2.3	16
36	Outcomes in Nonagenarians after Hemiarthroplasty for Femoral Neck Fracture. A Prospective Matched Cohort Study. HIP International, 2012, 22, 113-118.	1.7	14

#	ARTICLE	IF	CITATIONS
37	The Impact of a Phone Assistance Nursing Program on Adherence to Home Exercises and Final Outcomes in Patients Who Underwent Shoulder Instability Surgery. <i>Orthopaedic Nursing</i> , 2018, 37, 372-378.	0.4	14
38	Patient-Related Predictors of Treatment Failure After Primary Total Knee Arthroplasty for Osteoarthritis. <i>Journal of Arthroplasty</i> , 2014, 29, 2095-2099.	3.1	13
39	Cementless modular neck stems: are they a safe option in primary total hip arthroplasty?. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 463-469.	1.4	13
40	Total Knee Arthroplasty in Patients With Prior Anterior Cruciate Ligament Reconstruction. <i>Journal of Arthroplasty</i> , 2018, 33, 2141-2145.	3.1	12
41	Negative impact of prior debridement on functional outcome of subsequent two-stage revision for early knee periprosthetic infection. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2309-2315.	4.2	12
42	Prospective comparison of functional outcomes of primary reverse shoulder arthroplasty for acute fractures versus rotator cuff deficiencies. <i>Bone and Joint Journal</i> , 2020, 102-B, 1555-1559.	4.4	12
43	Hip attack for hip fractures: is ultra-early surgery necessary?. <i>Lancet, The</i> , 2020, 395, 661-662.	13.7	11
44	A validated outcome categorization of the knee society score for total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1266-1272.	4.2	11
45	Comparison of Functional Outcomes Between the First and Second Knee in Staged Bilateral Total Knee Arthroplasty With Diverse Intervals Between Stages. <i>Journal of Arthroplasty</i> , 2018, 33, 2863-2867.	3.1	10
46	Volar plate for intra-articular distal radius fracture. A prospective comparative study between elderly and young patients. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 319-323.	2.0	10
47	First Metatarsophalangeal Arthrodesis After Failed Distal Chevron Osteotomy for Hallux Valgus. <i>Foot and Ankle International</i> , 2021, 42, 425-430.	2.3	10
48	Mid- to long-term results of allograft-prosthesis composite reconstruction after removal of a distal femoral malignant tumor are comparable to those of the proximal tibia. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2218-2225.	4.2	8
49	Complications of computer-assisted navigation in total knee replacement: retrospective cohort of eight hundred and seventy eight consecutive knees. <i>International Orthopaedics</i> , 2020, 44, 2621-2626.	1.9	8
50	Better clinical outcomes and overall higher survival with hybrid versus cemented primary total knee arthroplasty: a minimum 15Åyears follow-up. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 832-837.	4.2	8
51	Dorsal Wedge Phalangeal Osteotomy for Grade II-III Hallux Rigidus in Active Adult Patients. <i>Foot and Ankle International</i> , 2015, 36, 188-196.	2.3	7
52	A Comparison Study of the Outcomes of Ceramic-on-Ceramic Total Hip Arthroplasty in Young vs Older Patients: A Minimum 10-Year Follow-Up Prospective Matched Study. <i>Journal of Arthroplasty</i> , 2019, 34, 1731-1735.	3.1	6
53	Tibiototalcaneal arthrodesis with a retrograde intramedullary nail: a prospective cohort study at a minimum fiveÅyear follow-up. <i>International Orthopaedics</i> , 2021, 45, 2299-2305.	1.9	6
54	Cementless, Fluted, Long-Stem Hemiarthroplasty for Vancouver B2 and B3 Periprosthetic Fractures Around Hip Hemiarthroplasty. <i>Journal of Arthroplasty</i> , 2019, 34, 1179-1183.	3.1	5

#	ARTICLE	IF	CITATIONS
55	Utilidad de una escala de riesgo basada en la procalcitonina sérica para la discriminación temprana entre fascitis necrosante y celulitis de las extremidades. Medicina Clínica, 2019, 153, 347-350.	0.6	5
56	Cirugía ortopédica y traumatología basada en la evidencia: características y criterios de evaluación de los estudios de investigación. Revista Española De Cirugía Ortopédica Y Traumatología, 2009, 53, 261-270.	0.1	4
57	Prior unilateral total hip arthroplasty does not influence the outcome of ipsilateral total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 1452-1457.	4.2	4
58	Successful mid- to long-term outcome after reconstruction of the extensor apparatus using proximal tibia-patellar tendon composite allograft. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 982-987.	4.2	4
59	Estudio prospectivo de efectividad y seguridad de Bankart artroscópico utilizando solo un portal anterior para pacientes con inestabilidad de hombro anterior. Revista Española De Cirugía Ortopédica Y Traumatología, 2019, 63, 431-438.	0.1	4
60	Similar outcomes of constrained condylar knee and rotating hinge prosthesis in revision surgery for extension instability after primary total knee arthroplasty. Orthopaedics and Traumatology: Surgery and Research, 2022, 108, 103265.	2.0	4
61	V-Y turndown flap augmentation for acute quadriceps rupture after total knee arthroplasty: a prospective matched cohort study. International Orthopaedics, 2021, 45, 1501-1507.	1.9	2
62	Varus alignment of the tibial component up to seven degrees is not associated with poor long-term outcomes in a neutrally aligned total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 2768-2775.	4.2	2
63	Similar patient-reported outcomes for hybrid and cemented stem fixation for aseptic tibial revision total knee arthroplasty: a comparison of sequential prospective cohorts. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 3992-3997.	4.2	2
64	Influence of sesamoid position after scarf osteotomy for hallux valgus on patient-reported outcome. A prospective cohort study. Foot and Ankle Surgery, 2022, 28, 471-475.	1.7	2
65	Outcomes of Total Hip Arthroplasty for Healed Intertrochanteric Hip Fractures. A Matched Retrospective Cohort Study. Journal of Arthroplasty, 2020, 35, 2926-2930.	3.1	1
66	Similar outcomes and satisfaction after transtibial versus transportal femoral drilling for anterior cruciate ligament reconstruction in young adult recreational athletes. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 1197-1203.	4.2	1
67	Componente acetabular no cementado en coxartrosis por fractura de codo. Revista Española De Cirugía Ortopédica Y Traumatología, 2011, 55, 204-209.	0.1	0
68	Plaque palmaire pour fracture distale intra-articulaire du radius: Étude prospective comparant sujets jeunes versus âgés. Revue De Chirurgie Orthopedique Et Traumatologique, 2020, 106, 165.	0.0	0
69	Importance of the gender and preoperative knee sagittal alignment to avoid unnecessary tibial resection in TKR. European Journal of Orthopaedic Surgery and Traumatology, 2021, 31, 333-340.	1.4	0
70	Xantoma del tendón de aquiles bilateral: Debut de xantomatosis cerebrotendinosa. Revista Chilena De Ortopedia Y Traumatología, 2020, 61, 112-115.	0.0	0
71	Negative Influence of The Subclinical Hypothyroidism on Improvement In Patient-Reported Outcomes After Total Knee Arthroplasty. Journal of Arthroplasty, 2022, , .	3.1	0