

Alejandro Lizaur-Utrilla

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9478477/publications.pdf>

Version: 2024-02-01

71
papers

2,008
citations

331259

21
h-index

264894

42
g-index

75
all docs

75
docs citations

75
times ranked

2089
citing authors

#	ARTICLE	IF	CITATIONS
1	Similar outcomes and satisfaction after transtibial versus transportal femoral drilling for anterior cruciate ligament reconstruction in young adult recreational athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1197-1203.	2.3	1
2	A validated outcome categorization of the knee society score for total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1266-1272.	2.3	11
3	Varus alignment of the tibial component up to seven degrees is not associated with poor long-term outcomes in a neutrally aligned total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 2768-2775.	2.3	2
4	Similar patient-reported outcomes for hybrid and cemented stem fixation for aseptic tibial revision total knee arthroplasty: a comparison of sequential prospective cohorts. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 3992-3997.	2.3	2
5	Negative Influence of The Subclinical Hypothyroidism on Improvement In Patient-Reported Outcomes After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2022, , .	1.5	0
6	Similar outcomes of constrained condylar knee and rotating hinge prosthesis in revision surgery for extension instability after primary total knee arthroplasty. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103265.	0.9	4
7	Influence of sesamoid position after scarf osteotomy for hallux valgus on patient-reported outcome. A prospective cohort study. <i>Foot and Ankle Surgery</i> , 2022, 28, 471-475.	0.8	2
8	Better clinical outcomes and overall higher survival with hybrid versus cemented primary total knee arthroplasty: a minimum 15Åyears follow-up. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 832-837.	2.3	8
9	Successful mid- to long-term outcome after reconstruction of the extensor apparatus using proximal tibia-patellar tendon composite allograft. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 982-987.	2.3	4
10	First Metatarsophalangeal Arthrodesis After Failed Distal Chevron Osteotomy for Hallux Valgus. <i>Foot and Ankle International</i> , 2021, 42, 425-430.	1.1	10
11	Importance of the gender and preoperative knee sagittal alignment to avoid unnecessary tibial resection in TKR. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 333-340.	0.6	0
12	V-Y turndown flap augmentation for acute quadriceps rupture after total knee arthroplasty: a prospective matched cohort study. <i>International Orthopaedics</i> , 2021, 45, 1501-1507.	0.9	2
13	Tibiototalcaneal arthrodesis with a retrograde intramedullary nail: a prospective cohort study at a minimum fiveÅyear follow-up. <i>International Orthopaedics</i> , 2021, 45, 2299-2305.	0.9	6
14	Minimal clinically important differences and substantial clinical benefits for Knee Society Scores. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 1473-1478.	2.3	97
15	Prior unilateral total hip arthroplasty does not influence the outcome of ipsilateral total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 1452-1457.	2.3	4
16	Is Pseudo-Patella Baja Really a Serious Complication of Total Knee Arthroplasty?. <i>Journal of Arthroplasty</i> , 2020, 35, 557-562.	1.5	17
17	Plaque palmaire pour fracture distale intra-articulaire du radius: Åtude prospective comparant sujets jeunes versus ÅgÅs. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2020, 106, 165.	0.0	0
18	Prospective comparison of functional outcomes of primary reverse shoulder arthroplasty for acute fractures versus rotator cuff deficiencies. <i>Bone and Joint Journal</i> , 2020, 102-B, 1555-1559.	1.9	12

#	ARTICLE	IF	CITATIONS
19	Outcomes of Total Hip Arthroplasty for Healed Intertrochanteric Hip Fractures. A Matched Retrospective Cohort Study. <i>Journal of Arthroplasty</i> , 2020, 35, 2926-2930.	1.5	1
20	Complications of computer-assisted navigation in total knee replacement: retrospective cohort of eight hundred and seventy eight consecutive knees. <i>International Orthopaedics</i> , 2020, 44, 2621-2626.	0.9	8
21	Volar plate for intra-articular distal radius fracture. A prospective comparative study between elderly and young patients. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 319-323.	0.9	10
22	Hip attack for hip fractures: is ultra-early surgery necessary?. <i>Lancet, The</i> , 2020, 395, 661-662.	6.3	11
23	Xantoma del tendÃ³n de aquiles bilateral: Debut de xantomatosis cerebrotendinosa. <i>Revista Chilena De Ortopedia Y TraumatologÃ­a</i> , 2020, 61, 112-115.	0.0	0
24	Outcomes of cementless joint prosthesis versus tendon interposition for trapeziometacarpal osteoarthritis: a prospective study. <i>Journal of Hand Surgery: European Volume</i> , 2019, 44, 151-158.	0.5	48
25	Reasons for delaying surgery following hip fractures and its impact on one year mortality. <i>International Orthopaedics</i> , 2019, 43, 441-448.	0.9	43
26	Outcomes and Patient Satisfaction With Arthroscopic Partial Meniscectomy for Degenerative and Traumatic Tears in Middle-Aged Patients With No or Mild Osteoarthritis. <i>American Journal of Sports Medicine</i> , 2019, 47, 2412-2419.	1.9	22
27	Altered seric levels of albumin, sodium and parathyroid hormone may predict early mortality following hip fracture surgery in elderly. <i>International Orthopaedics</i> , 2019, 43, 2825-2829.	0.9	19
28	Validation of the Spanish Version of the Knee Injury and Osteoarthritis Outcome Score (KOOS) for Elderly Patients With Total Knee Replacement. <i>Journal of Orthopaedic Research</i> , 2019, 37, 2157-2162.	1.2	16
29	Cementless, Fluted, Long-Stem Hemiarthroplasty for Vancouver B2 and B3 Periprosthetic Fractures Around Hip Hemiarthroplasty. <i>Journal of Arthroplasty</i> , 2019, 34, 1179-1183.	1.5	5
30	Negative impact of prior debridement on functional outcome of subsequent two-stage revision for early knee periprosthetic infection. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2309-2315.	2.3	12
31	A Comparison Study of the Outcomes of Ceramic-on-Ceramic Total Hip Arthroplasty in Young vs Older Patients: A Minimum 10-Year Follow-Up Prospective Matched Study. <i>Journal of Arthroplasty</i> , 2019, 34, 1731-1735.	1.5	6
32	Mid- to long-term results of allograftâ€“prosthesis composite reconstruction after removal of a distal femoral malignant tumor are comparable to those of the proximal tibia. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2218-2225.	2.3	8
33	Estudio prospectivo de efectividad y seguridad de Bankart artroscÃ³pico utilizando solo un portal anterior para pacientes con inestabilidad de hombro anterior. <i>Revista EspaÃ±ola De CirugÃ­a OrtopÃ©dica Y TraumatologÃ­a</i> , 2019, 63, 431-438.	0.1	4
34	Utilidad de una escala de riesgo basada en la procalcitonina sÃ©rica para la discriminaciÃ³n temprana entre fascitis necrosante y celulitis de las extremidades. <i>Medicina ClÃ­nica</i> , 2019, 153, 347-350.	0.3	5
35	Total Knee Arthroplasty in Patients With Prior Anterior Cruciate Ligament Reconstruction. <i>Journal of Arthroplasty</i> , 2018, 33, 2141-2145.	1.5	12
36	Prospective study of comminuted articular distal radius fractures stabilized by volar plating in the elderly. <i>International Orthopaedics</i> , 2018, 42, 2243-2248.	0.9	19

#	ARTICLE	IF	CITATIONS
37	Cruciate-Retaining vs Posterior-Stabilized Primary Total Arthroplasty. Clinical Outcome Comparison With a Minimum Follow-Up of 10 Years. <i>Journal of Arthroplasty</i> , 2018, 33, 2491-2495.	1.5	32
38	Cementless modular neck stems: are they a safe option in primary total hip arthroplasty?. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 463-469.	0.6	13
39	Intra-articular distal radius fractures in elderly patients: a randomized prospective study of casting versus volar plating. <i>Journal of Hand Surgery: European Volume</i> , 2018, 43, 142-147.	0.5	80
40	The Impact of a Phone Assistance Nursing Program on Adherence to Home Exercises and Final Outcomes in Patients Who Underwent Shoulder Instability Surgery. <i>Orthopaedic Nursing</i> , 2018, 37, 372-378.	0.2	14
41	Comparison of Functional Outcomes Between the First and Second Knee in Staged Bilateral Total Knee Arthroplasty With Diverse Intervals Between Stages. <i>Journal of Arthroplasty</i> , 2018, 33, 2863-2867.	1.5	10
42	Outcomes of Reverse Total Shoulder Arthroplasty for Proximal Humeral Fractures: Primary Arthroplasty Versus Secondary Arthroplasty After Failed Proximal Humeral Locking Plate Fixation. <i>Journal of Orthopaedic Trauma</i> , 2017, 31, e236-e240.	0.7	50
43	Quality of life and prognostic factors after intra-articular tibial pilon fracture. <i>Injury</i> , 2017, 48, 1258-1263.	0.7	40
44	Risk-Benefit on Quality of Life After Total Knee Arthroplasty in Octogenarians. <i>Journal of Arthroplasty</i> , 2017, 32, 2417-2420.	1.5	18
45	Comparable outcomes after total knee arthroplasty in patients under 55 years than in older patients: a matched prospective study with minimum follow-up of 10 years. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3396-3402.	2.3	21
46	Better functional outcome after single-radius TKA compared with multi-radius TKA. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3508-3514.	2.3	18
47	Transdiscal screw versus pedicle screw fixation for high-grade L5-S1 isthmic spondylolisthesis in patients younger than 60 years: a case-control study. <i>European Spine Journal</i> , 2016, 25, 1806-1812.	1.0	21
48	Early surgery within 2 days for hip fracture is not reliable as healthcare quality indicator. <i>Injury</i> , 2016, 47, 1530-1535.	0.7	39
49	Concomitant low back pain impairs outcomes after primary total knee arthroplasty in patients over 65 years: a prospective, matched cohort study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 1767-1771.	1.3	18
50	Negative impact of waiting time for primary total knee arthroplasty on satisfaction and patient-reported outcome. <i>International Orthopaedics</i> , 2016, 40, 2303-2307.	0.9	37
51	Elective Total Knee Arthroplasty in Patients With End-Stage Renal Disease: Is It a Safe Procedure?. <i>Journal of Arthroplasty</i> , 2016, 31, 2152-2155.	1.5	22
52	No differences between direct anterior and lateral approach for primary total hip arthroplasty related to muscle damage or functional outcome. <i>International Orthopaedics</i> , 2016, 40, 2025-2030.	0.9	60
53	Debridement with prosthesis retention and antibiotherapy vs. two-stage revision for periprosthetic knee infection within 3 months after arthroplasty: a case-control study. <i>Clinical Microbiology and Infection</i> , 2015, 21, 851.e11-851.e17.	2.8	21
54	Dorsal Wedge Phalangeal Osteotomy for Grade II-III Hallux Rigidus in Active Adult Patients. <i>Foot and Ankle International</i> , 2015, 36, 188-196.	1.1	7

#	ARTICLE	IF	CITATIONS
55	Ten-year mortality risk predictors after primary total knee arthroplasty for osteoarthritis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1848-1855.	2.3	20
56	Prognostic factors of health-related quality of life in patients after tibial plafond fracture. A pilot study. <i>Injury</i> , 2015, 46, 2253-2257.	0.7	28
57	Total Knee Arthroplasty for Osteoarthritis Secondary to Fracture of the Tibial Plateau. A Prospective Matched Cohort Study. <i>Journal of Arthroplasty</i> , 2015, 30, 1328-1332.	1.5	65
58	Early rehospitalization after hip fracture in elderly patients: risk factors and prognosis. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 1663-1667.	1.3	31
59	Similar survival between screw cementless and cemented tibial components in young patients with osteoarthritis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 1585-1590.	2.3	29
60	Cementless Total Knee Arthroplasty in Obese Patients. <i>Journal of Arthroplasty</i> , 2014, 29, 1192-1196.	1.5	19
61	Patient-Related Predictors of Treatment Failure After Primary Total Knee Arthroplasty for Osteoarthritis. <i>Journal of Arthroplasty</i> , 2014, 29, 2095-2099.	1.5	13
62	Reverse shoulder arthroplasty versus hemiarthroplasty for acute proximal humeral fractures. A blinded, randomized, controlled, prospective study. <i>Journal of Shoulder and Elbow Surgery</i> , 2014, 23, 1419-1426.	1.2	288
63	Functional Outcome of Total Knee Arthroplasty After Periprosthetic Distal Femoral Fracture. <i>Journal of Arthroplasty</i> , 2013, 28, 1585-1588.	1.5	28
64	Outcomes in Nonagenarians after Hemiarthroplasty for Femoral Neck Fracture. A Prospective Matched Cohort Study. <i>HIP International</i> , 2012, 22, 113-118.	0.9	14
65	Cementless acetabular reconstruction after acetabular fracture. <i>Journal of Trauma and Acute Care Surgery</i> , 2012, 73, 232-238.	1.1	33
66	Greater Satisfaction in Older Patients With a Mobile-Bearing Compared With Fixed-Bearing Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2012, 27, 207-212.	1.5	18
67	Long-term results of the surgical treatment of type III acromioclavicular dislocations. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1088-1092.	3.4	50
68	Componente acetabular no cementado en coxartrosis por fractura de cotilo. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2011, 55, 204-209.	0.1	0
69	Cirugía ortopédica y traumatología basada en la evidencia: características y criterios de evaluación de los estudios de investigación. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2009, 53, 261-270.	0.1	4
70	Trochanteric Gamma Nail and Compression Hip Screw for Trochanteric Fractures. <i>Journal of Orthopaedic Trauma</i> , 2005, 19, 229-233.	0.7	255
71	Preoperative factors influencing the range of movement after total knee arthroplasty for severe osteoarthritis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 1997, 79, 626-9.	3.4	133