

Elliot M Meyerowitz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9478599/publications.pdf>

Version: 2024-02-01

130
papers

29,445
citations

7568

77
h-index

15266

126
g-index

143
all docs

143
docs citations

143
times ranked

16159
citing authors

#	ARTICLE	IF	CITATIONS
1	Cryo-electron tomography of the onion cell wall shows bimodally oriented cellulose fibers and reticulated homogalacturonan networks. <i>Current Biology</i> , 2022, 32, 2375-2389.e6.	3.9	29
2	Structure of the Bacterial Cellulose Ribbon and Its Assembly-Guiding Cytoskeleton by Electron Cryotomography. <i>Journal of Bacteriology</i> , 2021, 203, .	2.2	31
3	A multiscale analysis of early flower development in <i>Arabidopsis</i> provides an integrated view of molecular regulation and growth control. <i>Developmental Cell</i> , 2021, 56, 540-556.e8.	7.0	37
4	Molecular mechanism of cytokinin-activated cell division in <i>Arabidopsis</i> . <i>Science</i> , 2021, 371, 1350-1355.	12.6	79
5	Visualization of Protein Coding, Long Noncoding, and Nuclear RNAs by Fluorescence in Situ Hybridization in Sections of Shoot Apical Meristems and Developing Flowers. <i>Plant Physiology</i> , 2020, 182, 147-158.	4.8	13
6	Cytoskeletal organization in isolated plant cells under geometry control. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 17399-17408.	7.1	37
7	Pectin homogalacturonan nanofilament expansion drives morphogenesis in plant epidermal cells. <i>Science</i> , 2020, 367, 1003-1007.	12.6	209
8	The Overlapping and Distinct Roles of HAM Family Genes in <i>Arabidopsis</i> Shoot Meristems. <i>Frontiers in Plant Science</i> , 2020, 11, 541968.	3.6	22
9	ETR1 Integrates Response to Ethylene and Cytokinins into a Single Multistep Phosphorelay Pathway to Control Root Growth. <i>Molecular Plant</i> , 2019, 12, 1338-1352.	8.3	43
10	CNN-Based Preprocessing to Optimize Watershed-Based Cell Segmentation in 3D Confocal Microscopy Images. , 2019, , .		37
11	Primary wall cellulose synthase regulates shoot apical meristem mechanics and growth. <i>Development (Cambridge)</i> , 2019, 146, .	2.5	36
12	Primed histone demethylation regulates shoot regenerative competency. <i>Nature Communications</i> , 2019, 10, 1786.	12.8	52
13	Calcium signals are necessary to establish auxin transporter polarity in a plant stem cell niche. <i>Nature Communications</i> , 2019, 10, 726.	12.8	51
14	A gene expression map of shoot domains reveals regulatory mechanisms. <i>Nature Communications</i> , 2019, 10, 141.	12.8	96
15	Observing the cell in its native state: Imaging subcellular dynamics in multicellular organisms. <i>Science</i> , 2018, 360, .	12.6	420
16	Transcriptome dynamics at <i>Arabidopsis</i> graft junctions reveal an intertissue recognition mechanism that activates vascular regeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E2447-E2456.	7.1	124
17	Nitrate modulates stem cell dynamics in <i>Arabidopsis</i> shoot meristems through cytokinins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1382-1387.	7.1	134
18	<sc>SUPERMAN</sc> regulates floral whorl boundaries through control of auxin biosynthesis. <i>EMBO Journal</i> , 2018, 37, .	7.8	85

#	ARTICLE	IF	CITATIONS
19	Cell segmentation in 3D confocal images using supervoxel merge-forests with CNN-based hypothesis selection. , 2018, , .		18
20	HAIRY MERISTEM with WUSCHEL confines CLAVATA3 expression to the outer apical meristem layers. Science, 2018, 361, 502-506.	12.6	137
21	SEGMENT3D: A web-based application for collaborative segmentation of 3D images used in the shoot apical meristem. , 2018, , .		6
22	The self-organization of plant microtubules inside the cell volume yields their cortical localization, stable alignment, and sensitivity to external cues. PLoS Computational Biology, 2018, 14, e1006011.	3.2	67
23	<i>SUPERMAN</i> prevents class B gene expression and promotes stem cell termination in the fourth whorl of <i>Arabidopsis thaliana</i> flowers. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 7166-7171.	7.1	74
24	Cell Cycle Control by Nuclear Sequestration of CDC20 and CDH1 mRNA in Plant Stem Cells. Molecular Cell, 2017, 68, 1108-1119.e3.	9.7	45
25	Cell type boundaries organize plant development. ELife, 2017, 6, .	6.0	106
26	Cell size and growth regulation in the <i>Arabidopsis thaliana</i> apical stem cell niche. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E8238-E8246.	7.1	162
27	50 years of Arabidopsis research: highlights and future directions. New Phytologist, 2016, 209, 921-944.	7.3	186
28	Genetics and plant development. Comptes Rendus - Biologies, 2016, 339, 240-246.	0.2	13
29	Regulation of Meristem Morphogenesis by Cell Wall Synthases in Arabidopsis. Current Biology, 2016, 26, 1404-1415.	3.9	89
30	Field Guide to Plant Model Systems. Cell, 2016, 167, 325-339.	28.9	99
31	Live confocal imaging of Arabidopsis flower buds. Developmental Biology, 2016, 419, 114-120.	2.0	48
32	An epidermis-driven mechanism positions and scales stem cell niches in plants. Science Advances, 2016, 2, e1500989.	10.3	109
33	Real-Time Lineage Analysis to Study Cell Division Orientation in the Arabidopsis Shoot Meristem. Methods in Molecular Biology, 2016, 1370, 147-167.	0.9	2
34	A Developmental Framework for Graft Formation and Vascular Reconnection in Arabidopsis thaliana. Current Biology, 2015, 25, 1306-1318.	3.9	218
35	Plant stem cell maintenance by transcriptional cross-regulation of related receptor kinases. Development (Cambridge), 2015, 142, 1043-1049.	2.5	131
36	Analysis of cell division patterns in the <i>Arabidopsis</i> shoot apical meristem. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 4815-4820.	7.1	78

#	ARTICLE	IF	CITATIONS
37	PLETHORA Genes Control Regeneration by a Two-Step Mechanism. <i>Current Biology</i> , 2015, 25, 1017-1030.	3.9	240
38	Plant grafting. <i>Current Biology</i> , 2015, 25, R183-R188.	3.9	170
39	A 3-dimensional fibre scaffold as an investigative tool for studying the morphogenesis of isolated plant cells. <i>BMC Plant Biology</i> , 2015, 15, 211.	3.6	9
40	Control of plant stem cell function by conserved interacting transcriptional regulators. <i>Nature</i> , 2015, 517, 377-380.	27.8	224
41	Subcellular and supracellular mechanical stress prescribes cytoskeleton behavior in <i>Arabidopsis</i> cotyledon pavement cells. <i>ELife</i> , 2014, 3, e01967.	6.0	323
42	Auxin depletion from leaf primordia contributes to organ patterning. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 18769-18774.	7.1	88
43	The Stem Cell Niche in Leaf Axils Is Established by Auxin and Cytokinin in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 2055-2067.	6.6	165
44	Physical Forces Regulate Plant Development and Morphogenesis. <i>Current Biology</i> , 2014, 24, R475-R483.	3.9	146
45	Flower Development: Open Questions and Future Directions. <i>Methods in Molecular Biology</i> , 2014, 1110, 103-124.	0.9	26
46	LEAFY Controls Auxin Response Pathways in Floral Primordium Formation. <i>Science Signaling</i> , 2013, 6, ra23.	3.6	69
47	Transcription Repressor HANABA TARANU Controls Flower Development by Integrating the Actions of Multiple Hormones, Floral Organ Specification Genes, and GATA3 Family Genes in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 83-101.	6.6	121
48	The Shoot Apical Meristem Regulatory Peptide CLV3 Does Not Activate Innate Immunity. <i>Plant Cell</i> , 2012, 24, 3186-3192.	6.6	35
49	Computational Analysis of Live Cell Images of the <i>Arabidopsis thaliana</i> Plant. <i>Methods in Cell Biology</i> , 2012, 110, 285-323.	1.1	13
50	The ABC model of flower development: then and now. <i>Development (Cambridge)</i> , 2012, 139, 4095-4098.	2.5	147
51	Cell cycle regulates cell type in the <i>Arabidopsis</i> sepal. <i>Development (Cambridge)</i> , 2012, 139, 4416-4427.	2.5	92
52	Cytokinin signaling as a positional cue for patterning the apical-basal axis of the growing <i>Arabidopsis</i> shoot meristem. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 4002-4007.	7.1	200
53	Switching on Flowers: Transient LEAFY Induction Reveals Novel Aspects of the Regulation of Reproductive Development in <i>Arabidopsis</i> . <i>Frontiers in Plant Science</i> , 2011, 2, 60.	3.6	8
54	Mutually reinforcing patterning mechanisms: authors' reply. <i>Nature Reviews Molecular Cell Biology</i> , 2011, 12, 533-533.	37.0	1

#	ARTICLE	IF	CITATIONS
55	Computational morphodynamics of plants: integrating development over space and time. <i>Nature Reviews Molecular Cell Biology</i> , 2011, 12, 265-273.	37.0	74
56	Plant Stem Cell Signaling Involves Ligand-Dependent Trafficking of the CLAVATA1 Receptor Kinase. <i>Current Biology</i> , 2011, 21, 345-352.	3.9	127
57	Is cell polarity under mechanical control in plants?. <i>Plant Signaling and Behavior</i> , 2011, 6, 137-139.	2.4	15
58	Alignment between PIN1 Polarity and Microtubule Orientation in the Shoot Apical Meristem Reveals a Tight Coupling between Morphogenesis and Auxin Transport. <i>PLoS Biology</i> , 2010, 8, e1000516.	5.6	392
59	Arabidopsis Regeneration from Multiple Tissues Occurs via a Root Development Pathway. <i>Developmental Cell</i> , 2010, 18, 463-471.	7.0	502
60	Orchestration of Floral Initiation by APETALA1. <i>Science</i> , 2010, 328, 85-89.	12.6	454
61	Cell-type specific analysis of translating RNAs in developing flowers reveals new levels of control. <i>Molecular Systems Biology</i> , 2010, 6, 419.	7.2	155
62	Multiple feedback loops through cytokinin signaling control stem cell number within the <i>Arabidopsis</i> shoot meristem. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 16529-16534.	7.1	474
63	Floral stem cell termination involves the direct regulation of <i>AGAMOUS</i> by <i>PERIANTHIA</i> . <i>Development (Cambridge)</i> , 2009, 136, 1605-1611.	2.5	84
64	Two MscS Homologs Provide Mechanosensitive Channel Activities in the Arabidopsis Root. <i>Current Biology</i> , 2008, 18, 730-734.	3.9	265
65	The Impact of Arabidopsis on Human Health: Diversifying Our Portfolio. <i>Cell</i> , 2008, 133, 939-943.	28.9	101
66	Developmental Patterning by Mechanical Signals in <i>Arabidopsis</i> . <i>Science</i> , 2008, 322, 1650-1655.	12.6	795
67	Transcriptome-Wide Analysis of Uncapped mRNAs in <i>Arabidopsis</i> Reveals Regulation of mRNA Degradation. <i>Plant Cell</i> , 2008, 20, 2571-2585.	6.6	64
68	Pattern formation during de novo assembly of the <i>Arabidopsis</i> shoot meristem. <i>Development (Cambridge)</i> , 2007, 134, 3539-3548.	2.5	320
69	Global Expression Profiling Applied to the Analysis of Arabidopsis Stamen Development. <i>Plant Physiology</i> , 2007, 145, 747-762.	4.8	117
70	The Homeotic Protein AGAMOUS Controls Late Stamen Development by Regulating a Jasmonate Biosynthetic Gene in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2007, 19, 3516-3529.	6.6	182
71	Antagonistic Regulation of PIN Phosphorylation by PP2A and PINOID Directs Auxin Flux. <i>Cell</i> , 2007, 130, 1044-1056.	28.9	590
72	Unravelling developmental dynamics: transient intervention and live imaging in plants. <i>Nature Reviews Molecular Cell Biology</i> , 2007, 8, 491-501.	37.0	42

#	ARTICLE	IF	CITATIONS
73	Genome-Wide Analysis of Gene Expression during Early Arabidopsis Flower Development. PLoS Genetics, 2006, 2, e117.	3.5	192
74	An auxin-driven polarized transport model for phyllotaxis. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 1633-1638.	7.1	558
75	Patterns of Auxin Transport and Gene Expression during Primordium Development Revealed by Live Imaging of the Arabidopsis Inflorescence Meristem. Current Biology, 2005, 15, 1899-1911.	3.9	1,071
76	Stem-Cell Homeostasis and Growth Dynamics Can Be Uncoupled in the Arabidopsis Shoot Apex. Science, 2005, 310, 663-667.	12.6	240
77	Modeling the organization of the WUSCHEL expression domain in the shoot apical meristem. Bioinformatics, 2005, 21, i232-i240.	4.1	145
78	Real-time lineage analysis reveals oriented cell divisions associated with morphogenesis at the shoot apex of Arabidopsis thaliana. Development (Cambridge), 2004, 131, 4225-4237.	2.5	299
79	Genome-Wide Analysis of Spatial Gene Expression in Arabidopsis Flowers[W]. Plant Cell, 2004, 16, 1314-1326.	6.6	218
80	Floral homeotic genes are targets of gibberellin signaling in flower development. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 7827-7832.	7.1	249
81	The Arabidopsis JAGGED gene encodes a zinc finger protein that promotes leaf tissue development. Development (Cambridge), 2004, 131, 1111-1122.	2.5	230
82	Floral induction in tissue culture: a system for the analysis of LEAFY-dependent gene regulation. Plant Journal, 2004, 39, 273-282.	5.7	45
83	Repression of AGAMOUS-LIKE 24 is a crucial step in promoting flower development. Nature Genetics, 2004, 36, 157-161.	21.4	249
84	The homeotic protein AGAMOUS controls microsporogenesis by regulation of SPOROCTELESS. Nature, 2004, 430, 356-360.	27.8	284
85	Whorl-Specific Expression of the SUPERMAN Gene of Arabidopsis Is Mediated by cis Elements in the Transcribed Region. Current Biology, 2003, 13, 1524-1530.	3.9	86
86	Cellerator: extending a computer algebra system to include biochemical arrows for signal transduction simulations. Bioinformatics, 2003, 19, 677-678.	4.1	116
87	Plants Compared to Animals: The Broadest Comparative Study of Development. Science, 2002, 295, 1482-1485.	12.6	261
88	SPLAYED, a Novel SWI/SNF ATPase Homolog, Controls Reproductive Development in Arabidopsis. Current Biology, 2002, 12, 85-94.	3.9	424
89	Transformation of shoots into roots in Arabidopsis embryos mutant at the TOPLESS locus. Development (Cambridge), 2002, 129, 2797-2806.	2.5	85
90	Site specificity of the Arabidopsis MET1 DNA methyltransferase demonstrated through hypermethylation of the superman locus. Plant Molecular Biology, 2001, 46, 171-183.	3.9	67

#	ARTICLE	IF	CITATIONS
91	Prehistory and History of Arabidopsis Research. <i>Plant Physiology</i> , 2001, 125, 15-19.	4.8	65
92	COP1 patrols the night beat. <i>Nature Cell Biology</i> , 2000, 2, E102-E104.	10.3	10
93	Dependence of Stem Cell Fate in Arabidopsis on a Feedback Loop Regulated by CLV3 Activity. <i>Science</i> , 2000, 289, 617-619.	12.6	1,021
94	Minimal regions in the Arabidopsis PISTILLATA promoter responsive to the APETALA3 / PISTILLATA feedback control do not contain a CA _n G box. <i>Sexual Plant Reproduction</i> , 2000, 13, 85-94.	2.2	21
95	Regulation of SUP Expression Identifies Multiple Regulators Involved in Arabidopsis Floral Meristem Development. <i>Plant Cell</i> , 2000, 12, 1607-1618.	6.6	99
96	Overexpression of a Gene Encoding a Cytochrome P450, CYP78A9, Induces Large and Seedless Fruit in Arabidopsis. <i>Plant Cell</i> , 2000, 12, 1541-1550.	6.6	172
97	Today we have naming of parts. <i>Nature</i> , 1999, 402, 731-732.	27.8	22
98	Genetic and physical characterization of a region of Arabidopsis chromosome 1 containing the CLAVATA1 gene. <i>Plant Molecular Biology</i> , 1999, 39, 171-176.	3.9	5
99	Use of the APETALA1 promoter to assay the in vivo function of chimeric MADS box genes. <i>Sexual Plant Reproduction</i> , 1999, 12, 14-26.	2.2	21
100	Signaling of Cell Fate Decisions by CLAVATA3 in Arabidopsis Shoot Meristems. <i>Science</i> , 1999, 283, 1911-1914.	12.6	1,214
101	Transcriptional Activation of APETALA1 by LEAFY. <i>Science</i> , 1999, 285, 582-584.	12.6	447
102	Genetic and molecular mechanisms of pattern formation in Arabidopsis flower development. <i>Journal of Plant Research</i> , 1998, 111, 233-242.	2.4	24
103	A Homolog of NO APICAL MERISTEM Is an Immediate Target of the Floral Homeotic Genes APETALA3/PISTILLATA. <i>Cell</i> , 1998, 92, 93-103.	28.9	540
104	EIN4 and ERS2 Are Members of the Putative Ethylene Receptor Gene Family in Arabidopsis. <i>Plant Cell</i> , 1998, 10, 1321-1332.	6.6	546
105	Temperature-Sensitive Splicing in the Floral Homeotic Mutant <i>apetala3-1</i> . <i>Plant Cell</i> , 1998, 10, 1453-1463.	6.6	50
106	A Genetic Screen for Modifiers of UFO Meristem Activity Identifies Three Novel FUSED FLORAL ORGANS Genes Required for Early Flower Development in Arabidopsis. <i>Genetics</i> , 1998, 149, 579-595.	2.9	27
107	Hypermethylated SUPERMAN Epigenetic Alleles in Arabidopsis. <i>Science</i> , 1997, 277, 1100-1103.	12.6	422
108	Genetic Control of Cell Division Patterns in Developing Plants. <i>Cell</i> , 1997, 88, 299-308.	28.9	355

#	ARTICLE	IF	CITATIONS
109	A dominant mutant receptor from <i>Arabidopsis</i> confers ethylene insensitivity in heterologous plants. <i>Nature Biotechnology</i> , 1997, 15, 444-447.	17.5	295
110	A Polycomb-group gene regulates homeotic gene expression in <i>Arabidopsis</i> . <i>Nature</i> , 1997, 386, 44-51.	27.8	760
111	Targeted misexpression of <i>AGAMOUS</i> in whorl 2 of <i>Arabidopsis</i> flowers. <i>Plant Journal</i> , 1997, 11, 825-839.	5.7	45
112	Role of <i>SUPERMAN</i> in maintaining <i>Arabidopsis</i> floral whorl boundaries. <i>Nature</i> , 1995, 378, 199-203.	27.8	437
113	Plant developmental biology: Green genes for the 21st century. <i>BioEssays</i> , 1994, 16, 621-625.	2.5	8
114	An integrated genetic/RFLP map of the <i>Arabidopsis thaliana</i> genome. <i>Plant Journal</i> , 1993, 3, 745-754.	5.7	123
115	An integrated genetic/RFLP map of the <i>Arabidopsis thaliana</i> genome. <i>Plant Journal</i> , 1993, 3, 745-754.	5.7	2
116	Molecular cloning approach for a putative ethylene receptor gene in <i>Arabidopsis</i> . <i>Biochemical Society Transactions</i> , 1992, 20, 73-75.	3.4	7
117	<i>LEAFY</i> controls floral meristem identity in <i>Arabidopsis</i> . <i>Cell</i> , 1992, 69, 843-859.	28.9	1,442
118	The homeotic gene <i>APETALA3</i> of <i>Arabidopsis thaliana</i> encodes a MADS box and is expressed in petals and stamens. <i>Cell</i> , 1992, 68, 683-697.	28.9	934
119	Introduction to the <i>Arabidopsis</i> genome. , 1992, , 100-118.		30
120	The war of the whorls: genetic interactions controlling flower development. <i>Nature</i> , 1991, 353, 31-37.	27.8	2,752
121	Abnormal developments. <i>Nature</i> , 1991, 353, 385-386.	27.8	3
122	The evolution of rhodopsins and neurotransmitter receptors. <i>Journal of Molecular Evolution</i> , 1991, 33, 367-378.	1.8	134
123	A genetic and molecular model for flower development in <i>Arabidopsis thaliana</i> . <i>Development (Cambridge)</i> , 1991, 113, 157-167.	2.5	136
124	The protein encoded by the <i>Arabidopsis</i> homeotic gene <i>agamous</i> resembles transcription factors. <i>Nature</i> , 1990, 346, 35-39.	27.8	1,643
125	Genes Directing Flower Development in <i>Arabidopsis</i> . <i>Plant Cell</i> , 1989, 1, 37.	6.6	228
126	Mosaic evolution in the <i>Drosophila</i> genome. <i>BioEssays</i> , 1988, 9, 65-69.	2.5	5

#	ARTICLE	IF	CITATIONS
127	Arabidopsis Thaliana: A Model System for Plant Molecular Biology. Nature Biotechnology, 1987, 5, 1177-1181.	17.5	22
128	Characterization of the genome of Arabidopsis thaliana. Journal of Molecular Biology, 1986, 187, 169-183.	4.2	277
129	LETHAL MUTATIONS FLANKING THE 68C GLUE GENE CLUSTER ON CHROMOSOME 3 OF DROSOPHILA MELANOGASTER. Genetics, 1986, 112, 785-802.	2.9	37
130	The DNA of Arabidopsis thaliana. Molecular Genetics and Genomics, 1984, 194, 15-23.	2.4	273