

Jun Zhou

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9479216/jun-zhou-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

189
papers

20,272
citations

73
h-index

141
g-index

197
ext. papers

23,068
ext. citations

12.5
avg, IF

6.76
L-index

#	Paper	IF	Citations
189	Thermosensitive-CsI3-crystal-driven high-power μ TE thermocells. <i>Cell Reports Physical Science</i> , 2022 , 100737	6.1	0
188	Cost-effective n-type thermocells enabled by thermosensitive crystallizations and 3D multi-structured electrodes. <i>Nano Energy</i> , 2022 , 93, 106795	17.1	3
187	Liquid-state thermocells for low-grade heat harvesting 2022 , 141-162		
186	Heat-triggered high-performance thermocells enable a self-powered forest fire alarm. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 26119-26126	13	2
185	Liquid-state thermocells: Opportunities and challenges for low-grade heat harvesting. <i>Joule</i> , 2021 , 5, 768-779	27.8	23
184	Simultaneous Solar Steam and Electricity Generation from Synergistic Salinity-Temperature Gradient. <i>Advanced Energy Materials</i> , 2021 , 11, 2100481	21.8	9
183	Recent Applications of Different Microstructure Designs in High Performance Tactile Sensors: A Review. <i>IEEE Sensors Journal</i> , 2021 , 21, 10291-10303	4	10
182	Charge-Gradient Hydrogels Enable Direct Zero Liquid Discharge for Hypersaline Wastewater Management. <i>Advanced Materials</i> , 2021 , 33, e2100141	24	4
181	Rich Alkali Ions Preintercalated Vanadium Oxides for Durable and Fast Zinc-Ion Storage. <i>ACS Energy Letters</i> , 2021 , 6, 2111-2120	20.1	24
180	Bio-Inspired Hybrid Dielectric for Capacitive and Triboelectric Tactile Sensors with High Sensitivity and Ultrawide Linearity Range. <i>Advanced Materials</i> , 2021 , 33, e2100859	24	36
179	High-temperature bearable polysulfonamide/polyacrylonitrile composite nanofibers for high-efficiency PM2.5 filtration. <i>Composites Communications</i> , 2021 , 23, 100582	6.7	10
178	Redox of naphthalenediimide radicals in a 3D polyimide for stable Li-ion batteries. <i>Chemical Communications</i> , 2021 , 57, 7810-7813	5.8	4
177	High-efficiency solar heat storage enabled by adaptive radiation management. <i>Cell Reports Physical Science</i> , 2021 , 2, 100533	6.1	4
176	Electrostatic Assembly of Laminated Transparent Piezoelectrets for Epidermal and Implantable Electronics. <i>Nano Energy</i> , 2021 , 89, 106450	17.1	5
175	A millisecond response and microwatt power-consumption gas sensor: Realization based on cross-stacked individual Pt-coated WO3 nanorods. <i>Sensors and Actuators B: Chemical</i> , 2021 , 346, 130545	8.5	3
174	Rationally exfoliating chitin into 2D hierarchical porous carbon nanosheets for high-rate energy storage. <i>Nano Research</i> , 2020 , 13, 1604-1613	10	5
173	Living with I-Fabric: Smart Living Powered by Intelligent Fabric and Deep Analytics. <i>IEEE Network</i> , 2020 , 34, 156-163	11.4	39

172	LixNa2W4O13 nanosheet for scalable electrochromic device. <i>Frontiers of Optoelectronics</i> , 2020 , 14, 298	2.8	2
171	Cryo-Transferred Ultrathin and Stretchable Epidermal Electrodes. <i>Small</i> , 2020 , 16, e2000450	11	14
170	Salt-Assisted Synthesis of 2D Materials. <i>Advanced Functional Materials</i> , 2020 , 30, 1908486	15.6	41
169	Hierarchical elastomer tuned self-powered pressure sensor for wearable multifunctional cardiovascular electronics. <i>Nano Energy</i> , 2020 , 70, 104460	17.1	56
168	Unveiling the Effects of Alkali Metal Ions Intercalated in Layered MnO2 for Formaldehyde Catalytic Oxidation. <i>ACS Catalysis</i> , 2020 , 10, 10021-10031	13.1	35
167	Tilted magnetic micropillars enabled dual-mode sensor for tactile/touchless perceptions. <i>Nano Energy</i> , 2020 , 78, 105382	17.1	17
166	Thermosensitive crystallization-boosted liquid thermocells for low-grade heat harvesting. <i>Science</i> , 2020 , 370, 342-346	33.3	109
165	Fiber-Based Energy Conversion Devices for Human-Body Energy Harvesting. <i>Advanced Materials</i> , 2020 , 32, e1902034	24	120
164	Electrospun Polytetrafluoroethylene Nanofibrous Membrane for High-Performance Self-Powered Sensors. <i>Nanoscale Research Letters</i> , 2019 , 14, 251	5	11
163	Surface functional modification boosts the output of an evaporation-driven water flow nanogenerator. <i>Nano Energy</i> , 2019 , 58, 797-802	17.1	63
162	Mass Production of High-Quality Transition Metal Dichalcogenides Nanosheets via a Molten Salt Method. <i>Advanced Functional Materials</i> , 2019 , 29, 1900649	15.6	39
161	Novel porous ultrathin NiO nanosheets for highly efficient water vapor adsorption-desorption. <i>Separation and Purification Technology</i> , 2019 , 226, 299-303	8.3	6
160	Rapid synthesis of size-tunable transition metal carbide nanodots under ambient conditions. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 14489-14495	13	16
159	Interfacial Solar-to-Heat Conversion for Desalination. <i>Advanced Energy Materials</i> , 2019 , 9, 1900310	21.8	114
158	Improved Stability of Metal Nanowires via Electron Beam Irradiation Induced Surface Passivation. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 12195-12201	9.5	13
157	Stabilization of layered manganese oxide by substitutional cation doping. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 7118-7127	13	6
156	Piezoelectrets for wearable energy harvesters and sensors. <i>Nano Energy</i> , 2019 , 65, 104033	17.1	52
155	An Aqueous Zn-Ion Hybrid Supercapacitor with High Energy Density and Ultrastability up to 80 000 Cycles. <i>Advanced Energy Materials</i> , 2019 , 9, 1902915	21.8	137

154	All-Day Thermogalvanic Cells for Environmental Thermal Energy Harvesting. <i>Research</i> , 2019 , 2019, 2460953	7.5	8
153	Large-scale synthesis of size- and thickness-tunable conducting polymer nanosheets via a salt-templated method. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 24929-24936	13	9
152	A bio-inspired cilia array as the dielectric layer for flexible capacitive pressure sensors with high sensitivity and a broad detection range. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 27334-27346	13	69
151	Wearable 3.0: From Smart Clothing to Wearable Affective Robot. <i>IEEE Network</i> , 2019 , 33, 8-14	11.4	15
150	P-N conversion in thermogalvanic cells induced by thermo-sensitive nanogels for body heat harvesting. <i>Nano Energy</i> , 2019 , 57, 473-479	17.1	42
149	Boosting the Efficient Energy Output of Electret Nanogenerators by Suppressing Air Breakdown under Ambient Conditions. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 3984-3989	9.5	16
148	Atomically Thin 2D Transition Metal Oxides: Structural Reconstruction, Interaction with Substrates, and Potential Applications. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1801160	4.6	63
147	Electricity generation from water droplets via capillary infiltrating. <i>Nano Energy</i> , 2018 , 48, 211-216	17.1	53
146	Theoretical study and structural optimization of a flexible piezoelectret-based pressure sensor. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 5065-5070	13	25
145	Synthesis of single crystalline two-dimensional transition-metal phosphides via a salt-templating method. <i>Nanoscale</i> , 2018 , 10, 6844-6849	7.7	43
144	Microwave Combustion for Rapidly Synthesizing Pore-Size-Controllable Porous Graphene. <i>Advanced Functional Materials</i> , 2018 , 28, 1800382	15.6	47
143	Tough hydrogel diodes with tunable interfacial adhesion for safe and durable wearable batteries. <i>Nano Energy</i> , 2018 , 48, 569-574	17.1	40
142	Unraveling the solvent induced welding of silver nanowires for high performance flexible transparent electrodes. <i>Nanoscale</i> , 2018 , 10, 12981-12990	7.7	40
141	Electrokinetic Supercapacitor for Simultaneous Harvesting and Storage of Mechanical Energy. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 8010-8015	9.5	21
140	Thermal-Electric Nanogenerator Based on the Electrokinetic Effect in Porous Carbon Film. <i>Advanced Energy Materials</i> , 2018 , 8, 1702481	21.8	76
139	4-Butylbenzenesulfonate modified polypyrrole paper for supercapacitor with exceptional cycling stability. <i>Energy Storage Materials</i> , 2018 , 12, 191-196	19.4	37
138	High-Performance Hazy Silver Nanowire Transparent Electrodes through Diameter Tailoring for Semitransparent Photovoltaics. <i>Advanced Functional Materials</i> , 2018 , 28, 1705409	15.6	69
137	Noncontact Heartbeat and Respiration Monitoring Based on a Hollow Microstructured Self-Powered Pressure Sensor. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 3660-3667	9.5	81

136	Self-Cleaning Porous Surfaces for Dry Condensation. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 26759-26764	9.5	17
135	Distinctive Construction of Chitin-Derived Hierarchically Porous Carbon Microspheres/Polyaniline for High-Rate Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 28918-28927	9.5	51
134	Micrometer-Scale Kirkendall Effect in the Formation of High-Temperature-Resistant Cr ₂ O ₃ /Al ₂ O ₃ Solid Solution Hollow Fibers. <i>Chemistry of Materials</i> , 2018 , 30, 5978-5986	9.6	9
133	Flexible THV/COC Piezoelectret Nanogenerator for Wide-Range Pressure Sensing. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 29675-29683	9.5	14
132	Ultra-stretchable, bio-inspired ionic skins that work stably in various harsh environments. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 24114-24119	13	45
131	Wearable Affective Robot. <i>IEEE Access</i> , 2018 , 6, 64766-64776	3.5	69
130	Aqueous thermogalvanic cells with a high Seebeck coefficient for low-grade heat harvest. <i>Nature Communications</i> , 2018 , 9, 5146	17.4	123
129	Atmospheric-Pressure Synthesis of 2D Nitrogen-Rich Tungsten Nitride. <i>Advanced Materials</i> , 2018 , 30, e1805655	24	69
128	Highly Efficient Water Harvesting with Optimized Solar Thermal Membrane Distillation Device. <i>Global Challenges</i> , 2018 , 2, 1800001	4.3	73
127	Molybdenum trioxide nanopaper as a dual gas sensor for detecting trimethylamine and hydrogen sulfide. <i>RSC Advances</i> , 2017 , 7, 3680-3685	3.7	35
126	Water-evaporation-induced electricity with nanostructured carbon materials. <i>Nature Nanotechnology</i> , 2017 , 12, 317-321	28.7	428
125	Salt-Templated Synthesis of 2D Metallic MoN and Other Nitrides. <i>ACS Nano</i> , 2017 , 11, 2180-2186	16.7	246
124	Electrospun polyetherimide electret nonwoven for bi-functional smart face mask. <i>Nano Energy</i> , 2017 , 34, 562-569	17.1	73
123	Robust and Low-Cost Flame-Treated Wood for High-Performance Solar Steam Generation. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 15052-15057	9.5	359
122	Fabrication of TiO ₂ coated porous CoMn ₂ O ₄ submicrospheres for advanced lithium-ion anodes. <i>RSC Advances</i> , 2017 , 7, 21214-21220	3.7	11
121	Construction and Performance Characterization of Fe ₂ O ₃ /rGO Composite for Long-Cycling-Life Supercapacitor Anode. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 5067-5074	8.3	66
120	Output enhanced compact multilayer flexible nanogenerator for self-powered wireless remote system. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 12787-12792	13	19
119	Rapid mass production of two-dimensional metal oxides and hydroxides via the molten salts method. <i>Nature Communications</i> , 2017 , 8, 15630	17.4	190

118	Bio-inspired intelligent evaporation modulation in a thermo-sensitive nanogel colloid solution for self-thermoregulation. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 16312-16316	3.6	1
117	Sensitivity-Enhanced Wearable Active Voiceprint Sensor Based on Cellular Polypropylene Piezoelectret. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 23716-23722	9.5	36
116	All-Printed Porous Carbon Film for Electricity Generation from Evaporation-Driven Water Flow. <i>Advanced Functional Materials</i> , 2017 , 27, 1700551	15.6	167
115	Highly conductive and flexible molybdenum oxide nanopaper for high volumetric supercapacitor electrode. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 2897-2903	13	80
114	Ultrasensitive cellular fluorocarbon piezoelectret pressure sensor for self-powered human physiological monitoring. <i>Nano Energy</i> , 2017 , 32, 42-49	17.1	94
113	Energy Harvest from Organics Degradation by Two-Dimensional K-Intercalated Manganese Oxide. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 41233-41238	9.5	7
112	Dual-Mode Electronic Skin with Integrated Tactile Sensing and Visualized Injury Warning. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 37493-37500	9.5	78
111	A Low-Cost, Self-Standing NiCo ₂ O ₄ @CNT/CNT Multilayer Electrode for Flexible Asymmetric Solid-State Supercapacitors. <i>Advanced Functional Materials</i> , 2017 , 27, 1702160	15.6	204
110	Hyper-stretchable self-powered sensors based on electrohydrodynamically printed, self-similar piezoelectric nano/microfibers. <i>Nano Energy</i> , 2017 , 40, 432-439	17.1	115
109	Solar-driven simultaneous steam production and electricity generation from salinity. <i>Energy and Environmental Science</i> , 2017 , 10, 1923-1927	35.4	268
108	Achieving a high cutting-off frequency in the oriented CoFe ₂ O ₄ nanocubes. <i>Applied Physics Letters</i> , 2017 , 111, 133108	3.4	5
107	Well-controlled exchange bias effect in MnO@Mn ₃ O ₄ core-shell nanoparticles with an inverted coupling structures. <i>AIP Advances</i> , 2017 , 7, 045316	1.5	6
106	Synthesis and Characterization of Self-Standing and Highly Flexible EMnO ₂ @CNTs/CNTs Composite Films for Direct Use of Supercapacitor Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 23721-8	9.5	63
105	Wearable Thermocells Based on Gel Electrolytes for the Utilization of Body Heat. <i>Angewandte Chemie</i> , 2016 , 128, 12229-12232	3.6	30
104	Surface charge self-recovering electret film for wearable energy conversion in a harsh environment. <i>Energy and Environmental Science</i> , 2016 , 9, 3085-3091	35.4	85
103	Wearable Thermocells Based on Gel Electrolytes for the Utilization of Body Heat. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 12050-3	16.4	132
102	Self-Powered Multimodal Temperature and Force Sensor Based-On a Liquid Droplet. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 15864-15868	16.4	21
101	Self-Powered Multimodal Temperature and Force Sensor Based-On a Liquid Droplet. <i>Angewandte Chemie</i> , 2016 , 128, 16096-16100	3.6	2

100	Scalable salt-templated synthesis of two-dimensional transition metal oxides. <i>Nature Communications</i> , 2016 , 7, 11296	17.4	300
99	Architectural Engineering of Nanowire Network Fine Pattern for 30 μ m Wide Flexible Quantum Dot Light-Emitting Diode Application. <i>ACS Nano</i> , 2016 , 10, 10023-10030	16.7	56
98	Flexible microfluidics nanogenerator based on the electrokinetic conversion. <i>Nano Energy</i> , 2016 , 30, 684-690	17.1	36
97	Induced Potential in Porous Carbon Films through Water Vapor Absorption. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 8003-7	16.4	104
96	Sandwiched Composite Fluorocarbon Film for Flexible Electret Generator. <i>Advanced Electronic Materials</i> , 2016 , 2, 1500408	6.4	38
95	Band gap engineering of MnO ₂ through in situ Al-doping for applicable pseudocapacitors. <i>RSC Advances</i> , 2016 , 6, 13914-13919	3.7	39
94	Controlled growth of LaFeO ₃ nanoparticles on reduced graphene oxide for highly efficient photocatalysis. <i>Nanoscale</i> , 2016 , 8, 752-6	7.7	70
93	Theoretical Study of Cellular Piezoelectret Generators. <i>Advanced Functional Materials</i> , 2016 , 26, 1964-1974	17.6	48
92	High-Performance Hybrid Supercapacitor Based on Graphene-Wrapped Mesoporous T-Nb ₂ O ₅ Nanospheres Anode and Mesoporous Carbon-Coated Graphene Cathode. <i>ChemElectroChem</i> , 2016 , 3, 1360-1368	4.3	36
91	Flexible Transparent Molybdenum Trioxide Nanopaper for Energy Storage. <i>Advanced Materials</i> , 2016 , 28, 6353-8	24	172
90	Natural Materials Assembled, Biodegradable, and Transparent Paper-Based Electret Nanogenerator. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 35587-35592	9.5	59
89	3D nanoporous ZnWO ₄ nanoparticles with excellent electrochemical performances for supercapacitors. <i>Materials Letters</i> , 2016 , 177, 34-38	3.3	25
88	Ethanol reduced molybdenum trioxide for Li-ion capacitors. <i>Nano Energy</i> , 2016 , 26, 100-107	17.1	60
87	Anisotropic Magnetite Nanorods for Enhanced Magnetic Hyperthermia. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 2996-3000	4.5	29
86	Microwave Combustion for Modification of Transition Metal Oxides. <i>Advanced Functional Materials</i> , 2016 , 26, 7263-7270	15.6	32
85	A Novel Photoelectric Conversion Yarn by Integrating Photomechanical Actuation and the Electrostatic Effect. <i>Advanced Materials</i> , 2016 , 28, 10744-10749	24	26
84	Cross-linked carbon network with hierarchical porous structure for high performance solid-state electrochemical capacitor. <i>Journal of Power Sources</i> , 2016 , 327, 488-494	8.9	20
83	Unique elastic N-doped carbon nanofibrous microspheres with hierarchical porosity derived from renewable chitin for high rate supercapacitors. <i>Nano Energy</i> , 2016 , 27, 482-491	17.1	229

82	Self-Powered Human-Interactive Transparent Nanopaper Systems. <i>ACS Nano</i> , 2015 , 9, 7399-406	16.7	85
81	Cloth-Based Power Shirt for Wearable Energy Harvesting and Clothes Ornamentation. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 14912-6	9.5	49
80	Activated carbon derived from melaleuca barks for outstanding high-rate supercapacitors. <i>Nanotechnology</i> , 2015 , 26, 304004	3.4	38
79	HxMoO ₃ nanobelts with sea water as electrolyte for high-performance pseudocapacitors and desalination devices. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 17217-17223	13	29
78	Solution processed flexible hybrid cell for concurrently scavenging solar and mechanical energies. <i>Nano Energy</i> , 2015 , 16, 301-309	17.1	41
77	Highly rate and cycling stable electrode materials constructed from polyaniline/cellulose nanoporous microspheres. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 16424-16429	13	38
76	High Surface Area Tunnels in Hexagonal WO ₃ <i>Nano Letters</i> , 2015 , 15, 4834-8	11.5	118
75	Intercalation of cations into partially reduced molybdenum oxide for high-rate pseudocapacitors. <i>Energy Storage Materials</i> , 2015 , 1, 1-8	19.4	80
74	Flexible and cross-linked N-doped carbon nanofiber network for high performance freestanding supercapacitor electrode. <i>Nano Energy</i> , 2015 , 15, 66-74	17.1	309
73	Three-dimensional ZnO porous films for self-cleaning ultraviolet photodetectors. <i>RSC Advances</i> , 2015 , 5, 85969-85973	3.7	9
72	2D vanadium doped manganese dioxides nanosheets for pseudocapacitive energy storage. <i>Nanoscale</i> , 2015 , 7, 16094-9	7.7	52
71	Al-doped MnO ₂ for high mass-loading pseudocapacitor with excellent cycling stability. <i>Nano Energy</i> , 2015 , 11, 226-234	17.1	157
70	Paper-Based Active Tactile Sensor Array. <i>Advanced Materials</i> , 2015 , 27, 7130-6	24	113
69	Two-Dimensional Layered Heterostructures Synthesized from Core-Shell Nanowires. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 8957-60	16.4	64
68	Two-Dimensional Layered Heterostructures Synthesized from Core-Shell Nanowires. <i>Angewandte Chemie</i> , 2015 , 127, 9085-9088	3.6	5
67	Cellular Polypropylene Piezoelectret for Human Body Energy Harvesting and Health Monitoring. <i>Advanced Functional Materials</i> , 2015 , 25, 4788-4794	15.6	111
66	A Bamboo-Inspired Nanostructure Design for Flexible, Foldable, and Twistable Energy Storage Devices. <i>Nano Letters</i> , 2015 , 15, 3899-906	11.5	257
65	Multilayered paper-like electrodes composed of alternating stacked mesoporous Mo ₂ N nanobelts and reduced graphene oxide for flexible all-solid-state supercapacitors. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 14617-14624	13	66

64	Metal-free and non-fluorine paper-based generator. <i>Nano Energy</i> , 2015 , 14, 236-244	17.1	29
63	Investigations into the origin of pseudocapacitive behavior of Mn ₃ O ₄ electrodes using in operando Raman spectroscopy. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 7338-7344	13	80
62	Stretchable Self-Powered Fiber-Based Strain Sensor. <i>Advanced Functional Materials</i> , 2015 , 25, 1798-1803	15.6	130
61	Freestanding functionalized carbon nanotube-based electrode for solid-state asymmetric supercapacitors. <i>Nano Energy</i> , 2014 , 6, 1-9	17.1	166
60	A nanogenerator for harvesting airflow energy and light energy. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 2079-2087	13	113
59	Dual functional transparent film for proximity and pressure sensing. <i>Nano Research</i> , 2014 , 7, 1488-1496	10	96
58	Bandgap engineering of Ga _x Zn _{1-x} O nanowire arrays for wavelength-tunable light-emitting diodes. <i>Laser and Photonics Reviews</i> , 2014 , 8, 429-435	8.3	46
57	Fiber-based generator for wearable electronics and mobile medication. <i>ACS Nano</i> , 2014 , 8, 6273-80	16.7	453
56	Freestanding MoO ₃ /nanobelt/carbon nanotube films for Li-ion intercalation pseudocapacitors. <i>Nano Energy</i> , 2014 , 9, 355-363	17.1	125
55	Finger typing driven triboelectric nanogenerator and its use for instantaneously lighting up LEDs. <i>Nano Energy</i> , 2013 , 2, 491-497	17.1	222
54	High performance flexible sensor based on inorganic nanomaterials. <i>Sensors and Actuators B: Chemical</i> , 2013 , 176, 522-533	8.5	64
53	Transferable self-welding silver nanowire network as high performance transparent flexible electrode. <i>Nanotechnology</i> , 2013 , 24, 335202	3.4	100
52	Supercapacitors: Freestanding Mesoporous VN/CNT Hybrid Electrodes for Flexible All-Solid-State Supercapacitors (Adv. Mater. 36/2013). <i>Advanced Materials</i> , 2013 , 25, 4954-4954	24	1
51	Paper-based solid-state supercapacitors with pencil-drawing graphite/polyaniline networks hybrid electrodes. <i>Nano Energy</i> , 2013 , 2, 1071-1078	17.1	299
50	Freestanding mesoporous VN/CNT hybrid electrodes for flexible all-solid-state supercapacitors. <i>Advanced Materials</i> , 2013 , 25, 5091-7	24	369
49	Hydrogenated ZnO core-shell nanocables for flexible supercapacitors and self-powered systems. <i>ACS Nano</i> , 2013 , 7, 2617-26	16.7	724
48	Polypyrrole-coated paper for flexible solid-state energy storage. <i>Energy and Environmental Science</i> , 2013 , 6, 470	35.4	517
47	A paper-based nanogenerator as a power source and active sensor. <i>Energy and Environmental Science</i> , 2013 , 6, 1779	35.4	191

46	WO ₃ @Au@MnO ₂ core-shell nanowires on carbon fabric for high-performance flexible supercapacitors. <i>Advanced Materials</i> , 2012 , 24, 938-44	24	592
45	Flexible solid-state supercapacitors based on carbon nanoparticles/MnO ₂ nanorods hybrid structure. <i>ACS Nano</i> , 2012 , 6, 656-61	16.7	893
44	Fiber-based all-solid-state flexible supercapacitors for self-powered systems. <i>ACS Nano</i> , 2012 , 6, 9200-6	16.7	554
43	WO ₃ /MoO ₃ Core/Shell Nanowires on Carbon Fabric as an Anode for All-Solid-State Asymmetric Supercapacitors. <i>Advanced Energy Materials</i> , 2012 , 2, 1328-1332	21.8	373
42	Nanopiezotronics and Nanogenerators 2012 , 115-147		0
41	A simple infrared nanosensor array based on carbon nanoparticles. <i>Frontiers of Optoelectronics</i> , 2012 , 5, 266-270	2.8	2
40	Anisotropic third-order optical nonlinearity of a single ZnO micro/nanowire. <i>Nano Letters</i> , 2012 , 12, 833-8	81.5	51
39	Paper-Based Supercapacitors for Self-Powered Nanosystems. <i>Angewandte Chemie</i> , 2012 , 124, 5018-5022	3.6	109
38	Paper-based supercapacitors for self-powered nanosystems. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 4934-8	16.4	332
37	Carbon Nanoparticles on Carbon Fabric for Flexible and High-Performance Field Emitters. <i>Advanced Functional Materials</i> , 2011 , 21, 2150-2154	15.6	68
36	High-strain sensors based on ZnO nanowire/polystyrene hybridized flexible films. <i>Advanced Materials</i> , 2011 , 23, 5440-4	24	438
35	Three-dimensional WO ₃ nanostructures on carbon paper: photoelectrochemical property and visible light driven photocatalysis. <i>Chemical Communications</i> , 2011 , 47, 5804-6	5.8	143
34	Self-cleaning flexible infrared nanosensor based on carbon nanoparticles. <i>ACS Nano</i> , 2011 , 5, 4007-13	16.7	71
33	A single SnO ₂ nanowire-based microelectrode. <i>Methods in Molecular Biology</i> , 2011 , 726, 111-7	1.4	
32	Measuring the transport property of ZnO tetrapod using in situ nanoprobe. <i>Chemical Physics Letters</i> , 2010 , 484, 96-99	2.5	23
31	Supersensitive, fast-response nanowire sensors by using Schottky contacts. <i>Advanced Materials</i> , 2010 , 22, 3327-32	24	276
30	Tungsten oxide nanowires grown on carbon cloth as a flexible cold cathode. <i>Advanced Materials</i> , 2010 , 22, 5292-6	24	92
29	Lateral nanowire/nanobelt based nanogenerators, piezotronics and piezo-phototronics. <i>Materials Science and Engineering Reports</i> , 2010 , 70, 320-329	30.9	185

28	Effects of piezoelectric potential on the transport characteristics of metal-ZnO nanowire-metal field effect transistor. <i>Journal of Applied Physics</i> , 2009 , 105, 113707	2.5	141
27	Gigantic enhancement in response and reset time of ZnO UV nanosensor by utilizing Schottky contact and surface functionalization. <i>Applied Physics Letters</i> , 2009 , 94, 191103	3.4	471
26	Piezoelectric potential gated field-effect transistor based on a free-standing ZnO wire. <i>Nano Letters</i> , 2009 , 9, 3435-9	11.5	121
25	Flexible piezotronic strain sensor. <i>Nano Letters</i> , 2008 , 8, 3035-40	11.5	634
24	Piezoelectric-potential-controlled polarity-reversible Schottky diodes and switches of ZnO wires. <i>Nano Letters</i> , 2008 , 8, 3973-7	11.5	244
23	Mechanical-electrical triggers and sensors using piezoelectric micowires/nanowires. <i>Nano Letters</i> , 2008 , 8, 2725-30	11.5	110
22	Synthesis and Raman spectroscopic study of W ₂₀₀ O ₅₈ nanowires. <i>Journal Physics D: Applied Physics</i> , 2008 , 41, 115305	3	21
21	Toward high output-power nanogenerator. <i>Applied Physics Letters</i> , 2008 , 92, 173105	3.4	74
20	Gasochromic effect and relative mechanism of WO ₃ nanowire films. <i>Nanotechnology</i> , 2007 , 18, 205701	3.4	83
19	Electric field drives the nonlinear resonance of a piezoelectric nanowire. <i>Solid State Communications</i> , 2007 , 144, 118-123	1.6	11
18	Vertically aligned Zn ₂ SiO ₄ nanotube/ZnO nanowire heterojunction arrays. <i>Small</i> , 2007 , 3, 622-6	11	74
17	Electrochromic properties of WO ₃ nanowire films and mechanism responsible for the near infrared absorption. <i>Journal of Applied Physics</i> , 2007 , 101, 114303	2.5	32
16	Ultraviolet-visible emission from three-dimensional WO ₃ nanowire networks. <i>Applied Physics Letters</i> , 2007 , 91, 093124	3.4	50
15	Piezoelectric and semiconducting coupled power generating process of a single ZnO belt/wire. A technology for harvesting electricity from the environment. <i>Nano Letters</i> , 2006 , 6, 1656-62	11.5	338
14	Piezoelectric field effect transistor and nanoforce sensor based on a single ZnO nanowire. <i>Nano Letters</i> , 2006 , 6, 2768-72	11.5	856
13	Field emission study of SiC nanowires/nanorods directly grown on SiC ceramic substrate. <i>Applied Physics Letters</i> , 2006 , 89, 023118	3.4	78
12	Ultrasensitive and highly selective gas sensors using three-dimensional tungsten oxide nanowire networks. <i>Applied Physics Letters</i> , 2006 , 88, 203101	3.4	363
11	SiC-shell nanostructures fabricated by replicating ZnO nano-objects: a technique for producing hollow nanostructures of desired shape. <i>Small</i> , 2006 , 2, 1344-7	11	35

10	Nanowire as pico-gram balance at workplace atmosphere. <i>Solid State Communications</i> , 2006 , 139, 222-226	3.6	38
9	Growth and field-emission property of tungsten oxide nanotip arrays. <i>Applied Physics Letters</i> , 2005 , 87, 223108	3.4	203
8	Synthesis of large-scaled MoO ₂ nanowire arrays. <i>Chemical Physics Letters</i> , 2003 , 382, 443-446	2.5	35
7	Synthesis and field-emission properties of aligned MoO ₃ nanowires. <i>Applied Physics Letters</i> , 2003 , 83, 2653-2655	3.4	120
6	Synthesis of silicon carbide nanowires in a catalyst-assisted process. <i>Chemical Physics Letters</i> , 2002 , 356, 511-514	2.5	53
5	Synthesis of silicon carbide nano-junctions in a catalyst-assisted process. <i>Chemical Physics Letters</i> , 2002 , 364, 608-611	2.5	6
4	Synthesis of crystalline alumina nanowires and nanotrees. <i>Chemical Physics Letters</i> , 2002 , 365, 505-508	2.5	56
3	An aqueous 2.1 V pseudocapacitor with MXene and V-MnO ₂ electrodes. <i>Nano Research</i> , 1	10	6
2	Hybrid-Piezoelectret Based Highly Efficient Ultrasonic Energy Harvester for Implantable Electronics. <i>Advanced Functional Materials</i> , 2200589	15.6	2
1	Additive-Free Ultrastable Hydrated Vanadium Oxide Sol/Carbon Nanotube Ink for Durable and High-Power Aqueous Zinc-Ion Battery. <i>Advanced Materials Interfaces</i> , 2200174	4.6	0