

Jens H Henriksen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9479255/publications.pdf>

Version: 2024-02-01

64
papers

3,931
citations

218381

26
h-index

123241

61
g-index

73
all docs

73
docs citations

73
times ranked

2029
citing authors

#	ARTICLE	IF	CITATIONS
1	Peripheral arterial vasodilation hypothesis: A proposal for the initiation of renal sodium and water retention in cirrhosis. <i>Hepatology</i> , 1988, 8, 1151-1157.	3.6	1,513
2	Reduced central blood volume in cirrhosis. <i>Gastroenterology</i> , 1989, 97, 1506-1513.	0.6	204
3	Alcoholic liver injury: Defenestration in noncirrhotic livers—a scanning electron microscopic study. <i>Hepatology</i> , 1987, 7, 77-82.	3.6	180
4	Sympathetic Nervous Activity and Renal and Systemic Hemodynamics in Cirrhosis: Plasma Norepinephrine Concentration, Hepatic Extraction, and Renal Release. <i>Hepatology</i> , 2007, 2, 304S-310S.	3.6	166
5	Effect of volume expansion on systemic hemodynamics and central and arterial blood volume in cirrhosis. <i>Gastroenterology</i> , 1995, 109, 1917-1925.	0.6	130
6	Acute non-selective β_2 -adrenergic blockade reduces prolonged frequency-adjusted QT interval (QTc) in patients with cirrhosis. <i>Journal of Hepatology</i> , 2004, 40, 239-246.	1.8	116
7	Dyssynchronous electrical and mechanical systole in patients with cirrhosis. <i>Journal of Hepatology</i> , 2002, 36, 513-520.	1.8	109
8	Endothelin-1 and -3 plasma concentrations in patients with cirrhosis: Role of splanchnic and renal passage and liver function. <i>Hepatology</i> , 1995, 21, 735-739.	3.6	101
9	Noradrenaline and adrenaline concentrations in various vascular beds in patients with cirrhosis Relation to haemodynamics.. <i>Clinical Physiology</i> , 1981, 1, 293-304.	0.7	88
10	Blood volume distribution in patients with cirrhosis: aspects of the dual-head gamma-camera technique. <i>Journal of Hepatology</i> , 2001, 35, 605-612.	1.8	81
11	Noninvasive 24-hour ambulatory arterial blood pressure monitoring in cirrhosis. <i>Hepatology</i> , 1995, 22, 88-95.	3.6	76
12	Decreased right heart blood volume determined by magnetic resonance imaging: Evidence of central underfilling in cirrhosis. <i>Hepatology</i> , 1995, 22, 472-478.	3.6	69
13	Extrahepatic complications to cirrhosis and portal hypertension: Haemodynamic and homeostatic aspects. <i>World Journal of Gastroenterology</i> , 2014, 20, 15499.	1.4	62
14	Correlation Between Liver Morphology and Portal Pressure in Alcoholic Liver Disease. <i>Hepatology</i> , 1984, 4, 699-703.	3.6	60
15	Central and noncentral blood volumes in cirrhosis: relationship to anthropometrics and gender. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 284, G970-G979.	1.6	59
16	Filtration as the main transport mechanism of protein exchange between plasma and the peritoneal cavity in hepatic cirrhosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1980, 40, 503-513.	0.6	55
17	Arterial compliance in patients with cirrhosis: stroke volume-pulse pressure ratio as simplified index. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 280, G584-G594.	1.6	55
18	The blood-lymph barrier in the liver. A review based on morphological and functional concepts of normal and cirrhotic liver. <i>Liver</i> , 1984, 4, 221-232.	0.1	51

#	ARTICLE	IF	CITATIONS
19	Circulating atrial natriuretic peptide (ANP) and central blood volume (CBV) in cirrhosis. <i>Liver</i> , 1986, 6, 361-368.	0.1	51
20	Over-estimation of glomerular filtration rate by single injection [⁵¹ Cr]EDTA plasma clearance determination in patients with ascites. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1980, 40, 279-284.	0.6	49
21	Increased plasma noradrenaline concentration in patients with chronic obstructive lung disease: Relation to haemodynamics and blood gases. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1980, 40, 419-427.	0.6	48
22	The sinusoidal lining cells in "normal" human liver. A scanning electron microscopic investigation. <i>Liver</i> , 1986, 6, 98-110.	0.1	48
23	Cardiac and systemic haemodynamic complications of liver cirrhosis. <i>Scandinavian Cardiovascular Journal</i> , 2009, 43, 218-225.	0.4	46
24	Intraperitoneal pressure: ascitic fluid and splanchnic vascular pressures, and their role in prevention and formation of ascites. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1980, 40, 493-501.	0.6	45
25	Variability of hydrostatic hepatic vein and ascitic fluid pressure, and of plasma and ascitic fluid colloid osmotic pressure in patients with liver cirrhosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1980, 40, 515-522.	0.6	36
26	Transvascular Escape Rate of Albumin in Liver Cirrhosis, and its Possible Role in Formation of Ascites. <i>Scandinavian Journal of Gastroenterology</i> , 1977, 12, 877-884.	0.6	32
27	Effect of oral propranolol administration on azygos, renal and hepatic uptake and output of catecholamines in cirrhosis. <i>Hepatology</i> , 1991, 14, 237-243.	3.6	28
28	Splanchnic and renal extraction of circulating type III procollagen aminoterminal propeptide in patients with normal liver function and in patients with alcoholic cirrhosis. <i>Hepatology</i> , 1990, 11, 957-963.	3.6	25
29	Filtration as the main mechanism of increased protein extravasation in liver cirrhosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1980, 40, 121-128.	0.6	24
30	Increased transvascular escape rate of albumin during experimental portal and hepatic venous hypertension in the pig. Relation to findings in patients with cirrhosis of the liver. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1981, 41, 289-299.	0.6	24
31	Effects of transjugular intrahepatic portosystemic shunt (TIPS) on blood volume distribution in patients with cirrhosis. <i>Digestive and Liver Disease</i> , 2017, 49, 1353-1359.	0.4	24
32	Protein kinetic and haemodynamic studies in patients with liver cirrhosis. Evidence of a lymph imbalance theory of ascites formation. <i>Clinical Physiology</i> , 1981, 1, 565-578.	0.7	22
33	Cimetidine Treatment of Protein-losing Gastropathy (MÃ©nÃ©trier's Disease). <i>Scandinavian Journal of Gastroenterology</i> , 1978, 13, 635-639.	0.6	20
34	PLASMA NORADRENALINE IN PATIENTS WITH LIVER CIRRHOSIS IN RELATION TO ASCITES AND TREATMENT. <i>Clinical Physiology</i> , 1981, 1, 66-70.	0.7	20
35	Acid-base disturbance in patients with cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2015, 27, 920-927.	0.8	17
36	Permselectivity of the liver blood-lymph (ascitic fluid) barrier to macromolecules in decompensated cirrhosis: relation to calculated pore size. <i>Clinical Physiology</i> , 1983, 3, 163-171.	0.7	16

#	ARTICLE	IF	CITATIONS
37	Hepatic venous oxygen content in alcoholic cirrhosis and non-cirrhotic alcoholic liver disease. <i>Liver</i> , 1987, 7, 176-181.	0.1	16
38	The effect of ascitic fluid hydrostatic pressure on albumin extravasation rate in patients with cirrhosis of the liver. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1981, 41, 601-609.	0.6	14
39	The clearance concept with special reference to determination of glomerular filtration rate in patients with fluid retention. <i>Clinical Physiology and Functional Imaging</i> , 2015, 35, 7-16.	0.5	13
40	Increased extravasation and lymphatic return rate of albumin during diuretic treatment of ascites in patients with liver cirrhosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1981, 41, 589-599.	0.6	12
41	Determination of albumin transport rate between plasma and peritoneal space in decompensated cirrhosis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1984, 44, 143-149.	0.6	11
42	Rosiglitazone: Possible complications and treatment of non-alcoholic steatohepatitis (NASH). <i>Journal of Hepatology</i> , 2008, 48, 174-176.	1.8	11
43	Arterial pressure profile in patients with cirrhosis: Fourier analysis of arterial pulse in relation to pressure level, stroke volume, and severity of disease: On the reduction of afterload in the hyperdynamic syndrome. <i>Scandinavian Journal of Gastroenterology</i> , 2012, 47, 580-590.	0.6	10
44	Assessment of central blood volume in cirrhosis by radionuclide angiography: What does it really mean?. <i>Hepatology</i> , 1994, 20, 1652-1656.	3.6	9
45	Ernest Henry Starling (1866-1927): The Scientist and the Man. <i>Journal of Medical Biography</i> , 2005, 13, 22-30.	0.1	9
46	Detection of early central circulatory transits in patients with cirrhosis by gamma variate fit of indicator dilution profiles. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 288, G677-G684.	1.6	9
47	A century of indicator dilution technique. <i>Clinical Physiology and Functional Imaging</i> , 2014, 34, 1-9.	0.5	9
48	Studies on kinetics of albumin in uraemic patients on chronic haemodialysis: evidence of interstitial albumin wash-down. <i>Clinical Physiology</i> , 1983, 3, 153-162.	0.7	7
49	Renal blood flow and metabolism after cold ischaemia: peroperative measurements in patients with calculi. <i>Clinical Physiology</i> , 1984, 4, 41-50.	0.7	7
50	Correlation between liver morphology and haemodynamics in alcoholic liver disease. <i>Liver</i> , 2008, 5, 173-177.	0.1	7
51	Decreased renal function in cirrhosis - an adaptive response?. <i>Clinical Physiology</i> , 1981, 1, 131-138.	0.7	6
52	Plasma-to-ascitic fluid transport rate of albumin in patients with decompensated cirrhosis. Relation to intraperitoneal albumin. <i>Clinical Physiology</i> , 1983, 3, 423-431.	0.7	6
53	Review: Acute Cholecystitis: Diagnostic Impact of Ultrasonography and Cholescintigraphy. <i>Scandinavian Journal of Gastroenterology</i> , 1985, 20, 129-132.	0.6	5
54	Normal overall leakiness of microvasculature for albumin in patients with chronic obstructive lung disease (COLD). <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1984, 44, 119-123.	0.6	4

#	ARTICLE	IF	CITATIONS
55	Increased transvascular escape rate of albumin during experimental portal and hepatic venous hypertension in the pig. Relation to findings in patients with cirrhosis of the liver. Scandinavian Journal of Clinical and Laboratory Investigation, 1981, 41, 289-299.	0.6	4
56	The royal free hospital cirrhosis glomerular filtration rate: Validation in a danish cohort. Hepatology, 2017, 66, 1360-1361.	3.6	3
57	Neuroâ€SPECT: On the development and function of brain emission tomography in the Copenhagen area. Clinical Physiology and Functional Imaging, 2021, 41, 10-24.	0.5	3
58	Intraperitoneal fluid pressure in patients with cirrhosis of the liver and in control subjects. Clinical Physiology, 1981, 1, 167-174.	0.7	2
59	Hepatic extraction of the aminoterminal propeptide of type III procollagen before and after bile duct ligation in pigs. Liver, 1991, 11, 310-315.	0.1	2
60	THE ROLE OF INCREASED SYMPATHETIC NERVOUS ACTIVITY FOR THE REDUCED RENAL BLOOD FLOW IN PATIENTS WITH CIRRHOSIS. Clinical Physiology, 1981, 1, 71-75.	0.7	1
61	Effect of Hypothermic Renal Ischaemia on Renin Secretion Rate in Man. Scandinavian Journal of Clinical and Laboratory Investigation, 1985, 45, 643-648.	0.6	1
62	Pitfalls in the assessment of intrapulmonary shunt using lung perfusion scintigraphy in patients with cirrhosis: authors' reply. Liver International, 2011, 31, 139-140.	1.9	0
63	Determination of hepatic clearance by derivations of the indocyanine green retention test in cirrhosis. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 692-699.	1.4	0
64	Starling, his contemporaries and the Nobel Prize. One hundred years with hormones. Scandinavian Journal of Clinical and Laboratory Investigation, Supplement, 2003, 238, 1-59.	2.7	0