Jens H Henriksen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9479255/publications.pdf

Version: 2024-02-01

64 papers 3,931 citations

218381 26 h-index 61 g-index

73 all docs 73 docs citations

73 times ranked 2029 citing authors

#	Article	IF	CITATIONS
1	Determination of hepatic clearance by derivations of the indocyanine green retention test in cirrhosis. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 692-699.	1.4	O
2	Neuro‧PECT: On the development and function of brain emission tomography in the Copenhagen area. Clinical Physiology and Functional Imaging, 2021, 41, 10-24.	0.5	3
3	The royal free hospital cirrhosis glomerular filtration rate: Validation in a danish cohort. Hepatology, 2017, 66, 1360-1361.	3.6	3
4	Effects of transjugular intrahepatic portosystemic shunt (TIPS) on blood volume distribution in patients with cirrhosis. Digestive and Liver Disease, 2017, 49, 1353-1359.	0.4	24
5	Acid–base disturbance in patients with cirrhosis. European Journal of Gastroenterology and Hepatology, 2015, 27, 920-927.	0.8	17
6	The clearance concept with special reference to determination of glomerular filtration rate in patients with fluid retention. Clinical Physiology and Functional Imaging, 2015, 35, 7-16.	0.5	13
7	A century of indicator dilution technique. Clinical Physiology and Functional Imaging, 2014, 34, 1-9.	0.5	9
8	Extrahepatic complications to cirrhosis and portal hypertension: Haemodynamic and homeostatic aspects. World Journal of Gastroenterology, 2014, 20, 15499.	1.4	62
9	Arterial pressure profile in patients with cirrhosis: Fourier analysis of arterial pulse in relation to pressure level, stroke volume, and severity of disease: On the reduction of afterload in the hyperdynamic syndrome. Scandinavian Journal of Gastroenterology, 2012, 47, 580-590.	0.6	10
10	Pitfalls in the assessment of intrapulmonary shunt using lung perfusion scintigraphy in patients with cirrhosis: authors' reply. Liver International, 2011, 31, 139-140.	1.9	0
11	Cardiac and systemic haemodynamic complications of liver cirrhosis. Scandinavian Cardiovascular Journal, 2009, 43, 218-225.	0.4	46
12	Correlation between liver morphology and haemodynamics in alcoholic liver disease. Liver, 2008, 5, 173-177.	0.1	7
13	Rosiglitazone: Possible complications and treatment of non-alcoholic steatohepatitis (NASH). Journal of Hepatology, 2008, 48, 174-176.	1.8	11
14	Sympathetic Nervous Activity and Renal and Systemic Hemodynamics in Cirrhosis: Plasma Norepinephrine Concentration, Hepatic Extraction, and Renal Release. Hepatology, 2007, 2, 304S-310S.	3.6	166
15	Ernest Henry Starling (1866–1927): The Scientist and the Man. Journal of Medical Biography, 2005, 13, 22-30.	0.1	9
16	Detection of early central circulatory transits in patients with cirrhosis by gamma variate fit of indicator dilution profiles. American Journal of Physiology - Renal Physiology, 2005, 288, G677-G684.	1.6	9
17	Acute non-selective β-adrenergic blockade reduces prolonged frequency-adjusted Q–T interval (QTc) in patients with cirrhosis. Journal of Hepatology, 2004, 40, 239-246.	1.8	116
18	Central and noncentral blood volumes in cirrhosis: relationship to anthropometrics and gender. American Journal of Physiology - Renal Physiology, 2003, 284, G970-G979.	1.6	59

#	Article	IF	CITATIONS
19	Starling, his contemporaries and the Nobel Prize. One hundred years with hormones. Scandinavian Journal of Clinical and Laboratory Investigation, Supplement, 2003, 238, 1-59.	2.7	O
20	Dyssynchronous electrical and mechanical systole in patients with cirrhosis. Journal of Hepatology, 2002, 36, 513-520.	1.8	109
21	Blood volume distribution in patients with cirrhosis: aspects of the dual-head gamma-camera technique. Journal of Hepatology, 2001, 35, 605-612.	1.8	81
22	Arterial compliance in patients with cirrhosis: stroke volume-pulse pressure ratio as simplified index. American Journal of Physiology - Renal Physiology, 2001, 280, G584-G594.	1.6	55
23	Endothelin-1 and -3 plasma concentrations in patients with cirrhosis: Role of splanchnic and renal passage and liver function. Hepatology, 1995, 21, 735-739.	3.6	101
24	Noninvasive 24-hour ambulatory arterial blood pressure monitoring in cirrhosis. Hepatology, 1995, 22, 88-95.	3.6	76
25	Decreased right heart blood volume determined by magnetic resonance imaging: Evidence of central underfilling in cirrhosis. Hepatology, 1995, 22, 472-478.	3.6	69
26	Effect of volume expansion on systemic hemodynamics and central and arterial blood volume in cirrhosis. Gastroenterology, 1995, 109, 1917-1925.	0.6	130
27	Assessment of central blook volume in cirrhosis by radionusclide angiography: What does it really mean?. Hepatology, 1994, 20, 1652-1656.	3.6	9
28	Effect of oral propranolol administration on azygos, renal and hepatic uptake and output of catecholamines in cirrhosis. Hepatology, 1991, 14, 237-243.	3.6	28
29	Hepatic extraction of the aminoterminal propeptide of type III procollagen before and after bile duct ligation in pigs. Liver, 1991, 11, 310-315.	0.1	2
30	Splanchnic and renal extraction of circulating type III procollagen aminoterminal propeptide in patients with normal liver function and in patients with alcoholic cirrhosis. Hepatology, $1990, 11, 957-963$.	3.6	25
31	Reduced central blood volume in cirrhosis. Gastroenterology, 1989, 97, 1506-1513.	0.6	204
32	Peripheral arterial vasodilation hypothesis: A proposal for the initiation of renal sodium and water retention in cirrhosis. Hepatology, 1988, 8, 1151-1157.	3.6	1,513
33	Alcoholic liver injury: Defenestration in noncirrhotic livers—a scanning electron microscopic study. Hepatology, 1987, 7, 77-82.	3.6	180
34	Hepatic venous oxygen content in alcoholic cirrhosis and nonâ€cirrhotic alcoholic liver disease. Liver, 1987, 7, 176-181.	0.1	16
35	The sinusoidal lining cells in "normal―human liver. A scanning electron microscopic investigation. Liver, 1986, 6, 98-110.	0.1	48
36	Circulating atrial natriuretic peptide (ANP) and central blood volume (CBV) in cirrhosis. Liver, 1986, 6, 361-368.	0.1	51

#	Article	IF	CITATIONS
37	Review:Acute Cholecystitis:Diagnostic Impact of Ultrasonography and Cholescintigraphy. Scandinavian Journal of Gastroenterology, 1985, 20, 129-132.	0.6	5
38	Effect of Hypothermic Renal Ischaemia on Renin Secretion Rate in Man. Scandinavian Journal of Clinical and Laboratory Investigation, 1985, 45, 643-648.	0.6	1
39	Determination of albumin transport rate between plasma and peritoneal space in decompensated cirrhosis. Scandinavian Journal of Clinical and Laboratory Investigation, 1984, 44, 143-149.	0.6	11
40	Normal overall leakiness of microvasculature for albumin in patients with chronic obstructive lung disease (COLD). Scandinavian Journal of Clinical and Laboratory Investigation, 1984, 44, 119-123.	0.6	4
41	Correlation Between Liver Morphology and Portal Pressure in Alcoholic Liver Disease. Hepatology, 1984, 4, 699-703.	3.6	60
42	Renal blood flow and metabolism after cold ischaemia: peroperative measurements in patients with calculi. Clinical Physiology, 1984, 4, 41-50.	0.7	7
43	The bloodâ€lymph barrier in the liver. A review based on morphological and functional concepts of normal and cirrhotic liver. Liver, 1984, 4, 221-232.	0.1	51
44	Studies on kinetics of albumin in uraemic patients on chronic haemodialysis: evidence of interstitial albumin washâ€down. Clinical Physiology, 1983, 3, 153-162.	0.7	7
45	Permselectivity of the liver bloodâ€lymph (ascitic fluid) barrier to macromolecules in decompensated cirrhosis: relation to calculated poreâ€size. Clinical Physiology, 1983, 3, 163-171.	0.7	16
46	Plasmaâ€toâ€ascitic fluid transport rate of albumin in patients with decompensated cirrhosis. Relation to intraperitoneal albumin. Clinical Physiology, 1983, 3, 423-431.	0.7	6
47	Decreased renal function in cirrhosis–an adaptive response?. Clinical Physiology, 1981, 1, 131-138.	0.7	6
48	Intraperitoneal fluid pressure in patients with cirrhosis of the liver and in control subjects. Clinical Physiology, 1981, 1, 167-174.	0.7	2
49	Noradrenaline and adrenaline concentrations in various vascular beds in patients with cirrhosis Relation to haemodynamics Clinical Physiology, 1981, 1, 293-304.	0.7	88
50	Proteinâ€kinetic and haemodynamic studies in patients with liver cirrhosis. Evidence of a lymphâ€imbalance theory of ascites formation. Clinical Physiology, 1981, 1, 565-578.	0.7	22
51	PLASMA NORADRENALINE IN PATIENTS WITH LIVER CIRRHOSIS IN RELATION TO ASCITES AND TREATMENT. Clinical Physiology, 1981, 1, 66-70.	0.7	20
52	THE ROLE OF INCREASED SYMPATHETIC NERVOUS ACTIVITY FOR THE REDUCED RENAL BLOOD FLOW IN PATIENTS WITH CIRRHOSIS. Clinical Physiology, 1981, 1, 71-75.	0.7	1
53	Increased extravasation and lymphatic return rate of albumin during diuretic treatment of ascites in patients with liver cirrhosis. Scandinavian Journal of Clinical and Laboratory Investigation, 1981, 41, 589-599.	0.6	12
54	The effect of ascitic fluid hydrostatic pressure on albumin extravasation rate in patients with cirrhosis of the liver. Scandinavian Journal of Clinical and Laboratory Investigation, 1981, 41, 601-609.	0.6	14

#	Article	IF	CITATIONS
55	Increased transvascular escape rate of albumin during experimental portal and hepatic venous hypertension in the pig. Relation to findings in patients with cirrhosis of the liver. Scandinavian Journal of Clinical and Laboratory Investigation, 1981, 41, 289-299.	0.6	24
56	Increased transvascular escape rate of albumin during experimental portal and hepatic venous hypertension in the pig. Relation to findings in patients with cirrhosis of the liver. Scandinavian Journal of Clinical and Laboratory Investigation, 1981, 41, 289-299.	0.6	4
57	Over-estimation of glomerular filtration rate by single injection [⁵¹ Cr]EDTA plasma clearance determination in patients with ascites. Scandinavian Journal of Clinical and Laboratory Investigation, 1980, 40, 279-284.	0.6	49
58	Increased plasma noradrenaline concentration in patients with chronic obstructive lung disease: Relation to haemodynamics and blood gases. Scandinavian Journal of Clinical and Laboratory Investigation, 1980, 40, 419-427.	0.6	48
59	Intraperitoneal pressure: ascitic fluid and splanchnic vascular pressures, and their role in prevention and formation of ascites. Scandinavian Journal of Clinical and Laboratory Investigation, 1980, 40, 493-501.	0.6	45
60	Variability of hydrostatic hepatic vein and ascitic fluid pressure, and of plasma and ascitic fluid colloid osmotic pressure in patients with liver cirrhosis. Scandinavian Journal of Clinical and Laboratory Investigation, 1980, 40, 515-522.	0.6	36
61	Filtration as the main transport mechanism of protein exchange between plasma and the peritoneal cavity in hepatic cirrhosis. Scandinavian Journal of Clinical and Laboratory Investigation, 1980, 40, 503-513.	0.6	55
62	Filtration as the main mechanism of increased protein extravasation in liver cirrhosis. Scandinavian Journal of Clinical and Laboratory Investigation, 1980, 40, 121-128.	0.6	24
63	Cimetidine Treatment of Protein-losing Gastropathy (Ménétrier's Disease). Scandinavian Journal of Gastroenterology, 1978, 13, 635-639.	0.6	20
64	Transvascular Escape Rate of Albumin in Liver Cirrhosis, and its Possible Role in Formation of Ascites. Scandinavian Journal of Gastroenterology, 1977, 12, 877-884.	0.6	32