

Feng Chen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9479587/feng-chen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

801
citations

15
h-index

26
g-index

63
ext. papers

1,044
ext. citations

3.7
avg. IF

4.1
L-index

#	Paper	IF	Citations
59	Caffeine Therapy for Apnea of Prematurity: Role of the Circadian Gene Polymorphism.. <i>Frontiers in Pharmacology</i> , 2021 , 12, 724145	5.6	0
58	The Mechanism, Clinical Efficacy, Safety, and Dosage Regimen of Atomoxetine for ADHD Therapy in Children: A Narrative Review.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 780921	5	0
57	Switching Between LC-ESI-MS/MS and EMIT Methods for Routine TDM of Valproic Acid in Pediatric Patients With Epilepsy: What Clinicians and Researchers Need to Know. <i>Frontiers in Pharmacology</i> , 2021 , 12, 750744	5.6	
56	Self-Assembling Porphyrins as a Single Therapeutic Agent for Synergistic Cancer Therapy: A One Stone Three Birds Strategy. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 27856-27867	9.5	10
55	CaMKII and Ca _v 3.2 T-type calcium channel mediate Connexin-43-dependent inflammation by activating astrocytes in vincristine-induced neuropathic pain. <i>Cell Biology and Toxicology</i> , 2021 , 1	7.4	2
54	Caffeine for the Pharmacological Treatment of Apnea of Prematurity in the NICU: Dose Selection Conundrum, Therapeutic Drug Monitoring and Genetic Factors. <i>Frontiers in Pharmacology</i> , 2021 , 12, 681842	5.6	2
53	Therapy for Apnoea of Prematurity: A Retrospective Study on Effects of Standard Dose and Genetic Variability on Clinical Response to Caffeine Citrate in Chinese Preterm Infants. <i>Advances in Therapy</i> , 2021 , 38, 607-626	4.1	6
52	Determination of atomoxetine levels in human plasma using LC-MS/MS and clinical application to Chinese children with ADHD based on CPIC guidelines. <i>Analytical Methods</i> , 2021 , 13, 2434-2441	3.2	1
51	Dose tailoring of tacrolimus based on a non-linear pharmacokinetic model in children with refractory nephrotic syndrome. <i>International Immunopharmacology</i> , 2021 , 98, 107827	5.8	0
50	Theranostics of atherosclerosis by the indole molecule-templated self-assembly of probucol nanoparticles. <i>Journal of Materials Chemistry B</i> , 2021 , 9, 4134-4142	7.3	2
49	Adipose tissue-derived stem cells in breast reconstruction: a brief review on biology and translation. <i>Stem Cell Research and Therapy</i> , 2021 , 12, 8	8.3	7
48	Vincristine-Induced Peripheral Neuropathy in Childhood Acute Lymphoblastic Leukemia: Genetic Variation as a Potential Risk Factor.. <i>Frontiers in Pharmacology</i> , 2021 , 12, 771487	5.6	2
47	Tacrolimus treatment in childhood refractory nephrotic syndrome: A retrospective study on efficacy, therapeutic drug monitoring, and contributing factors to variable blood tacrolimus levels. <i>International Immunopharmacology</i> , 2020 , 81, 106290	5.8	3
46	Vincristine-induced peripheral neuropathy: A mini-review. <i>NeuroToxicology</i> , 2020 , 81, 161-171	4.4	13
45	Valproic acid therapy decreases serum 25-hydroxyvitamin D level in female infants and toddlers with epilepsy- a pilot longitudinal study. <i>Journal of Biomedical Research</i> , 2020 , 35, 61-67	1.5	2
44	Genetic and Non-genetic Factors Contributing to the Significant Variation in the Plasma Trough Concentration-to-Dose Ratio of Valproic Acid in Children With Epilepsy. <i>Frontiers in Pediatrics</i> , 2020 , 8, 599044	3.4	1
43	Valproate decreases vitamin D levels in pediatric patients with epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019 , 71, 60-65	3.2	10

42	Transdermal permeability of triamcinolone acetonide lipid nanoparticles. <i>International Journal of Nanomedicine</i> , 2019 , 14, 2485-2495	7.3	4
41	Tissue Distribution of Active Principles from <i>Alpinia Oxyphyllae</i> Fructus Extract: An Experimental Study in Rats. <i>Current Pharmaceutical Analysis</i> , 2019 , 15, 286-293	0.6	5
40	A Palladium-Catalyzed Decarboxylative Heck-Type Reaction of Disubstituted Vinylphosphonates in the Stereoselective Synthesis of Trisubstituted Vinylphosphonates. <i>European Journal of Organic Chemistry</i> , 2019 , 2019, 5656-5661	3.2	7
39	Valproic Acid and the Liver Injury in Patients with Epilepsy: An Update. <i>Current Pharmaceutical Design</i> , 2019 , 25, 343-351	3.3	22
38	Potential Pharmacokinetic Herb-Drug Interactions: Have we Overlooked the Importance of Human Carboxylesterases 1 and 2?. <i>Current Drug Metabolism</i> , 2019 , 20, 130-137	3.5	13
37	Diltiazem used as a tacrolimus-sparing agent for treatment of pediatric patients with refractory nephrotic syndrome: a case report and retrospective analysis. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 591-593	2.8	5
36	Clinical implications of genetic variation in carboxylesterase drug metabolism. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2018 , 14, 131-142	5.5	11
35	A new diarylheptanoid from <i>Alpinia officinarum</i> promotes the differentiation of 3T3-L1 preadipocytes. <i>Natural Product Research</i> , 2018 , 32, 529-535	2.3	5
34	Development and validation of an LC-MS/MS method for the determination of DPHB in rat plasma and its application in pharmacokinetic studies. <i>Biomedical Chromatography</i> , 2018 , 32, e4373	1.7	2
33	Individualized Tacrolimus Therapy for Pediatric Nephrotic Syndrome: Considerations for Ontogeny and Pharmacogenetics of CYP3A. <i>Current Pharmaceutical Design</i> , 2018 , 24, 2765-2773	3.3	12
32	Effects and possible mechanisms of <i>Alpinia officinarum</i> ethanol extract on indomethacin-induced gastric injury in rats. <i>Pharmaceutical Biology</i> , 2018 , 56, 294-301	3.8	13
31	Simultaneous assay of multiple antibiotics in human plasma by LC-MS/MS: importance of optimizing formic acid concentration. <i>Bioanalysis</i> , 2017 , 9, 469-483	2.1	11
30	Roots against Cardiovascular Disease: Consideration of Herb-Drug Interactions. <i>BioMed Research International</i> , 2017 , 2017, 9868694	3	18
29	Comparison of caffeine disposition following administration by oral solution (energy drink) and inspired powder (AeroShot) in human subjects. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 2687-2694	2.8	10
28	Measurement of caffeine and its three primary metabolites in human plasma by HPLC-ESI-MS/MS and clinical application. <i>Biomedical Chromatography</i> , 2017 , 31, e3900	1.7	17
27	Targeting Obesity for the Prevention of Chronic Cardiovascular Disease Through Gut Microbiota-Herb Interactions: An Opportunity for Traditional Herbs. <i>Current Pharmaceutical Design</i> , 2017 , 23, 1142-1152	3.3	5
26	A Physiologically Based Pharmacokinetic Model of Amiodarone and its Metabolite Desethylamiodarone in Rats: Pooled Analysis of Published Data. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2016 , 41, 689-703	2.7	4
25	Could the gut microbiota reconcile the oral bioavailability conundrum of traditional herbs?. <i>Journal of Ethnopharmacology</i> , 2016 , 179, 253-64	5	102

24	Isolation and identification of two galangin metabolites from rat urine and determination of their in vitro hypolipidemic activity. <i>Tropical Journal of Pharmaceutical Research</i> , 2016 , 15, 1235	0.8	4
23	LC-MS/MS-based method for simultaneous quantification of known chemicals and metabolites of <i>Alpinia oxyphylla</i> Fructus extract in rat plasma and its application in a pharmacokinetic study. <i>Analytical Methods</i> , 2016 , 8, 2069-2081	3.2	10
22	Determination of Ehederin in rat plasma using liquid chromatography electrospray ionization tandem mass spectrometry (LC-ESI-MS/MS) and its application to a pharmacokinetic study. <i>Analytical Methods</i> , 2015 , 7, 2155-2161	3.2	4
21	Differential systemic exposure to galangin after oral and intravenous administration to rats. <i>Chemistry Central Journal</i> , 2015 , 9, 14		17
20	New 2-Benzoxazolinone Derivatives with Cytotoxic Activities from the Roots of <i>Acanthus ilicifolius</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2015 , 63, 1087-90	1.9	5
19	Simultaneous quantification of seventeen bioactive components in rhizome and aerial parts of <i>Alpinia officinarum</i> Hance using LC-MS/MS. <i>Analytical Methods</i> , 2015 , 7, 4919-4926	3.2	15
18	Thyroid hormone-dependent epigenetic suppression of herpes simplex virus-1 gene expression and viral replication in differentiated neuroendocrine cells. <i>Journal of the Neurological Sciences</i> , 2014 , 346, 164-73	3.2	16
17	A sensitive and cost-effective LC-ESI-MS/MS method for quantitation of euscaphic acid in rat plasma using optimized formic acid concentration in the mobile phase. <i>Analytical Methods</i> , 2014 , 6, 8713-8721	3.2	11
16	Identification of known chemicals and their metabolites from <i>Alpinia oxyphylla</i> fruit extract in rat plasma using liquid chromatography/tandem mass spectrometry (LC-MS/MS) with selected reaction monitoring. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 97, 166-77	3.5	21
15	Different accumulation profiles of multiple components between pericarp and seed of <i>Alpinia oxyphylla</i> capsular fruit as determined by UFLC-MS/MS. <i>Molecules</i> , 2014 , 19, 4510-23	4.8	25
14	Izalpinin from fruits of <i>Alpinia oxyphylla</i> with antagonistic activity against the rat bladder contractility. <i>Tropical Journal of Obstetrics and Gynaecology</i> , 2014 , 11, 120-5	0.3	8
13	Construction and Characterization of Recombinant HSV-1 Expressing Early Growth Response-1. <i>ISRN Virology</i> , 2014 , 2014,		4
12	Validated method to measure yakuchinone A in plasma by LC-MS/MS and its application to a pharmacokinetic study in rats. <i>Chemistry Central Journal</i> , 2014 , 8, 2		7
11	A Novel Thyroid Hormone Mediated Regulation of HSV-1 Gene Expression and Replication is Specific to Neuronal Cells and Associated with Disruption of Chromatin Condensation. <i>SOJ Pharmacy & Pharmaceutical Sciences</i> , 2014 , 1,		5
10	Are circulating metabolites important in pharmacokinetic drug-drug interactions? A retroanalysis of clinical data. <i>Current Drug Metabolism</i> , 2014 , 15, 767-90	3.5	6
9	Anti-diarrheal constituents of <i>Alpinia oxyphylla</i> . <i>Fitoterapia</i> , 2013 , 89, 149-56	3.2	25
8	Analysis of nine compounds from <i>Alpinia oxyphylla</i> fruit at different harvest time using UFLC-MS/MS and an extraction method optimized by orthogonal design. <i>Chemistry Central Journal</i> , 2013 , 7, 134		25
7	Quantitative analysis of the major constituents in Chinese medicinal preparation SuoQuan formulae by ultra fast high performance liquid chromatography/quadrupole tandem mass spectrometry. <i>Chemistry Central Journal</i> , 2013 , 7, 131		19

6	LC-MS/MS determination of bakkenolide D in rats plasma and its application in pharmacokinetic studies. <i>Biomedical Chromatography</i> , 2013 , 27, 1200-7	1.7	3
5	Systemic and cerebral exposure to and pharmacokinetics of flavonols and terpene lactones after dosing standardized Ginkgo biloba leaf extracts to rats via different routes of administration. <i>British Journal of Pharmacology</i> , 2013 , 170, 440-57	8.6	54
4	Determination of bakkenolide A in rat plasma using liquid chromatography/tandem mass spectrometry and its application to a pharmacokinetic study. <i>Journal of Mass Spectrometry</i> , 2012 , 47, 962-8	2.2	3
3	Strategies for improving the quantitative bioanalytical performance of LC-MS in pharmacokinetic studies. <i>Current Drug Metabolism</i> , 2012 , 13, 1206-12	3.5	10
2	Absorption, disposition, and pharmacokinetics of saponins from Chinese medicinal herbs: what do we know and what do we need to know more?. <i>Current Drug Metabolism</i> , 2012 , 13, 577-98	3.5	108
1	Nootkatone is a repellent for Formosan subterranean termite (<i>Coptotermes formosanus</i>). <i>Journal of Chemical Ecology</i> , 2001 , 27, 523-31	2.7	69