Tsutomu Ota

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9479807/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The trace element composition of chondrule constituents: Implications for sample return methodologies and the chondrule silicate reservoir. Meteoritics and Planetary Science, 2022, 57, 429-449.	1.6	0
2	Magmatic-hydrothermal processes of the Laojunshan metamorphic massif in Southeastern Asia: Evidence from chemical and B-isotopic variations of deformed tourmalines. Lithos, 2022, 412-413, 106609.	1.4	0
3	Lithium in garnet as a tracer of subduction zone metamorphic reactions: The record in ultrahigh-pressure metapelites at Lago di Cignana, Italy. , 2022, 18, 1020-1029.		4
4	On the origin and evolution of the asteroid Ryugu: A comprehensive geochemical perspective. Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 2022, 98, 227-282.	3.8	77
5	Elements for the Origin of Life on Land: A Deep-Time Perspective from the Pilbara Craton of Western Australia. Astrobiology, 2021, 21, 39-59.	3.0	35
6	Mineralogical alterations in calcite powder flooded with MgCl2 to study Enhanced Oil Recovery (EOR) mechanisms at pore scale. Microporous and Mesoporous Materials, 2020, 304, 109402.	4.4	3
7	Boron Isotopes in the Puga Geothermal System, India, and Their Implications for the Habitat of Early Life. Astrobiology, 2019, 19, 1459-1473.	3.0	15
8	Tourmaline in a Mesoarchean pelagic hydrothermal system: Implications for the habitat of early life. Precambrian Research, 2019, 334, 105475.	2.7	6
9	Hypervelocity collision and water-rock interaction in space preserved in the Chelyabinsk ordinary chondrite. Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 2019, 95, 165-177.	3.8	7
10	Lithium- and oxygen-isotope compositions of chondrule constituents in the Allende meteorite. Geochimica Et Cosmochimica Acta, 2019, 252, 107-125.	3.9	7
11	Circa 1 Ga sub-seafloor hydrothermal alteration imprinted on the Horoman peridotite massif. Scientific Reports, 2018, 8, 9887.	3.3	4
12	In–situ U–Pb zircon age dating deciphering the formation event of the omphacite growth over relict edenitic pargasite in omphacite–bearing jadeitite of the Itoigawa–Omi area of the Hida–Gaien belt, central Japan. Journal of Mineralogical and Petrological Sciences, 2017, 112, 256-270.	0.9	13
13	Maruyamaite, K(MgAl ₂)(Al ₅ Mg)Si ₆ O ₁₈ (BO ₃) ₃ a potassium-dominant tourmaline from the ultrahigh-pressure Kokchetav massif, northern Kazakhetan: Description and crystal structure. American Mineralogist, 2016, 101, 355-361	(OH),sub∶	>30,
14	Supervolcano eruptions driven by melt buoyancy in large silicic magma chambers. Nature Geoscience, 2014, 7, 122-125.	12.9	102
15	Ion microprobe U–Th–Pb geochronology and study of micro-inclusions in zircon from the Himalayan high- and ultrahigh-pressure eclogites, Kaghan Valley of Pakistan. Journal of Asian Earth Sciences, 2013, 63, 179-196.	2.3	28
16	Space environment of an asteroid preserved on micrograins returned by the Hayabusa spacecraft. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, E624-9.	7.1	97
17	Intra-oceanic island arc origin for Iratsu eclogites of the Sanbagawa belt, central Shikoku, southwest Japan. Chemical Geology, 2011, 280, 97-114.	3.3	38
18	Ophiolites in the Non-volcanic Banda Outer Arc of East Indonesia: Field Occurrence and Petrological Variety of the World's Youngest Ophiolite. Journal of Geography (Chigaku Zasshi), 2011, 120, 52-64.	0.3	4

Тѕитоми Ота

#	Article	IF	CITATIONS
19	In situ ion-microprobe determination of trace element partition coefficients for hornblende, plagioclase, orthopyroxene, and apatite in equilibrium with natural rhyolitic glass, Little Glass Mountain Rhyolite, California. American Mineralogist, 2011, 96, 1838-1850.	1.9	29
20	World's youngest blueschist belt from Leti Island in the non-volcanic Banda outer arc of Eastern Indonesia. Gondwana Research, 2010, 18, 189-204.	6.0	29
21	Blueschists, eclogites, and subduction zone tectonics: Insights from a review of Late Miocene blueschists and eclogites, and related young high-pressure metamorphic rocks. Gondwana Research, 2010, 18, 167-188.	6.0	56
22	Transitional time of oceanic to continental subduction in the Dabie orogen: Constraints from U–Pb, Lu–Hf, Sm–Nd and Ar–Ar multichronometric dating. Lithos, 2009, 110, 327-342.	1.4	82
23	Are the Taitao granites formed due to subduction of the Chile ridge?. Lithos, 2009, 113, 246-258.	1.4	46
24	A geochemical and Sr–Nd isotopic study of the Vendian greenstones from Gorny Altai, southern Siberia: Implications for the tectonic setting of the formation of greenstones and the role of oceanic plateaus in accretionary orogen. Lithos, 2009, 113, 437-453.	1.4	28
25	Preserved paleo-oceanic plateaus in accretionary complexes: Implications for the contributions of the Pacific superplume to global environmental change. Gondwana Research, 2008, 14, 115-125.	6.0	28
26	Neoproterozoic basalts of the Paleo-Asian Ocean (Kurai accretionary zone, Gorny Altai, Russia): geochemistry, petrogenesis, and geodynamics. Russian Geology and Geophysics, 2008, 49, 254-271.	0.7	69
27	Boron cycling by subducted lithosphere; insights from diamondiferous tourmaline from the Kokchetav ultrahigh-pressure metamorphic belt. Geochimica Et Cosmochimica Acta, 2008, 72, 3531-3541.	3.9	40
28	Geology of the Gorny Altai subduction–accretion complex, southern Siberia: Tectonic evolution of an Ediacaran–Cambrian intra-oceanic arc-trench system. Journal of Asian Earth Sciences, 2007, 30, 666-695.	2.3	74
29	Paleocurrent patterns of the sedimentary sequence of the Taitao ophiolite constrained by anisotropy of magnetic susceptibility and paleomagnetic analyses. Sedimentary Geology, 2007, 201, 446-460.	2.1	29
30	Multiple generations of forearc mafic–ultramafic rocks in the Timor–Tanimbar ophiolite, eastern Indonesia. Gondwana Research, 2007, 11, 200-217.	6.0	41
31	On-going orogeny in the outer-arc of the Timor–Tanimbar region, eastern Indonesia. Gondwana Research, 2007, 11, 218-233.	6.0	63
32	Progressive metamorphism of the Taitao ophiolite; evidence for axial and off-axis hydrothermal alterations. Lithos, 2007, 98, 233-260.	1.4	21
33	Tourmaline breakdown in a pelitic system: implications for boron cycling through subduction zones. Contributions To Mineralogy and Petrology, 2007, 155, 19-32.	3.1	36
34	History of the Pacific Superplume: Implications for Pacific Paleogeography Since the Late Proterozoic. , 2007, , 363-408.		19
35	Protolith sequence, accretionary process, tectonometamorphism and fluid-rock interaction of Kamuikotan high-P/T metamorphosed accretionary complex, central Hokkaido, Japan. Journal of the Geological Society of Japan, 2007, 113, S103-S118.	0.6	3
36	Accretionary Complex Origin of the Mafic-Ultramafic Bodies of the Sanbagawa Belt, Central Shikoku, Japan. International Geology Review, 2005, 47, 1058-1073.	2.1	52

Тѕитоми Ота

#	Article	IF	CITATIONS
37	Thermobaric structure and metamorphic evolution of the Iratsu eclogite body in the Sanbagawa belt, central Shikoku, Japan. Lithos, 2004, 73, 95-126.	1.4	122
38	P–T history of garnet-websterites in the Sharyzhalgai complex, southwestern margin of Siberian craton: evidence for Paleoproterozoic high-pressure metamorphism. Precambrian Research, 2004, 132, 327-348.	2.7	26
39	The oldest mid-oceanic carbonate buildup complex: Setting and lithofacies of the Vendian (Late) Tj ETQq1 1 0.78 Academy Series B: Physical and Biological Sciences, 2004, 80, 422-428.	4314 rgB 3.8	7 /Overlock 33
40	Paleo-plateau/-seamount Limestone of the Cambrian Accretionary Complex in the Gorny Altai Mountains, Southern Siberia. Journal of Geography (Chigaku Zasshi), 2003, 112, 563-585.	0.3	2
41	Contact Metamorphism of the Daulet Suite by Solid-State Emplacement of the Kokchetav UHP-HP Metamorphic Slab. International Geology Review, 2002, 44, 819-830.	2.1	14
42	Metamorphic Evolution of Late Precambrian Eclogites and Associated Metabasites, Gorny Altai, Southern Russia. International Geology Review, 2002, 44, 837-858.	2.1	15
43	Metamorphic Petrology of Garnet Pyroxenite and Associated Gneiss from the Early Proterozoic Sharyzhalgai Block in the Southwestern Margin of Siberian Craton. Gondwana Research, 2001, 4, 723-724.	6.0	0
44	Geology of the Kokchetav UHP-HP metamorphic belt, Northern Kazakhstan. Island Arc, 2000, 9, 264-283.	1.1	99
45	Thermobaric structure of the Kokchetav ultrahigh-pressure-high-pressure massif deduced from a north-south transect in the Kulet and Saldat-Kol regions, northern Kazakhstan. Island Arc, 2000, 9, 328-357.	1.1	56
46	Modes of occurrence of sodic amphibole from the Kamuikotan metabasites, west of Asahikawa, central Hokkaido and the metamorphic history Journal of Mineralogy, Petrology and Economic Geology, 1997, 92, 103-123.	0.1	4
47	Metamorphic evolution of the Kamuikotan high-pressure and low-temperature metamorphic rocks in central Hokkaido, Japan. Journal of Geophysical Research, 1994, 99, 22221-22235.	3.3	42
48	K-Ar ages of the Kamuikotan metamorphic rocks in Hokkaido, Japan Journal of the Geological Society of Japan, 1993, 99, 335-345.	0.6	22
49	Studies on the Hydrodesulfurization Catalyst of Residual Fuels (Part 6). Bulletin of the Japan Petroleum Institute, 1972, 14, 7-17.	0.1	1
50	Study on the Hydrodesulfurization Catalyst of Residual Fuel (Part 1). Bulletin of the Japan Petroleum Institute, 1971, 13, 3-10.	0.1	4
51	Concentration of meteoritic free organic matter by fluid transport and adsorption. Geochemical Perspectives Letters, 0, , 30-35.	5.0	6