
Annalisa Cutrignelli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/94814/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Magnetic implants in vivo guiding sorafenib liver delivery by superparamagnetic solid lipid nanoparticles. Journal of Colloid and Interface Science, 2022, 608, 239-254.	5.0	17
2	Direct cyclodextrin-based powder extrusion 3D printing for one-step production of the BCS class II model drug niclosamide. Drug Delivery and Translational Research, 2022, 12, 1895-1910.	3.0	26
3	Chitosan/sulfobutylether-β-cyclodextrin based nanoparticles coated with thiolated hyaluronic acid for indomethacin ophthalmic delivery. International Journal of Pharmaceutics, 2022, 622, 121905.	2.6	14
4	Preparation of cetyl palmitate-based PEGylated solid lipid nanoparticles by microfluidic technique. Acta Biomaterialia, 2021, 121, 566-578.	4.1	59
5	From oil to microparticulate by prilling technique: Production of polynucleate alginate beads loading Serenoa Repens oil as intestinal delivery systems. International Journal of Pharmaceutics, 2021, 599, 120412.	2.6	3
6	Spray-dried mucoadhesive microparticles based on S-protected thiolated hydroxypropyl-β-cyclodextrin for budesonide nasal delivery. International Journal of Pharmaceutics, 2021, 603, 120728.	2.6	23
7	Development of purified glycogen derivatives as siRNA nanovectors. International Journal of Pharmaceutics, 2021, 608, 121128.	2.6	2
8	Microfluidic preparation and in vitro evaluation of iRGD-functionalized solid lipid nanoparticles for targeted delivery of paclitaxel to tumor cells. International Journal of Pharmaceutics, 2021, 610, 121246.	2.6	23
9	Î ² -Dystroglycan Restoration and Pathology Progression in the Dystrophic mdx Mouse: Outcome and Implication of a Clinically Oriented Study with a Novel Oral Dasatinib Formulation. Biomolecules, 2021, 11, 1742.	1.8	13
10	Radiosynthesis and characterization of [18F]BS224: a next-generation TSPO PET ligand insensitive to the rs6971 polymorphism. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 49, 110-124.	3.3	13
11	Taste masking of propranolol hydrochloride by microbeads of EUDRAGIT® E PO obtained with prilling technique for paediatric oral administration. International Journal of Pharmaceutics, 2020, 574, 118922.	2.6	23
12	Effectiveness of a Controlled 5-FU Delivery Based on FZD10 Antibody-Conjugated Liposomes in Colorectal Cancer In vitro Models. Pharmaceutics, 2020, 12, 650.	2.0	21
13	Hydroxy-Propil-β-Cyclodextrin Inclusion Complexes of two Biphenylnicotinamide Derivatives: Formulation and Anti-Proliferative Activity Evaluation in Pancreatic Cancer Cell Models. International Journal of Molecular Sciences, 2020, 21, 6545.	1.8	4
14	Induced expression of P-gp and BCRP transporters on brain endothelial cells using transferrin functionalized nanostructured lipid carriers: A first step of a potential strategy for the treatment of Alzheimer's disease. International Journal of Pharmaceutics, 2020, 591, 120011.	2.6	28
15	The hydroxypropylâ€î²â€cyclodextrinâ€minoxidil inclusion complex improves the cardiovascular and proliferative adverse effects of minoxidil in male rats: Implications in the treatment of alopecia. Pharmacology Research and Perspectives, 2020, 8, e00585.	1.1	6
16	PEGylated solid lipid nanoparticles for brain delivery of lipophilic kiteplatin Pt(IV) prodrugs: An in vitro study. International Journal of Pharmaceutics, 2020, 583, 119351.	2.6	45
17	Reproducibility warning: The curious case of polyethylene glycol 6000 and spheroid cell culture. PLoS ONE, 2020, 15, e0224002.	1.1	4
18	Bcr-Abl Tyrosine Kinase Inhibitors in the Treatment of Pediatric CML. International Journal of Molecular Sciences, 2020, 21, 4469.	1.8	19

#	Article	IF	CITATIONS
19	Stability data of extemporaneous suspensions of hydroxychloroquine sulphate in oral liquid bases after tablet manipulation. Data in Brief, 2020, 33, 106575.	0.5	1
20	Imaging modification of colon carcinoma cells exposed to lipid based nanovectors for drug delivery: a scanning electron microscopy investigation. RSC Advances, 2019, 9, 21810-21825.	1.7	11
21	Thiolated hydroxypropyl-β-cyclodextrin as mucoadhesive excipient for oral delivery of budesonide in liquid paediatric formulation. International Journal of Pharmaceutics, 2019, 572, 118820.	2.6	30
22	Dasatinib/HP-β-CD Inclusion Complex Based Aqueous Formulation as a Promising Tool for the Treatment of Paediatric Neuromuscular Disorders. International Journal of Molecular Sciences, 2019, 20, 591.	1.8	20
23	Unveiling the Efficacy, Safety, and Tolerability of Anti-Interleukin-1 Treatment in Monogenic and Multifactorial Autoinflammatory Diseases. International Journal of Molecular Sciences, 2019, 20, 1898.	1.8	60
24	Pharmaceutical preformulation studies and paediatric oral formulations of sodium dichloroacetate. European Journal of Pharmaceutical Sciences, 2019, 127, 339-350.	1.9	10
25	Alginate-Based Hydrogel Containing Minoxidil/Hydroxypropyl-β-Cyclodextrin Inclusion Complex for Topical Alopecia Treatment. Journal of Pharmaceutical Sciences, 2018, 107, 1046-1054.	1.6	26
26	Characterization of minoxidil/hydroxypropyl-β-cyclodextrin inclusion complex in aqueous alginate gel useful for alopecia management: Efficacy evaluation in male rat. European Journal of Pharmaceutics and Biopharmaceutics, 2018, 122, 146-157.	2.0	25
27	S-preactivated thiolated glycol chitosan useful to combine mucoadhesion and drug delivery. European Journal of Pharmaceutics and Biopharmaceutics, 2018, 132, 103-111.	2.0	38
28	Delivery of Proapoptotic Agents in Glioma Cell Lines by TSPO Ligand–Dextran Nanogels. International Journal of Molecular Sciences, 2018, 19, 1155.	1.8	18
29	Transferrin Functionalized Liposomes Loading Dopamine HCl: Development and Permeability Studies across an In Vitro Model of Human Blood–Brain Barrier. Nanomaterials, 2018, 8, 178.	1.9	55
30	Natural dendrimers: Synthesis and in vitro characterization of glycogen-cysteamine conjugates. European Journal of Pharmaceutics and Biopharmaceutics, 2017, 115, 168-176.	2.0	18
31	Sorafenib delivery nanoplatform based on superparamagnetic iron oxide nanoparticles magnetically targets hepatocellular carcinoma. Nano Research, 2017, 10, 2431-2448.	5.8	54
32	Preactivated thiolated glycogen as mucoadhesive polymer for drug delivery. European Journal of Pharmaceutics and Biopharmaceutics, 2017, 119, 161-169.	2.0	45
33	Targeting human liver cancer cells with lactobionic acid-G(4)-PAMAM-FITC sorafenib loaded dendrimers. International Journal of Pharmaceutics, 2017, 528, 485-497.	2.6	57
34	Bridging Pharmaceutical Chemistry with Drug and Nanoparticle Targeting to Investigate the Role of the 18â€kDa Translocator Protein TSPO. ChemMedChem, 2017, 12, 1261-1274.	1.6	15
35	Oxazepam–Dopamine Conjugates Increase Dopamine Delivery into Striatum of Intact Rats. Molecular Pharmaceutics, 2017, 14, 3178-3187.	2.3	16
36	A histochemical approach to glycan diversity in the urothelium of pig urinary bladder. Microscopy Research and Technique, 2017, 80, 239-249.	1.2	11

ANNALISA CUTRIGNELLI

#	Article	IF	CITATIONS
37	Pharmaceutical development of novel lactate-based 6-fluoro-l-DOPA formulations. European Journal of Pharmaceutical Sciences, 2017, 99, 361-368.	1.9	6
38	TSPO Ligand-Methotrexate Prodrug Conjugates: Design, Synthesis, and Biological Evaluation. International Journal of Molecular Sciences, 2016, 17, 967.	1.8	7
39	Synthesis and Evaluation of Tricarbonyl 99mTc-Labeled 2-(4-Chloro)phenyl-imidazo[1,2-a]pyridine Analogs as Novel SPECT Imaging Radiotracer for TSPO-Rich Cancer. International Journal of Molecular Sciences, 2016, 17, 1085.	1.8	14
40	A Novel PET Imaging Probe for the Detection and Monitoring of Translocator Protein 18 kDa Expression in Pathological Disorders. Scientific Reports, 2016, 6, 20422.	1.6	44
41	Encapsulation of lipophilic kiteplatin Pt(<scp>iv</scp>) prodrugs in PLGA-PEG micelles. Dalton Transactions, 2016, 45, 13070-13081.	1.6	27
42	Spray-dried mucoadhesives for intravesical drug delivery using N-acetylcysteine- and glutathione-glycol chitosan conjugates. Acta Biomaterialia, 2016, 43, 170-184.	4.1	54
43	Spray Dried Chitosan Microparticles for Intravesical Delivery of Celecoxib: Preparation and Characterization. Pharmaceutical Research, 2016, 33, 2195-2208.	1.7	32
44	2-Phenylimidazo[1,2-a]pyridine-containing ligands of the 18-kDa translocator protein (TSPO) behave as agonists and antagonists of steroidogenesis in a mouse leydig tumor cell line. European Journal of Pharmaceutical Sciences, 2015, 76, 231-237.	1.9	17
45	New ethanol and propylene glycol free gel formulations containing a minoxidil-methyl- l² -cyclodextrin complex as promising tools for alopecia treatment. Drug Development and Industrial Pharmacy, 2015, 41, 728-736.	0.9	25
46	Characterization and Release Studies of Liposomal Gels Containing Glutathione/Cyclodextrins Complexes Potentially Useful for Cutaneous Administration. Journal of Pharmaceutical Sciences, 2014, 103, 1246-1254.	1.6	8
47	A New Complex of Curcumin with Sulfobutylether-β-Cyclodextrin: Characterization Studies and In Vitro Evaluation of Cytotoxic and Antioxidant Activity on HepG-2 Cells. Journal of Pharmaceutical Sciences, 2014, 103, 3932-3940.	1.6	42
48	Translocator Protein Ligand–PLGA Conjugated Nanoparticles for 5-Fluorouracil Delivery to Glioma Cancer Cells. Molecular Pharmaceutics, 2014, 11, 859-871.	2.3	50
49	Synthesis, Characterization, and in Vitro Evaluation of a New TSPO-Selective Bifunctional Chelate Ligand. ACS Medicinal Chemistry Letters, 2014, 5, 685-689.	1.3	21
50	In vitro targeting and imaging the translocator protein TSPO 18-kDa through G(4)-PAMAM–FITC labeled dendrimer. Journal of Controlled Release, 2013, 172, 1111-1125.	4.8	52
51	Griseofulvin/Carrier Blends: Application of Partial Least Squares (PLS) Regression Analysis for Estimating the Factors Affecting the Dissolution Efficiency. AAPS PharmSciTech, 2011, 12, 1019-1030.	1.5	8
52	The use of Eudragit® RS 100/cyclodextrin nanoparticles for the transmucosal administration of glutathione. European Journal of Pharmaceutics and Biopharmaceutics, 2009, 72, 509-520.	2.0	65
53	Frog intestinal sac as an in vitro method for the assessment of intestinal permeability in humans: Application to carrier transported drugs. International Journal of Pharmaceutics, 2008, 352, 182-188.	2.6	10
54	Relationship between dissolution efficiency of Oxazepam/carrier blends and drug and carrier molecular descriptors using multivariate regression analysis. International Journal of Pharmaceutics, 2008, 358, 60-68.	2.6	13

#	Article	IF	CITATIONS
55	Comparative effects of some hydrophilic excipients on the rate of gabapentin and baclofen lactamization in lyophilized formulations. International Journal of Pharmaceutics, 2007, 332, 98-106.	2.6	18
56	Eudragit RS 100 microparticles containing 2-hydroxypropyl-β-cyclodextrin and glutathione: Physicochemical characterization, drug release and transport studies. European Journal of Pharmaceutical Sciences, 2007, 30, 64-74.	1.9	61
57	Effect of cyclodextrins on physico-chemical and release properties of Eudragit RS 100 microparticles containing glutathione. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2007, 57, 425-432.	1.6	15