

Lucian Hritcu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/948211/lucian-hritcu-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95 papers	2,114 citations	25 h-index	42 g-index
115 ext. papers	2,545 ext. citations	4 avg, IF	5.08 L-index

#	Paper	IF	Citations
95	Therapeutic Molecular Targets of Cancer and Animal Models: Adequacy and Drawbacks 2022 , 1-13		
94	Neuroprotective and Antioxidant Enhancing Properties of Selective Extracts. <i>Molecules</i> , 2021 , 26,	4.8	2
93	Baicalein 5,6-Dimethyl Ether Prevents Memory Deficits in the Scopolamine Zebrafish Model by Regulating Cholinergic and Antioxidant Systems. <i>Plants</i> , 2021 , 10,	4.5	3
92	Effects of the Hydroethanolic Extract of L. on Scopolamine-Induced Memory Deficits in Zebrafish. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	1
91	Bay Leaf (L.) Incense Improved Scopolamine-Induced Amnesic Rats by Restoring Cholinergic Dysfunction and Brain Antioxidant Status. <i>Antioxidants</i> , 2021 , 10,	7.1	6
90	Anxiolytic, Promnesic, Anti-Acetylcholinesterase and Antioxidant Effects of Cotinine and 6-Hydroxy-L-Nicotine in Scopolamine-Induced Zebrafish () Model of Alzheimer's Disease. <i>Antioxidants</i> , 2021 , 10,	7.1	6
89	Conifer Essential Oils Reversed Amyloid Beta1-42 Action by Modulating BDNF and ARC Expression in The Rat Hippocampus. <i>CNS and Neurological Disorders - Drug Targets</i> , 2021 ,	2.6	2
88	Anxiolytic and Antidepressant-Like Effects of Aqueous Extract in the Scopolamine Rat Model. <i>Plants</i> , 2021 , 10,	4.5	1
87	Natural Antioxidants for the Prevention and Treatment of Cancer 2021 , 1-14		
86	Insights on the Inhibitory Power of Flavonoids on Tyrosinase Activity: A Survey from 2016 to 2021.. <i>Molecules</i> , 2021 , 26,	4.8	6
85	Optimization of Ultrasonic Extraction to Obtain Erinacine A and Polyphenols with Antioxidant Activity from the Fungal Biomass of. <i>Foods</i> , 2020 , 9,	4.9	7
84	Essential Oil Protects Zebrafish against Cognitive Dysfunction by Regulating Cholinergic and Antioxidants Systems. <i>Antioxidants</i> , 2020 , 9,	7.1	18
83	Cognitive Facilitation and Antioxidant Effects of an Essential Oil Mix on Scopolamine-Induced Amnesia in Rats: Molecular Modeling of In Vitro and In Vivo Approaches. <i>Molecules</i> , 2020 , 25,	4.8	11
82	Ameliorative Effects of Rhoifolin in Scopolamine-Induced Amnesic Zebrafish () Model. <i>Antioxidants</i> , 2020 , 9,	7.1	14
81	Essential Oil Improves Scopolamine-Induced Neurobehavioral Changes via Restoration of Cholinergic Function and Brain Antioxidant Status in Zebrafish (). <i>Antioxidants</i> , 2020 , 9,	7.1	20
80	(-)-Carveol, a Natural Compound, Improves -Amyloid-Peptide 1-42-Induced Memory Impairment and Oxidative Stress in the Rat Hippocampus. <i>BioMed Research International</i> , 2020 , 2020, 8082560	3	8
79	The Aqueous Extract from Leaves Protects Against 6-hydroxydopamine in Zebrafish: Understanding the Underlying Mechanism. <i>Antioxidants</i> , 2020 , 9,	7.1	11

78	Memory-Enhancing Effects of Essential Oil in an Alzheimer's Amyloid beta1-42 Rat Model: A Molecular and Behavioral Study. <i>Antioxidants</i> , 2020 , 9,	7.1	5
77	Cotinine and 6-Hydroxy-L-Nicotine Reverses Memory Deficits and Reduces Oxidative Stress in Aβ-Induced Rat Model of Alzheimer's Disease. <i>Antioxidants</i> , 2020 , 9,	7.1	7
76	Agathisflavone isolated from Schinus polygamus (Cav.) Cabrera leaves prevents scopolamine-induced memory impairment and brain oxidative stress in zebrafish (Danio rerio). <i>Phytomedicine</i> , 2019 , 58, 152889	6.5	22
75	6-Hydroxy-L-Nicotine and Memory Impairment 2019 , 165-172		1
74	Retraction notice to "Testosterone promotes anxiolytic-like behavior in gonadectomized male rats via blockade of the 5-HT1A receptors" [GCE Vol 254 (1 December 2017)14-21]. <i>General and Comparative Endocrinology</i> , 2019 , 274, 113	3	
73	Evaluation of anti-amnesic activity of essential oil on scopolamine-induced amnesia in rats: and approaches. <i>Heliyon</i> , 2019 , 5, e02223	3.6	1
72	Effect of Micotoxins Treatment on Oxidative Stress, Memory and Anxious Behavior in Zebrafish (Danio rerio). <i>Revista De Chimie (discontinued)</i> , 2019 , 70, 776-780	1.8	2
71	Pinus halepensis essential oil attenuates the toxic Alzheimer's amyloid beta (1-42)-induced memory impairment and oxidative stress in the rat hippocampus. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 112, 108673	7.5	35
70	Essential Oil Attenuates Scopolamine-Induced Memory Deficits via Cholinergic Modulation and Antioxidant Properties in a Zebrafish Model. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019 , 2019, 5256781	2.3	19
69	Tetraclinis articulata essential oil mitigates cognitive deficits and brain oxidative stress in an Alzheimer's disease amyloidosis model. <i>Phytomedicine</i> , 2019 , 56, 57-63	6.5	21
68	Ameliorative effects of Matricaria chamomilla L. hydroalcoholic extract on scopolamine-induced memory impairment in rats: A behavioral and molecular study. <i>Phytomedicine</i> , 2018 , 47, 113-120	6.5	15
67	Lactuca capensis reverses memory deficits in Aβ-42-induced an animal model of Alzheimer's disease. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 111-122	5.6	24
66	Chemical composition and antibacterial activity of essential oil of Tetraclinis articulata (Vahl) Masters branches of eastern Morocco. <i>Chemical and Biological Technologies in Agriculture</i> , 2018 , 5,	4.4	3
65	Antidepressant-Like Effect of Roprenolol in Aβ-amyloid-(25-35) Rat Model of Alzheimer's Disease with Altered Levels of Androgens. <i>Molecular Neurobiology</i> , 2017 , 54, 2611-2621	6.2	8
64	Cognitive-enhancing and antioxidant activities of the aqueous extract from Markhamia tomentosa (Benth.) K. Schum. stem bark in a rat model of scopolamine. <i>Behavioral and Brain Functions</i> , 2017 , 13, 5	4.1	17
63	Nicotine versus 6-hydroxy-L-nicotine against chlorisondamine induced memory impairment and oxidative stress in the rat hippocampus. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 86, 102-108	7.5	16
62	Testosterone promotes anxiolytic-like behavior in gonadectomized male rats via blockade of the 5-HT receptors. <i>General and Comparative Endocrinology</i> , 2017 , 254, 14-21	3	3
61	Lactuca sativa 2017 , 437-449		12

60	Antidepressant Flavonoids and Their Relationship with Oxidative Stress. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 5762172	6.7	54
59	Advanced Structure-activity Relationships Applied to Mentha spicata L. Subsp. spicata Essential Oil Compounds as AChE and NMDA Ligands, in Comparison with Donepezil, Galantamine and Memantine - New Approach in Brain Disorders Pharmacology. <i>CNS and Neurological Disorders - Drug Targets</i> , 2017 , 16, 800-811	2.6	11
58	Anthriscus nemorosa essential oil inhalation prevents memory impairment, anxiety and depression in scopolamine-treated rats. <i>Biomedicine and Pharmacotherapy</i> , 2016 , 84, 1313-1320	7.5	21
57	The Effects of Inhaled Pimpinella peregrina Essential Oil on Scopolamine-Induced Memory Impairment, Anxiety, and Depression in Laboratory Rats. <i>Molecular Neurobiology</i> , 2016 , 53, 6557-6567	6.2	45
56	Cognitive-enhancing activities of the polyprenol preparation Ropren [®] in gonadectomized Amyloid (25-35) rat model of Alzheimer's disease. <i>Physiology and Behavior</i> , 2016 , 157, 55-62	3.5	19
55	Effects of the Methanolic Extract of Vitellaria paradoxa Stem Bark Against Scopolamine-Induced Cognitive Dysfunction and Oxidative Stress in the Rat Hippocampus. <i>Cellular and Molecular Neurobiology</i> , 2016 , 36, 1139-49	4.6	13
54	Essential oils from Apiaceae as valuable resources in neurological disorders: Foeniculi vulgare aetheroleum. <i>Industrial Crops and Products</i> , 2016 , 88, 51-57	5.9	12
53	Effects of inhaled juniper volatile oil in amyloid beta (1-42)-induced anxiety and depression in laboratory rats. <i>Flavour and Fragrance Journal</i> , 2016 , 31, 149-157	2.5	5
52	Ropren treatment reverses anxiety-like behavior and monoamines levels in gonadectomized rat model of Alzheimer's disease. <i>Biomedicine and Pharmacotherapy</i> , 2016 , 83, 1444-1455	7.5	10
51	Anxiolytic and antidepressant-like effects of Ferulago angulata essential oil in the scopolamine rat model of Alzheimer's disease. <i>Flavour and Fragrance Journal</i> , 2016 , 31, 70-80	2.5	23
50	Comparative efficacy of Ocimum sanctum L. and Ocimum basilicum L. essential oils against amyloid beta (1-42)-induced anxiety and depression in laboratory rats. <i>Phytochemistry Reviews</i> , 2015 , 14, 567-575	7.7	19
49	Morphological changes in gold core-chitosan shell nanostructures at the interface with physiological media. In vitro and in vivo approach. <i>Applied Surface Science</i> , 2015 , 352, 103-108	6.7	2
48	Anti-acetylcholinesterase and Antioxidant Activities of Inhaled Juniper Oil on Amyloid Beta (1-42)-Induced Oxidative Stress in the Rat Hippocampus. <i>Neurochemical Research</i> , 2015 , 40, 952-60	4.6	25
47	Anxiolytic and antidepressant profile of the methanolic extract of Piper nigrum fruits in beta-amyloid (1-42) rat model of Alzheimer's disease. <i>Behavioral and Brain Functions</i> , 2015 , 11, 13	4.1	45
46	Antiamnesic and Antioxidants Effects of Ferulago angulata Essential Oil Against Scopolamine-Induced Memory Impairment in Laboratory Rats. <i>Neurochemical Research</i> , 2015 , 40, 1799-809	4.6	23
45	The aqueous extract of Albizia adianthifolia leaves attenuates 6-hydroxydopamine-induced anxiety, depression and oxidative stress in rat amygdala. <i>BMC Complementary and Alternative Medicine</i> , 2015 , 15, 374	4.7	10
44	Enhanced behavioral response by decreasing brain oxidative stress to 6-hydroxy-l-nicotine in Alzheimer's disease rat model. <i>Neuroscience Letters</i> , 2015 , 591, 41-47	3.3	13
43	Idiopathic sudden hearing loss: Oxidative status before and after corticoid treatment. <i>Archives of Biological Sciences</i> , 2015 , 67, 1297-1302	0.7	3

42	Intranigral lipopolysaccharide induced anxiety and depression by altered BDNF mRNA expression in rat hippocampus. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 51, 126-32	5.5	43
41	Memory-enhancing activities of the aqueous extract of Albizia adianthifolia leaves in the 6-hydroxydopamine-lesion rodent model of Parkinson's disease. <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 142	4.7	29
40	Inhalation of coriander volatile oil increased anxiolytic-antidepressant-like behaviors and decreased oxidative status in beta-amyloid (1-42) rat model of Alzheimer's disease. <i>Physiology and Behavior</i> , 2014 , 131, 68-74	3.5	56
39	The pathogenic role of Blastocystis isolated from patients with irritable bowel syndrome and colitis from Iasi, Romania. <i>Acta Parasitologica</i> , 2014 , 60, 116-23	1.7	3
38	Methanolic extract of Piper nigrum fruits improves memory impairment by decreasing brain oxidative stress in amyloid beta(1-42) rat model of Alzheimer's disease. <i>Cellular and Molecular Neurobiology</i> , 2014 , 34, 437-49	4.6	73
37	Intranigral lipopolysaccharide administration induced behavioral deficits and oxidative stress damage in laboratory rats: relevance for Parkinson's disease. <i>Behavioural Brain Research</i> , 2013 , 253, 25-34	3.4	19
36	Cognitive-enhancing and antioxidant activities of inhaled coriander volatile oil in amyloid (1-42) rat model of Alzheimer's disease. <i>Physiology and Behavior</i> , 2013 , 120, 193-202	3.5	74
35	Inhibition of central angiotensin II enhances memory function and reduces oxidative stress status in rat hippocampus. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 43, 79-88	5.5	56
34	Seed inoculation with plant growth promoting rhizobacteria enhances photosynthesis and yield of runner bean (<i>Phaseolus coccineus</i> L.). <i>Scientia Horticulturae</i> , 2013 , 151, 22-29	4.1	53
33	6-hydroxy-L-nicotine from <i>Arthrobacter nicotinovorans</i> sustain spatial memory formation by decreasing brain oxidative stress in rats. <i>Journal of Physiology and Biochemistry</i> , 2013 , 69, 25-34	5	5
32	Neuroprotective effects of inhaled lavender oil on scopolamine-induced dementia via anti-oxidative activities in rats. <i>Phytomedicine</i> , 2013 , 20, 446-52	6.5	67
31	The effects of a 6-OHDA induced lesion in murine nucleus accumbens on memory and oxidative stress status. <i>Open Medicine (Poland)</i> , 2013 , 8, 443-449	2.2	
30	Attenuated effects of chitosan-capped gold nanoparticles on LPS-induced toxicity in laboratory rats. <i>Materials Science and Engineering C</i> , 2013 , 33, 550-6	8.3	17
29	Evidence of a plasmid-encoded oxidative xylose-catabolic pathway in <i>Arthrobacter nicotinovorans</i> pAO1. <i>Research in Microbiology</i> , 2013 , 164, 22-30	4	7
28	The Effects of Central Angiotensin II and Its Specific Blockers on Nociception. Possible Interactions with Oxidative Stress Status / Efekti Centralnog Angiotenzina II I Njegovih Specifičnih Blokatora Na Nocicepciju. Moguće Interakcije Sa Statusom Oksidativnog Stresa. <i>Journal of Medical Biochemistry</i> , 2013 , 32, 52-58	1.9	4
27	Effects of lavender oil inhalation on improving scopolamine-induced spatial memory impairment in laboratory rats. <i>Phytomedicine</i> , 2012 , 19, 529-34	6.5	92
26	The effects of pergolide on memory and oxidative stress in a rat model of Parkinson's disease. <i>Journal of Physiology and Biochemistry</i> , 2012 , 68, 59-69	5	26
25	Anxiolytic and Antidepressant-Like Effects of the Aqueous Extract of <i>Alafia multiflora</i> Stem Barks in Rodents. <i>Advances in Pharmacological Sciences</i> , 2012 , 2012, 912041	4.9	10

24	Spatial memory deficits and oxidative stress damage following exposure to lipopolysaccharide in a rodent model of Parkinson's disease. <i>Neuroscience Research</i> , 2011 , 71, 35-43	2.9	39
23	Methanolic extract of Hibiscus asper leaves improves spatial memory deficits in the 6-hydroxydopamine-lesion rodent model of Parkinson's disease. <i>Journal of Ethnopharmacology</i> , 2011 , 133, 773-9	5	45
22	Neuroprotective effect of the methanolic extract of Hibiscus asper leaves in 6-hydroxydopamine-lesioned rat model of Parkinson's disease. <i>Journal of Ethnopharmacology</i> , 2011 , 137, 585-91	5	35
21	Complex regulation of p73 isoforms after alteration of amyloid precursor polypeptide (APP) function and DNA damage in neurons. <i>Journal of Biological Chemistry</i> , 2011 , 286, 43013-25	5.4	22
20	Exposure to silver nanoparticles induces oxidative stress and memory deficits in laboratory rats. <i>Open Life Sciences</i> , 2011 , 6, 497-509	1.2	12
19	Effects of angiotensin II receptor antagonists on anxiety and some oxidative stress markers in rat. <i>Open Medicine (Poland)</i> , 2011 , 6, 331-340	2.2	12
18	Enhanced antibacterial effect of silver nanoparticles obtained by electrochemical synthesis in poly(amide-hydroxyurethane) media. <i>Journal of Materials Science: Materials in Medicine</i> , 2011 , 22, 789-96	4.5	31
17	Inhibition of Central Angiotensin Converting Enzyme Exerts Anxiolytic Effects by Decreasing Brain Oxidative Stress. <i>Journal of Medical Biochemistry</i> , 2011 , 30, 109-114	1.9	17
16	Effects of bacterial lipopolysaccharide exposure on immune responsiveness in a rodent model of Parkinson's disease. <i>Archives of Biological Sciences</i> , 2011 , 63, 99-105	0.7	1
15	The effects of the administration of two different doses of manganese on short-term spatial memory and anxiety-like behavior in rats. <i>Archives of Biological Sciences</i> , 2011 , 63, 1031-1036	0.7	3
14	Effects of serotonin depletion on behavior and neuronal oxidative stress status in rat: relevance for anxiety and affective disorders. <i>Advances in Medical Sciences</i> , 2010 , 55, 289-96	2.8	31
13	Changes of some oxidative stress markers in the serum of patients with mild cognitive impairment and Alzheimer's disease. <i>Neuroscience Letters</i> , 2010 , 469, 6-10	3.3	251
12	effects of 6-OHDA infusion into the hypothalamic paraventricular nucleus in mediating stress-induced behavioural responses and oxidative damage in rats. <i>Acta Endocrinologica</i> , 2009 , 5, 425-436	0.9	17
11	Kainic acid lesion-induced spatial memory deficits of rats. <i>Open Life Sciences</i> , 2009 , 4, 179-185	1.2	6
10	Nicotine-induced memory impairment by increasing brain oxidative stress. <i>Open Life Sciences</i> , 2009 , 4, 335-342	1.2	18
9	P.2.05 Effects of low-dose nicotine on cognitive function and neuronal oxidative stress status. <i>European Neuropsychopharmacology</i> , 2009 , 19, S37-S38	1.2	
8	Brain renin-angiotensin system in cognitive function: pre-clinical findings and implications for prevention and treatment of dementia. <i>Acta Neurologica Belgica</i> , 2009 , 109, 171-80	1.5	41
7	Cognitive disorders in 6-hydroxydopamine-induced rat model of Parkinson's disease 2008 , 7,		1

6	Prenatal testosterone improves the spatial learning and memory by protein synthesis in different lobes of the brain in the male and female rat. <i>Open Life Sciences</i> , 2008 , 3, 39-47	1.2	13
5	Effects of right-unilateral 6-hydroxydopamine infusion-induced memory impairment and oxidative stress: relevance for Parkinson's disease. <i>Open Life Sciences</i> , 2008 , 3, 250-257	1.2	18
4	Hematological disorders in 6-hydroxydopamine-induced rat model of Parkinson's disease. <i>Turkish Journal of Haematology</i> , 2008 , 25, 140-4	0.9	2
3	Brain serotonin depletion impairs short-term memory, but not long-term memory in rats. <i>Physiology and Behavior</i> , 2007 , 91, 652-7	3.5	68
2	Effects of nicotine on memory impairment induced by blockade of muscarinic, nicotinic and dopamine D2 receptors in rats. <i>European Journal of Pharmacology</i> , 2003 , 474, 227-32	5.3	26
1	Role of the mesotelencephalic dopamine system in learning and memory processes in the rat. <i>European Journal of Pharmacology</i> , 2003 , 475, 55-60	5.3	77