Vinich Promarak

List of Publications by Citations

Source: https://exaly.com/author-pdf/9482138/vinich-promarak-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

199 papers

4,661 citations

36 h-index

59 g-index

211 ext. papers

5,416 ext. citations

avg, IF

5.81 L-index

#	Paper	IF	Citations
199	Synthesis, structural and optical properties of CeO2 nanoparticles synthesized by a simple polyvinyl pyrrolidone (PVP) solution route. <i>Materials Chemistry and Physics</i> , 2009 , 115, 423-428	4.4	287
198	Egg White Synthesis and Photoluminescence of Platelike Clusters of CeO2 Nanoparticles. <i>Crystal Growth and Design</i> , 2007 , 7, 950-955	3.5	237
197	Synthesis and optical properties of nanocrystalline ZnO powders by a simple method using zinc acetate dihydrate and poly(vinyl pyrrolidone). <i>Journal of Crystal Growth</i> , 2006 , 289, 102-106	1.6	183
196	D DA -Type Organic Dyes for Dye-Sensitized Solar Cells with a Potential for Direct Electron Injection and a High Extinction Coefficient: Synthesis, Characterization, and Theoretical Investigation. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 25653-25663	3.8	128
195	Rice husk-derived sodium silicate as a highly efficient and low-cost basic heterogeneous catalyst for biodiesel production. <i>Energy Conversion and Management</i> , 2016 , 119, 453-462	10.6	101
194	Biodiesel production from palm oil using hydrated lime-derived CaO as a low-cost basic heterogeneous catalyst. <i>Energy Conversion and Management</i> , 2016 , 108, 459-467	10.6	98
193	Tri-diketopyrrolopyrrole molecular donor materials for high-performance solution-processed bulk heterojunction solar cells. <i>Advanced Materials</i> , 2013 , 25, 5898-903	24	95
192	Carbazole dendronised triphenylamines as solution processed high Tg amorphous hole-transporting materials for organic electroluminescent devices. <i>Chemical Communications</i> , 2012 , 48, 3382-4	5.8	89
191	Theoretical study on novel double donor-based dyes used in high efficient dye-sensitized solar cells: The application of TDDFT study to the electron injection process. <i>Organic Electronics</i> , 2013 , 14, 711-722	3.5	81
190	Rubber seed oil as potential non-edible feedstock for biodiesel production using heterogeneous catalyst in Thailand. <i>Renewable Energy</i> , 2017 , 101, 937-944	8.1	80
189	Effects of stereoisomerism on the crystallization behavior and optoelectrical properties of conjugated molecules. <i>Advanced Materials</i> , 2013 , 25, 3645-50	24	73
188	Economical and green biodiesel production process using river snail shells-derived heterogeneous catalyst and co-solvent method. <i>Bioresource Technology</i> , 2016 , 209, 343-50	11	72
187	Biodiesel production based on heterogeneous process catalyzed by solid waste coral fragment. <i>Fuel</i> , 2012 , 98, 194-202	7.1	71
186	Light-driven molecular switch for reconfigurable spin filters. <i>Nature Communications</i> , 2019 , 10, 2455	17.4	68
185	Novel bis[5-(fluoren-2-yl)thiophen-2-yl]benzothiadiazole end-capped with carbazole dendrons as highly efficient solution-processed nondoped red emitters for organic light-emitting diodes. <i>ACS Applied Materials & Diterfaces</i> , 2013 , 5, 8694-703	9.5	68
184	Pyrene-functionalized carbazole derivatives as non-doped blue emitters for highly efficient blue organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 4916	7.1	67
183	Synthesis and optical properties of nanocrystalline V-doped ZnO powders. <i>Optical Materials</i> , 2007 , 29, 1700-1705	3.3	65

182	Synthesis of electrochemically and thermally stable amorphous hole-transporting carbazole dendronized fluorene. <i>Synthetic Metals</i> , 2007 , 157, 17-22	3.6	63
181	Blue light-emitting and hole-transporting materials based on 9,9-bis(4-diphenylaminophenyl)fluorenes for efficient electroluminescent devices. <i>Journal of Materials Chemistry</i> , 2012 , 22, 6869		59
180	Synthesis and Characterization of DDA-Type Organic Dyes Bearing Carbazole larbazole as a Donor Moiety (DD) for Efficient Dye-Sensitized Solar Cells. <i>European Journal of Organic Chemistry</i> , 2013 , 2013, 5051-5063	3.2	53
179	Carbazole-dendrimer-based donor-Eacceptor type organic dyes for dye-sensitized solar cells: effect of the size of the carbazole dendritic donor. <i>ACS Applied Materials & Design Company</i> , Interfaces, 2014 , 6, 8212	25	51
178	Bifunctional anthracene derivatives as non-doped blue emitters and hole-transporters for electroluminescent devices. <i>Chemical Communications</i> , 2011 , 47, 7122-4	5.8	51
177	Synthesis and properties of N-carbazole end-capped conjugated molecules. <i>Tetrahedron</i> , 2007 , 63, 1602	-1.609	51
176	Catalytic performance enhancement of CaO by hydration-dehydration process for biodiesel production at room temperature. <i>Energy Conversion and Management</i> , 2018 , 165, 1-7	10.6	49
175	Synthesis and optical properties of nanocrystalline ZnO powders prepared by a direct thermal decomposition route. <i>Applied Physics A: Materials Science and Processing</i> , 2009 , 94, 755-761	2.6	49
174	Tuning the electron donating ability in the triphenylamine-based D-FA architecture for highly efficient dye-sensitized solar cells. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2014 , 273, 8-16	4.7	48
173	Electronic Properties of Copper(I) Thiocyanate (CuSCN). Advanced Electronic Materials, 2017, 3, 1600378	36.4	46
173 172	Electronic Properties of Copper(I) Thiocyanate (CuSCN). <i>Advanced Electronic Materials</i> , 2017 , 3, 1600378 Synthesis and characterization of N-carbazole end-capped oligofluorene-thiophenes. <i>Tetrahedron</i> , 2007 , 63, 8881-8890	2.4	46
	Synthesis and characterization of N-carbazole end-capped oligofluorene-thiophenes. <i>Tetrahedron</i> ,		
172	Synthesis and characterization of N-carbazole end-capped oligofluorene-thiophenes. <i>Tetrahedron</i> , 2007 , 63, 8881-8890 Novel bis(fluorenyl)benzothiadiazole-cored carbazole dendrimers as highly efficient solution-processed non-doped green emitters for organic light-emitting diodes. <i>Chemical Communications</i> , 2013 , 49, 6388-90	2.4	46
172 171	Synthesis and characterization of N-carbazole end-capped oligofluorene-thiophenes. <i>Tetrahedron</i> , 2007 , 63, 8881-8890 Novel bis(fluorenyl)benzothiadiazole-cored carbazole dendrimers as highly efficient solution-processed non-doped green emitters for organic light-emitting diodes. <i>Chemical Communications</i> , 2013 , 49, 6388-90 Complete reaction mechanisms of mercury oxidation on halogenated activated carbon. <i>Journal of</i>	2.4 5.8	46
172 171 170	Synthesis and characterization of N-carbazole end-capped oligofluorene-thiophenes. <i>Tetrahedron</i> , 2007 , 63, 8881-8890 Novel bis(fluorenyl)benzothiadiazole-cored carbazole dendrimers as highly efficient solution-processed non-doped green emitters for organic light-emitting diodes. <i>Chemical Communications</i> , 2013 , 49, 6388-90 Complete reaction mechanisms of mercury oxidation on halogenated activated carbon. <i>Journal of Hazardous Materials</i> , 2016 , 310, 253-60 Theoretical investigation of novel carbazole-fluorene based D-FA conjugated organic dyes as dye-sensitizer in dye-sensitized solar cells (DSCs). <i>Journal of Computational Chemistry</i> , 2011 , 32, 1568-76	2.4 5.8	46 41 40
172 171 170 169	Synthesis and characterization of N-carbazole end-capped oligofluorene-thiophenes. <i>Tetrahedron</i> , 2007 , 63, 8881-8890 Novel bis(fluorenyl)benzothiadiazole-cored carbazole dendrimers as highly efficient solution-processed non-doped green emitters for organic light-emitting diodes. <i>Chemical Communications</i> , 2013 , 49, 6388-90 Complete reaction mechanisms of mercury oxidation on halogenated activated carbon. <i>Journal of Hazardous Materials</i> , 2016 , 310, 253-60 Theoretical investigation of novel carbazole-fluorene based D-FA conjugated organic dyes as dye-sensitizer in dye-sensitized solar cells (DSCs). <i>Journal of Computational Chemistry</i> , 2011 , 32, 1568-76 Cysteamine-capped copper nanoclusters as a highly selective turn-on fluorescent assay for the detection of aluminum ions. <i>Talanta</i> , 2018 , 178, 796-804 Synthesis and Characterization of 2D-D-FA-Type Organic Dyes Bearing	2.4 5.8 12.8	46 41 40 40
172 171 170 169 168	Synthesis and characterization of N-carbazole end-capped oligofluorene-thiophenes. <i>Tetrahedron</i> , 2007, 63, 8881-8890 Novel bis(fluorenyl)benzothiadiazole-cored carbazole dendrimers as highly efficient solution-processed non-doped green emitters for organic light-emitting diodes. <i>Chemical Communications</i> , 2013, 49, 6388-90 Complete reaction mechanisms of mercury oxidation on halogenated activated carbon. <i>Journal of Hazardous Materials</i> , 2016, 310, 253-60 Theoretical investigation of novel carbazole-fluorene based D-FA conjugated organic dyes as dye-sensitizer in dye-sensitized solar cells (DSCs). <i>Journal of Computational Chemistry</i> , 2011, 32, 1568-76 Cysteamine-capped copper nanoclusters as a highly selective turn-on fluorescent assay for the detection of aluminum ions. <i>Talanta</i> , 2018, 178, 796-804 Synthesis and Characterization of 2D-D-FA-Type Organic Dyes Bearing Bis(3,6-di-tert-butylcarbazol-9-ylphenyl)aniline as Donor Moiety for Dye-Sensitized Solar Cells.	2.4 5.8 12.8 3.5	46 41 40 40 39

164	Bis(carbazol-9-ylphenyl)aniline end-capped oligoarylenes as solution-processed nondoped emitters for full-emission color tuning organic light-emitting diodes. <i>Journal of Organic Chemistry</i> , 2013 , 78, 670	2 ⁴ 13	37
163	Synthesis and properties of stable amorphous hole-transporting molecules for electroluminescent devices. <i>Tetrahedron Letters</i> , 2006 , 47, 8949-8952	2	36
162	A new synthetic approach to porphyrin—Ediones and a -2,3,12,13-tetraone: building blocks for laterally conjugated porphyrin arrays. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2001 , 14-2	0	36
161	Sonochemical Synthesis of Carbon Dots/Lanthanoid MOFs Hybrids for White Light-Emitting Diodes with High Color Rendering. <i>ACS Applied Materials & Empty Interfaces</i> , 2019 , 11, 44421-44429	9.5	35
160	Conjugated Polymer Nanoparticles by SuzukiMiyaura Cross-Coupling Reactions in an Emulsion at Room Temperature. <i>Macromolecules</i> , 2014 , 47, 6531-6539	5.5	34
159	Synthesis and characterization of N-carbazole end-capped oligofluorenes. <i>Tetrahedron Letters</i> , 2007 , 48, 89-93	2	34
158	An efficient solution processed non-doped red emitter based on carbazole-triphenylamine end-capped di(thiophen-2-yl)benzothiadiazole for pure red organic light-emitting diodes. <i>Chemical Communications</i> , 2013 , 49, 3401-3	5.8	33
157	Multi-triphenylamine-substituted carbazoles: synthesis, characterization, properties, and applications as hole-transporting materials. <i>Tetrahedron Letters</i> , 2013 , 54, 3683-3687	2	33
156	Synthesis and characterization of novel N-carbazole end-capped oligothiophene-fluorenes. <i>Tetrahedron Letters</i> , 2007 , 48, 1151-1154	2	33
155	Thermally and electrochemically stable amorphous hole-transporting materials based on carbazole dendrimers for electroluminescent devices. <i>Thin Solid Films</i> , 2008 , 516, 2881-2888	2.2	33
154	Improvement of DA organic dye-based dye-sensitized solar cell performance by simple triphenylamine donor substitutions on the Elinker of the dye. <i>Materials Chemistry Frontiers</i> , 2017 , 1, 1059-1072	7.8	31
153	Dipyrenylcarbazole derivatives for blue organic light-emitting diodes. <i>Chemistry - an Asian Journal</i> , 2010 , 5, 2162-7	4.5	31
152	Synthesis and properties of hole-transporting fluorene linked bistriphenylamine. <i>Optical Materials</i> , 2007 , 30, 364-369	3.3	31
151	A highly selective fluorescent enhancement sensor for Al3+ based nitrogen-doped carbon dots catalyzed by Fe3+. <i>Sensors and Actuators B: Chemical</i> , 2018 , 262, 720-732	8.5	30
150	Synthesis and Characterization of Carbazole Dendrimers as Solution-Processed High Tg Amorphous Hole-Transporting Materials for Electroluminescent Devices. <i>European Journal of Organic Chemistry</i> , 2013 , 2013, 6619-6628	3.2	29
149	Synthesis and Characterization of 9-(FluorenI-2-yl)anthracene Derivatives as Efficient Non-Doped Blue Emitters for Organic Light-Emitting Diodes. <i>European Journal of Organic Chemistry</i> , 2013 , 2013, 3825-3834	3.2	29
148	Effects of Elinker, anchoring group and capped carbazole at meso-substituted zinc-porphyrins on conversion efficiency of DSSCs. <i>Dyes and Pigments</i> , 2015 , 118, 64-75	4.6	28
147	A new formaldehyde sensor from silver nanoclusters modified Tollens' reagent. <i>Food Chemistry</i> , 2018 , 255, 41-48	8.5	28

(2015-2012)

146	The effect of conjugated spacer on novel carbazole derivatives for dye-sensitized solar cells: density functional theory/time-dependent density functional theory study. <i>Journal of Computational Chemistry</i> , 2012 , 33, 1517-23	3.5	28	
145	Synthesis, Properties and Applications of Biphenyl Functionalized 9,9-Bis(4-diphenylaminophenyl)fluorenes as Bifunctional Materials for Organic Electroluminescent Devices. <i>European Journal of Organic Chemistry</i> , 2012 , 2012, 5263-5274	3.2	26	
144	Triple bond-modified anthracene sensitizers for dye-sensitized solar cells: a computational study. <i>RSC Advances</i> , 2015 , 5, 38130-38140	3.7	25	
143	Effective GQD/AuNPs nanosensors for selectively bifunctional detection of lysine and cysteine under different photophysical properties. <i>Sensors and Actuators B: Chemical</i> , 2019 , 282, 936-944	8.5	25	
142	Synthesis, optical, electrochemical, and thermal properties of Pbis(9,9-bis-n-hexylfluorenyl)-substituted oligothiophenes. <i>Tetrahedron Letters</i> , 2007 , 48, 3661-3665	2	24	
141	Understanding the role of Ru dopant on selective catalytic reduction of NO with NH3 over Ru-doped CeO2 catalyst. <i>Chemical Engineering Journal</i> , 2019 , 369, 124-133	14.7	23	
140	A DFT study of arsine adsorption on palladium doped graphene: Effects of palladium cluster size. <i>Applied Surface Science</i> , 2016 , 367, 552-558	6.7	23	
139	Synthesis and characterization of carbazole dendronized coumarin derivatives as solution-processed non-doped emitters and hole-transporters for electroluminescent devices. <i>New Journal of Chemistry</i> , 2014 , 38, 3282	3.6	23	
138	Theoretical investigation of the charge-transfer properties in different meso-linked zinc porphyrins for highly efficient dye-sensitized solar cells. <i>Dalton Transactions</i> , 2014 , 43, 9166-76	4.3	23	
137	Metal-free selective synthesis of 2-substituted benzimidazoles catalyzed by Brfisted acidic ionic liquid: Convenient access to one-pot synthesis of N-alkylated 1,2-disubstituted benzimidazoles. <i>Tetrahedron</i> , 2019 , 75, 3543-3552	2.4	21	
136	Synthesis, Characterisation, and Electroluminescence Properties of N-Coumarin Derivatives Containing Peripheral Triphenylamine. <i>European Journal of Organic Chemistry</i> , 2015 , 2015, 496-505	3.2	21	
135	Highly selective circular dichroism sensor based on d-penicillamine/cysteamine-cadmium sulfide quantum dots for copper (II) ion detection. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019 , 211, 313-321	4.4	21	
134	Colorimetric and fluorescent sensing of a new FRET system via [5]helicene and rhodamine 6G for Hg2+ detection. <i>New Journal of Chemistry</i> , 2018 , 42, 1396-1402	3.6	20	
133	Influence of hydrogen spillover on Pt-decorated carbon nanocones for enhancing hydrogen storage capacity: A DFT mechanistic study. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 21194-21203	3.6	20	
132	Carbazole dendrimers containing oligoarylfluorene cores as solution-processed hole-transporting non-doped emitters for efficient pure red, green, blue and white organic light-emitting diodes. <i>Polymer Chemistry</i> , 2014 , 5, 3982	4.9	20	
131	Multibromo-N-alkylcarbazoles: synthesis, characterization, and their benzo[b]thiophene derivatives. <i>Tetrahedron Letters</i> , 2012 , 53, 4568-4572	2	20	
130	Multi-triphenylaminefunctionalized dithienylbenzothiadiazoles as hole-transporting non-doped red emitters for efficient simple solution processed pure red organic light-emitting diodes. <i>Organic Electronics</i> , 2015 , 21, 117-125	3.5	19	
129	N-coumarin derivatives as hole-transporting emitters for high efficiency solution-processed pure green electroluminescent devices. <i>Dyes and Pigments</i> , 2015 , 112, 227-235	4.6	19	

128	Coumarin-based donor acceptor organic dyes for a dye-sensitized solar cell: photophysical properties and electron injection mechanism. <i>Theoretical Chemistry Accounts</i> , 2016 , 135, 1	1.9	19
127	Novel Hybrid Energy Conversion and Storage Cell with Photovoltaic and Supercapacitor Effects in Ionic Liquid Electrolyte. <i>Scientific Reports</i> , 2018 , 8, 12192	4.9	19
126	Theoretical study of Fluorenyl oligothiophenes as color tunable emissive materials for highly efficient electroluminescent device. <i>Organic Electronics</i> , 2012 , 13, 1836-1843	3.5	19
125	A Simple and Strong Electron-Deficient 5,6-Dicyano[2,1,3]benzothiadiazole-Cored Donor-Acceptor-Donor Compound for Efficient Near Infrared Thermally Activated Delayed Fluorescence. <i>Chemistry - an Asian Journal</i> , 2020 , 15, 3029-3036	4.5	19
124	Efficient bifunctional materials based on pyrene- and triphenylamine-functionalized dendrimers for electroluminescent devices. <i>RSC Advances</i> , 2015 , 5, 73481-73489	3.7	18
123	Capability of defective graphene-supported Pd13 and Ag13 particles for mercury adsorption. <i>Applied Surface Science</i> , 2016 , 364, 166-175	6.7	18
122	Theoretical studies on electronic structures and photophysical properties of anthracene derivatives as hole-transporting materials for OLEDs. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014 , 125, 36-45	4.4	18
121	Bifunctional oligofluorene-cored carbazole dendrimers as solution-processed blue emitters and hole transporters for electroluminescent devices. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 5540	7.1	18
120	Modulation of Espacer of carbazole-carbazole based organic dyes toward high efficient dye-sensitized solar cells. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017 , 174, 7-16	4.4	18
119	Synthesis and characterization of Epyrrolic functionalized porphyrins as sensitizers for dye-sensitized solar cells. <i>Tetrahedron Letters</i> , 2013 , 54, 2435-2439	2	18
118	Synthesis, optical, electrochemical, and thermal properties of conjugated ⊞luorenyl oligothiophenes. <i>Tetrahedron Letters</i> , 2007 , 48, 919-923	2	18
117	Multi-triphenylamine-substituted bis(thiophenyl)benzothiadiazoles as highly efficient solution-processed non-doped red light-emitters for OLEDs. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 3081-3086	7.1	17
116	Significant enhancement in the performance of porphyrin for dye-sensitized solar cells: aggregation control using chenodeoxycholic acid. <i>New Journal of Chemistry</i> , 2017 , 41, 7081-7091	3.6	16
115	Zinc-porphyrin dyes with different meso-aryl substituents for dye-sensitized solar cells: experimental and theoretical studies. <i>Chemistry - an Asian Journal</i> , 2015 , 10, 882-93	4.5	16
114	Synthesis of glycerol carbonate from transesterification of glycerol with dimethyl carbonate catalyzed by CaO from natural sources as green and economical catalyst. <i>Materials Today: Proceedings</i> , 2018 , 5, 13909-13915	1.4	16
113	Polydopamine-coated carbon nanodots are a highly selective turn-on fluorescent probe for dopamine. <i>Carbon</i> , 2019 , 146, 728-735	10.4	15
112	Density functional theory study of elemental mercury adsorption on boron doped graphene surface decorated by transition metals. <i>Applied Surface Science</i> , 2016 , 362, 140-145	6.7	15
111	Coumarin-cored carbazole dendrimers as solution-processed non-doped green emitters for electroluminescent devices. <i>Tetrahedron</i> , 2014 , 70, 6249-6257	2.4	15

110	Synthesis and characterization of 9,10-substituted anthracene derivatives as blue light-emitting and hole-transporting materials for electroluminescent devices. <i>Tetrahedron</i> , 2012 , 68, 1853-1861	2.4	15
109	Tin(II) thiocyanate Sn(NCS)2 wide band gap coordination polymer semiconductor with a 2D structure. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 3452-3462	7.1	15
108	Oligoarylenes end-capped with carbazol-N-yl-carbazole as color tunable light-emitting and hole-transporting materials for solution-processed OLEDs. <i>RSC Advances</i> , 2015 , 5, 16422-16432	3.7	14
107	Implementation of 5E inquiry incorporated with analogy learning approach to enhance conceptual understanding of chemical reaction rate for grade 11 students. <i>Chemistry Education Research and Practice</i> , 2015 , 16, 121-132	2.1	14
106	Elucidating the Coordination of Diethyl Sulfide Molecules in Copper(I) Thiocyanate (CuSCN) Thin Films and Improving Hole Transport by Antisolvent Treatment. <i>Advanced Functional Materials</i> , 2020 , 30, 2002355	15.6	14
105	A highly efficient near infrared organic solid fluorophore based on naphthothiadiazole derivatives with aggregation-induced emission enhancement for a non-doped electroluminescent device. <i>Chemical Communications</i> , 2020 , 56, 6305-6308	5.8	14
104	Modification of D-A-FA configuration toward a high-performance triphenylamine-based sensitizer for dye-sensitized solar cells: a theoretical investigation. <i>ChemPhysChem</i> , 2014 , 15, 3809-18	3.2	14
103	Synthesis, structural, optical and magnetic properties of Cu-doped ZnO nanorods prepared by a simple direct thermal decomposition route. <i>Applied Physics A: Materials Science and Processing</i> , 2014 , 117, 927-935	2.6	14
102	An organic dye using N-dodecyl-3-(3,6-di-tert-butylcarbazol-N-yl)carbazol-6-yl as a donor moiety for efficient dye-sensitized solar cells. <i>Tetrahedron Letters</i> , 2013 , 54, 4903-4907	2	14
101	Synthesis and properties of oligofluorene-thiophenes as emissive materials for organic electroluminescent devices: color-tuning from deep blue to orange. <i>Tetrahedron</i> , 2012 , 68, 8416-8423	2.4	14
100	High Solid-State Near Infrared Emissive Organic Fluorophores from Thiadiazole[3,4-c]Pyridine Derivatives for Efficient Simple Solution-Processed Nondoped Near Infrared OLEDs. <i>Advanced Functional Materials</i> , 2020 , 30, 2002481	15.6	14
99	The design, synthesis, and characterization of D-FA-EA type organic dyes as sensitizers for dye-sensitized solar cells (DSSCs). <i>Tetrahedron Letters</i> , 2014 , 55, 3244-3248	2	13
98	Synthesis and characterization of new triphenylamino-1,8-naphthalimides for organic light-emitting diode applications. <i>New Journal of Chemistry</i> , 2015 , 39, 2807-2814	3.6	13
97	Non-isothermal crystallization kinetics and thermal stability of the in situ reinforcing composite films based on thermotropic liquid crystalline polymer and polypropylene. <i>Journal of Thermal Analysis and Calorimetry</i> , 2011 , 103, 1017-1026	4.1	13
96	DFT Study of Catalytic CO2 Hydrogenation over Pt-Decorated Carbon Nanocones: H2 Dissociation Combined with the Spillover Mechanism. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 1941-1949	3.8	13
95	Turn-on fluorescent probe towards glyphosate and Cr3+ based on Cd(II)-metal organic framework with Lewis basic sites. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 977-988	6.8	13
94	Heteroatom substitution effect on electronic structures, photophysical properties, and excited-state intramolecular proton transfer processes of 3-hydroxyflavone and its analogues: A TD-DFT study. <i>Journal of Molecular Structure</i> , 2019 , 1195, 280-292	3.4	12
93	Metal cluster-deposited graphene as an adsorptive material for m-xylene. <i>New Journal of Chemistry</i> , 2015 , 39, 9650-9658	3.6	12

92	Anchoring number-performance relationship of zinc-porphyrin sensitizers for dye-sensitized solar cells: A combined experimental and theoretical study. <i>Dyes and Pigments</i> , 2017 , 136, 697-706	4.6	12
91	Theoretical study of linker-type effect in carbazoleBarbazole-based dyes on performances of dye-sensitized solar cells. <i>Theoretical Chemistry Accounts</i> , 2014 , 133, 1	1.9	11
90	A Near-Infrared Fluorescence Chemosensor Based on Isothiocyanate-Aza-BODIPY for Cyanide Detection at the Parts per Billion Level: Applications in Buffer Media and Living Cell Imaging. <i>ChemPlusChem</i> , 2019 , 84, 252-259	2.8	11
89	Water-soluble Cu2+-fluorescent sensor based on core-substituted naphthalene diimide and its application in drinking water analysis and live cell imaging. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2019 , 382, 111852	4.7	10
88	High efficiency and low efficiency roll-off hole-transporting layer-free solution-processed fluorescent NIR-OLEDs based on oligothiopheneBenzothiadiazole derivatives. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 5045-5050	7.1	10
87	Solution processed blue-emitting and hole-transporting materials from truxene-carbazole-pyrene triads. <i>Organic Electronics</i> , 2018 , 57, 352-358	3.5	10
86	Synthesis, characterization, and hole-transporting properties of pyrenyl N-substituted triazatruxenes. <i>RSC Advances</i> , 2016 , 6, 56392-56398	3.7	10
85	A Dimeric Estacking of Anthracene Inducing Efficiency Enhancement in Solid-State Fluorescence and Non-Doped Deep-Blue Triplet Iriplet Annihilation Organic Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2021 , 9, 2100500	8.1	10
84	New DDA type organic dyes having carbazol-N-yl phenothiazine moiety as a donor (DD) unit for efficient dye-sensitized solar cells: experimental and theoretical studies. <i>RSC Advances</i> , 2016 , 6, 38	48³1 ⁷ 38	493°
83	The number density effect of N-substituted dyes on the TiO2 surface in dye sensitized solar cells: a theoretical study. <i>RSC Advances</i> , 2015 , 5, 11549-11557	3.7	9
82	Synthesis and characterization of hole-transporting star-shaped carbazolyl truxene derivatives. <i>RSC Advances</i> , 2015 , 5, 72841-72848	3.7	9
81	[5]Helicene-rhodamine 6 G hybrid-based sensor for ultrasensitive Hg2+ detection and its biological applications. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020 , 394, 112473	4.7	9
80	Theoretical design of coumarin derivatives incorporating auxiliary acceptor with D-EA-EA configuration for dye-sensitized solar cells. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2016 , 322-323, 16-26	4.7	9
79	Efficient deep-blue fluorescent emitters from imidazole functionalized anthracenes for simple structure deep-blue electroluminescent devices. <i>Organic Electronics</i> , 2020 , 85, 105897	3.5	9
78	Gram scale production of 1-azido-Ed-glucose enzyme catalysis for the synthesis of 1,2,3-triazole-glucosides <i>RSC Advances</i> , 2019 , 9, 6211-6220	3.7	8
77	Highly fluorescent solid-state benzothiadiazole derivatives as saturated red emitters for efficient solution-processed non-doped electroluminescent devices. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 10464-10473	7.1	8
76	A method to detect Hg2+ in vegetable via a <code>TurnDNlHg2+Eluorescent</code> sensor with a nanomolar sensitivity. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020 , 389, 112224	4.7	8
75	Complete catalytic cycle of NO decomposition on a silicon-doped nitrogen-coordinated graphene: Mechanistic insight from a DFT study. <i>Applied Surface Science</i> , 2020 , 508, 145255	6.7	8

(2011-2016)

74	(DIPDIA-Type Organic Dyes for Efficient Dye-Sensitized Solar Cells. <i>European Journal of Organic Chemistry</i> , 2016 , 2016, 2528-2538	3.2	8
73	Theoretical investigation of 2-(iminomethyl)phenol in the gas phase as a prototype of ultrafast excited-state intramolecular proton transfer. <i>Chemical Physics Letters</i> , 2016 , 657, 113-118	2.5	8
72	Intramolecular hydrogen bond Lenhanced electroluminescence performance of hybridized local and charge transfer (HLCT) excited-state blue-emissive materials. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 497-507	7.1	8
71	New sensitive strategy for formaldehyde sensing by in situ generation of luminescent silver nanoclusters. <i>Colloid and Polymer Science</i> , 2018 , 296, 1995-2004	2.4	8
70	Cyanophenyl spiro[acridine-9,9?-fluorene]s as simple structured hybridized local and charge-transfer-based ultra-deep blue emitters for highly efficient non-doped electroluminescent devices (CIEy D .05). <i>Journal of Materials Chemistry C</i> ,	7.1	8
69	Toward rational design of metal-free organic dyes based on indolo[3,2- b]indole structure for dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2018 , 151, 149-156	4.6	7
68	Rational design of anthracene-based deep-blue emissive materials for highly efficient deep-blue organic light-emitting diodes with CIEy D .05. <i>Dyes and Pigments</i> , 2021 , 184, 108874	4.6	7
67	A solution-processable hybridized local and charge-transfer (HLCT) phenanthroimidazole as a deep-blue emitter for efficient solution-processed non-doped electroluminescence device. <i>Dyes and Pigments</i> , 2021 , 195, 109712	4.6	7
66	Influence of phenyl-attached substituents on the vibrational and electronic spectra of meso-tetraphenylporphyrin: A DFT study. <i>Computational and Theoretical Chemistry</i> , 2015 , 1062, 1-10	2	6
65	Synthesis, characterization, and properties of novel bis(aryl)carbazole-containing N-coumarin derivatives. <i>Tetrahedron Letters</i> , 2014 , 55, 6689-6693	2	6
64	Organic sensitizers with modified di(thiophen-2-yl)phenylamine donor units for dye-sensitized solar cells: a computational study. <i>Theoretical Chemistry Accounts</i> , 2014 , 133, 1	1.9	6
63	Highly efficient all solution-processed non-doped deep-blue electroluminescent devices from oligocarbazole-end-capped spirobifluorenes. <i>Materials Chemistry Frontiers</i> , 2020 , 4, 2943-2953	7.8	6
62	Use of nitrogen-doped amorphous carbon nanodots (N-CNDs) as a fluorometric paper-based sensor: a new approach for sensitive determination of lead(ii) at a trace level in highly ionic matrices. <i>Analytical Methods</i> , 2021 , 13, 3551-3560	3.2	6
61	Oxotitanium-porphyrin for selective catalytic reduction of NO by NH3: a theoretical mechanism study. <i>New Journal of Chemistry</i> , 2018 , 42, 16806-16813	3.6	6
60	Imidazole-based solid-state fluorophores with combined ESIPT and AIE features as self-absorption-free non-doped emitters for electroluminescent devices. <i>Dyes and Pigments</i> , 2021 , 193, 109488	4.6	6
59	Synthesis and photophysical properties of donor\(\text{donor}\) cceptor system based bipyridylporphyrins for dye-sensitized solar cells. <i>Journal of Energy Chemistry</i> , 2015 , 24, 779-785	12	5
58	Synthesis, characterization, physical properties, and applications of highly fluorescent pyrene-functionalized 9,9-bis(4-diarylaminophenyl)fluorene in organic light-emitting diodes. <i>Tetrahedron Letters</i> , 2012 , 53, 5492-5496	2	5
57	meso-Multi(iodophenyl) porphyrins: synthesis, isolation, and identification. <i>Tetrahedron Letters</i> , 2011 , 52, 4795-4798	2	5

56	COMPUTER-AIDED DESIGN OF OLED MATERIALS: A MOLECULAR MODELING APPROACH FOR OPTICAL PROPERTIES OF FLUORENYL OLIGOTHIOPHENES. <i>Journal of Theoretical and Computational Chemistry</i> , 2010 , 09, 993-1007	1.8	5
55	Theoretical Study on Factors Influencing the Efficiency of DEA? A Isoindigo-Based Sensitizer for Dye-Sensitized Solar Cells. <i>Journal of Electronic Materials</i> , 2020 , 49, 318-332	1.9	5
54	A Ladder-like Dopant-free Hole-Transporting Polymer for Hysteresis-less High-Efficiency Perovskite Solar Cells with High Ambient Stability. <i>ChemSusChem</i> , 2020 , 13, 5058-5066	8.3	5
53	Effect of thiophene/furan substitution on organic field effect transistor properties of arylthiadiazole based organic semiconductors. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 17297-17306	7.1	5
52	Twisted Phenanthro[9,10-d]imidazole Derivatives as Non-doped Emitters for Efficient Electroluminescent Devices with Ultra-Deep Blue Emission and High Exciton Utilization Efficiency. <i>Chemistry - an Asian Journal</i> , 2021 , 16, 2328-2337	4.5	5
51	Efficient white light-emitting polymers from dual thermally activated delayed fluorescence chromophores for non-doped solution processed white electroluminescent devices. <i>Polymer Chemistry</i> , 2021 , 12, 1030-1039	4.9	5
50	Straightforward Design for Phenoxy-Imine Catalytic Activity in Ethylene Polymerization: Theoretical Prediction. <i>Catalysts</i> , 2018 , 8, 422	4	5
49	Old silver mirror in qualitative analysis with new shoots in quantification: Nitrogen-doped carbon dots (N-CDs) as fluorescent probes for "off-on" sensing of formalin in food samples. <i>Talanta</i> , 2022 , 236, 122862	6.2	5
48	High selective catalyst for ethylene epoxidation to ethylene oxide: A DFT investigation. <i>Applied Surface Science</i> , 2020 , 513, 145799	6.7	4
47	Retardation the dewetting dynamics of ultrathin polystyrene films using highly branched aromatic molecules as additives. <i>Thin Solid Films</i> , 2013 , 548, 323-330	2.2	4
46	Synthesis and properties of fluorene-oligothiophenes perylenediimide triads and their electropolymerizations. <i>Journal of Materials Chemistry</i> , 2012 , 22, 14579		4
45	An unconventional blade coating for low-cost fabrication of PCDTBT: PC70BM polymer and CH3NH3PbIxCl3-x perovskite solar cells. <i>Surfaces and Interfaces</i> , 2021 , 23, 100969	4.1	4
44	Bis(carbazol-9-yl)phenyl end-caped polyaromatics as solution-processed deep blue fluorescent emitters for simple structure solution-processed electroluminescent devices. <i>Dyes and Pigments</i> , 2021 , 186, 109065	4.6	4
43	Antisolvent treatment of copper(I) thiocyanate (CuSCN) hole transport layer for efficiency improvements in organic solar cells and light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 10435-10442	7.1	4
42	The synthesis of a high-quality biodiesel product derived from Krabok (Irvingia Malayana) seed oil as a new raw material of Thailand. <i>Fuel</i> , 2022 , 308, 122009	7.1	4
41	Luminescent properties of calcium-alumino-silicate glasses (CaAlSi) doped with Sm2O3 and co-doped with Sm2O3 + Eu2O3 for LED glass applications. <i>Journal of Non-Crystalline Solids</i> , 2019 , 523, 119598	3.9	3
40	Highly promising discrimination of various catecholamines using ratiometric fluorescence probes with intermolecular self-association of two sensing elements. <i>RSC Advances</i> , 2015 , 5, 78468-78475	3.7	3
39	Fluorescence chemodosimeter for dopamine based on the inner filter effect of the in situ generation of silver nanoparticles and fluorescent dye. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 200, 313-321	4.4	3

38	Synthesis, physical and electroluminescence properties of 3,6-dipyrenylcarbazole end capped oligofluorenes. <i>RSC Advances</i> , 2015 , 5, 26569-26579	3.7	3
37	Tin(II) thiocyanate Sn(SCN)2 as an ultrathin anode interlayer in organic photovoltaics. <i>Applied Physics Letters</i> , 2021 , 119, 063301	3.4	3
36	The improvement in hole-transporting and electroluminescent properties of diketopyrrolopyrrole pigment by grafting with carbazole dendrons <i>RSC Advances</i> , 2021 , 11, 12710-12719	3.7	3
35	Theoretical rationalization for reduced charge recombination in bulky carbazole-based sensitizers in solar cells. <i>Journal of Computational Chemistry</i> , 2017 , 38, 901-909	3.5	2
34	Highly Soluble Indigo Derivatives as Practical Diesel Absorption Markers. ACS Omega, 2020, 5, 6039-604	14 .9	2
33	Synthesis, characterization, and properties of 7,7?-bis(3,6-di-tert-butylcarbazol-N-yl)-substituted fluorenyl-oligothiophenes. <i>Tetrahedron Letters</i> , 2012 , 53, 5939-5943	2	2
32	Synthesis, Characterization, and Physical Properties of Pyrene-Naphthalimide Derivatives as Emissive Materials for Electroluminescent Devices. <i>European Journal of Organic Chemistry</i> , 2021 , 2021, 2402-2410	3.2	2
31	Facile fabrication of flexible and conductive cellulose paper from aqueous carbon nanotube/hemicellulose compound. <i>Synthetic Metals</i> , 2021 , 271, 116646	3.6	2
30	Unique dual fluorescence emission in the solid state from a small molecule based on phenanthrocarbazole with an AIE luminogen as a single-molecule white-light emissive material. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 2361-2372	7.8	2
29	Double anchor indolo[3,2-b]indole-derived metal-free dyes with extra electron donors as efficient sensitizers for dye-sensitized solar cells. <i>New Journal of Chemistry</i> , 2021 , 45, 7542-7554	3.6	2
28	Red to orange thermally activated delayed fluorescence polymers based on 2-(4-(diphenylamino)-phenyl)-9-thioxanthen-9-one-10,10-dioxide for efficient solution-processed OLEDs <i>RSC Advances</i> , 2021 , 11, 24794-24806	3.7	2
27	N-Phenylcarbazole substituted bis(hexylthiophen-2-yl)-benzothiadiazoles as deep red emitters for hole-transporting layer free solution-processed OLEDs. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021 , 420, 113509	4.7	2
26	Efficient Solution-Processable Non-Doped Emissive Materials Based on Oligocarbazole End-Capped Molecules for Simple Structured Red, Green, Blue, and White Electroluminescent Devices. <i>ACS Applied Electronic Materials</i> , 2021 , 3, 1311-1322	4	2
25	Understanding Interfacial Recombination Processes in Narrow-Band-Gap Organic Solar Cells. <i>ACS Energy Letters</i> ,1626-1634	20.1	2
24	Tunable far-red fluorescence utilizing Extension and substitution on the excited state intramolecular proton transfer (ESIPT) of naphthalene-based Schiff bases: A combined experimental and theoretical study. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2022 ,	4.7	2
23	431, 114047 Fourfold alkyl wrapping of a copper(II) porphyrin thwarts macrocycle Estacking in a compact supramolecular package. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2020 , 76, 647-654	0.8	1
22	Dual Naked-Eye Optical Sensor Based on Imidazolium Cation and Napthalamide for Specific Detection of Fluoride. <i>Journal of Fluorescence</i> , 2020 , 30, 259-267	2.4	1
21	A Single Energy Conversion and Storage Device of Cobalt Oxide Nanosheets and N-Doped Reduced Graphene Oxide Aerogel. <i>ECS Transactions</i> , 2018 , 85, 435-447	1	1

20	Synthesis, characterization, and hole-transporting properties of benzotriazatruxene derivatives. Journal of Materials Chemistry C, 2019 , 7, 15035-15041	7.1	1
19	Enhancement of the electroluminescence properties of iridium-complexes by decorating the ligand with hole-transporting carbazole dendrons. <i>New Journal of Chemistry</i> , 2021 , 45, 7694-7704	3.6	1
18	Gold nanoparticle-based cascade reaction-triggered fluorogenicity for highly selective nitrite ion detection in forensic samples. <i>Microchemical Journal</i> , 2021 , 168, 106470	4.8	1
17	Enhancement of performance of OLEDs using double indolo[3,2-b]indole electron-donors based emitter. <i>Journal of Luminescence</i> , 2021 , 238, 118287	3.8	1
16	Dual-mode organic electrochemical transistors based on self-doped conjugated polyelectrolytes for reconfigurable electronics <i>Advanced Materials</i> , 2022 , e2200274	24	1
15	Solid-State Fluorophores with Combined Excited-State Intramolecular Proton Transfer-Aggregation-Induced Emission as Efficient Emitters for Electroluminescent Devices. <i>Advanced Photonics Research</i> , 2022 , 3, 2100141	1.9	1
14	An efficient solution-processable hybridized local and charge-transfer (HLCT)-based deep-red fluorescent emitter for simple structured non-doped OLED. <i>Journal of Luminescence</i> , 2022 , 248, 118921	3.8	1
13	Chrysene and triphenylene based-fluorophores as non-doped deep blue emitters for triplet-triplet annihilation organic light-emitting diodes. <i>Journal of Luminescence</i> , 2022 , 248, 118926	3.8	1
12	Effect of Water Molecule on Photo-Assisted Nitrous Oxide Decomposition over Oxotitanium Porphyrin: A Theoretical Study. <i>Catalysts</i> , 2020 , 10, 157	4	0
11	Facile fabrication of flexible and conductive AuNP/DWCNT fabric with enhanced Joule heating efficiency via spray coating route. <i>Microelectronic Engineering</i> , 2022 , 255, 111718	2.5	O
10	Self-absorption-free excited-state intramolecular proton transfer (ESIPT) emitters for high brightness and luminous efficiency organic fluorescent electroluminescent devices. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 6212-6225	7.8	0
9	Encapsulation of aggregation-caused quenching dye in metal-organic framework as emissive layer of organic light-emitting diodes. <i>Microporous and Mesoporous Materials</i> , 2021 , 328, 111452	5.3	O
8	Chiral Resolution of RS-Baclofen via a Novel Chiral Cocrystal of R-Baclofen and L-Mandelic Acid. <i>Crystal Growth and Design</i> , 2022 , 22, 2441-2451	3.5	0
7	Enhanced Joule heating performance of flexible transparent conductive double-walled carbon nanotube films on sparked Ag nanoparticles. <i>Thin Solid Films</i> , 2022 , 750, 139201	2.2	O
6	A highly selective fluorescent sensor for manganese(II) ion detection based on N,S-doped carbon dots triggered by manganese oxide. <i>Dyes and Pigments</i> , 2022 , 110325	4.6	O
5	Room temperature preparation of Ephase CsSn1NPbxI3 films for holeEransport in solid-state dye-sensitized solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 7811-7819	2.1	
4	Crystallization: Effects of Stereoisomerism on the Crystallization Behavior and Optoelectrical Properties of Conjugated Molecules (Adv. Mater. 27/2013). <i>Advanced Materials</i> , 2013 , 25, 3618-3618	24	
3	Charge Transport in Perylene Based Electron Transporting Layer for Perovskite Solar Cells. <i>Thin Solid Films</i> , 2022 , 741, 139012	2.2	

LIST OF PUBLICATIONS

2	A comparative study of Perylene derivatives in organic bulk heterojunction solar cells. <i>Journal of Physics: Conference Series</i> , 2018 , 1144, 012126	0.3	
1	A simple strategy to enhance the sensitivity of fluorescent sensor-based CdS quantum dots by using a surfactant for Hg detection. <i>Analytical Methods</i> , 2021 , 13, 4069-4078	3.2	