

Jos F Magalhes

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9483479/jose-f-magalhaes-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

3,093
citations

32
h-index

51
g-index

113
ext. papers

3,623
ext. citations

4.2
avg, IF

4.97
L-index

#	Paper	IF	Citations
99	Acute CrossFit [®] Workout Session Impacts Blood Redox Marker Modulation 2021 , 1, 13-21		0
98	Maternal high-fat high-sucrose diet and gestational exercise modulate hepatic fat accumulation and liver mitochondrial respiratory capacity in mothers and male offspring. <i>Metabolism: Clinical and Experimental</i> , 2021 , 116, 154704	12.7	6
97	Building-up fit muscles for the future: Transgenerational programming of skeletal muscle through physical exercise. <i>European Journal of Clinical Investigation</i> , 2021 , 51, e13515	4.6	0
96	Effects of recreational team handball on bone health, postural balance and body composition in inactive postmenopausal women - A randomised controlled trial. <i>Bone</i> , 2021 , 145, 115847	4.7	4
95	Fit mothers for a healthy future: Breaking the intergenerational cycle of non-alcoholic fatty liver disease with maternal exercise. <i>European Journal of Clinical Investigation</i> , 2021 , e13596	4.6	0
94	Preventive and Therapeutic Potential of Physical Exercise in Neurodegenerative Diseases. <i>Antioxidants and Redox Signaling</i> , 2021 , 34, 674-693	8.4	12
93	A field tool for the aerobic power evaluation of middle-aged female recreational runners. <i>Women and Health</i> , 2020 , 60, 839-848	1.7	0
92	Disturbed cardiac mitochondrial and cytosolic calcium handling in a metabolic risk-related rat model of heart failure with preserved ejection fraction. <i>Acta Physiologica</i> , 2020 , 228, e13378	5.6	23
91	Physical exercise mitigates behavioral impairments in a rat model of sporadic Alzheimer's disease. <i>Behavioural Brain Research</i> , 2020 , 379, 112358	3.4	4
90	Physical exercise and liver "fitness": Role of mitochondrial function and epigenetics-related mechanisms in non-alcoholic fatty liver disease. <i>Molecular Metabolism</i> , 2020 , 32, 1-14	8.8	33
89	Mitochondrial Reversible Changes Determine Diastolic Function Adaptations During Myocardial (Reverse) Remodeling. <i>Circulation: Heart Failure</i> , 2020 , 13, e006170	7.6	4
88	Effects of a 16-week recreational team handball intervention on aerobic performance and cardiometabolic fitness markers in postmenopausal women: A randomized controlled trial. <i>Progress in Cardiovascular Diseases</i> , 2020 , 63, 800-806	8.5	4
87	Early Cardiac Mitochondrial Molecular and Functional Responses to Acute Anthracycline Treatment in Wistar Rats. <i>Toxicological Sciences</i> , 2019 , 169, 137-150	4.4	5
86	Self-Paced Free-Running Wheel Mimics High-Intensity Interval Training Impact on Rats' Functional, Physiological, Biochemical, and Morphological Features. <i>Frontiers in Physiology</i> , 2019 , 10, 593	4.6	6
85	Physical exercise positively modulates DOX-induced hepatic oxidative stress, mitochondrial dysfunction and quality control signaling. <i>Mitochondrion</i> , 2019 , 47, 103-113	4.9	9
84	Maximal heart rate assessment in recreational football players: A study involving a multiple testing approach. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019 , 29, 1537-1545	4.6	12
83	Physical exercise mitigates high-fat diet-induced adiposopathy and related endocrine alterations in an animal model of obesity. <i>Journal of Physiology and Biochemistry</i> , 2018 , 74, 235-246	5	9

82	The beneficial role of exercise in mitigating doxorubicin-induced Mitochondrionopathy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2018 , 1869, 189-199	11.2	19
81	Targeting Mitochondria with Sweat: Improving Mitochondrial Function with Physical Activity 2018 , 379-406		2
80	Exercise and Doxorubicin Treatment Modulate Cardiac Mitochondrial Quality Control Signaling. <i>Cardiovascular Toxicology</i> , 2018 , 18, 43-55	3.4	25
79	Effects of endurance training on autophagy and apoptotic signaling in visceral adipose tissue of prolonged high fat diet-fed rats. <i>European Journal of Nutrition</i> , 2018 , 57, 2237-2247	5.2	10
78	Additive Effects of Intermittent Hypobaric Hypoxia and Endurance Training on Bodyweight, Food Intake, and Oxygen Consumption in Rats. <i>High Altitude Medicine and Biology</i> , 2018 , 19, 278-285	1.9	6
77	Modulation of mitochondrial biomarkers by intermittent hypobaric hypoxia and aerobic exercise after eccentric exercise in trained rats. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017 , 42, 683-693	3	9
76	Xanthohumol and 8-prenylnaringenin ameliorate diabetic-related metabolic dysfunctions in mice. <i>Journal of Nutritional Biochemistry</i> , 2017 , 45, 39-47	6.3	34
75	Impact of physical exercise on visceral adipose tissue fatty acid profile and inflammation in response to a high-fat diet regimen. <i>International Journal of Biochemistry and Cell Biology</i> , 2017 , 87, 114-124	5.6	31
74	Natural mineral-rich water ingestion by ovariectomized fructose-fed Sprague-Dawley rats: effects on sirtuin 1 and glucocorticoid signaling pathways. <i>Menopause</i> , 2017 , 24, 563-573	2.5	5
73	Intermittent hypobaric hypoxia combined with aerobic exercise improves muscle morphofunctional recovery after eccentric exercise to exhaustion in trained rats. <i>Journal of Applied Physiology</i> , 2017 , 122, 580-592	3.7	11
72	Can exercise training counteract doxorubicin-induced oxidative damage of testis proteome?. <i>Toxicology Letters</i> , 2017 , 280, 57-69	4.4	9
71	Physical exercise remodels visceral adipose tissue and mitochondrial lipid metabolism in rats fed a high-fat diet. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2017 , 44, 386-394	3	21
70	Exercise, Liver Steatosis, and Free Radicals 2017 , 309-322		1
69	Physical exercise mitigates doxorubicin-induced brain cortex and cerebellum mitochondrial alterations and cellular quality control signaling. <i>Mitochondrion</i> , 2016 , 26, 43-57	4.9	32
68	Exercise mitigates mitochondrial permeability transition pore and quality control mechanisms alterations in nonalcoholic steatohepatitis. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016 , 41, 298-306	3	36
67	Physical Exercise and Brain Mitochondrial Fitness: The Possible Role Against Alzheimer's Disease. <i>Brain Pathology</i> , 2016 , 26, 648-63	6	52
66	Effects of physical exercise on myokines expression and brown adipose-like phenotype modulation in rats fed a high-fat diet. <i>Life Sciences</i> , 2016 , 165, 100-108	6.8	45
65	Physical exercise improves brain cortex and cerebellum mitochondrial bioenergetics and alters apoptotic, dynamic and auto(mito)phagy markers. <i>Neuroscience</i> , 2015 , 301, 480-95	3.9	92

64	Exercise modulates liver cellular and mitochondrial proteins related to quality control signaling. <i>Life Sciences</i> , 2015 , 135, 124-30	6.8	29
63	Natural mineral-rich water ingestion improves hepatic and fat glucocorticoid-signaling and increases sirtuin 1 in an animal model of metabolic syndrome. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2015 , 21, 149-57	1.3	8
62	Endoplasmic Reticulum Stress Response in Non-alcoholic Steatohepatitis: The Possible Role of Physical Exercise. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 780-92	12.7	22
61	Back to the future: transgenerational transmission of xenobiotic-induced epigenetic remodeling. <i>Epigenetics</i> , 2015 , 10, 259-73	5.7	32
60	Physical exercise antagonizes clinical and anatomical features characterizing Lieber-DeCarli diet-induced obesity and related metabolic disorders. <i>Clinical Nutrition</i> , 2015 , 34, 241-7	5.9	13
59	Physical exercise prior and during treatment reduces sub-chronic doxorubicin-induced mitochondrial toxicity and oxidative stress. <i>Mitochondrion</i> , 2015 , 20, 22-33	4.9	64
58	Exercise-Induced Protection Against Aging and Neurodegenerative Diseases 2015 , 309-321		1
57	A semiquantitative scoring tool to evaluate eccentric exercise-induced muscle damage in trained rats. <i>European Journal of Histochemistry</i> , 2015 , 59, 2544	2.1	7
56	Role of physical exercise on hepatic insulin, glucocorticoid and inflammatory signaling pathways in an animal model of non-alcoholic steatohepatitis. <i>Life Sciences</i> , 2015 , 123, 51-60	6.8	10
55	Physical exercise prevents and mitigates non-alcoholic steatohepatitis-induced liver mitochondrial structural and bioenergetics impairments. <i>Mitochondrion</i> , 2014 , 15, 40-51	4.9	33
54	Biochemical impact of soccer: an analysis of hormonal, muscle damage, and redox markers during the season. <i>Applied Physiology, Nutrition and Metabolism</i> , 2014 , 39, 432-8	3	57
53	Exercise alters liver mitochondria phospholipidomic profile and mitochondrial activity in non-alcoholic steatohepatitis. <i>International Journal of Biochemistry and Cell Biology</i> , 2014 , 54, 163-73	5.6	23
52	Exercise mitigates diclofenac-induced liver mitochondrial dysfunction. <i>European Journal of Clinical Investigation</i> , 2014 , 44, 668-77	4.6	20
51	Modulation of cardiac mitochondrial permeability transition and apoptotic signaling by endurance training and intermittent hypobaric hypoxia. <i>International Journal of Cardiology</i> , 2014 , 173, 40-5	3.2	31
50	Analysis of fatigue development during elite male handball matches. <i>Journal of Strength and Conditioning Research</i> , 2014 , 28, 2640-8	3.2	27
49	Relevance of a Hypersaline Sodium-Rich Naturally Sparkling Mineral Water to the Protection against Metabolic Syndrome Induction in Fructose-Fed Sprague-Dawley Rats: A Biochemical, Metabolic, and Redox Approach. <i>International Journal of Endocrinology</i> , 2014 , 2014, 384583	2.7	20
48	Physiological demands of elite team handball with special reference to playing position. <i>Journal of Strength and Conditioning Research</i> , 2014 , 28, 430-42	3.2	48
47	Combined effects of aging and in vitro non-steroid anti-inflammatory drugs on kidney and liver mitochondrial physiology. <i>Life Sciences</i> , 2013 , 93, 329-37	6.8	6

46	Neuromuscular function, hormonal and redox status and muscle damage of professional soccer players after a high-level competitive match. <i>European Journal of Applied Physiology</i> , 2013 , 113, 2193-2013	3.4	69
45	Modulation of hepatic redox status and mitochondrial metabolism by exercise: therapeutic strategy for liver diseases. <i>Mitochondrion</i> , 2013 , 13, 862-70	4.9	24
44	Synergistic impact of endurance training and intermittent hypobaric hypoxia on cardiac function and mitochondrial energetic and signaling. <i>International Journal of Cardiology</i> , 2013 , 168, 5363-71	3.2	23
43	Eccentric exercise transiently affects mice skeletal muscle mitochondrial function. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013 , 38, 401-9	3	13
42	Exercise as a therapeutic tool to prevent mitochondrial degeneration in nonalcoholic steatohepatitis. <i>European Journal of Clinical Investigation</i> , 2013 , 43, 1184-94	4.6	19
41	Training status and match activity of professional soccer players throughout a season. <i>Journal of Strength and Conditioning Research</i> , 2013 , 27, 20-30	3.2	40
40	Exercise as a beneficial adjunct therapy during Doxorubicin treatment--role of mitochondria in cardioprotection. <i>International Journal of Cardiology</i> , 2012 , 156, 4-10	3.2	38
39	Physical exercise as a possible strategy for brain protection: evidence from mitochondrial-mediated mechanisms. <i>Progress in Neurobiology</i> , 2012 , 99, 149-62	10.9	89
38	Endurance training and chronic intermittent hypoxia modulate in vitro salicylate-induced hepatic mitochondrial dysfunction. <i>Mitochondrion</i> , 2012 , 12, 607-16	4.9	14
37	In vitro salicylate does not further impair aging-induced brain mitochondrial dysfunction. <i>Toxicology</i> , 2012 , 302, 51-9	4.4	8
36	Mitochondrionopathy phenotype in doxorubicin-treated Wistar rats depends on treatment protocol and is cardiac-specific. <i>PLoS ONE</i> , 2012 , 7, e38867	3.7	28
35	Physical and physiological demands of elite team handball. <i>Journal of Strength and Conditioning Research</i> , 2012 , 26, 3365-75	3.2	127
34	Effects of cold water immersion on the recovery of physical performance and muscle damage following a one-off soccer match. <i>Journal of Sports Sciences</i> , 2011 , 29, 217-25	3.6	112
33	Elite futsal refereeing: activity profile and physiological demands. <i>Journal of Strength and Conditioning Research</i> , 2011 , 25, 980-7	3.2	18
32	Individual match playing time during the season affects fitness-related parameters of male professional soccer players. <i>Journal of Strength and Conditioning Research</i> , 2011 , 25, 2729-39	3.2	42
31	Endurance training reverts heart mitochondrial dysfunction, permeability transition and apoptotic signaling in long-term severe hyperglycemia. <i>Mitochondrion</i> , 2011 , 11, 54-63	4.9	51
30	Divergent cytokine response following maximum progressive swimming in hot water. <i>Cell Biochemistry and Function</i> , 2011 , 29, 610-6	4.2	2
29	Acute exercise protects against calcium-induced cardiac mitochondrial permeability transition pore opening in doxorubicin-treated rats. <i>Clinical Science</i> , 2011 , 120, 37-49	6.5	72

28	Mitochondria as a target for exercise-induced cardioprotection. <i>Current Drug Targets</i> , 2011 , 12, 860-71	3	28
27	Physiological and neuromuscular impact of beach-volleyball with reference to fatigue and recovery. <i>Journal of Sports Medicine and Physical Fitness</i> , 2011 , 51, 66-73	1.4	4
26	Long-term hyperglycaemia decreases gastrocnemius susceptibility to permeability transition. <i>European Journal of Clinical Investigation</i> , 2010 , 40, 319-29	4.6	4
25	Impact of Loughborough Intermittent Shuttle Test versus soccer match on physiological, biochemical and neuromuscular parameters. <i>European Journal of Applied Physiology</i> , 2010 , 108, 39-48	3.4	111
24	Multicomponent exercise program improves blood lipid profile and antioxidant capacity in older women. <i>Archives of Gerontology and Geriatrics</i> , 2010 , 51, 1-5	4	14
23	Endurance training improves gastrocnemius mitochondrial function despite increased susceptibility to permeability transition. <i>Mitochondrion</i> , 2009 , 9, 454-62	4.9	12
22	Beneficial effects of exercise on muscle mitochondrial function in diabetes mellitus. <i>Sports Medicine</i> , 2008 , 38, 735-50	10.6	40
21	Biochemical impact of a soccer match - analysis of oxidative stress and muscle damage markers throughout recovery. <i>Clinical Biochemistry</i> , 2008 , 41, 841-51	3.5	194
20	Hemostatic response to acute physical exercise in healthy adolescents. <i>Journal of Science and Medicine in Sport</i> , 2007 , 10, 164-9	4.4	36
19	Indoor climbing elicits plasma oxidative stress. <i>Medicine and Science in Sports and Exercise</i> , 2007 , 39, 955-63		28
18	Effect of off-road competitive motocross race on plasma oxidative stress and damage markers. <i>British Journal of Sports Medicine</i> , 2007 , 41, 101-5	10.3	20
17	Vitamin E prevents hypobaric hypoxia-induced mitochondrial dysfunction in skeletal muscle. <i>Clinical Science</i> , 2007 , 113, 459-66	6.5	25
16	Exercise-induced cardioprotection--biochemical, morphological and functional evidence in whole tissue and isolated mitochondria. <i>International Journal of Cardiology</i> , 2007 , 117, 16-30	3.2	119
15	Endurance training limits the functional alterations of rat heart mitochondria submitted to in vitro anoxia-reoxygenation. <i>International Journal of Cardiology</i> , 2006 , 109, 169-78	3.2	41
14	Effects of endurance training and acute Doxorubicin treatment on rat heart mitochondrial alterations induced by in vitro anoxia-reoxygenation. <i>Cardiovascular Toxicology</i> , 2006 , 6, 159-72	3.4	21
13	Skeletal muscle atrophy increases cell proliferation in mice gastrocnemius during the first week of hindlimb suspension. <i>European Journal of Applied Physiology</i> , 2006 , 97, 340-6	3.4	37
12	Acute and severe hypobaric hypoxia increases oxidative stress and impairs mitochondrial function in mouse skeletal muscle. <i>Journal of Applied Physiology</i> , 2005 , 99, 1247-53	3.7	132
11	Endurance training attenuates doxorubicin-induced cardiac oxidative damage in mice. <i>International Journal of Cardiology</i> , 2005 , 100, 451-60	3.2	88

10	Strenuous exercise aggravates MDMA-induced skeletal muscle damage in mice. <i>Toxicology</i> , 2005 , 206, 349-58	4.4	16
9	Effect of a high-altitude expedition to a Himalayan peak (Pumori, 7,161 m) on plasma and erythrocyte antioxidant profile. <i>European Journal of Applied Physiology</i> , 2005 , 93, 726-32	3.4	24
8	Acute and chronic exposition of mice to severe hypoxia: the role of acclimatization against skeletal muscle oxidative stress. <i>International Journal of Sports Medicine</i> , 2005 , 26, 102-9	3.6	15
7	Moderate endurance training prevents doxorubicin-induced in vivo mitochondriopathy and reduces the development of cardiac apoptosis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 289, H722-31	5.2	117
6	Cardiac mitochondrial respiratory function and oxidative stress: the role of exercise. <i>International Journal of Sports Medicine</i> , 2005 , 26, 258-67	3.6	21
5	D-amphetamine-induced hydrogen peroxide production in skeletal muscle is modulated by monoamine oxidase inhibition. <i>International Journal of Sports Medicine</i> , 2004 , 25, 446-9	3.6	3
4	Acute and severe hypobaric hypoxia-induced muscle oxidative stress in mice: the role of glutathione against oxidative damage. <i>European Journal of Applied Physiology</i> , 2004 , 91, 185-91	3.4	23
3	Oxidative stress in humans during and after 4 hours of hypoxia at a simulated altitude of 5500 m. <i>Aviation, Space, and Environmental Medicine</i> , 2004 , 75, 16-22		38
2	Concentric quadriceps and hamstrings isokinetic strength in volleyball and soccer players. <i>Journal of Sports Medicine and Physical Fitness</i> , 2004 , 44, 119-25	1.4	32
1	Exercise-induced signs of muscle overuse in children. <i>International Journal of Sports Medicine</i> , 1999 , 20, 103-8	3.6	24