

Pierre-Marie Roy

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9484819/pierre-marie-roy-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

4,323
citations

16
h-index

40
g-index

40
ext. papers

5,138
ext. citations

11.4
avg, IF

4.55
L-index

#	Paper	IF	Citations
38	Prevalence and characterization of forgoing care: comparison of two prospective multicentre cohorts between pre-COVID-19 era and a lockdown period.. <i>Archives of Public Health</i> , 2022 , 80, 32	2.6	0
37	Clinical use of low-dose parenteral anticoagulation, incidence of major bleeding and mortality: a multi-centre cohort study using the French national health data system.. <i>European Journal of Clinical Pharmacology</i> , 2022 , 1	2.8	0
36	Safety and Efficiency of Diagnostic Strategies for Ruling Out Pulmonary Embolism in Clinically Relevant Patient Subgroups : A Systematic Review and Individual-Patient Data Meta-analysis.. <i>Annals of Internal Medicine</i> , 2021 ,	8	3
35	Risk for Recurrent Venous Thromboembolism in Patients With Subsegmental Pulmonary Embolism Managed Without Anticoagulation : A Multicenter Prospective Cohort Study. <i>Annals of Internal Medicine</i> , 2021 ,	8	7
34	Risk of symptomatic venous thromboembolism in mild and moderate COVID-19: A comparison of two prospective European cohorts. <i>Thrombosis Research</i> , 2021 , 208, 4-10	8.2	4
33	Impact of the Age-Adjusted D-Dimer Cutoff to Exclude Pulmonary Embolism: A Multinational Prospective Real-Life Study (the RELAX-PE Study). <i>Circulation</i> , 2021 , 143, 1828-1830	16.7	5
32	Thromboembolic risk stratification by TRiP(cast) score to rationalise thromboprophylaxis in patients with lower leg trauma requiring immobilisation: a study protocol of the casting stepped-wedge cluster randomised trial. <i>BMJ Open</i> , 2021 , 11, e045905	3	
31	Derivation and Validation of a 4-Level Clinical Pretest Probability Score for Suspected Pulmonary Embolism to Safely Decrease Imaging Testing. <i>JAMA Cardiology</i> , 2021 , 6, 669-677	16.2	10
30	Contemporary management of acute pulmonary embolism. <i>Trends in Cardiovascular Medicine</i> , 2021 ,	6.9	1
29	Identifying Patients with Low Risk of Acute Coronary Syndrome Without Troponin Testing: Validation of the HEAR Score. <i>American Journal of Medicine</i> , 2021 , 134, 499-506.e2	2.4	2
28	Opinion and practice survey about the use of prognostic models in acute pulmonary embolism. <i>Thrombosis Research</i> , 2021 , 198, 40-48	8.2	1
27	Point-of-care ultrasonography for risk stratification of non-critical COVID-19 patients on admission (POCUSCO): a study protocol of an international study. <i>BMJ Open</i> , 2021 , 11, e041118	3	2
26	Suspected Acute Pulmonary Embolism: Gestalt, Scoring Systems, and Artificial Intelligence. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2021 , 42, 176-182	3.9	1
25	Triaging acute pulmonary embolism for home treatment by Hestia or simplified PESI criteria: the HOME-PE randomized trial. <i>European Heart Journal</i> , 2021 , 42, 3146-3157	9.5	19
24	Major bleeding risk associated with oral anticoagulant in real clinical practice. A multicentre 3-year period population-based prospective cohort study. <i>British Journal of Clinical Pharmacology</i> , 2020 , 86, 2519-2529	3.8	5
23	Clinical risk assessment model to predict venous thromboembolism risk after immobilization for lower-limb trauma. <i>EclinicalMedicine</i> , 2020 , 20, 100270	11.3	7
22	Comprehensive Outpatient Management of Low-Risk Pulmonary Embolism: Can Primary Care Do This? A Narrative Review 2020 , 24,		10

21	Evidence-based guidelines for thromboprophylaxis in patients with lower limb trauma requiring immobilization: an urgent, unmet need. <i>European Journal of Emergency Medicine</i> , 2020 , 27, 245-246	2.3	0
20	Pregnancy-Adapted YEARS Algorithm for Diagnosis of Suspected Pulmonary Embolism. <i>New England Journal of Medicine</i> , 2019 , 380, 1139-1149	59.2	111
19	Glucocorticoids for acute urticaria: study protocol for a double-blind non-inferiority randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e027431	3	3
18	Major bleeding with antithrombotic agents: a 2012-2015 study using the French nationwide Health Insurance database linked to emergency department records within five areas - rationale and design of SACHA study. <i>Fundamental and Clinical Pharmacology</i> , 2019 , 33, 443-462	3.1	7
17	Reliability of the CARE rule and the HEART score to rule out an acute coronary syndrome in non-traumatic chest pain patients. <i>Internal and Emergency Medicine</i> , 2018 , 13, 1111-1119	3.7	6
16	In patients with unprovoked VTE, does the addition of FDG PET/CT to a limited occult cancer screening strategy offer good value for money? A cost-effectiveness analysis from the publicly funded health care systems. <i>Thrombosis Research</i> , 2018 , 171, 97-102	8.2	4
15	Diagnosis of Pulmonary Embolism During Pregnancy: A Multicenter Prospective Management Outcome Study. <i>Annals of Internal Medicine</i> , 2018 , 169, 766-773	8	74
14	Pulmonary embolism rule-out criteria (PERC) rule in European patients with low implicit clinical probability (PERCEPIC): a multicentre, prospective, observational study. <i>Lancet Haematology, the</i> , 2017 , 4, e615-e621	14.6	38
13	Limited screening with versus without (18)F-fluorodeoxyglucose PET/CT for occult malignancy in unprovoked venous thromboembolism: an open-label randomised controlled trial. <i>Lancet Oncology, The</i> , 2016 , 17, 193-199	21.7	61
12	Age-adjusted D-dimer cutoff levels to rule out pulmonary embolism: the ADJUST-PE study. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 1117-24	27.4	478
11	Comparison of the unstructured clinician gestalt, the wells score, and the revised Geneva score to estimate pretest probability for suspected pulmonary embolism. <i>Annals of Emergency Medicine</i> , 2013 , 62, 117-124.e2	2.1	110
10	Outpatient versus inpatient treatment for patients with acute pulmonary embolism: an international, open-label, randomised, non-inferiority trial. <i>Lancet, The</i> , 2011 , 378, 41-8	40	415
9	Potential of an age adjusted D-dimer cut-off value to improve the exclusion of pulmonary embolism in older patients: a retrospective analysis of three large cohorts. <i>BMJ, The</i> , 2010 , 340, c1475	5.9	202
8	A computerized handheld decision-support system to improve pulmonary embolism diagnosis: a randomized trial. <i>Annals of Internal Medicine</i> , 2009 , 151, 677-86	8	79
7	Diagnosis of pulmonary embolism by multidetector CT alone or combined with venous ultrasonography of the leg: a randomised non-inferiority trial. <i>Lancet, The</i> , 2008 , 371, 1343-52	40	316
6	Appropriateness of diagnostic management and outcomes of suspected pulmonary embolism. <i>Annals of Internal Medicine</i> , 2006 , 144, 157-64	8	198
5	Prediction of pulmonary embolism in the emergency department: the revised Geneva score. <i>Annals of Internal Medicine</i> , 2006 , 144, 165-71	8	625
4	Multidetector-row computed tomography in suspected pulmonary embolism. <i>New England Journal of Medicine</i> , 2005 , 352, 1760-8	59.2	494

3	Derivation and validation of a prognostic model for pulmonary embolism. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005 , 172, 1041-6	10.2	744
2	Percutaneous radiologic gastrostomy versus nasogastric tube in critically ill patients. <i>Clinical Nutrition</i> , 2005 , 24, 321-5	5.9	7
1	Diagnosing pulmonary embolism in outpatients with clinical assessment, D-dimer measurement, venous ultrasound, and helical computed tomography: a multicenter management study. <i>American Journal of Medicine</i> , 2004 , 116, 291-9	2.4	274