

Jens Geginat

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9485507/jens-geginat-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64 papers	10,062 citations	35 h-index	74 g-index
74 ext. papers	11,718 ext. citations	9.8 avg, IF	5.75 L-index

#	Paper	IF	Citations
64	Pulmonary Langerhans cell histiocytosis (PLCH) and lymphangioleiomyomatosis (LAM) have circulating cells with loss of heterozygosity of the TSC2 gene.. <i>Chest</i> , 2022 ,	5.3	1
63	Guidelines for the use of flow cytometry and cell sorting in immunological studies (third edition).. <i>European Journal of Immunology</i> , 2021 , 51, 2708-3145	6.1	12
62	Clonally expanded EOMES Tr1-like cells in primary and metastatic tumors are associated with disease progression. <i>Nature Immunology</i> , 2021 , 22, 735-745	19.1	10
61	Ex vivo microRNA and gene expression profiling of human Tr1-like cells suggests a role for miR-92a and -125a in the regulation of EOMES and IL-10R. <i>European Journal of Immunology</i> , 2021 ,	6.1	1
60	Evidence for a pathogenic role of extrafollicular, IL-10-producing CCR6B helper T cells in systemic lupus erythematosus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 7305-7316	11.5	22
59	The induction and function of the anti-inflammatory fate of T17 cells. <i>Nature Communications</i> , 2020 , 11, 3334	17.4	10
58	Immunological Variables Associated With Clinical and Endoscopic Response to Vedolizumab in Patients With Inflammatory Bowel Diseases. <i>Journal of Crohn's and Colitis</i> , 2020 , 14, 1190-1201	1.5	7
57	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). <i>European Journal of Immunology</i> , 2019 , 49, 1457-1973	6.1	485
56	Novel biomarkers for primary biliary cholangitis to improve diagnosis and understand underlying regulatory mechanisms. <i>Liver International</i> , 2019 , 39, 2124-2135	7.9	2
55	IL-10 producing regulatory and helper T-cells in systemic lupus erythematosus. <i>Seminars in Immunology</i> , 2019 , 44, 101330	10.7	26
54	Eomesodermin controls a unique differentiation program in human IL-10 and IFN- γ -producing regulatory T cells. <i>European Journal of Immunology</i> , 2019 , 49, 96-111	6.1	34
53	Intestinal IFN- γ -producing type 1 regulatory T cells coexpress CCR5 and programmed cell death protein 1 and downregulate IL-10 in the inflamed guts of patients with inflammatory bowel disease. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 142, 1537-1547.e8	11.5	44
52	Pathogenicity of In Vivo Generated Intestinal Th17 Lymphocytes is IFN- γ Dependent. <i>Journal of Crohn's and Colitis</i> , 2018 , 12, 981-992	1.5	9
51	Molecular and functional heterogeneity of IL-10-producing CD4 T cells. <i>Nature Communications</i> , 2018 , 9, 5457	17.4	48
50	Successful sequential therapy with rituximab and belimumab in patients with active systemic lupus erythematosus: a case series. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 643-647	2.2	17
49	Extracellular MicroRNA Signature of Human Helper T Cell Subsets in Health and Autoimmunity. <i>Journal of Biological Chemistry</i> , 2017 , 292, 2903-2915	5.4	40
48	Recognition of viral and self-antigens by T1 and T1/T17 central memory cells in patients with multiple sclerosis reveals distinct roles in immune surveillance and relapses. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 797-808	11.5	46

47	The Enigmatic Role of Viruses in Multiple Sclerosis: Molecular Mimicry or Disturbed Immune Surveillance?. <i>Trends in Immunology</i> , 2017 , 38, 498-512	14.4	43
46	Guidelines for the use of flow cytometry and cell sorting in immunological studies. <i>European Journal of Immunology</i> , 2017 , 47, 1584-1797	6.1	359
45	Repression of miR-31 by BCL6 stabilizes the helper function of human follicular helper T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 12797-12802	11.5	21
44	Maintenance of memory CD8 T cells: Divided over division. <i>European Journal of Immunology</i> , 2017 , 47, 1875-1879	6.1	5
43	Differences in serum and synovial CD4+ T cells and cytokine profiles to stratify patients with inflammatory osteoarthritis and rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2017 , 19, 103	5.7	53
42	Transcriptional Landscape of Human Tissue Lymphocytes Unveils Uniqueness of Tumor-Infiltrating T Regulatory Cells. <i>Immunity</i> , 2016 , 45, 1135-1147	32.3	323
41	Uncontrolled IL-17 Production by Intraepithelial Lymphocytes in a Case of non-IPEX Autoimmune Enteropathy. <i>Clinical and Translational Gastroenterology</i> , 2016 , 7, e182	4.2	9
40	IL-10 promotes homeostatic proliferation of human CD8(+) memory T _H cells and, when produced by CD1c(+) DCs, shapes naive CD8(+) T-cell priming. <i>European Journal of Immunology</i> , 2016 , 46, 1622-32	6.1	32
39	The light and the dark sides of Interleukin-10 in immune-mediated diseases and cancer. <i>Cytokine and Growth Factor Reviews</i> , 2016 , 30, 87-93	17.9	72
38	IL-10-producing forkhead box protein 3-negative regulatory T _H cells inhibit B-cell responses and are involved in systemic lupus erythematosus. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 137, 318-321.e5	11.5	27
37	The Adipose Mesenchymal Stem Cell Secretome Inhibits Inflammatory Responses of Microglia: Evidence for an Involvement of Sphingosine-1-Phosphate Signalling. <i>Stem Cells and Development</i> , 2016 , 25, 1095-107	4.4	30
36	Reverse plasticity: TGF- β and IL-6 induce Th1-to-Th17-cell transdifferentiation in the gut. <i>European Journal of Immunology</i> , 2016 , 46, 2306-2310	6.1	21
35	Th17 cells transdifferentiate into regulatory T cells during resolution of inflammation. <i>Nature</i> , 2015 , 523, 221-5	50.4	505
34	Signal Strength and Metabolic Requirements Control Cytokine-Induced Th17 Differentiation of Uncommitted Human T Cells. <i>Journal of Immunology</i> , 2015 , 195, 3617-27	5.3	21
33	Immunity to Pathogens Taught by Specialized Human Dendritic Cell Subsets. <i>Frontiers in Immunology</i> , 2015 , 6, 527	8.4	35
32	The long intergenic noncoding RNA landscape of human lymphocytes highlights the regulation of T cell differentiation by linc-MAF-4. <i>Nature Immunology</i> , 2015 , 16, 318-325	19.1	235
31	Absence of a role for interleukin-13 in inflammatory bowel disease. <i>European Journal of Immunology</i> , 2014 , 44, 370-85	6.1	67
30	OP0224 Th17 Cells and TFH Cells and their Cytokine Products Are Enriched in the Synovium of Rheumatoid Arthritis Patients and Correlate with Disease Activity. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 147.1-147	2.4	1

29	IL-21 is a central memory T cell-associated cytokine that inhibits the generation of pathogenic Th1/17 effector cells. <i>Journal of Immunology</i> , 2014 , 193, 3322-31	5.3	40
28	Plasticity of human CD4 T cell subsets. <i>Frontiers in Immunology</i> , 2014 , 5, 630	8.4	158
27	OP0220 Pathogenic Role of IL-10 Producing Helper T Cells in Systemic Lupus Erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 146.1-146	2.4	
26	The CD4-centered universe of human T cell subsets. <i>Seminars in Immunology</i> , 2013 , 25, 252-62	10.7	66
25	Human CD1c+ dendritic cells secrete high levels of IL-12 and potentially prime cytotoxic T-cell responses. <i>Blood</i> , 2013 , 122, 932-42	2.2	224
24	Role of microRNAs and long-non-coding RNAs in CD4(+) T-cell differentiation. <i>Immunological Reviews</i> , 2013 , 253, 82-96	11.3	69
23	Intracellular modulation, extracellular disposal and serum increase of MiR-150 mark lymphocyte activation. <i>PLoS ONE</i> , 2013 , 8, e75348	3.7	58
22	Identification of new autoantigens by protein array indicates a role for IL4 neutralization in autoimmune hepatitis. <i>Molecular and Cellular Proteomics</i> , 2012 , 11, 1885-97	7.6	28
21	Epigenetic modification of the human CCR6 gene is associated with stable CCR6 expression in T cells. <i>Blood</i> , 2011 , 117, 2839-46	2.2	43
20	Distinct microRNA signatures in human lymphocyte subsets and enforcement of the naive state in CD4+ T cells by the microRNA miR-125b. <i>Nature Immunology</i> , 2011 , 12, 796-803	19.1	200
19	Dual role of anti-TNF therapy: enhancement of TCR-mediated T cell activation in peripheral blood and inhibition of inflammation in target tissues. <i>Clinical Immunology</i> , 2011 , 139, 164-76	9	38
18	CCR6 is expressed on an IL-10-producing, autoreactive memory T cell population with context-dependent regulatory function. <i>Journal of Experimental Medicine</i> , 2010 , 207, 565-77	16.6	50
17	Biology of interleukin-10. <i>Cytokine and Growth Factor Reviews</i> , 2010 , 21, 331-44	17.9	656
16	Identification and characterization of IL-10/IFN-gamma-producing effector-like T cells with regulatory function in human blood. <i>Journal of Experimental Medicine</i> , 2009 , 206, 1009-17	16.6	130
15	Human bone marrow as a source to generate CMV-specific CD4+ T cells with multifunctional capacity. <i>Journal of Immunotherapy</i> , 2009 , 32, 907-13	5	10
14	The strength of T cell stimulation determines IL-7 responsiveness, secondary expansion, and lineage commitment of primed human CD4+IL-7Rhi T cells. <i>European Journal of Immunology</i> , 2008 , 38, 30-9	6.1	33
13	Surface phenotype and antigenic specificity of human interleukin 17-producing T helper memory cells. <i>Nature Immunology</i> , 2007 , 8, 639-46	19.1	1437
12	Human Bone Marrow as a Source of Multifunctional CMV-Specific CD4+ T Cells for Adoptive Cell Therapy.. <i>Blood</i> , 2007 , 110, 2973-2973	2.2	

11	Toll-like receptor-dependent activation of several human blood cell types by protamine-condensed mRNA. <i>European Journal of Immunology</i> , 2005 , 35, 1557-66	6.1	148
10	Chemokine receptor expression identifies Pre-T helper (Th)1, Pre-Th2, and nonpolarized cells among human CD4+ central memory T cells. <i>Journal of Experimental Medicine</i> , 2004 , 200, 725-35	16.6	231
9	Central memory and effector memory T cell subsets: function, generation, and maintenance. <i>Annual Review of Immunology</i> , 2004 , 22, 745-63	34.7	2180
8	Proliferation and differentiation potential of human CD8+ memory T-cell subsets in response to antigen or homeostatic cytokines. <i>Blood</i> , 2003 , 101, 4260-6	2.2	417
7	T cell fitness determined by signal strength. <i>Nature Immunology</i> , 2003 , 4, 355-60	19.1	396
6	Cytokine-driven proliferation and differentiation of human naïve, central memory and effector memory CD4+ T cells. <i>Pathologie Et Biologie</i> , 2003 , 51, 64-6		53
5	TCR-independent proliferation and differentiation of human CD4+ T cell subsets induced by cytokines. <i>Advances in Experimental Medicine and Biology</i> , 2002 , 512, 107-12	3.6	29
4	Cytokine-driven proliferation and differentiation of human naïve, central memory, and effector memory CD4(+) T cells. <i>Journal of Experimental Medicine</i> , 2001 , 194, 1711-9	16.6	446
3	CD28 and LFA-1 contribute to cyclosporin A-resistant T cell growth by stabilizing the IL-2 mRNA through distinct signaling pathways. <i>European Journal of Immunology</i> , 2000 , 30, 1136-44	6.1	33
2	Integrin LFA-1 interacts with the transcriptional co-activator JAB1 to modulate AP-1 activity. <i>Nature</i> , 2000 , 404, 617-21	50.4	181
1	Chemokines fail to up-regulate beta 1 integrin-dependent adhesion in human Th2 T lymphocytes. <i>Journal of Immunology</i> , 2000 , 164, 3292-300	5.3	27