Cindy Ke Zhou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9486196/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prostate cancer incidence in 43 populations worldwide: An analysis of time trends overall and by age group. International Journal of Cancer, 2016, 138, 1388-1400.	2.3	216
2	Carotenoids, retinol, tocopherols, and prostate cancer risk: pooled analysis of 15 studies. American Journal of Clinical Nutrition, 2015, 102, 1142-1157.	2.2	107
3	TMPRSS2:ERG Gene Fusions in Prostate Cancer of West African Men and a Meta-Analysis of Racial Differences. American Journal of Epidemiology, 2017, 186, 1352-1361.	1.6	60
4	Worldwide Prevalence of Human Papillomavirus and Relative Risk of Prostate Cancer: A Meta-analysis. Scientific Reports, 2015, 5, 14667.	1.6	57
5	Aspirin but not ibuprofen use is associated with reduced risk of prostate cancer: a PLCO Study. British Journal of Cancer, 2012, 107, 207-214.	2.9	52
6	Expression of IGF/insulin receptor in prostate cancer tissue and progression to lethal disease. Carcinogenesis, 2018, 39, 1431-1437.	1.3	35
7	Relationship Between Male Pattern Baldness and the Risk of Aggressive Prostate Cancer: An Analysis of the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. Journal of Clinical Oncology, 2015, 33, 419-425.	0.8	27
8	Do Aspirin and Other NSAIDs Confer a Survival Benefit in Men Diagnosed with Prostate Cancer? A Pooled Analysis of NIH-AARP and PLCO Cohorts. Cancer Prevention Research, 2017, 10, 410-420.	0.7	23
9	Common Single Nucleotide Polymorphisms in Genes Related to Immune Function and Risk of Papillary Thyroid Cancer. PLoS ONE, 2013, 8, e57243.	1.1	18
10	Male Pattern Baldness in Relation to Prostate Cancer–Specific Mortality: A Prospective Analysis in the NHANES I Epidemiologic Follow-up Study. American Journal of Epidemiology, 2016, 183, 210-217.	1.6	18
11	Is birthweight associated with total and aggressive/lethal prostate cancer risks? A systematic review and meta-analysis. British Journal of Cancer, 2016, 114, 839-848.	2.9	16
12	Trends and Patterns of Testosterone Therapy among U.S. Male Medicare Beneficiaries, 1999 to 2014. Journal of Urology, 2020, 203, 1184-1190.	0.2	15
13	Male pattern baldness in relation to prostate cancer risks: An analysis in the VITamins and lifestyle (VITAL) cohort study. Prostate, 2015, 75, 415-423.	1.2	12
14	Relationships between Circulating and Intraprostatic Sex Steroid Hormone Concentrations. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 1660-1666.	1.1	12
15	Circulating and intraprostatic sex steroid hormonal profiles in relation to male pattern baldness and chest hair density among men diagnosed with localized prostate cancers. Prostate, 2017, 77, 1573-1582.	1.2	8
16	Usual adult occupation and risk of prostate cancer in West African men: the Ghana Prostate Study. Occupational and Environmental Medicine, 2019, 76, 71-77.	1.3	8
17	Prediagnostic Circulating Anti-Müllerian Hormone Concentrations Are Not Associated with Prostate Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2597-2602.	1.1	7
18	Overall and abdominal obesity and prostate cancer risk in a West African population: An analysis of the Ghana Prostate Study. International Journal of Cancer, 2020, 147, 2669-2676.	2.3	7

#	Article	IF	CITATIONS
19	Abstract 3260: Male pattern baldness increases the risk of aggressive prostate cancer: A prospective analysis of the Prostate, Lung, Colorectal and Ovarian (PLCO) Cancer Screening Trial. , 2014, , .		0