

Stefania M Mang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9486318/publications.pdf>

Version: 2024-02-01

18
papers

197
citations

1039880

9
h-index

1058333

14
g-index

18
all docs

18
docs citations

18
times ranked

310
citing authors

#	ARTICLE	IF	CITATIONS
1	Antimicrobial Activity and Chemical Composition of Three Essential Oils Extracted from Mediterranean Aromatic Plants. <i>Journal of Medicinal Food</i> , 2016, 19, 1096-1103.	0.8	39
2	An <i>In Vitro</i> Attempt for Controlling Severe Phytopathogens and Human Pathogens Using Essential Oils from Mediterranean Plants of Genus <i>Schinus</i> . <i>Journal of Medicinal Food</i> , 2016, 19, 266-273.	0.8	32
3	Diversity in <i>Allium ampeloprasum</i> : from small and wild to large and cultivated. <i>Genetic Resources and Crop Evolution</i> , 2013, 60, 97-114.	0.8	26
4	Impact of airborne zinc pollution on the antimicrobial activity of olive oil and the microbial metabolic profiles of Zn-contaminated soils in an Italian olive orchard. <i>Journal of Trace Elements in Medicine and Biology</i> , 2018, 49, 276-284.	1.5	18
5	Diversity Evaluation of <i>Xylella fastidiosa</i> from Infected Olive Trees in Apulia (Southern Italy). <i>Plant Pathology Journal</i> , 2016, 32, 102-111.	0.7	14
6	Preliminary Studies on Fungal Contamination of Two Rupestrian Churches from Matera (Southern Italy). <i>Journal of Fungal Biology</i> , 2014, 10, 1-14.	1.6	14
7	Species delimitation in <i>Pleurotus eryngii</i> species-complex inferred from ITS and EF-1 α gene sequences. <i>Mycology</i> , 2010, 1, 269-280.	2.0	10
8	Comparison of Bioactive Substances Content between Commercial and Wild-Type Isolates of <i>Pleurotus eryngii</i> . <i>Sustainability</i> , 2021, 13, 3777.	1.6	10
9	Volatolomics approach by HS-SPME-GC-MS and multivariate analysis to discriminate olive tree varieties infected by <i>Xylella fastidiosa</i> . <i>Phytochemical Analysis</i> , 2019, 30, 623-634.	1.2	9
10	Investigations on Fungi Isolated from Apple Trees with Die-Back Symptoms from Basilicata Region (Southern Italy). <i>Plants</i> , 2022, 11, 1374.	1.6	5
11	A realized Tuber <i>Tuber magnatum</i> niche in the upper Sinni area (south Italy). <i>Open Journal of Genetics</i> , 2013, 03, 102-110.	0.1	4
12	Metagenomic Analysis of Bacterial Community Structure and Dynamics of a Digestate and a More Stabilized Digestate-Derived Compost from Agricultural Waste. <i>Processes</i> , 2022, 10, 379.	1.3	4
13	Effects of <i>Trichoderma harzianum</i> Strain T22 on the Arthropod Community Associated with Tomato Plants and on the Crop Performance in an Experimental Field. <i>Insects</i> , 2022, 13, 418.	1.0	4
14	Alternative Control of <i>Phragmidium rubi-idaei</i> Infecting Two <i>Rubus</i> Species. <i>Plants</i> , 2021, 10, 1452.	1.6	3
15	Preliminary studies on productivity of white <i>Pleurotus eryngii</i> isolates in protected cultivation. <i>Italian Journal of Agronomy</i> , 2013, 8, 6.	0.4	2
16	Molecular identification and artificial cultivation of a wild isolate of oyster mushroom in Albania. <i>Italian Journal of Agronomy</i> , 2015, 10, 35.	0.4	1
17	Biodiversity of Hypogeous Fungi in Basilicata. <i>Journal of Fungal Biology</i> , 2015, 10, 305-318.		1
18	Morphological and productivity comparison between commercial and wild isolates of <i>Pleurotus eryngii</i> (D.C.: Fr.) QuÄl. <i>Italian Journal of Agronomy</i> , 2019, 14, 170-175.	0.4	1