Mara Jos Snchez Prez

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9487495/maria-jose-sanchez-perez-publications-by-year.pdf

Version: 2024-04-02

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30,187 89 489 153 h-index g-index citations papers 6.1 518 5.78 35,527 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
489	Prospective evaluation of 92 serum protein biomarkers for early detection of ovarian cancer British Journal of Cancer, 2022,	8.7	3
488	Socio-Economic Inequalities in Lung Cancer Outcomes: An Overview of Systematic Reviews <i>Cancers</i> , 2022 , 14,	6.6	2
487	Bayesian variable selection and survival modeling: assessing the Most important comorbidities that impact lung and colorectal cancer survival in Spain <i>BMC Medical Research Methodology</i> , 2022 , 22, 95	4.7	O
486	Cancer Survival in Adults in Spain: A Population-Based Study of the Spanish Network of Cancer Registries (REDECAN). <i>Cancers</i> , 2022 , 14, 2441	6.6	0
485	Impact of cumulative body mass index and cardiometabolic diseases on survival among patients with colorectal and breast cancer: a multi-centre cohort study <i>BMC Cancer</i> , 2022 , 22, 546	4.8	1
484	Follow-up care over 12 months of patients with prostate cancer in Spain: A multicenter prospective cohort study <i>Medicine (United States)</i> , 2021 , 100, e27801	1.8	
483	HIGH-RISK SUBTYPES OF CHRONIC LYMPHOCYTIC LEUKEMIA ARE DETECTABLE AS EARLY AS 16 YEARS PRIOR TO DIAGNOSIS. <i>Blood</i> , 2021 ,	2.2	1
482	Olive oil consumption is associated with a lower risk of cardiovascular disease and stroke. <i>Clinical Nutrition</i> , 2021 , 41, 122-130	5.9	4
481	Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPIC-CVD Case-Cohort Study Across Nine European Countries. <i>Journal of the American Heart Association</i> , 2021 , 10, e019814	6	3
480	The Role of Diet, Alcohol, BMI, and Physical Activity in Cancer Mortality: Summary Findings of the EPIC Study <i>Nutrients</i> , 2021 , 13,	6.7	2
479	Pre-diagnostic alterations in circulating bile acid profiles in the development of hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2021 ,	7.5	4
478	BRCA1/2 testing for genetic susceptibility to cancer after 25 years: A scoping review and a primer on ethical implications <i>Breast</i> , 2021 , 61, 66-76	3.6	3
477	Evidence Update on the Relationship between Diet and the Most Common Cancers from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study: A Systematic Review. <i>Nutrients</i> , 2021 , 13,	6.7	11
476	Public Perceptions of the Role of Lifestyle Factors in Cancer Development: Results from the Spanish Onco-Barometer 2020. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
475	Trends in gender of authors of original research in oncology among major medical journals: a retrospective bibliometric study. <i>BMJ Open</i> , 2021 , 11, e046618	3	O
474	Cancer incidence estimation from mortality data: a validation study within a population-based cancer registry. <i>Population Health Metrics</i> , 2021 , 19, 18	3	1
473	Socioeconomic Inequalities and Ethnicity Are Associated with a Positive COVID-19 Test among Cancer Patients in the UK Biobank Cohort. <i>Cancers</i> , 2021 , 13,	6.6	2

(2021-2021)

472	Dietary intake of trans fatty acids and breast cancer risk in 9 European countries. <i>BMC Medicine</i> , 2021 , 19, 81	11.4	7
471	Causal Effects of Lifetime Smoking on Breast and Colorectal Cancer Risk: Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 953-964	4	2
470	Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. <i>Carcinogenesis</i> , 2021 , 42, 705-713	4.6	2
469	Anticipated help-seeking for cancer symptoms before and after the coronavirus pandemic: results from the Onco-barometer population survey in Spain. <i>British Journal of Cancer</i> , 2021 , 124, 2017-2025	8.7	6
468	Novel Biomarkers of Habitual Alcohol Intake and Associations With Risk of Pancreatic and Liver Cancers and Liver Disease Mortality. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 1542-1550	9.7	7
467	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and trans fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>International Journal of Cancer</i> , 2021 , 149, 865	7.5	8
466	Differences in the management and survival of metastatic colorectal cancer in Europe. A population-based study. <i>Digestive and Liver Disease</i> , 2021 , 53, 639-645	3.3	1
465	Lung, Breast and Colorectal Cancer Incidence by Socioeconomic Status in Spain: A Population-Based Multilevel Study. <i>Cancers</i> , 2021 , 13,	6.6	2
464	Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Epidemiology</i> , 2021 , 36, 953-964	12.1	O
463	Circulating tryptophan metabolites and risk of colon cancer: Results from case-control and prospective cohort studies. <i>International Journal of Cancer</i> , 2021 , 149, 1659-1669	7.5	4
462	Greenhouse gases emissions from the diet and risk of death and chronic diseases in the EPIC-Spain cohort. <i>European Journal of Public Health</i> , 2021 , 31, 130-135	2.1	2
461	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. <i>International Journal of Cancer</i> , 2021 , 148, 609-625	7.5	15
460	Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 104-113	4	8
459	Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Case-Control Study Nested within a European Prospective Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 182-192	4	1
458	The spread of SARS-CoV-2 in Spain: Hygiene habits, sociodemographic profile, mobility patterns and comorbidities. <i>Environmental Research</i> , 2021 , 192, 110223	7.9	15
457	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. <i>Diabetes Care</i> , 2021 , 44, 98-106	14.6	21
456	Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2021 , 44, 416-424	14.6	2
455	Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. <i>BMC Medicine</i> , 2021 , 19, 1	11.4	48

454	Physical comorbidities as a marker for high risk of psychological distress in cancer patients. <i>Psycho-Oncology</i> , 2021 , 30, 1160-1166	3.9	4
453	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 874-885	4	3
452	Kaposi sarcoma incidence, survival and trends: Data from the information network on rare cancers in Europe (RARECAREnet). <i>Cancer Epidemiology</i> , 2021 , 70, 101877	2.8	O
45 ¹	A multilayered post-GWAS assessment on genetic susceptibility to pancreatic cancer. <i>Genome Medicine</i> , 2021 , 13, 15	14.4	6
450	Lifetime alcohol intake, drinking patterns over time and risk of stomach cancer: A pooled analysis of data from two prospective cohort studies. <i>International Journal of Cancer</i> , 2021 , 148, 2759-2773	7.5	О
449	Physical Comorbidities and Depression in Recent and Long-Term Adult Cancer Survivors: NHANES 2007-2018. <i>Cancers</i> , 2021 , 13,	6.6	4
448	Obesity as a Risk Factor for Prostate Cancer Mortality: A Systematic Review and Dose-Response Meta-Analysis of 280,199 Patients. <i>Cancers</i> , 2021 , 13,	6.6	3
447	Bisphenol-A exposure and risk of breast and prostate cancer in the Spanish European Prospective Investigation into Cancer and Nutrition study. <i>Environmental Health</i> , 2021 , 20, 88	6	4
446	Prospective analysis of circulating metabolites and endometrial cancer risk. <i>Gynecologic Oncology</i> , 2021 , 162, 475-481	4.9	4
445	Dietary Advanced Glycation End-Products and Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , 2021 , 13,	6.7	3
444	The role of multimorbidity in short-term mortality of lung cancer patients in Spain: a population-based cohort study. <i>BMC Cancer</i> , 2021 , 21, 1048	4.8	2
443	Association of Pre-diagnostic Antibody Responses to Escherichia coli and Bacteroides fragilis Toxin Proteins with Colorectal Cancer in a European Cohort. <i>Gut Microbes</i> , 2021 , 13, 1-14	8.8	5
442	Lifestyle correlates of eight breast cancer-related metabolites: a cross-sectional study within the EPIC cohort. <i>BMC Medicine</i> , 2021 , 19, 312	11.4	1
44 ¹	Dietary Intake of Advanced Glycation End Products (AGEs) and Mortality among Individuals with Colorectal Cancer <i>Nutrients</i> , 2021 , 13,	6.7	3
440	Deprivation gap in colorectal cancer survival attributable to stage at diagnosis: A population-based study in Spain. <i>Cancer Epidemiology</i> , 2020 , 68, 101794	2.8	0
439	Relationship between exposure to mixtures of persistent, bioaccumulative, and toxic chemicals and cancer risk: A systematic review. <i>Environmental Research</i> , 2020 , 188, 109787	7.9	9
438	Menstrual Factors, Reproductive History, Hormone Use, and Urothelial Carcinoma Risk: A Prospective Study in the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1654-16	5 8 4	1
437	Predictive Model of the Risk of In-Hospital Mortality in Colorectal Cancer Surgery, Based on the Minimum Basic Data Set. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17	4.6	2

(2020-2020)

436	Healthy lifestyle and the risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020 , 147, 1649-1656	7.5	1
435	Compliance with the 2018 World Cancer Research Fund/American Institute for Cancer Research Cancer Prevention Recommendations and Prostate Cancer. <i>Nutrients</i> , 2020 , 12,	6.7	6
434	Comorbidities, timing of treatments, and chemotherapy use influence outcomes in stage III colon cancer: A population-based European study. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1151-1159	93.6	4
433	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1739	- 1 749	6
432	The Impact of Plant-Based Dietary Patterns on Cancer-Related Outcomes: A Rapid Review and Meta-Analysis. <i>Nutrients</i> , 2020 , 12,	6.7	21
431	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. American Journal of Clinical Nutrition, 2020 , 112, 631-643	7	10
430	Multimorbidity and short-term overall mortality among colorectal cancer patients in Spain: A population-based cohort study. <i>European Journal of Cancer</i> , 2020 , 129, 4-14	7.5	14
429	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. <i>Breast Cancer Research</i> , 2020 , 22, 5	8.3	12
428	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020 , 147, 1027-1039	7.5	5
427	Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. <i>BMC Medicine</i> , 2020 , 18, 5	11.4	43
426	Theoretical potential for endometrial cancer prevention through primary risk factor modification: Estimates from the EPIC cohort. <i>International Journal of Cancer</i> , 2020 , 147, 1325-1333	7.5	3
425	Multimorbidity by Patient and Tumor Factors and Time-to-Surgery Among Colorectal Cancer Patients in Spain: A Population-Based Study. <i>Clinical Epidemiology</i> , 2020 , 12, 31-40	5.9	12
424	Serum levels of hsa-miR-16-5p, hsa-miR-29a-3p, hsa-miR-150-5p, hsa-miR-155-5p and hsa-miR-223-3p and subsequent risk of chronic lymphocytic leukemia in the EPIC study. <i>International Journal of Cancer</i> , 2020 , 147, 1315-1324	7.5	8
423	Serologic markers of Chlamydia trachomatis and other sexually transmitted infections and subsequent ovarian cancer risk: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2020 , 147, 2042-2052	7.5	8
422	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020 ,	6.9	3
421	Physical activity and risks of breast and colorectal cancer: a Mendelian randomisation analysis. <i>Nature Communications</i> , 2020 , 11, 597	17.4	36
420	A nutrient-wide association study for risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition and the Netherlands Cohort Study. <i>European Journal of Nutrition</i> , 2020 , 59, 2929-2937	5.2	6
419	Cumulative Burden of Colorectal Cancer-Associated Genetic Variants Is More Strongly Associated With Early-Onset vs Late-Onset Cancer. <i>Gastroenterology</i> , 2020 , 158, 1274-1286.e12	13.3	47

418	Bisphenol-A in the European Prospective Investigation into Cancer and Nutrition cohort in Spain: Levels at recruitment and associated dietary factors. <i>Environmental Research</i> , 2020 , 182, 109012	7.9	8
417	Bisphenol A exposure and risk of ischemic heart disease in the Spanish European Prospective Investigation into cancer and nutrition study. <i>Chemosphere</i> , 2020 , 261, 127697	8.4	8
416	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020 , 43, 2660-2667	14.6	10
415	Fried-Food Consumption Does Not Increase the Risk of Stroke in the Spanish Cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2020 , 150, 3241-3248	4.1	1
414	Adherence to Clinical Practice Guidelines and Colorectal Cancer Survival: A Retrospective High-Resolution Population-Based Study in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
413	Night Shift Work, Chronotype, Sleep Duration, and Prostate Cancer Risk: CAPLIFE Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	5
412	Socioeconomic Inequalities in Colorectal Cancer Survival in Southern Spain: A Multilevel Population-Based Cohort Study. <i>Clinical Epidemiology</i> , 2020 , 12, 797-806	5.9	2
411	Intake of individual fatty acids and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2020 , 146, 44-57	7.5	7
410	Patterns in metabolite profile are associated with risk of more aggressive prostate cancer: A prospective study of 3,057 matched case-control sets from EPIC. <i>International Journal of Cancer</i> , 2020 , 146, 720-730	7.5	22
409	Mediation analysis of the alcohol-postmenopausal breast cancer relationship by sex hormones in the EPIC cohort. <i>International Journal of Cancer</i> , 2020 , 146, 759-768	7.5	6
408	Anthropometric and reproductive factors and risk of esophageal and gastric cancer by subtype and subsite: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020 , 146, 929-942	7.5	13
407	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , 2020 , 59, 813-823	5.2	3
406	Healthy lifestyle and the risk of pancreatic cancer in the EPIC study. <i>European Journal of Epidemiology</i> , 2020 , 35, 975-986	12.1	20
405	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 654-666.e6	6.9	43
404	Psychological factors related to time to help-seeking for cancer symptoms: a meta-analysis across cancer sites. <i>Health Psychology Review</i> , 2020 , 14, 245-268	7.1	6
403	Plasma Non-Enzymatic Antioxidant Capacity (NEAC) in Relation to Dietary NEAC, Nutrient Antioxidants and Inflammation-Related Biomarkers. <i>Antioxidants</i> , 2020 , 9,	7.1	3
402	Vitamin D-Related Genes, Blood Vitamin D Levels and Colorectal Cancer Risk in Western European Populations. <i>Nutrients</i> , 2019 , 11,	6.7	11
401	Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , 2019 , 179, 1479-1490	11.5	72

400	Prospective analysis of circulating metabolites and breast cancer in EPIC. <i>BMC Medicine</i> , 2019 , 17, 178	11.4	34
399	Antibody Responses to Proteins in Prediagnostic Blood Samples are not Associated with Risk of Developing Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1552-1555	4	13
398	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 145, 2349-235	;ō ·5	3
397	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. <i>Journal of Nutrition</i> , 2019 , 149, 1047-1055	4.1	3
396	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1089-1092	4	3
395	Disparities in the management of cutaneous malignant melanoma. A population-based high-resolution study. <i>European Journal of Cancer Care</i> , 2019 , 28, e13043	2.4	5
394	Moderate egg consumption and all-cause and specific-cause mortality in the Spanish European Prospective into Cancer and Nutrition (EPIC-Spain) study. <i>European Journal of Nutrition</i> , 2019 , 58, 2003-	25010	16
393	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2019 , 144, 240-250	7.5	13
392	Association study of dietary non-enzymatic antioxidant capacity (NEAC) and colorectal cancer risk in the Spanish Multicase-Control Cancer (MCC-Spain) study. <i>European Journal of Nutrition</i> , 2019 , 58, 222	9 -2 242	28
391	Secular trends in stillbirth by maternal socioeconomic status in Spain 2007-15: a population-based study of 4 million births. <i>European Journal of Public Health</i> , 2019 , 29, 1043-1048	2.1	6
390	Curative Strategy (GEM-CESAR) for High-Risk Smoldering Myeloma (SMM): Carfilzomib, Lenalidomide and Dexamethasone (KRd) As Induction Followed By HDT-ASCT, Consolidation with Krd and Maintenance with Rd. <i>Blood</i> , 2019 , 134, 781-781	2.2	23
389	A Mobile System to Improve Quality of Life Via Energy Balance in Breast Cancer Survivors (BENECA mHealth): Prospective Test-Retest Quasiexperimental Feasibility Study. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e14136	5.5	14
388	Heavy and Light Chain Monitoring in High Risk Smoldering Multiple Myeloma Patients Included in the GEM-CESAR Trial: Comparison with Conventional and Minimal Residual Disease IMWG Response Assessment. <i>Blood</i> , 2019 , 134, 1852-1852	2.2	0
387	Development and validation of circulating CA125 prediction models in postmenopausal women. Journal of Ovarian Research, 2019 , 12, 116	5.5	8
386	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019 , 17, 221	11.4	7
385	Educational Note: Paradoxical collider effect in the analysis of non-communicable disease epidemiological data: a reproducible illustration and web application. <i>International Journal of Epidemiology</i> , 2019 , 48, 640-653	7.8	16
384	Ovarian cancer risk factors by tumor aggressiveness: An analysis from the Ovarian Cancer Cohort Consortium. <i>International Journal of Cancer</i> , 2019 , 145, 58-69	7.5	13
383	Comorbidities, age and period of diagnosis influence treatment and outcomes in early breast cancer. <i>International Journal of Cancer</i> , 2019 , 144, 2118-2127	7.5	15

382	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019 , 79, 274-285	10.1	17	
381	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2019, 188, 274-281	3.8	2	
380	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: AlMultinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1323-1331.e6	6.9	57	
379	Tumor-associated autoantibodies as early detection markers for ovarian cancer? A prospective evaluation. <i>International Journal of Cancer</i> , 2018 , 143, 515-526	7.5	7	
378	Prospective evaluation of antibody response to Streptococcus gallolyticus and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2018 , 143, 245-252	7.5	18	
377	A prospective evaluation of plasma polyphenol levels and colon cancer risk. <i>International Journal of Cancer</i> , 2018 , 143, 1620-1631	7.5	24	
376	Is low survival for cancer in Eastern Europe due principally to late stage at diagnosis?. <i>European Journal of Cancer</i> , 2018 , 93, 127-137	7.5	12	
375	Comparison of the Dietary Antioxidant Profiles of 21 a priori Defined Mediterranean Diet Indexes. Journal of the Academy of Nutrition and Dietetics, 2018, 118, 2254-2268.e8	3.9	11	
374	Cancer survival in adult patients in Spain. Results from nine population-based cancer registries. <i>Clinical and Translational Oncology</i> , 2018 , 20, 201-211	3.6	34	
373	Results from the European Prospective Investigation into Cancer and Nutrition Link Vitamin B6 Catabolism and Lung Cancer Risk. <i>Cancer Research</i> , 2018 , 78, 302-308	10.1	12	
372	Thyroid Cancer Epidemiology in South Spain: a population-based time trend study. <i>Endocrine</i> , 2018 , 62, 423-431	4	9	
371	Trends in incidence, mortality and survival in women with breast cancer from 1985 to 2012 in Granada, Spain: a population-based study. <i>BMC Cancer</i> , 2018 , 18, 781	4.8	24	
370	Curativestategy (GEM-CESAR) for High-Risk Smoldering Myeloma (SMM): Carfilzomib, Lenalidomide and Dexamethasone (KRd) As Induction Followed By HDT-ASCT, Consolidation with Krd and Maintenance with Rd. <i>Blood</i> , 2018 , 132, 2142-2142	2.2	6	
369	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2018 , 142, 1332-1342	7.5	32	
368	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. <i>International Journal of Cancer</i> , 2018 , 142, 1189-1201	7.5	12	
367	Ovarian cancer early detection by circulating CA125 in the context of anti-CA125 autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2018 , 142, 1355-1360	7.5	16	
366	How are risk ratios reported in orthopaedic surgery journals? A descriptive study of formats used to report absolute risks. <i>BMJ Open</i> , 2018 , 8, e025047	3	О	
365	Risk prediction for estrogen receptor-specific breast cancers in two large prospective cohorts. Breast Cancer Research, 2018, 20, 147	8.3	13	

364	The influence of lifestyle, diet, and reproductive history on age at natural menopause in Spain: Analysis from the EPIC-Spain sub-cohort. <i>American Journal of Human Biology</i> , 2018 , 30, e23181	2.7	10
363	Prognostic utility of serum free light chain ratios and heavy-light chain ratios in multiple myeloma in three PETHEMA/GEM phase III clinical trials. <i>PLoS ONE</i> , 2018 , 13, e0203392	3.7	10
362	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. <i>BMJ, The</i> , 2018 , 361, k934	5.9	44
361	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Epidemiology</i> , 2018 , 33, 1063-1075	12.1	23
360	Cancer incidence in Spain, 2015. Clinical and Translational Oncology, 2017, 19, 799-825	3.6	124
359	Determination of oleanolic acid in human plasma and its association with olive oil intake in healthy Spanish adults within the EPIC Spain cohort study. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 160	0 § 27	1
358	Inflammatory potential of the diet and mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600649	5.9	12
357	Pre-diagnosis insulin-like growth factor-I and risk of epithelial invasive ovarian cancer by histological subtypes: A collaborative re-analysis from the Ovarian Cancer Cohort Consortium. <i>Cancer Causes and Control</i> , 2017 , 28, 429-435	2.8	2
356	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , 2017 , 116, 811-820	8.7	21
355	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. <i>Clinical Cancer Research</i> , 2017 , 23, 4181-4189	12.9	23
354	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 895-9	9 0 4	6
353	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. <i>BMC Medicine</i> , 2017 , 15, 26	11.4	18
352	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. <i>Journal of Ovarian Research</i> , 2017 , 10, 20	5.5	14
351	Biomarkers of folate and vitamin B12 and breast cancer risk: report from the EPIC cohort. <i>International Journal of Cancer</i> , 2017 , 140, 1246-1259	7.5	28
350	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Carcinogenesis</i> , 2017 , 38, 699-707	4.6	28
349	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 263-275	7	36
348	Demographic, lifestyle, and other factors in relation to antimlerian hormone levels in mostly late premenopausal women. <i>Fertility and Sterility</i> , 2017 , 107, 1012-1022.e2	4.8	31
347	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2017 , 140, 1836-1844	7.5	45

346	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. <i>International Journal of Epidemiology</i> , 2017 , 46, 1823-1835	7.8	13
345	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , 2017 , 35, 1297-1303	2.2	14
344	Quality analysis of population-based information on cancer stage at diagnosis across Europe, with presentation of stage-specific cancer survival estimates: AEUROCARE-5 study. <i>European Journal of Cancer</i> , 2017 , 84, 335-353	7.5	18
343	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. <i>Cancer Prevention Research</i> , 2017 , 10, 525-534	3.2	22
342	Alcohol consumption and risk of urothelial cell bladder cancer in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2017 , 141, 1963-1970	7.5	14
341	Trends in net survival from head and neck cancer in six European Latin countries: results from the SUDCAN population-based study. <i>European Journal of Cancer Prevention</i> , 2017 , 26 Trends in cancer net surviv, S16-S23	2	7
340	Aromatic DNA adducts and breast cancer risk: a case-cohort study within the EPIC-Spain. <i>Carcinogenesis</i> , 2017 , 38, 691-698	4.6	13
339	Coffee Drinking and Mortality in 10 European Countries: A Multinational Cohort Study. <i>Annals of Internal Medicine</i> , 2017 , 167, 236-247	8	127
338	Geographical variability in survival of European children with central nervous system tumours. <i>European Journal of Cancer</i> , 2017 , 82, 137-148	7.5	20
337	Standardizing effect size from linear regression models with log-transformed variables for meta-analysis. <i>BMC Medical Research Methodology</i> , 2017 , 17, 44	4.7	21
336	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , 2017 , 15, 72	11.4	26
335	Fiber intake modulates the association of alcohol intake with breast cancer. <i>International Journal of Cancer</i> , 2017 , 140, 316-321	7.5	9
334	Incidence and survival time trends for Spanish children and adolescents with leukaemia from 1983 to 2007. <i>Clinical and Translational Oncology</i> , 2017 , 19, 301-316	3.6	8
333	Data quality in rare cancers registration: the report of the RARECARE data quality study. <i>Tumori</i> , 2017 , 103, 22-32	1.7	24
332	Influence of Dopaminergic System Genetic Variation and Lifestyle Factors on Excessive Alcohol Consumption. <i>Alcohol and Alcoholism</i> , 2016 , 51, 258-67	3.5	6
331	Anthropometry and the Risk of Lung Cancer in EPIC. American Journal of Epidemiology, 2016 , 184, 129-	39 ;.8	16
330	International Myeloma Working Group consensus criteria for response and minimal residual disease assessment in multiple myeloma. <i>Lancet Oncology, The</i> , 2016 , 17, e328-e346	21.7	1155
329	A genomic approach to therapeutic target validation identifies a glucose-lowering GLP1R variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016 , 8, 341ra76	17.5	77

328	Identification of four novel susceptibility loci for oestrogen receptor negative breast cancer. <i>Nature Communications</i> , 2016 , 7, 11375	17.4	64
327	Circulating vitamin D in relation to cancer incidence and survival of the head and neck and oesophagus in the EPIC cohort. <i>Scientific Reports</i> , 2016 , 6, 36017	4.9	25
326	Healthy Lifestyle and Risk of Cancer in the European Prospective Investigation Into Cancer and Nutrition Cohort Study. <i>Medicine (United States)</i> , 2016 , 95, e2850	1.8	31
325	Combined effects of smoking and HPV16 in oropharyngeal cancer. <i>International Journal of Epidemiology</i> , 2016 , 45, 752-61	7.8	47
324	Work, household, and leisure-time physical activity and risk of mortality in the EPIC-Spain cohort. <i>Preventive Medicine</i> , 2016 , 85, 106-112	4.3	23
323	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , 2016 , 27, 919-27	2.8	6
322	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016 , 116, 316-25	3.6	20
321	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 454-64	7	69
320	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016 , 40, 179-87	2.8	34
319	Life-course social position, obesity and diabetes risk in the EPIC-Spain Cohort. <i>European Journal of Public Health</i> , 2016 , 26, 439-45	2.1	4
318	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016 , 31, 255-66	12.1	36
317	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2016 , 138, 65-73	7.5	16
316	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 291-301	4	23
315	Vegetable and fruit consumption and the risk of hormone receptor-defined breast cancer in the EPIC cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 168-77	7	40
314	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. American Journal of Clinical Nutrition, 2016, 103, 161-7	7	22
313	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. <i>PLoS ONE</i> , 2016 , 11, e0147029	3.7	68
312	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 406-14	7	57
311	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. <i>International Journal of Cancer</i> , 2016 , 138, 348-60	7.5	58

310	Early mortality in multiple myeloma: the time-dependent impact of comorbidity: A population-based study in 621 real-life patients. <i>American Journal of Hematology</i> , 2016 , 91, 700-4	7.1	21
309	Meal patterns across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016 , 19, 2769-80	3.3	32
308	Breast Cancer Risk From Modifiable and Nonmodifiable Risk Factors Among White Women in the United States. <i>JAMA Oncology</i> , 2016 , 2, 1295-1302	13.4	189
307	No association between fish consumption and risk of stroke in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain): a 13ß-year follow-up study. <i>Public Health Nutrition</i> , 2016 , 19, 674-81	3.3	12
306	A Prospective Evaluation of Early Detection Biomarkers for Ovarian Cancer in the European EPIC Cohort. <i>Clinical Cancer Research</i> , 2016 , 22, 4664-75	12.9	58
305	Cross-Cancer Genome-Wide Analysis of Lung, Ovary, Breast, Prostate, and Colorectal Cancer Reveals Novel Pleiotropic Associations. <i>Cancer Research</i> , 2016 , 76, 5103-14	10.1	66
304	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2016 , 139, 1480-92	7.5	14
303	Lag times between lymphoproliferative disorder and clinical diagnosis of chronic lymphocytic leukemia: a prospective analysis using plasma soluble CD23. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 538-45	4	9
302	A prospective study of the immune system activation biomarker neopterin and colorectal cancer risk. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	16
301	Diabetes and onset of natural menopause: results from the European Prospective Investigation into Cancer and Nutrition. <i>Human Reproduction</i> , 2015 , 30, 1491-8	5.7	37
300	Dietary animal and plant protein intakes and their associations with obesity and cardio-metabolic indicators in European adolescents: the HELENA cross-sectional study. <i>Nutrition Journal</i> , 2015 , 14, 10	4.3	40
299	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015 , 17, 15	8.3	39
298	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. <i>BMC Medicine</i> , 2015 , 13, 107	11.4	45
297	Dietary intake of acrylamide and epithelial ovarian cancer risk in the european prospective investigation into cancer and nutrition (EPIC) cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 291-7	4	14
296	Human Papillomavirus 16 E6 Antibodies in Individuals without Diagnosed Cancer: A Pooled Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 683-9	4	48
295	Prognoses and improvement for head and neck cancers diagnosed in Europe in early 2000s: The EUROCARE-5 population-based study. <i>European Journal of Cancer</i> , 2015 , 51, 2130-2143	7.5	250
294	Clinical intervals and diagnostic characteristics in a cohort of prostate cancer patients in Spain: a multicentre observational study. <i>BMC Urology</i> , 2015 , 15, 60	2.2	3
293	Survival of women with cancers of breast and genital organs in Europe 1999-2007: Results of the EUROCARE-5 study. <i>European Journal of Cancer</i> , 2015 , 51, 2191-2205	7.5	147

(2015-2015)

The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1855-63	4	25
Determinants of the t(14;18) translocation and their role in t(14;18)-positive follicular lymphoma. <i>Cancer Causes and Control</i> , 2015 , 26, 1845-55	2.8	
Trends in survival of multiple myeloma: a thirty-year population-based study in a single institution. <i>Cancer Epidemiology</i> , 2015 , 39, 693-9	2.8	17
Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. <i>British Journal of Cancer</i> , 2015 , 113, 840-7	8.7	13
The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1498-508	7	44
Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. <i>European Journal of Clinical Nutrition</i> , 2015 , 69, 455-61	5.2	27
Quality of life in patients with non-muscle-invasive bladder cancer: one-year results of a multicentre prospective cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 19.e7-19.e15	2.8	28
Healthy lifestyle and risk of breast cancer among postmenopausal women in the European Prospective Investigation into Cancer and Nutrition cohort study. <i>International Journal of Cancer</i> , 2015 , 136, 2640-8	7.5	70
Risk of second cancers cancer after a first primary breast cancer: a systematic review and meta-analysis. <i>Gynecologic Oncology</i> , 2015 , 136, 158-71	4.9	49
Global surveillance of cancer survival 1995-2009: analysis of individual data for 25,676,887 patients from 279 population-based registries in 67 countries (CONCORD-2). <i>Lancet, The</i> , 2015 , 385, 977-1010	40	1431
	8.7	1431
from 279 population-based registries in 67 countries (CONCORD-2). <i>Lancet, The</i> , 2015 , 385, 977-1010 Insulin-like growth factor I and risk of epithelial invasive ovarian cancer by tumour characteristics:		19
from 279 population-based registries in 67 countries (CONCORD-2). <i>Lancet, The,</i> 2015 , 385, 977-1010 Insulin-like growth factor I and risk of epithelial invasive ovarian cancer by tumour characteristics: results from the EPIC cohort. <i>British Journal of Cancer</i> , 2015 , 112, 162-6 Fish consumption and mortality in the European Prospective Investigation into Cancer and	8.7	19
Insulin-like growth factor I and risk of epithelial invasive ovarian cancer by tumour characteristics: results from the EPIC cohort. <i>British Journal of Cancer</i> , 2015 , 112, 162-6 Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015 , 30, 57-70 Association between different obesity measures and the risk of stroke in the EPIC Spanish cohort.	8.7	19
Insulin-like growth factor I and risk of epithelial invasive ovarian cancer by tumour characteristics: results from the EPIC cohort. <i>British Journal of Cancer</i> , 2015 , 112, 162-6 Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015 , 30, 57-70 Association between different obesity measures and the risk of stroke in the EPIC Spanish cohort. <i>European Journal of Nutrition</i> , 2015 , 54, 365-75 Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015	8.7 12.1 5.2	19 33 22
Insulin-like growth factor I and risk of epithelial invasive ovarian cancer by tumour characteristics: results from the EPIC cohort. <i>British Journal of Cancer</i> , 2015 , 112, 162-6 Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015 , 30, 57-70 Association between different obesity measures and the risk of stroke in the EPIC Spanish cohort. <i>European Journal of Nutrition</i> , 2015 , 54, 365-75 Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 136, 399-410 Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study.	8.7 12.1 5.2 7.5	19 33 22 26
Insulin-like growth factor I and risk of epithelial invasive ovarian cancer by tumour characteristics: results from the EPIC cohort. <i>British Journal of Cancer</i> , 2015 , 112, 162-6 Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015 , 30, 57-70 Association between different obesity measures and the risk of stroke in the EPIC Spanish cohort. <i>European Journal of Nutrition</i> , 2015 , 54, 365-75 Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 136, 399-410 Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. <i>Breast Cancer Research</i> , 2015 , 17, 49 Body iron status and gastric cancer risk in the EURGAST study. <i>International Journal of Cancer</i> , 2015 ,	8.7 12.1 5.2 7.5 8.3	19 33 22 26 25
	Cancer Causes and Control, 2015, 26, 1845-55 Trends in survival of multiple myeloma: a thirty-year population-based study in a single institution. Cancer Epidemiology, 2015, 39, 693-9 Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. British Journal of Cancer, 2015, 113, 840-7 The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2015, 102, 1498-508 Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. European Journal of Clinical Nutrition, 2015, 69, 455-61 Quality of life in patients with non-muscle-invasive bladder cancer: one-year results of a multicentre prospective cohort study. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 19.e7-19.e15 Healthy lifestyle and risk of breast cancer among postmenopausal women in the European Prospective Investigation into Cancer and Nutrition cohort study. International Journal of Cancer, 2015, 136, 2640-8 Risk of second cancers cancer after a first primary breast cancer: a systematic review and	Trends in survival of multiple myeloma: a thirty-year population-based study in a single institution. Cancer Epidemiology, 2015, 39, 693-9 Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. British Journal of Cancer, 2015, 113, 840-7 The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2015, 102, 1498-508 Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. European Journal of Clinical Nutrition, 2015, 69, 455-61 Quality of life in patients with non-muscle-invasive bladder cancer: one-year results of a multicentre prospective cohort study. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 19.e7-19.e15 Healthy lifestyle and risk of breast cancer among postmenopausal women in the European Prospective Investigation into Cancer and Nutrition cohort study. International Journal of Cancer, 2015, 136, 2640-8 Risk of second cancers cancer after a first primary breast cancer: a systematic review and

274	Human papillomavirus antibodies and future risk of anogenital cancer: a nested case-control study in the European prospective investigation into cancer and nutrition study. <i>Journal of Clinical Oncology</i> , 2015 , 33, 877-84	2.2	46
273	Reproductive and hormone-related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2015 , 137, 1196-208	7.5	45
272	Investigation of dietary factors and endometrial cancer risk using a nutrient-wide association study approach in the EPIC and NursesRHealth Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 466-71	4	35
271	A prospective study of one-carbon metabolism biomarkers and cancer of the head and neck and esophagus. <i>International Journal of Cancer</i> , 2015 , 136, 915-27	7.5	19
270	Reproductive factors and epithelial ovarian cancer survival in the EPIC cohort study. <i>British Journal of Cancer</i> , 2015 , 113, 1622-31	8.7	20
269	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Breast Cancer Research and Treatment</i> , 2015 , 154, 389-401	4.4	24
268	Plasma fetuin-A concentration, genetic variation in the AHSG gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015 , 137, 911-20	7.5	12
267	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015 , 137, 940-8	7.5	43
266	Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 1921-30	7.5	55
265	Association of breast cancer risk loci with breast cancer survival. <i>International Journal of Cancer</i> , 2015 , 137, 2837-45	7.5	28
264	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 613-21	7	219
263	Selenium status is associated with colorectal cancer risk in the European prospective investigation of cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2015 , 136, 1149-61	7.5	121
262	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. <i>International Journal of Cancer</i> , 2015 , 137, 598-606	7.5	68
261	Multiple Myeloma with Prior Precursor Disease Shows Better Outcome. <i>Blood</i> , 2015 , 126, 1756-1756	2.2	1
260	Controversial Messages on Cancer. Asian Pacific Journal of Cancer Prevention, 2015, 16, 6171-2	1.7	1
259	Bladder cancer index: cross-cultural adaptation into Spanish and psychometric evaluation. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 20	3	16
258	Active and passive cigarette smoking and breast cancer risk: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 1871-88	7·5	89
257	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. International Journal of Cancer, 2014, 135, 2887-99	7.5	47

256	Premenopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status - results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 1947-57	7.5	54
255	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 440-	5 2 ·5	35
254	Cumulative risk of second primary contralateral breast cancer in BRCA1/BRCA2 mutation carriers with a first breast cancer: A systematic review and meta-analysis. <i>Breast</i> , 2014 , 23, 721-42	3.6	49
253	Plasma methionine, choline, betaine, and dimethylglycine in relation to colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2014 , 25, 1609	9 ¹ 13	31
252	Anthropometric measures and bladder cancer risk: a prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 2918-29	7.5	22
251	Dietary fat intake and development of specific breast cancer subtypes. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	71
250	Fruit and vegetable intake and cause-specific mortality in the EPIC study. <i>European Journal of Epidemiology</i> , 2014 , 29, 639-52	12.1	41
249	International Myeloma Working Group updated criteria for the diagnosis of multiple myeloma. Lancet Oncology, The, 2014 , 15, e538-48	21.7	2253
248	Alcohol consumption and survival after a breast cancer diagnosis: a literature-based meta-analysis and collaborative analysis of data for 29,239 cases. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 934-45	4	29
247	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology,the</i> , 2014 , 2, 810-8	18.1	330
246	Risk factors for cancers of unknown primary site: Results from the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 2475-81	7.5	36
245	Investigating sources of variability in metabolomic data in the EPIC study: the Principal Component Partial R-square (PC-PR2) method. <i>Metabolomics</i> , 2014 , 10, 1074-1083	4.7	33
244	Smoking as a major risk factor for cervical cancer and pre-cancer: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 453-66	7.5	109
243	t(14;18) Translocation: A predictive blood biomarker for follicular lymphoma. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1347-55	2.2	86
242	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 139-47	7	25
241	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. <i>Lancet Diabetes and Endocrinology,the</i> , 2014 , 2, 19-29	18.1	99
240	Childhood cancer survival in Europe 1999-2007: results of EUROCARE-5a population-based study. Lancet Oncology, The, 2014 , 15, 35-47	21.7	574
239	Common genetic variants highlight the role of insulin resistance and body fat distribution in type 2 diabetes, independent of obesity. <i>Diabetes</i> , 2014 , 63, 4378-4387	0.9	127

238	Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. <i>Blood</i> , 2014 , 124, 530-5	2.2	37
237	Circulating 25-hydroxyvitamin D3 in relation to renal cell carcinoma incidence and survival in the EPIC cohort. <i>American Journal of Epidemiology</i> , 2014 , 180, 810-20	3.8	24
236	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , 2014 , 12, 168	11.4	135
235	Prediagnostic immunoglobulin E levels and risk of chronic lymphocytic leukemia, other lymphomas and multiple myeloma-results of the European Prospective Investigation into Cancer and Nutrition. <i>Carcinogenesis</i> , 2014 , 35, 2716-22	4.6	14
234	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014 , 111, 1881-90	3.6	29
233	Gene-lifestyle interaction and type 2 diabetes: the EPIC interact case-cohort study. <i>PLoS Medicine</i> , 2014 , 11, e1001647	11.6	149
232	Circulating biomarkers of one-carbon metabolism in relation to renal cell carcinoma incidence and survival. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	19
231	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and incidence of colorectal cancer. <i>Journal of the National Cancer Institute</i> , 2014 , 106, djt352	9.7	55
230	Aromatic adducts and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Spanish cohort. <i>Carcinogenesis</i> , 2014 , 35, 2047-54	4.6	9
229	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. <i>Hepatology</i> , 2014 , 60, 858-71	11.2	137
229		11.2	137 23
	60, 858-71 Prediagnostic intake of dairy products and dietary calcium and colorectal cancer survivalresults		
228	Prediagnostic intake of dairy products and dietary calcium and colorectal cancer survivalresults from the EPIC cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1813-23 Insulin-like growth factor I and risk of breast cancer by age and hormone receptor status-A	4	23
228	Prediagnostic intake of dairy products and dietary calcium and colorectal cancer survivalresults from the EPIC cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1813-23 Insulin-like growth factor I and risk of breast cancer by age and hormone receptor status-A prospective study within the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 2683-90 Descriptive epidemiology of Kaposi sarcoma in Europe. Report from the RARECARE project. <i>Cancer</i>	4 7·5	23
228 227 226	Prediagnostic intake of dairy products and dietary calcium and colorectal cancer survivalresults from the EPIC cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1813-23 Insulin-like growth factor I and risk of breast cancer by age and hormone receptor status-A prospective study within the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 2683-90 Descriptive epidemiology of Kaposi sarcoma in Europe. Report from the RARECARE project. <i>Cancer Epidemiology</i> , 2014 , 38, 670-8 Prediagnostic telomere length and risk of B-cell lymphoma-Results from the EPIC cohort study.	4 7·5 2.8	23 44 24
228 227 226 225	Prediagnostic intake of dairy products and dietary calcium and colorectal cancer survivalresults from the EPIC cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1813-23 Insulin-like growth factor I and risk of breast cancer by age and hormone receptor status-A prospective study within the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 2683-90 Descriptive epidemiology of Kaposi sarcoma in Europe. Report from the RARECARE project. <i>Cancer Epidemiology</i> , 2014 , 38, 670-8 Prediagnostic telomere length and risk of B-cell lymphoma-Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 135, 2910-7 Coffee and tea consumption, genotype-based CYP1A2 and NAT2 activity and colorectal cancer	4 7·5 2.8 7·5	23 44 24 21 27
228 227 226 225	Prediagnostic intake of dairy products and dietary calcium and colorectal cancer survival—results from the EPIC cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1813-23 Insulin-like growth factor I and risk of breast cancer by age and hormone receptor status—A prospective study within the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 2683-90 Descriptive epidemiology of Kaposi sarcoma in Europe. Report from the RARECARE project. <i>Cancer Epidemiology</i> , 2014 , 38, 670-8 Prediagnostic telomere length and risk of B-cell lymphoma-Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 135, 2910-7 Coffee and tea consumption, genotype-based CYP1A2 and NAT2 activity and colorectal cancer risk-results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 135, 401-12 Smoking and long-term risk of type 2 diabetes: the EPIC-InterAct study in European populations.	4 7.5 2.8 7.5	23 44 24 21 27

220	Tea and coffee consumption and risk of esophageal cancer: the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014 , 135, 1470-9	7.5	35
219	Circulating biomarkers of tryptophan and the kynurenine pathway and lung cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 461-8	4	50
218	Dietary protein intake and incidence of type 2 diabetes in Europe: the EPIC-InterAct Case-Cohort Study. <i>Diabetes Care</i> , 2014 , 37, 1854-62	14.6	106
217	Dietary intakes and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2014 , 66, 14-28	2.8	20
216	Adherence to the Spanish dietary guidelines and its association with obesity in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Granada study. <i>Public Health Nutrition</i> , 2014 , 17, 2425-35	3.3	8
215	Insulin-like growth factor-i and risk of differentiated thyroid carcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 976-85	₅ 4	35
214	Exercise training, inflammatory cytokines, and other markers of low-grade inflammation in breast cancer survivors: A systematic review and meta-analysis <i>Journal of Clinical Oncology</i> , 2014 , 32, 121-121	2.2	1
213	Modulation of insulin-like growth factors (IGF I-II) and IGF binding-protein 3 (IGFBP-3) through exercise training in women with breast cancer: A systematic review and meta-analysis <i>Journal of Clinical Oncology</i> , 2014 , 32, 120-120	2.2	
212	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. <i>International Journal of Cancer</i> , 2013 , 132, 645-57	7.5	127
211	Lenalidomide plus dexamethasone for high-risk smoldering multiple myeloma. <i>New England Journal of Medicine</i> , 2013 , 369, 438-47	59.2	345
210	Meat consumption and mortalityresults from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2013 , 11, 63	11.4	257
209	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , 2013 , 52, 1503-12	5.2	22
208	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , 2013 , 52, 1369	9 - 86	38
207	Genetic variation in the lactase gene, dairy product intake and risk for prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 1901-10	7.5	35
206	Evaluation of human papillomavirus antibodies and risk of subsequent head and neck cancer. Journal of Clinical Oncology, 2013 , 31, 2708-15	2.2	223
205	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , 2013 , 28, 317-28	12.1	111
204	Adherence to the mediterranean diet and risk of breast cancer in the European prospective investigation into cancer and nutrition cohort study. <i>International Journal of Cancer</i> , 2013 , 132, 2918-27	7.5	142
203	Dietary glycemic index, glycemic load, and digestible carbohydrate intake are not associated with risk of type 2 diabetes in eight European countries. <i>Journal of Nutrition</i> , 2013 , 143, 93-9	4.1	66

202	Unfavourable life-course social gradient of coronary heart disease within Spain: a low-incidence welfare-state country. <i>International Journal of Public Health</i> , 2013 , 58, 65-77	4	4
201	Risk of second primary cancer among women with breast cancer: a population-based study in Granada (Spain). <i>Gynecologic Oncology</i> , 2013 , 130, 340-5	4.9	26
200	Consistency and inconsistency in testing biomarkers in breast cancer. A GRELL study in cut-off variability in the Romance language countries. <i>Breast</i> , 2013 , 22, 476-81	3.6	2
199	Risk of type 2 diabetes according to traditional and emerging anthropometric indices in Spain, a Mediterranean country with high prevalence of obesity: results from a large-scale prospective cohort study. <i>BMC Endocrine Disorders</i> , 2013 , 13, 7	3.3	26
198	Anthropometric characteristics and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2013 , 24, 427-38	2.8	19
197	Fruit and vegetable consumption and mortality: European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2013 , 178, 590-602	3.8	108
196	Breast cancer survival in the US and Europe: a CONCORD high-resolution study. <i>International Journal of Cancer</i> , 2013 , 132, 1170-81	7.5	74
195	Physical activity and risk of breast cancer overall and by hormone receptor status: the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 1667-78	7.5	54
194	Colorectal cancer survival in the USA and Europe: a CONCORD high-resolution study. <i>BMJ Open</i> , 2013 , 3, e003055	3	60
193	Plasma carotenoid- and retinol-weighted multi-SNP scores and risk of breast cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 927-36	4	14
192	Physical activity and risk of cerebrovascular disease in the European Prospective Investigation into Cancer and Nutrition-Spain study. <i>Stroke</i> , 2013 , 44, 111-8	6.7	28
191	Validity of self-reported prevalent cases of stroke and acute myocardial infarction in the Spanish cohort of the EPIC study. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, 71-5	5.1	45
190	Dietary flavonoid and lignan intake and mortality in a Spanish cohort. <i>Epidemiology</i> , 2013 , 24, 726-33	3.1	54
189	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 827-38	7	29
188	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study1,4. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 1107-20	7	123
187	Differences in dietary intakes, food sources and determinants of total flavonoids between Mediterranean and non-Mediterranean countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013 , 109, 1498-507	3.6	102
186	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. <i>Annals of Oncology</i> , 2013 , 24, 2449-55	10.3	86
185	Age at menopause, reproductive life span, and type 2 diabetes risk: results from the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 1012-9	14.6	141

(2012-2013)

184	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: a nested case-control study. <i>International Journal of Cancer</i> , 2013 , 133, 1689-700	7.5	44
183	N-acetyltransferase 2 phenotype, occupation, and bladder cancer risk: results from the EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 2055-65	4	22
182	Hormonal, metabolic, and inflammatory profiles and endometrial cancer risk within the EPIC cohorta factor analysis. <i>American Journal of Epidemiology</i> , 2013 , 177, 787-99	3.8	91
181	Age at menarche and type 2 diabetes risk: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3526-34	14.6	114
180	Consumption of fish and meats and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2013 , 24, 2166-73	10.3	60
179	Dietary fiber intake and risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 344-53	7	69
178	Dietary intake of vitamin D and calcium and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013 , 65, 178-87	2.8	28
177	The association between dietary energy density and type 2 diabetes in Europe: results from the EPIC-InterAct Study. <i>PLoS ONE</i> , 2013 , 8, e59947	3.7	12
176	Development and validation of a risk score predicting substantial weight gain over 5 years in middle-aged European men and women. <i>PLoS ONE</i> , 2013 , 8, e67429	3.7	14
175	Consumption of dairy products and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2013 , 8, e72715	3.7	64
174	Prognostic Impact Of Comorbidity In Multiple Myeloma. <i>Blood</i> , 2013 , 122, 5340-5340	2.2	1
173	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012 , 54, 183-92	4.3	24
172	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , 2012 , 130, 622-30	7.5	30
171	Cigarette smoking and risk of histological subtypes of epithelial ovarian cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012 , 130, 2204-10	7.5	37
170	Validity of a short questionnaire to assess physical activity in 10 European countries. <i>European Journal of Epidemiology</i> , 2012 , 27, 15-25	12.1	154
169	Association of alcohol dehydrogenase polymorphisms and life-style factors with excessive alcohol intake within the Spanish population (EPIC-Spain). <i>Addiction</i> , 2012 , 107, 2117-27	4.6	10
168	Genome-wide association study of classical Hodgkin lymphoma and Epstein-Barr virus status-defined subgroups. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 240-53	9.7	117
167	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012 , 14, R76	8.3	82

166	Olive oil intake and CHD in the European Prospective Investigation into Cancer and Nutrition Spanish cohort. <i>British Journal of Nutrition</i> , 2012 , 108, 2075-82	3.6	69
165	Fruit and vegetable consumption and risk of aggressive and non-aggressive urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2012 , 48, 3267-77	7.5	22
164	Dietary fibre intake and ischaemic heart disease mortality: the European Prospective Investigation into Cancer and Nutrition-Heart study. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 950-6	5.2	24
163	Tea consumption and incidence of type 2 diabetes in Europe: the EPIC-InterAct case-cohort study. <i>PLoS ONE</i> , 2012 , 7, e36910	3.7	44
162	Multiple miscarriages are associated with the risk of ovarian cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>PLoS ONE</i> , 2012 , 7, e37141	3.7	13
161	Dietary fibre intake and risks of cancers of the colon and rectum in the European prospective investigation into cancer and nutrition (EPIC). <i>PLoS ONE</i> , 2012 , 7, e39361	3.7	179
160	Combined impact of lifestyle factors on prospective change in body weight and waist circumference in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2012 , 7, e50712	3.7	22
159	Consumption of fried foods and risk of coronary heart disease: Spanish cohort of the European Prospective Investigation into Cancer and Nutrition study. <i>BMJ, The</i> , 2012 , 344, e363	5.9	54
158	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , 2012 , 21, 456-62	5.6	74
157	Prostate stem-cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2012 , 130, 2417-27	7.5	55
156	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2012 , 131, E1134-47	7.5	24
155	Body size and risk of differentiated thyroid carcinomas: findings from the EPIC study. <i>International Journal of Cancer</i> , 2012 , 131, E1004-14	7.5	84
154	Biomarkers of oxidative stress and risk of developing colorectal cancer: a cohort-nested case-control study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2012 , 175, 653-63	3.8	64
153	Olive oil intake and mortality within the Spanish population (EPIC-Spain). <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 142-9	7	108
152	Prediagnostic concentrations of plasma genistein and prostate cancer risk in 1,605 men with prostate cancer and 1,697 matched control participants in EPIC. <i>Cancer Causes and Control</i> , 2012 , 23, 1163-71	2.8	19
151	Long-term risk of incident type 2 diabetes and measures of overall and regional obesity: the EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2012 , 9, e1001230	11.6	118
150	Inflammation marker and risk of pancreatic cancer: a nested case-control study within the EPIC cohort. <i>British Journal of Cancer</i> , 2012 , 106, 1866-74	8.7	44
149	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 345-55	7	52

148	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 164-74	7	87
147	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition-Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 18	7 14-93	69
146	Fatty acid patterns and risk of prostate cancer in a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 13	54-61	27
145	Prospective study on physical activity and risk of in situ breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 2209-19	4	13
144	Prediagnostic 25-hydroxyvitamin D, VDR and CASR polymorphisms, and survival in patients with colorectal cancer in western European ppulations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 582-93	4	105
143	Lower educational level is a predictor of incident type 2 diabetes in European countries: the EPIC-InterAct study. <i>International Journal of Epidemiology</i> , 2012 , 41, 1162-73	7.8	103
142	Aromatic DNA adducts and risk of gastrointestinal cancers: a case-cohort study within the EPIC-Spain. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 685-92	4	23
141	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1445-53	7	65
140	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 382-90	7	156
139	Insulin-like growth factor-I concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1531-41	4	56
138	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. <i>Carcinogenesis</i> , 2012 , 33, 1211-8	4.6	65
137	Fruit and vegetable intake and type 2 diabetes: EPIC-InterAct prospective study and meta-analysis. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 1082-92	5.2	195
136	The association of education with long-term weight change in the EPIC-PANACEA cohort. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 957-63	5.2	13
135	The associations of advanced glycation end products and its soluble receptor with pancreatic cancer risk: a case-control study within the prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 619-28	4	32
134	Impact of cigarette smoking on cancer risk in the European prospective investigation into cancer and nutrition study. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4550-7	2.2	101
133	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1172-81	7	48
132	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 902-10	7	37
131	Leptin and soluble leptin receptor in risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Research</i> , 2012 , 72, 5328-37	10.1	53

130	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 150-63	7	231
129	Meat and heme iron intake and risk of squamous cell carcinoma of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 2138-48	4	15
128	Sources of pre-analytical variations in yield of DNA extracted from blood samples: analysis of 50,000 DNA samples in EPIC. <i>PLoS ONE</i> , 2012 , 7, e39821	3.7	26
127	Cigarette smoking and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 137-44	6.9	56
126	Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Cancer Letters</i> , 2011 , 311, 85-95	9.9	56
125	Genetic variability of the fatty acid synthase pathway is not associated with prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>European Journal of Cancer</i> , 2011 , 47, 420-7	7.5	6
124	Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. <i>British Journal of Nutrition</i> , 2011 , 106, 1915-25	3.6	71
123	Association of plasma markers of cholesterol homeostasis with metabolic syndrome components. A cross-sectional study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 651-7	4.5	21
122	Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). <i>European Journal of Cancer</i> , 2011 , 47, 748-60	7.5	22
121	Genetic variability of the mTOR pathway and prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>PLoS ONE</i> , 2011 , 6, e16914	3.7	9
120	Genetic variability of the forkhead box O3 and prostate cancer risk in the European Prospective Investigation on Cancer. <i>Oncology Reports</i> , 2011 , 26, 979-86	3.5	4
119	Primary brain tumours and specific serum immunoglobulin E: a case-control study nested in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 1434-41	9.3	47
118	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011 , 43, 60-5	36.3	199
117	The association of lifetime alcohol use with measures of abdominal and general adiposity in a large-scale European cohort. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 1079-87	5.2	33
116	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2011 , 35, 416-26	5.5	41
115	Mediterranean dietary pattern and cancer risk in the EPIC cohort. <i>British Journal of Cancer</i> , 2011 , 104, 1493-9	8.7	208
114	Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>Breast Cancer Research and Treatment</i> , 2011 , 127, 761-7	4.4	10
113	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011 , 22, 909-18	2.8	23

112	Menopausal hormone therapy and risk of ovarian cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2011 , 22, 1075-84	2.8	40
111	Saturated fat intake and alcohol consumption modulate the association between the APOE polymorphism and risk of future coronary heart disease: a nested case-control study in the Spanish EPIC cohort. <i>Journal of Nutritional Biochemistry</i> , 2011 , 22, 487-94	6.3	24
110	Menopausal hormone therapy and breast cancer risk: impact of different treatments. The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 144-56	7.5	101
109	Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 1881-9	7.5	26
108	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 2971-9	7.5	23
107	Dietary factors and in situ and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011 , 129, 449-59	7.5	38
106	Interactions between genetic variants and breast cancer risk factors in the breast and prostate cancer cohort consortium. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 1252-63	9.7	134
105	Alcohol attributable burden of incidence of cancer in eight European countries based on results from prospective cohort study. <i>BMJ, The</i> , 2011 , 342, d1584	5.9	172
104	Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>British Journal of Nutrition</i> , 2011 , 106, 1581-91	3.6	107
103	Genetic polymorphisms in 15q25 and 19q13 loci, cotinine levels, and risk of lung cancer in EPIC. Cancer Epidemiology Biomarkers and Prevention, 2011 , 20, 2250-61	4	57
102	Infection with hepatitis B and C viruses and risk of lymphoid malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 208-14	4	54
101	Endogenous sex steroids and risk of cervical carcinoma: results from the EPIC study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2532-40	4	27
100	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 826-35	7	95
99	Smoking, secondhand smoke, and cotinine levels in a subset of EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 869-75	4	26
98	Postmenopausal serum sex steroids and risk of hormone receptor-positive and -negative breast cancer: a nested case-control study. <i>Cancer Prevention Research</i> , 2011 , 4, 1626-35	3.2	95
97	Prognoses for head and neck cancers in Europe diagnosed in 1995-1999: a population-based study. <i>Annals of Oncology</i> , 2011 , 22, 165-174	10.3	30
96	Concentrations of IGF-I and IGFBP-3 and brain tumor risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2174-82	4	25
95	The contribution of risk factors to the higher incidence of invasive and in situ breast cancers in women with higher levels of education in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2011 , 173, 26-37	3.8	36

94	Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Mutagenesis</i> , 2011 , 26, 657-66	2.8	19
93	Metabolic syndrome and risks of colon and rectal cancer: the European prospective investigation into cancer and nutrition study. <i>Cancer Prevention Research</i> , 2011 , 4, 1873-83	3.2	103
92	Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. <i>European Heart Journal</i> , 2011 , 32, 1235-43	9.5	195
91	Alternative methods of accounting for underreporting and overreporting when measuring dietary intake-obesity relations. <i>American Journal of Epidemiology</i> , 2011 , 173, 448-58	3.8	139
90	Oral contraceptive use and reproductive factors and risk of ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2011 , 105, 1436-42	8.7	131
89	Hepatocellular carcinoma risk factors and disease burden in a European cohort: a nested case-control study. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 1686-95	9.7	167
88	Anthropometric measures, physical activity, and risk of glioma and meningioma in a large prospective cohort study. <i>Cancer Prevention Research</i> , 2011 , 4, 1385-92	3.2	48
87	Red meat, dietary nitrosamines, and heme iron and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 555-9	4	37
86	Reproductive factors and exogenous hormone use in relation to risk of glioma and meningioma in a large European cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2562-9	4	94
85	Variety in fruit and vegetable consumption and the risk of lung cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2278-	8 4	56
84	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 1145-50	7	42
83	Breast cancer incidence in Spain before, during and after the implementation of screening programmes. <i>Annals of Oncology</i> , 2010 , 21 Suppl 3, iii97-102	10.3	34
82	Eighteen insulin-like growth factor pathway genes, circulating levels of IGF-I and its binding protein, and risk of prostate and breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2877-8	3 1	54
81	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 381-90	7	158
80	Variant ABO blood group alleles, secretor status, and risk of pancreatic cancer: results from the pancreatic cancer cohort consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 3140-9	4	67
79	Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 176	5 9 -76	22
78	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 398-407	7	150
77	Circulating C-reactive protein concentrations and risks of colon and rectal cancer: a nested case-control study within the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2010 , 172, 407-18	3.8	90

(2009-2010)

76	Pancreatic cancer risk and ABO blood group alleles: results from the pancreatic cancer cohort consortium. <i>Cancer Research</i> , 2010 , 70, 1015-23	10.1	168
75	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations:a nested case-control study. <i>BMJ, The</i> , 2010 , 340, b5500	5.9	289
74	Prostate cancer incidence trends in Spain before and during the prostate-specific antigen era: impact on mortality. <i>Annals of Oncology</i> , 2010 , 21 Suppl 3, iii83-89	10.3	36
73	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. <i>Endocrine-Related Cancer</i> , 2010 , 17, 1007-19	5.7	116
72	Serum B vitamin levels and risk of lung cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 2377-85	27.4	122
71	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 912-21	7	163
70	Common cholesteryl ester transfer protein gene variation related to high-density lipoprotein cholesterol is not associated with decreased coronary heart disease risk after a 10-year follow-up in a Mediterranean cohort: Modulation by alcohol consumption. <i>Atherosclerosis</i> , 2010 , 211, 531-8	3.1	16
69	Fruit and vegetable intake and overall cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2010 , 102, 529-37	9.7	301
68	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2404-15	7.5	60
67	Is hospital discharge administrative data an appropriate source of information for cancer registries purposes? Some insights from four Spanish registries. <i>BMC Health Services Research</i> , 2010 , 10, 9	2.9	21
66	Estimation of dietary sources and flavonoid intake in a Spanish adult population (EPIC-Spain). Journal of the American Dietetic Association, 2010 , 110, 390-8		151
65	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2394-403	7.5	86
64	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. <i>International Journal of Cancer</i> , 2010 , 126, 1928	-79535	25
63	No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2010 , 34, 696-701	2.8	8
62	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1441-52	7	227
61	The role of smoking and diet in explaining educational inequalities in lung cancer incidence. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 321-30	9.7	69
60	Physical activity and ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 351-4	4	36
59	Serum vitamin D and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2009 , 169, 1223-32	3.8	70

58	Prostate cancer treatment in Europe at the end of 1990s. Acta Oncològica, 2009, 48, 867-73	3.2	10
57	Recent changes in breast cancer incidence in Spain, 1980-2004. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 1584-91	9.7	77
56	Adherence to the Mediterranean diet is associated with lower abdominal adiposity in European men and women. <i>Journal of Nutrition</i> , 2009 , 139, 1728-37	4.1	117
55	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 602-12	7	85
54	Plant sterol intake and education level in the Spanish EPIC cohort. <i>Nutrition</i> , 2009 , 25, 769-73	4.8	10
53	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. <i>International Journal of Cancer</i> , 2009 , 124, 245-9	7.5	29
52	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 124, 1926-34	7.5	63
51	Physical activity and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2009 , 125, 902-8	7.5	62
50	Lifetime and baseline alcohol intake and risk of cancer of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009 , 125, 406-12	7.5	38
49	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 125, 982-7	7.5	23
48	Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009 , 118, 565-74	4.4	19
47	Ethanol intake and the risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 785-94	2.8	40
46	Prospective study of the association between grapefruit intake and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 803-9	2.8	17
45	Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 811-21	2.8	29
44	Plasmacytoid lymphoma treated with rituximab as first-line monotherapy. <i>Clinical and Translational Oncology</i> , 2009 , 11, 704-6	3.6	
43	Dietary intake of the water-soluble vitamins B1, B2, B6, B12 and C in 10 countries in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S122-49	5.2	32
42	A cross-sectional analysis of physical activity and obesity indicators in European participants of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2009 , 33, 497-506	5.5	63
41	Plasma phyto-oestrogens and prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2009 , 100, 1817-23	8.7	66

40	Smoking and body fatness measurements: a cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009 , 49, 365-73	4.3	22
39	Adherence to the Mediterranean diet and risk of coronary heart disease in the Spanish EPIC Cohort Study. <i>American Journal of Epidemiology</i> , 2009 , 170, 1518-29	3.8	219
38	Consumption of cruciferous vegetables and glucosinolates in a Spanish adult population. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 324-31	5.2	30
37	CDH1 gene polymorphisms, smoking, Helicobacter pylori infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>European Journal of Cancer</i> , 2008 , 44, 774-80	7.5	26
36	Human papillomavirus in HNSCC: a European epidemiologic perspective. <i>Hematology/Oncology Clinics of North America</i> , 2008 , 22, 1143-53, vii-viii	3.1	34
35	Animal foods, protein, calcium and prostate cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2008 , 98, 1574-81	8.7	132
34	Circulating concentrations of folate and vitamin B12 in relation to prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 279-85	4	43
33	Glycosylated hemoglobin and risk of colorectal cancer in men and women, the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3108-15	4	59
32	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2008 , 15, 485-97	5.7	184
31	Fatty acid composition of plasma phospholipids and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1353-63	7	109
30	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1567-75	7	68
29	Dietary fat intake and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1405-13	7	91
28	Prognostic value of serum selenium levels in alcoholics. <i>Biological Trace Element Research</i> , 2008 , 125, 22-9	4.5	21
27	Plasma adiponectin levels and endometrial cancer risk in pre- and postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 255-63	5.6	169
26	Dietary carbohydrates, glycemic index, glycemic load, and endometrial cancer risk within the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Epidemiology</i> , 2007 , 166, 912-23	3.8	48
25	CagA+ Helicobacter pylori infection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007 , 120, 859-67	7.5	101
24	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007 , 120, 2656-64	7.5	85
23	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 1331-8	7.5	71

22	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 2065-72	7.5	194
21	Modified Mediterranean diet and survival after myocardial infarction: the EPIC-Elderly study. <i>European Journal of Epidemiology</i> , 2007 , 22, 871-81	12.1	79
20	Serum insulin-like growth factor (IGF)-I and IGF-binding protein-3 concentrations and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1121-7	4	79
19	Sequence variants of estrogen receptor beta and risk of prostate cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1973-81	4	28
18	Brain atrophy in alcoholics: relationship with alcohol intake; liver disease; nutritional status, and inflammation. <i>Alcohol and Alcoholism</i> , 2007 , 42, 533-8	3.5	42
17	Is 2,3,5-pyrroletricarboxylic acid in hair a better risk indicator for melanoma than traditional epidemiologic measures for skin phenotype?. <i>American Journal of Epidemiology</i> , 2007 , 165, 1170-7	3.8	10
16	Fish consumption and breast cancer risk. The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 119, 175-82	7.5	81
15	Serum osteoprotegerin and RANKL levels in chronic alcoholic liver disease. <i>Alcohol and Alcoholism</i> , 2006 , 41, 261-6	3.5	54
14	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006 , 27, 2250-7	4.6	106
13	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006 , 27, 1497-501	4.6	128
12	Adherence to a Mediterranean diet is associated with reduced 3-year incidence of obesity. <i>Journal of Nutrition</i> , 2006 , 136, 2934-8	4.1	154
11	Intake and food sources of nitrites and N-nitrosodimethylamine in Spain. <i>Public Health Nutrition</i> , 2006 , 9, 785-91	3.3	31
10	Plasma and dietary carotenoid, retinol and tocopherol levels and the risk of gastric adenocarcinomas in the European prospective investigation into cancer and nutrition. <i>British Journal of Cancer</i> , 2006 , 95, 406-15	8.7	93
9	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , 2006 , 17, 957-69	2.8	96
8	Dietary patterns among older Europeans: the EPIC-Elderly study. <i>British Journal of Nutrition</i> , 2005 , 94, 100-13	3.6	121
7	Plasma carotenoids as biomarkers of intake of fruits and vegetables: individual-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 1387-96	5.2	149
6	Dietary intake of polycyclic aromatic hydrocarbons in a Spanish population. <i>Journal of Food Protection</i> , 2005 , 68, 2190-5	2.5	61
5	Meat, fish, and colorectal cancer risk: the European Prospective Investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 906-16	9.7	603

LIST OF PUBLICATIONS

4	Consumption of vegetables and fruits and risk of breast cancer. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 183-93	27.4	190
3	Dietary sources of vitamin C, vitamin E and specific carotenoids in Spain. <i>British Journal of Nutrition</i> , 2004 , 91, 1005-11	3.6	99
2	The role of type of tobacco and type of alcoholic beverage in oral carcinogenesis. <i>International Journal of Cancer</i> , 2004 , 108, 741-9	7·5	186
1	Human papillomavirus and oral cancer: the International Agency for Research on Cancer multicenter study. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 1772-83	9.7	864