Seungae Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9488778/publications.pdf

Version: 2024-02-01

331670 377865 1,163 34 21 34 h-index citations g-index papers 36 36 36 1557 times ranked docs citations citing authors all docs

#	Article	IF	CITATIONS
1	Enhanced Electroresponsive Performance of Double-Shell SiO ₂ /TiO ₂ Hollow Nanoparticles. ACS Nano, 2015, 9, 4939-4949.	14.6	89
2	Improved electrochemical performances of MOF-derived Ni–Co layered double hydroxide complexes using distinctive hollow-in-hollow structures. Journal of Materials Chemistry A, 2019, 7, 17637-17647.	10.3	80
3	Metal microparticle – Polymer composites as printable, bio/ecoresorbable conductive inks. Materials Today, 2018, 21, 207-215.	14.2	64
4	High electrothermal performance of expanded graphite nanoplatelet-based patch heater. Journal of Materials Chemistry, 2012, 22, 23404.	6.7	57
5	The effect of graphene nanofiller on the crystallization behavior and mechanical properties of poly(vinyl alcohol). Polymer International, 2013, 62, 901-908.	3.1	57
6	Evaluation of anti-scratch properties of graphene oxide/polypropylene nanocomposites. Journal of Materials Chemistry, 2012, 22, 7871.	6.7	53
7	Multifunctional Graphene Sheets Embedded in Silicone Encapsulant for Superior Performance of Light-Emitting Diodes. ACS Nano, 2013, 7, 5784-5790.	14.6	53
8	Materials, Mechanics Designs, and Bioresorbable Multisensor Platforms for Pressure Monitoring in the Intracranial Space. Advanced Functional Materials, 2020, 30, 1910718.	14.9	53
9	Enhanced electrorheological performance of a graphene oxide-wrapped silica rod with a high aspect ratio. Journal of Materials Chemistry C, 2014, 2, 6010.	5.5	51
10	Dual Stimuli-Responsive Smart Fluid of Graphene Oxide-Coated Iron Oxide/Silica Core/Shell Nanoparticles. Chemistry of Materials, 2016, 28, 2624-2633.	6.7	50
11	Graphene Size Control via a Mechanochemical Method and Electroresponsive Properties. ACS Applied Materials & Description (2014), 6, 5531-5537.	8.0	49
12	Fabrication of graphene quantum dot-decorated graphene sheets via chemical surface modification. Chemical Communications, 2014, 50, 15616-15618.	4.1	47
13	Electro-response of MoS ₂ Nanosheets-Based Smart Fluid with Tailorable Electrical Conductivity. ACS Applied Materials & Samp; Interfaces, 2016, 8, 24221-24229.	8.0	46
14	Electrorheological performance of multigram-scale mesoporous silica particles with different aspect ratios. Journal of Materials Chemistry C, 2016, 4, 1713-1719.	5.5	46
15	Enhanced magnetorheological performance of highly uniform magnetic carbon nanoparticles. Nanoscale, 2015, 7, 9646-9654.	5.6	43
16	Graphene Oxide Wrapped SiO ₂ /TiO ₂ Hollow Nanoparticles Loaded with Photosensitizer for Photothermal and Photodynamic Combination Therapy. Chemistry - A European Journal, 2017, 23, 3719-3727.	3.3	42
17	Ultrasensitive N-Channel Graphene Gas Sensors by Nondestructive Molecular Doping. ACS Nano, 2022, 16, 2176-2187.	14.6	42
18	Fabrication of density-controlled graphene oxide-coated mesoporous silica spheres and their electrorheological activity. Journal of Colloid and Interface Science, 2015, 438, 14-21.	9.4	40

#	Article	IF	CITATIONS
19	Synthesis and electrical response of polyaniline/poly(styrene sulfonate)-coated silica spheres prepared by seed-coating method. Journal of Colloid and Interface Science, 2013, 398, 33-38.	9.4	32
20	Enhanced Electroresponse of Alkaline Earth Metal-Doped Silica/Titania Spheres by Synergetic Effect of Dispersion Stability and Dielectric Property. ACS Applied Materials & Dispersion Stability and Dielectric Property. ACS Applied Materials & Dispersion Stability and Dielectric Property. ACS Applied Materials & Dispersion Stability and Dielectric Property. ACS Applied Materials & Dispersion Stability and Dielectric Property. ACS Dispersion Stability and Dielectric Property. ACS Dispersion Stability and Dielectric Property. ACS Dispersion Stability Dispersion Stability and Dielectric Property. ACS Dispersion Stability Dispersion Dispersion Stability Dispersion Stability Dispersion Stability Dispersion Disp	8.0	32
21	Dual electric and magnetic responsivity of multilayered magnetite-embedded core/shell silica/titania nanoparticles with outermost silica shell. Journal of Materials Chemistry C, 2018, 6, 10241-10249.	5.5	22
22	Synthesis and Electroresponse Activity of Porous Polypyrrole/Silica–Titania Core/Shell Nanoparticles. Langmuir, 2018, 34, 15773-15782.	3 . 5	20
23	Dual external field-responsive polyaniline-coated magnetite/silica nanoparticles for smart fluid applications. Chemical Communications, 2017, 53, 6645-6648.	4.1	16
24	Performance enhancement of white light-emitting diodes using an encapsulant semi-solidification method. Journal of Materials Chemistry C, 2014, 2, 8525-8531.	5 . 5	14
25	Long-term stability improvement of light-emitting diode using highly transparent graphene oxide paste. Nanoscale, 2016, 8, 17551-17559.	5 . 6	14
26	A Comparative Study on Optical, Electrical, and Mechanical Properties of Conducting Polymer-Based Electrodes. Small, 2015, 11, 5498-5504.	10.0	8
27	Highly uniform silica nanoparticles with finely controlled sizes for enhancement of electro-responsive smart fluids. Journal of Industrial and Engineering Chemistry, 2019, 77, 426-431.	5.8	8
28	Position and conjugation–dependent aggregation–induced emission enhancement properties of naphthalimide–tetraphenylethylene conjugates. Dyes and Pigments, 2019, 168, 49-58.	3.7	8
29	Ecoresorbable smart fluids with controlled electroresponsive properties by various metal doping. Journal of Materials Chemistry C, 2020, 8, 15751-15758.	5.5	8
30	Controlled-crystallinity of SiO2/TiO2 hollow nanoparticles and their electroresponsive behaviors. Journal of Industrial and Engineering Chemistry, 2021, 104, 203-211.	5.8	6
31	A new green technology for direct synthesis of carbon nanodots with narrow size distribution. Journal of Industrial and Engineering Chemistry, 2019, 77, 365-370.	5.8	5
32	Electroresponsive Performances of Ecoresorbable Smart Fluids Consisting of Various Plantâ€Đerived Carrier Liquids. Chemistry - A European Journal, 2021, 27, 13739-13747.	3.3	4
33	Renewable Activated Carbon Filters Bearing Photocatalytic Particles for Volatile Organic Compound Removal. ChemPlusChem, 2022, 87, e202100486.	2.8	3
34	Electrodes: A Comparative Study on Optical, Electrical, and Mechanical Properties of Conducting Polymer-Based Electrodes (Small 41/2015). Small, 2015, 11, 5497-5497.	10.0	1