
## Antonio MartÃ-nez Richa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/948920/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Use of 4-biphenylmethanol, 4-biphenylacetic acid and 4-biphenylcarboxylic acid/triphenylmethane as indicators in the titration of lithium alkyls. Study of the dianion of 4-biphenylmethanol. Journal of Organic Chemistry, 1983, 48, 2603-2606.	1.7	83
2	One-Step Route to α-Hydroxyl-ω-(carboxylic acid) Polylactones Using Catalysis by Decamolybdate Anion. Macromolecules, 2005, 38, 1599-1608.	2.2	46
3	Ring-opening polymerization of lactones catalyzed by decamolybdate anion. Polymer, 2003, 44, 6767-6772.	1.8	42
4	A solid-state 13 C NMR analysis of ambers. Polymer, 2000, 41, 743-750.	1.8	40
5	Comparative study of bone cements prepared with either HA or α-TCP and functionalized methacrylates. , 2003, 64B, 27-37.		40
6	Enzymatic ringâ€opening polymerization of εâ€caprolactone by a new lipase from <i>Yarrowia lipolytica</i> . Journal of Applied Polymer Science, 2008, 109, 708-719.	1.3	38
7	Characterization of bone cements prepared with functionalized methacrylates and hydroxyapatite. Journal of Biomaterials Science, Polymer Edition, 2001, 12, 893-910.	1.9	37
8	Electrical conductivity of an all-natural and biocompatible semi-interpenetrating polymer network containing a deep eutectic solvent. Green Chemistry, 2020, 22, 5785-5797.	4.6	34
9	A novel route to α,ï‰-telechelic poly(É›-caprolactone) diols, precursors of biodegradable polyurethanes, using catalysis by decamolybdate anion. Polymer, 2006, 47, 8420-8429.	1.8	33
10	Enzymatic ringâ€opening polymerization of εâ€caprolactone by <i>Yarrowia lipolytica</i> lipase in ionic liquids. Journal of Polymer Science Part A, 2009, 47, 5792-5805.	2.5	31
11	Narrow sizeâ€distribution poly(methyl methacrylate) nanoparticles made by semicontinuous heterophase polymerization. Journal of Applied Polymer Science, 2011, 119, 1827-1834.	1.3	28
12	Biopolymer Synthesis Catalyzed by Tailored Lipases. Macromolecular Symposia, 2010, 289, 135-139.	0.4	27
13	Hydrolytic degradation of poly( <i>ε</i> â€caprolactone) with different end groups and poly( <i>ε</i> â€caprolactoneâ€coâ€ <i>γ</i> â€butyrolactone): characterization and kinetics of hydrocortisone delivery. Polymers for Advanced Technologies, 2011, 22, 430-436.	1.6	26
14	Ring-opening polymerization of ϊμ-caprolactone initiated with different ruthenium derivatives: Kinetics and mechanism studies. Journal of Polymer Science Part A, 2006, 44, 6926-6942.	2.5	25
15	Quantitative structure-property relationships to estimate nematic transition temperatures in thermotropic liquid crystals. Computational and Theoretical Chemistry, 2005, 727, 63-69.	1.5	24
16	Synthesis, characterization and hydrolytic degradation of polyester-urethanes obtained by lipase biocatalysis. Polymer Degradation and Stability, 2014, 108, 188-194.	2.7	24
17	Carbon-13 CP-MAS nuclear magnetic resonance studies of teas. Solid State Nuclear Magnetic Resonance, 2003, 23, 119-135.	1.5	23
18	Optofluidic variable focus lenses. Applied Optics, 2009, 48, 2308.	2.1	23

ANTONIO MARTÃNEZ RICHA

#	Article	IF	CITATIONS
19	Effects of molecular geometry on liquid crystalline phase behaviour: isotropic-nematic transition. Molecular Physics, 2000, 98, 179-192.	0.8	21
20	Predicting the Phase Diagram of a Liquid Crystal Using the Convex Peg Model and the Semiempirical PM3 Method. Journal of Physical Chemistry A, 2002, 106, 10342-10349.	1.1	21
21	Excluded volume of hard cylinders of variable aspect ratio. Molecular Simulation, 2007, 33, 505-515.	0.9	21
22	In Vitro Studies of Chromone-Tetrazoles against Pathogenic Protozoa, Bacteria, and Fungi. Molecules, 2015, 20, 12436-12449.	1.7	21
23	Synthesis and characterization of poly(ε-caprolactone) and copolyesters by catalysis with molybdenum compounds: polymers with acid-functional asymmetric telechelic architecture. Polymer, 2005, 46, 12118-12129.	1.8	20
24	Semi-continuous Heterophase Polymerization of n-Butyl Methacrylate: Effect of Monomer Feeding Rate. Journal of Macromolecular Science - Pure and Applied Chemistry, 2012, 49, 539-546.	1.2	20
25	Synthesis of Novel bis-1,5-Disubstituted-1H-Tetrazoles by an Efficient Catalyst-Free Ugi-Azide Repetitive Process. Molecules, 2015, 20, 1519-1526.	1.7	20
26	Assignment of vibrational spectra of labdatriene derivatives and ambers: A combined experimental and density functional theoretical study. Arkivoc, 2005, 2005, 449-458.	0.3	20
27	TiO2 Photocatalytic Degradation of Diclofenac: Intermediates and Total Reaction Mechanism. Topics in Catalysis, 2020, 63, 601-615.	1.3	19
28	Application of and magic angle spinning nuclear magnetic resonance to studies of the building materials of historical monuments. Solid State Nuclear Magnetic Resonance, 1999, 13, 263-269.	1.5	18
29	Ring opening polymerization of εâ€caprolactone initiated by decamolybdate anion: Determination of kinetic and thermodynamic parameters by DSC and <sup>1</sup> Hâ€NMR. Journal of Applied Polymer Science, 2010, 115, 2288-2295.	1.3	18
30	Self-diffracting effects in hybrid materials. Applied Physics Letters, 2007, 90, 091112.	1.5	17
31	Keto-Enol Tautomerism of Dimedone Studied by Dynamic NMR. Applied Spectroscopy, 1996, 50, 1408-1412.	1.2	15
32	Determination of molecular size of O-(2-hydroxyethyl)cellulose (HEC) and its relationship to the mechanism of enzymatic hydrolysis by cellulases. Carbohydrate Polymers, 2012, 87, 2129-2136.	5.1	15
33	Quadrupolar moment calculations and mesomorphic character of model dimeric liquid crystals. Computational Materials Science, 2001, 22, 300-308.	1.4	14
34	Properties of poly(ethylene terephthalate)-poly(ethylene naphthalene 2,6-dicarboxylate) blends with montmorillonite clay. Polymer International, 2005, 54, 1669-1672.	1.6	14
35	Variation of intrinsic viscosity in the hydrolysis of hydroxyethylcellulose, and its relationship with resistance to enzymatic degradation. Polymer, 1998, 39, 3115-3118.	1.8	12
36	Segmented block copolymers of poly(ethylene glycol) and poly(ethylene terephthalate). Journal of Polymer Science Part A, 2004, 42, 4448-4457.	2.5	12

ANTONIO MARTÃNEZ RICHA

#	Article	IF	CITATIONS
37	Ultrasound-assisted reaction of 1,4-naphthoquinone with anilines through an EDA complex. Molecular Diversity, 2018, 22, 281-290.	2.1	12
38	Mineralogical characterization of the fine fraction (<2Âμm) of degraded volcanic soils and tepetates in Mexico. Applied Clay Science, 2010, 49, 348-358.	2.6	11
39	Poly( <i>ε</i> -caprolactone) Diols (HOPCLOH) and Their Poly(ester-urethanes) (PEUs): The Effect of Linear Aliphatic Diols [HO–(CH <sub>2</sub> ) <sub><i>m</i></sub> –OH] as Initiators. Polymer-Plastics Technology and Engineering, 2017, 56, 889-898.	1.9	11
40	One-step synthesis of aromatic polyimides based on 4,4?-diaminotriphenylmethane. Journal of Applied Polymer Science, 1996, 61, 815-818.	1.3	10
41	The Ringâ€Opening Polymerization of εâ€Caprolactone Catalyzed by Molybdenum Trioxide: A Kinetic Approach Study Using NMR and DSC Data. Macromolecular Symposia, 2013, 325-326, 21-37.	0.4	10
42	Degradation under composting conditions of lysine-modified polyurethane based on PCL obtained by lipase biocatalysis. Polymer Degradation and Stability, 2018, 152, 139-146.	2.7	10
43	Synthesis of Poly(methacrylic acid-co-butyl acrylate) Grafted onto Functionalized Carbon Nanotube Nanocomposites for Drug Delivery. Polymers, 2021, 13, 533.	2.0	10
44	A solid-state NMR study of aromatic polyimides based on 4,4?-diaminotriphenylmethane. Journal of Applied Polymer Science, 1998, 70, 1053-1064.	1.3	9
45	Nonlinear optical characterization of ionics liquids. Proceedings of SPIE, 2009, , .	0.8	9
46	One-Pot Biocatalytic Synthesis of Sugar Based Poly (Îμ-caprolactone). Macromolecular Symposia, 2009, 283-284, 144-151.	0.4	9
47	Characterization of chain dimensions of poly(ε-caprolactone) diols in THF by size-exclusion chromatography coupled with multi-angle light scattering (SEC-MALS). Journal of Polymer Research, 2015, 22, 1.	1.2	9
48	Yarrowia lipolytica Extracellular Lipase Lip2 as Biocatalyst for the Ring-Opening Polymerization of ε-Caprolactone. Molecules, 2017, 22, 1917.	1.7	9
49	Chemo-Enzymatic Syntheses of Polyester-Urethanes. ACS Symposium Series, 2010, , 227-235.	0.5	8
50	Spontaneous cyclodehydration ofN-(o-aminophenyl) amic acids. Journal of Applied Polymer Science, 1998, 67, 609-619.	1.3	8
51	Studies on enzymatic resistance and molecular structure by 13C-NMR of cellulosic ethers. Journal of Applied Polymer Science, 1992, 44, 347-352.	1.3	7
52	On the structure and physicochemical properties of acrylic compounds. International Journal of Polymeric Materials and Polymeric Biomaterials, 2003, 52, 85-95.	1.8	7
53	Preparation and characterization of nanocomposites made from chemoenzymatically prepared polyester urethanes and functionalized multiwalled carbon nanotubes. Polymer Composites, 2018, 39, E697.	2.3	7
54	Properties of PET-PEN Blends Produced by Extrusion and Injection Blow-Molding. Journal of Polymer Engineering, 2005, 25, .	0.6	6

#	Article	IF	CITATIONS
55	Ring-opening polymerization of lactones using RuCl2(PPh3)3 as initiator: Effect of hydroxylic transfer agents. Journal of Applied Polymer Science, 2006, 99, 2737-2745.	1.3	6
56	Derivation by Electronic Structure Calculations of the Aspect Ratios (Length/Diameter) for Homologous Series of Calamitic Liquid Crystals. Molecular Crystals and Liquid Crystals, 2006, 446, 245-254.	0.4	6
57	Studies of Dihydropyridines by X-Ray Diffraction and Solid State <sup>13</sup> C NMR. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2007, 62, 549-555.	0.3	6
58	High-Performance Polyurethane Nanocomposite Membranes Containing Cellulose Nanocrystals for Protein Separation. Polymers, 2022, 14, 831.	2.0	6
59	Semi-Continuous Heterophase Polymerization to Synthesize Poly(methacrylic acid)-Based Nanocomposites for Drug Delivery. Polymers, 2022, 14, 1195.	2.0	6
60	Characterization of acrylic dental polymers. Macromolecular Symposia, 1999, 148, 463-481.	0.4	5
61	Determination of Phase Content in Multiphase Polymers by Solid-State NMR Techniques. Materials Science Forum, 0, 714, 51-56.	0.3	5
62	Developments in Solid-State NMR Spectroscopy of Polymer Systems. , 0, , .		5
63	Synthesis, characterization, and mechanical performance of various functionalized carbon nanotubesâ€polyurethanes nanocomposites. Journal of Applied Polymer Science, 2019, 136, 47319.	1.3	5
64	Theoretical study of the experimental behavior of two homologous series of liquid crystals. Arkivoc, 2006, 2003, 149-162.	0.3	4
65	Chemoenzymatic Synthesis and Characterization of Polyester-Urethanes Bearing Amino-Acids Moieties. ACS Symposium Series, 2015, , 27-40.	0.5	3
66	<scp>l</scp> -Lysine-Modified Poly(ester-urethane) Based on Polycaprolactone for Controlled Release of Hydrocortisone. ACS Symposium Series, 2018, , 163-175.	0.5	3
67	Homogeneous hydrogels made with acrylic acid, acrylamide and chemically functionalized carbon nanotubes. Journal of Macromolecular Science - Pure and Applied Chemistry, 2019, 56, 417-428.	1.2	3
68	Thermolysis of 2-azido-3-(R-anilino)-1,4-naphthoquinones. Nitrene insertion versus hydrogen abstraction. Tetrahedron Letters, 2020, 61, 151731.	0.7	3
69	Development of novel nanocomposite polyurethane ultrafiltration membranes based on multiwalled carbon nanotubes functionalized with PAMAM dendrimer. Polymer-Plastics Technology and Materials, 2021, 60, 974-993.	0.6	3
70	Ab initio study of the reactivity and plausible polymerization process of a labdatriene monomer. Computational and Theoretical Polymer Science, 2000, 10, 473-480.	1.1	2
71	Silicon-29 and carbon-13 nuclear magnetic resonance identification of intermediates developed during the formation of a hybrid based on tetraethoxysilane (TEOS) and 4-[(5-dichloromethyl)(silyl)pentyloxy]cyanobenzene (DCN). Journal of Applied Polymer Science, 2006, 99. 520-531.	1.3	2

Synthesis and characterization of a poly(ether-ester) copolymer from poly(2,6 dimethyl-1,4-phenylene) Tj ETQq0 0 0 ggBT /Overlock 10 T 1.3

#	Article	IF	CITATIONS
73	Physico-chemical Characterization of 4-(4-Pentenyloxy)Benzonitrile. Molecular Crystals and Liquid Crystals, 2008, 489, 148/[474]-155/[481].	0.4	2
74	Solid-State NMR Spectroscopy of Multiphase Polymer Systems. , 2011, , 519-549.		2
75	Star-Shaped Poly(É›-caprolactone)-co-poly(ethylene glycol) Synthesized with Oxalyl Chloride as Linker Molecule. Journal of Macromolecular Science - Pure and Applied Chemistry, 2014, 51, 499-510.	1.2	2
76	Synthesis of Biodegradable Polymers Using Biocatalysis with Yarrowia lipolytica Lipase. Methods in Molecular Biology, 2012, 861, 485-493.	0.4	2
77	Synthesis And Characterization Of A New Family Of Hybrid Organic-Inorganic Glasses. Materials Research Innovations, 2005, 9, 72-73.	1.0	0
78	Structural and thermal characterization of hybrid materials based on TEOS and DCN. Journal of Applied Polymer Science, 2009, 111, 794-804.	1.3	0
79	Organic-inorganic hybrid glass: non-linear optical properties. AIP Conference Proceedings, 2008, , .	0.3	0
80	Syntheses and Characterization of Aliphatic Polyesters via Yarrowia lipolytica Lipase Biocatalysis. ACS Symposium Series, 2013, , 59-68.	0.5	0
81	Monte Carlo simulation of an associating fluid model to describe polymerization in polycaprolactone diols: The role of attractive sites of variable range. Journal of Molecular Liquids, 2019, 294, 111587.	2.3	0
82	Properties of THFMA-PEMA and BMA-PEMA-based bone cements characterized by thermal analysis, FTIR and NMR. Journal of Applied Biomaterials and Biomechanics, 2003, 1, 108-16.	0.4	0