

Melanie L Bell

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9489573/melanie-l-bell-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

165 papers	4,915 citations	41 h-index	65 g-index
174 ext. papers	5,852 ext. citations	3.5 avg, IF	5.81 L-index

#	Paper	IF	Citations
165	Elucidating symptoms of COVID-19 illness in the Arizona CoVHORT: a longitudinal cohort study.. <i>BMJ Open</i> , 2022 , 12, e053403	3	0
164	The relationship between sleep and weight change among women diagnosed with breast cancer participating in the Women's Health Initiative.. <i>Breast Cancer Research and Treatment</i> , 2022 , 192, 423	4.4	
163	Feasibility and acceptability of testing a menstrual-cycle timed smoking cessation intervention for women of reproductive age (Project Phase): Results of a pilot randomized control trial. <i>Addictive Behaviors</i> , 2022 , 125, 107153	4.2	
162	Statistical Considerations in Analyzing Health-Related Quality of Life Data 2022 , 143-162		
161	COVID-19 Infection, the COVID-19 Pandemic, and Changes in Sleep.. <i>Frontiers in Public Health</i> , 2021 , 9, 795320	6	2
160	Occupational factors and miscarriages in the US fire service: a cross-sectional analysis of women firefighters. <i>Environmental Health</i> , 2021 , 20, 116	6	1
159	The estimand framework and its application in substance use disorder clinical trials: a case study. <i>American Journal of Drug and Alcohol Abuse</i> , 2021 , 1-6	3.7	0
158	Meta Salud Diabetes for cardiovascular disease prevention in Mexico: a cluster-randomized behavioural clinical trial. <i>International Journal of Epidemiology</i> , 2021 , 50, 1272-1282	7.8	0
157	Framework for the treatment and reporting of missing data in observational studies: The Treatment And Reporting of Missing data in Observational Studies framework. <i>Journal of Clinical Epidemiology</i> , 2021 , 134, 79-88	5.7	20
156	Results of a Feasibility Study of Helpers Stay Quit Training for Smoking Relapse Prevention. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 711-715	4.9	1
155	Correlates of cognitive impairment in adult cancer survivors who have received chemotherapy and report cognitive problems. <i>Supportive Care in Cancer</i> , 2021 , 29, 1377-1386	3.9	4
154	A telephone-based guided imagery tobacco cessation intervention: results of a randomized feasibility trial. <i>Translational Behavioral Medicine</i> , 2021 , 11, 516-529	3.2	2
153	Association between obstructive sleep apnea and multiple involuntary job loss history among recently unemployed adults. <i>Sleep Health</i> , 2021 , 7, 118-122	4	2
152	Impacts to Daily Activities with the San Juan River after the Gold King Mine Spill. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2021 , 31, 852-866	6.7	3
151	Design of the Arizona CoVHORT: A Population-Based COVID-19 Cohort. <i>Frontiers in Public Health</i> , 2021 , 9, 620060	6	8
150	Post-acute sequelae of COVID-19 in a non-hospitalized cohort: Results from the Arizona CoVHORT. <i>PLoS ONE</i> , 2021 , 16, e0254347	3.7	20
149	Predictors of client retention in a state-based tobacco quitline. <i>Journal of Smoking Cessation</i> , 2020 , 15, 67-75	0.5	5

148	Baseline quality of life is associated with survival among people with advanced lung cancer. <i>Journal of Psychosocial Oncology</i> , 2020 , 38, 635-641	2.8	3
147	Feasibility and acceptability of testing a menstrual-cycle timed smoking cessation intervention for women of reproductive age (): Protocol of a pilot randomized controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2020 , 18, 100569	1.8	1
146	Association of Diet Quality and Physical Activity on Obesity-Related Cancer Risk and Mortality in Black Women: Results from the Women's Health Initiative. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 591-598	4	2
145	Power difference in a test vs generalized linear mixed model in the presence of missing data - a simulation study. <i>BMC Medical Research Methodology</i> , 2020 , 20, 50	4.7	2
144	The mixed model for repeated measures for cluster randomized trials: a simulation study investigating bias and type I error with missing continuous data. <i>Trials</i> , 2020 , 21, 148	2.8	8
143	Effects of HIV status on non-metastatic cervical cancer progression among patients in Lusaka, Zambia. <i>International Journal of Gynecological Cancer</i> , 2020 , 30, 613-618	3.5	5
142	Influence of Women's Empowerment on Place of Delivery in North Eastern and Western Kenya: A Cross-sectional Analysis of the Kenya Demographic Health Survey. <i>Journal of Epidemiology and Global Health</i> , 2020 , 10, 65-73	5.5	2
141	Predictors of Tobacco Cessation Among American Indian/Alaska Native Adults Enrolled in a State Quitline. <i>Substance Use and Misuse</i> , 2020 , 55, 452-459	2.2	1
140	A Conservative Approach for Analysis of Noninferiority Trials With Missing Data and Subject Noncompliance. <i>Statistics in Biopharmaceutical Research</i> , 2020 , 12, 176-186	1.2	1
139	Testing the feasibility of a guided imagery tobacco cessation intervention delivered by a telephone quitline: Study protocol for a randomized controlled feasibility trial. <i>Contemporary Clinical Trials Communications</i> , 2019 , 16, 100437	1.8	2
138	Feasibility and acceptability of a beverage intervention for Hispanic adults: results from a pilot randomized controlled trial. <i>Public Health Nutrition</i> , 2019 , 22, 542-552	3.3	1
137	Analytical approaches and estimands to take account of missing patient-reported data in longitudinal studies. <i>Patient Related Outcome Measures</i> , 2019 , 10, 129-140	2.9	8
136	A Gender- and Culturally Sensitive Weight Loss Intervention for Hispanic Men: Results From the Pilot Randomized Controlled Trial. <i>Health Education and Behavior</i> , 2019 , 46, 763-772	4.2	8
135	0484 Individuals with Obstructive Sleep Apnea have Higher Likelihood of Multiple Involuntary, Job Losses. <i>Sleep</i> , 2019 , 42, A194-A194	1.1	0
134	Quitline program utilization and cessation outcomes: A comparison of provider-referred clients by healthcare settings. <i>Preventive Medicine Reports</i> , 2019 , 14, 100863	2.6	1
133	State inequality, socioeconomic position and subjective cognitive decline in the United States. <i>SSM - Population Health</i> , 2019 , 7, 100357	3.8	11
132	Protocol for LINKS (linking individual needs to community and clinical services): a prospective matched observational study of a community health worker community clinical linkage intervention on the U.S.-Mexico border. <i>BMC Public Health</i> , 2019 , 19, 399	4.1	3
131	Impact of changes in home smoking bans on tobacco cessation among quitline callers. <i>Health Education Research</i> , 2019 , 34, 345-355	1.8	2

130	Self-reported hearing difficulty and its association with general, cognitive, and psychosocial health in the state of Arizona, 2015. <i>BMC Public Health</i> , 2019 , 19, 875	4.1	9
129	Imputation strategies when a continuous outcome is to be dichotomized for responder analysis: a simulation study. <i>BMC Medical Research Methodology</i> , 2019 , 19, 161	4.7	8
128	Long-term prevalence and predictors of prolonged grief disorder amongst bereaved cancer caregivers: A cohort study. <i>Palliative and Supportive Care</i> , 2019 , 17, 507-514	2.5	15
127	Fidelity is fundamental: intervention predictors in advance care plans in terminal cancer. <i>BMJ Supportive and Palliative Care</i> , 2019 , 9, 397-403	2.2	1
126	Gender differences in utilization of services and tobacco cessation outcomes at a state quitline. <i>Translational Behavioral Medicine</i> , 2019 , 9, 663-668	3.2	7
125	Regularized continuous-time Markov Model via elastic net. <i>Biometrics</i> , 2018 , 74, 1045-1054	1.8	8
124	A gender- and culturally-sensitive weight loss intervention for Hispanic males: The ANIMO randomized controlled trial pilot study protocol and recruitment methods. <i>Contemporary Clinical Trials Communications</i> , 2018 , 9, 151-163	1.8	7
123	Meta Salud Diabetes study protocol: a cluster-randomised trial to reduce cardiovascular risk among a diabetic population of Mexico. <i>BMJ Open</i> , 2018 , 8, e020762	3	6
122	How Well Do Current Measures Assess the Impact of Advance Care Planning on Concordance Between Patient Preferences for End-of-Life Care and the Care Received: A Methodological Review. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 480-495	4.8	14
121	Associations Between Comorbid Health Conditions and Quit Outcomes Among Smokers Enrolled in a State Quitline, Arizona, 2011-2016. <i>Public Health Reports</i> , 2018 , 133, 200-206	2.5	13
120	Feasibility and acceptability of a beverage intervention for Hispanic adults: a protocol for a pilot randomized controlled trial. <i>Nutrition Journal</i> , 2018 , 17, 16	4.3	3
119	Guidance for using pilot studies to inform the design of intervention trials with continuous outcomes. <i>Clinical Epidemiology</i> , 2018 , 10, 153-157	5.9	57
118	Missing data handling in non-inferiority and equivalence trials: A systematic review. <i>Pharmaceutical Statistics</i> , 2018 , 17, 477-488	1	6
117	Using generalized estimating equations and extensions in randomized trials with missing longitudinal patient reported outcome data. <i>Psycho-Oncology</i> , 2018 , 27, 2125-2131	3.9	12
116	Medical, demographic and psychological correlates of fear of cancer recurrence (FCR) morbidity in breast, colorectal and melanoma cancer survivors with probable clinically significant FCR seeking psychological treatment through the ConquerFear study. <i>Supportive Care in Cancer</i> , 2018 , 26, 4207-4216	3.9	23
115	P3-590: STATE INEQUALITY, SOCIOECONOMIC STATUS AND SUBJECTIVE COGNITIVE DECLINE FROM THE BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM, 2015-2016 2018 , 14, P1352-P1352		
114	New guidance to improve sample size calculations for trials: eliciting the target difference. <i>Trials</i> , 2018 , 19, 605	2.8	6
113	Factors Predicting Client Re-Enrollment in Tobacco Cessation Services in a State Quitline. <i>Preventing Chronic Disease</i> , 2018 , 15, E126	3.7	2

112	Important differences and meaningful changes for the Functional Assessment of Cancer Therapy-Cognitive Function (FACT-Cog). <i>Journal of Patient-Reported Outcomes</i> , 2018 , 2,	2.6	15
111	The Feasibility of a Gender- and Culturally-Sensitive Weight Loss Intervention Plus Mobile Health Technology for Hispanic Males. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 135	1.2	
110	Case-case analysis of Campylobacter and Salmonella - using surveillance data for outbreak investigations and monitoring routine risk factors. <i>Epidemiology and Infection</i> , 2018 , 146, 1916-1921	4.3	5
109	A randomised controlled trial of an advance care planning intervention for patients with incurable cancer. <i>British Journal of Cancer</i> , 2018 , 119, 1182-1190	8.7	30
108	Behavioral and subjective health changes in US and Mexico border residing participants in two promotora-led chronic disease preventive interventions. <i>Health Education Research</i> , 2018 , 33, 522-534	1.8	1
107	Quit outcomes among clients ineligible for cessation medication through the state quitline: a retrospective, observational study. <i>BMC Public Health</i> , 2018 , 18, 1001	4.1	2
106	Relative effect sizes for measures of risk. <i>Communications in Statistics - Theory and Methods</i> , 2017 , 46, 6774-6781	0.5	72
105	Statistical controversies in cancer research: using standardized effect size graphs to enhance interpretability of cancer-related clinical trials with patient-reported outcomes. <i>Annals of Oncology</i> , 2017 , 28, 1730-1733	10.3	8
104	Promoting adherence to treatment for latent TB infection through mobile phone text messaging: study protocol for a pilot randomized controlled trial. <i>Pilot and Feasibility Studies</i> , 2017 , 3, 15	1.9	13
103	Impact of physical activity on fatigue and quality of life in people with advanced lung cancer: a randomized controlled trial. <i>Annals of Oncology</i> , 2017 , 28, 1889-1897	10.3	53
102	Impact of caregiver activities and social supports on multidimensional caregiver burden: analyses from nationally-representative surveys of cancer patients and their caregivers. <i>Quality of Life Research</i> , 2017 , 26, 1587-1595	3.7	23
101	Tobacco Use Cessation Among Quitline Callers Who Implemented Complete Home Smoking Bans During the Quitting Process. <i>Preventing Chronic Disease</i> , 2017 , 14, E105	3.7	8
100	Randomized Trial of ConquerFear: A Novel, Theoretically Based Psychosocial Intervention for Fear of Cancer Recurrence. <i>Journal of Clinical Oncology</i> , 2017 , 35, 4066-4077	2.2	91
99	Evaluation of a Web-Based Cognitive Rehabilitation Program in Cancer Survivors Reporting Cognitive Symptoms After Chemotherapy. <i>Journal of Clinical Oncology</i> , 2017 , 35, 217-225	2.2	90
98	Community Health Worker Impact on Chronic Disease Outcomes Within Primary Care Examined Using Electronic Health Records. <i>American Journal of Public Health</i> , 2017 , 107, 1668-1674	5.1	18
97	Community Health Workers Promote Civic Engagement and Organizational Capacity to Impact Policy. <i>Journal of Community Health</i> , 2017 , 42, 1197-1203	4	14
96	Communication challenges experienced by migrants with cancer: A comparison of migrant and English-speaking Australian-born cancer patients. <i>Health Expectations</i> , 2017 , 20, 886-895	3.7	27
95	A pattern-mixture model approach for handling missing continuous outcome data in longitudinal cluster randomized trials. <i>Statistics in Medicine</i> , 2017 , 36, 4094-4105	2.3	9

94	Reported bed net ownership and use in social contacts is associated with uptake of bed nets for malaria prevention in pregnant women in Ghana. <i>Malaria Journal</i> , 2017 , 16, 13	3.6	11
93	Ovarian cancer study dropouts had worse health-related quality of life and psychosocial symptoms at baseline and over time. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2017 , 13, e381-e388	1.9	9
92	User Participation and Engagement With the See Me Smoke-Free mHealth App: Prospective Feasibility Trial. <i>JMIR MHealth and UHealth</i> , 2017 , 5, e142	5.5	2
91	Challenges to interpreting patient reported outcomes in clinical trials: author rejoinder. <i>Annals of Translational Medicine</i> , 2017 , 5, 439	3.2	
90	Handling missing items in the Hospital Anxiety and Depression Scale (HADS): a simulation study. <i>BMC Research Notes</i> , 2016 , 9, 479	2.3	77
89	Advance care planning in patients with incurable cancer: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012387	3	14
88	Generalized estimating equations in cluster randomized trials with a small number of clusters: Review of practice and simulation study. <i>Clinical Trials</i> , 2016 , 13, 445-9	2.2	36
87	Single time point comparisons in longitudinal randomized controlled trials: power and bias in the presence of missing data. <i>BMC Medical Research Methodology</i> , 2016 , 16, 43	4.7	35
86	Statistical analysis and handling of missing data in cluster randomized trials: a systematic review. <i>Trials</i> , 2016 , 17, 72	2.8	38
85	The characteristics of oncology social work in Australia: Implications for workforce planning in integrated cancer care. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2016 , 12, 444-452	1.9	11
84	Helplessness/hopelessness, minimization and optimism predict survival in women with invasive ovarian cancer: a role for targeted support during initial treatment decision-making?. <i>Supportive Care in Cancer</i> , 2016 , 24, 2627-34	3.9	11
83	Tobacco Cessation Training for Complementary and Alternative Medicine Practitioners: Results of a Practice-Based Trial. <i>American Journal of Preventive Medicine</i> , 2016 , 51, e35-e44	6.1	3
82	Predictors of unmet needs and psychological distress in adolescent and young adult siblings of people diagnosed with cancer. <i>Psycho-Oncology</i> , 2015 , 24, 333-40	3.9	25
81	Statistical analysis and handling of missing data in cluster randomised trials: protocol for a systematic review. <i>BMJ Open</i> , 2015 , 5, e007378	3	6
80	Feasibility of Cognitively-Based Compassion Training (CBCT) for breast cancer survivors: a randomized, wait list controlled pilot study. <i>Supportive Care in Cancer</i> , 2015 , 23, 3599-608	3.9	56
79	Migrant health in cancer: outcome disparities and the determinant role of migrant-specific variables. <i>Oncologist</i> , 2015 , 20, 523-31	5.7	34
78	Pilot of a theoretically grounded psychologist-delivered intervention for fear of cancer recurrence (Conquer Fear). <i>Psycho-Oncology</i> , 2015 , 24, 967-70	3.9	30
77	Community Health Worker Professional Advocacy: Voices of Action from the 2014 National Community Health Worker Advocacy Survey. <i>Journal of Ambulatory Care Management</i> , 2015 , 38, 225-35	0.8	12

76	Changes in health behaviors and self-rated health of participants in Meta Salud: a primary prevention intervention of NCD in Mexico. <i>Global Heart</i> , 2015 , 10, 55-61	2.9	7
75	Psychometric evaluation of the Sibling Cancer Needs Instrument (SCNI): an instrument to assess the psychosocial unmet needs of young people who are siblings of cancer patients. <i>Supportive Care in Cancer</i> , 2014 , 22, 653-65	3.9	24
74	Improving decision making about clinical trial participation - a randomised controlled trial of a decision aid for women considering participation in the IBIS-II breast cancer prevention trial. <i>British Journal of Cancer</i> , 2014 , 111, 1-7	8.7	57
73	Practical and statistical issues in missing data for longitudinal patient-reported outcomes. <i>Statistical Methods in Medical Research</i> , 2014 , 23, 440-59	2.3	162
72	Caring for women with ovarian cancer in the last year of life: a longitudinal study of caregiver quality of life, distress and unmet needs. <i>Gynecologic Oncology</i> , 2014 , 132, 690-7	4.9	78
71	A myriad of methods: calculated sample size for two proportions was dependent on the choice of sample size formula and software. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 601-5	5.7	14
70	The Quality of Life Questionnaire Core 30 (QLQ-C30) and Functional Assessment of Cancer-General (FACT-G) differ in responsiveness, relative efficiency, and therefore required sample size. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 100-7	5.7	30
69	Women's preferences for selective estrogen reuptake modulators: an investigation using the time trade-off technique. <i>SpringerPlus</i> , 2014 , 3, 264		3
68	Bias in Area Under the Curve for Longitudinal Clinical Trials With Missing Patient Reported Outcome Data: Summary Measures Versus Summary Statistics. <i>SAGE Open</i> , 2014 , 4, 215824401453485	1.5	29
67	Plasma and erythrocyte fatty acids reflect intakes of saturated and n-6 PUFA within a similar time frame. <i>Journal of Nutrition</i> , 2014 , 144, 33-41	4.1	50
66	Evaluation of the community-based chronic disease prevention program Meta Salud in Northern Mexico, 2011-2012. <i>Preventing Chronic Disease</i> , 2014 , 11, E154	3.7	16
65	Handling missing data in RCTs; a review of the top medical journals. <i>BMC Medical Research Methodology</i> , 2014 , 14, 118	4.7	171
64	Immigrants' perceptions of the quality of their cancer care: an Australian comparative study, identifying potentially modifiable factors. <i>Annals of Oncology</i> , 2014 , 25, 1643-9	10.3	76
63	Women's preferences for selective estrogen reuptake modulators: an investigation using protection motivation theory. <i>Patient Education and Counseling</i> , 2014 , 96, 106-12	3.1	13
62	Phase 3 trial of domiciliary humidification to mitigate acute mucosal toxicity during radiation therapy for head-and-neck cancer: first report of Trans Tasman Radiation Oncology Group (TROG) 07.03 RadioHUM study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 88, 572-9	4	10
61	Scientific rigour in psycho-oncology trials: why and how to avoid common statistical errors. <i>Psycho-Oncology</i> , 2013 , 22, 499-505	3.9	8
60	Informative missing quality of life and unmet needs sex data for immigrant and Anglo-Australian cancer patients and survivors. <i>Quality of Life Research</i> , 2013 , 22, 2757-60	3.7	18
59	Conquer fear: protocol of a randomised controlled trial of a psychological intervention to reduce fear of cancer recurrence. <i>BMC Cancer</i> , 2013 , 13, 201	4.8	79

58	Unmet needs in immigrant cancer survivors: a cross-sectional population-based study. <i>Supportive Care in Cancer</i> , 2013 , 21, 2509-20	3.9	47
57	Psychometric evaluation of the Offspring Cancer Needs Instrument (OCNI): an instrument to assess the psychosocial unmet needs of young people who have a parent with cancer. <i>Supportive Care in Cancer</i> , 2013 , 21, 1927-38	3.9	17
56	Physical symptoms, coping styles and quality of life in recurrent ovarian cancer: a prospective population-based study over the last year of life. <i>Gynecologic Oncology</i> , 2013 , 130, 162-8	4.9	33
55	Designing psycho-oncology randomised trials and cluster randomised trials: variance components and intra-cluster correlation of commonly used psychosocial measures. <i>Psycho-Oncology</i> , 2013 , 22, 1738-47	3.9	74
54	Inferior health-related quality of life and psychological well-being in immigrant cancer survivors: a population-based study. <i>European Journal of Cancer</i> , 2013 , 49, 1948-56	7.5	41
53	Should culture affect practice? A comparison of prognostic discussions in consultations with immigrant versus native-born cancer patients. <i>Patient Education and Counseling</i> , 2013 , 92, 246-52	3.1	24
52	The relationship between multiple sex partners and anxiety, depression, and substance dependence disorders: a cohort study. <i>Archives of Sexual Behavior</i> , 2013 , 42, 863-72	3.5	24
51	Randomized controlled trial of a structured intervention to facilitate end-of-life decision making in patients with advanced cancer. <i>Journal of Clinical Oncology</i> , 2013 , 31, 3403-10	2.2	65
50	Effect sizes for 2x2 contingency tables. <i>PLoS ONE</i> , 2013 , 8, e58777	3.7	88
49	Fear of cancer recurrence in young early-stage breast cancer survivors: the role of metacognitive style and disease-related factors. <i>Psycho-Oncology</i> , 2013 , 22, 2059-63	3.9	40
48	Psychological morbidity and stress but not social factors influence level of fear of cancer recurrence in young women with early breast cancer: results of a cross-sectional study. <i>Psycho-Oncology</i> , 2013 , 22, 2797-806	3.9	53
47	Differential dropout and bias in randomised controlled trials: when it matters and when it may not. <i>BMJ, The</i> , 2013 , 346, e8668	5.9	166
46	Quantity vs. quality: an exploration of the predictors of posttreatment sexual adjustment for women affected by early stage cervical and endometrial cancer. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2952-60	1.1	21
45	Fear of cancer recurrence in young women with a history of early-stage breast cancer: a cross-sectional study of prevalence and association with health behaviours. <i>Supportive Care in Cancer</i> , 2012 , 20, 2651-9	3.9	138
44	The impact of physical activity on fatigue and quality of life in lung cancer patients: a randomised controlled trial protocol. <i>BMC Cancer</i> , 2012 , 12, 572	4.8	22
43	Grappling with cultural differences; communication between oncologists and immigrant cancer patients with and without interpreters. <i>Patient Education and Counseling</i> , 2011 , 84, 398-405	3.1	52
42	Patients' perspectives of patient-centredness as important in musculoskeletal physiotherapy interactions: a qualitative study. <i>Physiotherapy</i> , 2011 , 97, 154-62	3	72
41	Using the Distress Thermometer and Hospital Anxiety and Depression Scale to screen for psychosocial morbidity in patients diagnosed with colorectal cancer. <i>Journal of Affective Disorders</i> , 2011 , 131, 412-6	6.6	32

40	Alcohol outlet density, levels of drinking and alcohol-related harm in New Zealand: a national study. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, 841-6	5.1	68
39	Alcohol involvement in aggression between intimate partners in New Zealand: a national cross-sectional study. <i>BMJ Open</i> , 2011 , 1, e000065	3	9
38	Interpretation in consultations with immigrant patients with cancer: how accurate is it?. <i>Journal of Clinical Oncology</i> , 2011 , 29, 2801-7	2.2	54
37	Small sample estimation properties of longitudinal count models. <i>Journal of Statistical Computation and Simulation</i> , 2011 , 81, 1067-1079	0.9	6
36	Consistency and reliability of self-reported lifetime number of heterosexual partners by gender and age in a cohort study. <i>Sexually Transmitted Diseases</i> , 2010 , 37, 425-31	2.4	5
35	The influence of hip abduction and external rotation on sacroiliac motion. <i>Manual Therapy</i> , 2009 , 14, 520-5		23
34	Sex differences in the pattern of innominate motion during passive hip abduction and external rotation. <i>Manual Therapy</i> , 2009 , 14, 514-9		16
33	Does physical activity change predict functional recovery in low back pain? Protocol for a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 136	2.8	8
32	Can accelerometry be used to discriminate levels of activity?. <i>Ergonomics</i> , 2009 , 52, 1019-25	2.9	8
31	Alcohol outlet density and university student drinking: a national study. <i>Addiction</i> , 2008 , 103, 1131-8	4.6	115
30	Does preoperative hemoglobin independently predict short-term outcomes after coronary artery bypass graft surgery?. <i>Annals of Thoracic Surgery</i> , 2008 , 86, 1415-23	2.7	48
29	Endogenous and exogenous female sex hormones and renal electrolyte handling: effects of an acute sodium load on plasma volume at rest. <i>Journal of Applied Physiology</i> , 2008 , 105, 121-7	3.7	17
28	Are workers or their workplaces the key to occupational sun protection?. <i>Health Promotion Journal of Australia</i> , 2008 , 19, 97-101	1.7	43
27	Endogenous and Exogenous female sex hormones and renal handling: effects of sodium loading on plasma volume at rest. <i>FASEB Journal</i> , 2008 , 22, 120-120	0.9	
26	Childhood behavior problems linked to sexual risk taking in young adulthood: a birth cohort study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007 , 46, 1272-1279	7.2	67
25	Two types of Drosophila R7 photoreceptor cells are arranged randomly: a model for stochastic cell-fate determination. <i>Journal of Comparative Neurology</i> , 2007 , 502, 75-85	3.4	41
24	Accuracy and reliability of observational motion analysis in identifying shoulder symptoms. <i>Manual Therapy</i> , 2007 , 12, 263-70		28
23	Preexercise sodium loading aids fluid balance and endurance for women exercising in the heat. <i>Journal of Applied Physiology</i> , 2007 , 103, 534-41	3.7	49

22	Association of ground hardness with injuries in rugby union. <i>British Journal of Sports Medicine</i> , 2007 , 41, 582-7; discussion 587	10.3	31
21	Repeated single-limb postural stability testing elicits a practice effect. <i>Physical Therapy in Sport</i> , 2006 , 7, 185-90	3	9
20	Effect of maternal consumption of lactobacillus GG on transfer and establishment of fecal bifidobacterial microbiota in neonates. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006 , 42, 166-70	2.8	218
19	Carbohydrate balance predicts weight and fat gain in adults. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 803-8	7	51
18	Air travel and fatal pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2006 , 95, 807-814	7	26
17	Air travel and fatal pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2006 , 95, 807-14	7	6
16	Effects of indomethacin and celecoxib on renal function in athletes. <i>Medicine and Science in Sports and Exercise</i> , 2005 , 37, 712-7	1.2	44
15	Mixed models for the analysis of replicated spatial point patterns. <i>Biostatistics</i> , 2004 , 5, 633-48	3.7	27
14	Cell contact-dependent mechanisms specify taste bud pattern during a critical period early in embryonic development. <i>Developmental Dynamics</i> , 2004 , 230, 630-42	2.9	12
13	Resistant starch consumption promotes lipid oxidation. <i>Nutrition and Metabolism</i> , 2004 , 1, 8	4.6	107
12	Commercially available pedometers: considerations for accurate step counting. <i>Preventive Medicine</i> , 2004 , 39, 361-8	4.3	209
11	Short-term triglyceride lowering with fenofibrate improves vasodilator function in subjects with hypertriglyceridemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003 , 23, 307-13	9.4	76
10	Exchangeable zinc pool size in infants is related to key variables of zinc homeostasis. <i>Journal of Nutrition</i> , 2003 , 133, 1498S-501S	4.1	28
9	Disruption of sonic hedgehog signaling alters growth and patterning of lingual taste papillae. <i>Developmental Biology</i> , 2003 , 255, 263-77	3.1	112
8	Differences in resting metabolic rate between white and African-American young adults. <i>Obesity</i> , 2002 , 10, 726-32		50
7	Zinc absorption and exchangeable zinc pool sizes in breast-fed infants fed meat or cereal as first complementary food. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2002 , 34, 35-41	2.8	28
6	Occasional physical inactivity combined with a high-fat diet may be important in the development and maintenance of obesity in human subjects. <i>American Journal of Clinical Nutrition</i> , 2001 , 73, 703-8	7	52
5	The effect of a probiotic milk product on plasma cholesterol: a meta-analysis of short-term intervention studies. <i>European Journal of Clinical Nutrition</i> , 2000 , 54, 856-60	5.2	145

4	US-Mexico Border Stress and Daily Substance Use Among Latino Youth: a Cross-Sectional Study. <i>International Journal of Mental Health and Addiction</i> ,1	8.8
3	Post-acute sequelae of COVID-19 in a non-hospitalized cohort: results from the Arizona CoVHORT	2
2	Symptoms of COVID-19 in a population-based cohort study	1
1	Perceived Normalization of Drug Trafficking and Adolescent Substance Use on the USMexico Border. <i>Journal of Drug Issues</i> ,002204262110465	1.4