

# Michael Williams

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9490104/michael-williams-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123  
papers

4,576  
citations

35  
h-index

64  
g-index

125  
ext. papers

5,288  
ext. citations

5.6  
avg, IF

5.06  
L-index

#	Paper	IF	Citations
123	Survival in Patients With Suspected Myocardial Infarction With Nonobstructive Coronary Arteries: A Comprehensive Systematic Review and Meta-Analysis From the MINOCA Global Collaboration. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2021</b> , 14, e007880	5.8	9
122	Diabetes induces dysregulation of microRNAs associated with survival, proliferation and self-renewal in cardiac progenitor cells. <i>Diabetologia</i> , <b>2021</b> , 64, 1422-1435	10.3	0
121	Cardiopulmonary exercise testing in severe osteoarthritis: a crossover comparison of four exercise modalities. <i>Anaesthesia</i> , <b>2021</b> , 76, 72-81	6.6	1
120	Activation of the cardiac non-neuronal cholinergic system prevents the development of diabetes-associated cardiovascular complications. <i>Cardiovascular Diabetology</i> , <b>2021</b> , 20, 50	8.7	3
119	Long-chain acylcarnitine 18:1 acutely increases human atrial myocardial contractility and arrhythmia susceptibility. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2021</b> , 321, H162-H174	5.2	1
118	Upregulation of microRNA-532 enhances cardiomyocyte apoptosis in the diabetic heart. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , <b>2020</b> , 25, 388-399	5.4	6
117	Beat-to-beat blood pressure measurement using a cuffless device does not accurately reflect invasive blood pressure. <i>International Journal of Cardiology: Hypertension</i> , <b>2020</b> , 5, 100030	1.6	5
116	Diagnostic coronary angiography and percutaneous coronary intervention practices in New Zealand: The All New Zealand Acute Coronary Syndrome-Quality Improvement CathPCI registry 3-year study (ANZACS-QI 37). <i>International Journal of Cardiology</i> , <b>2020</b> , 312, 37-41	3.2	1
115	DNA methylation profiling identifies a high effect genetic variant for lipoprotein(a) levels. <i>Epigenetics</i> , <b>2020</b> , 15, 949-958	5.7	6
114	Frailty in Elderly Patients Undergoing Cardiac Surgery Increases Hospital Stay and 12-Month Readmission Rate. <i>Heart Lung and Circulation</i> , <b>2020</b> , 29, 1187-1194	1.8	7
113	Acute interaction between human epicardial adipose tissue and human atrial myocardium induces arrhythmic susceptibility. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2020</b> , 318, E164-E172	6	5
112	Nonsynonymous SNPs in homologous to plasminogen deficiency mutants represent novel null apo(a) alleles. <i>Journal of Lipid Research</i> , <b>2020</b> , 61, 432-444	6.3	10
111	Inotropic and lusitropic, but not arrhythmogenic, effects of adipocytokine resistin on human atrial myocardium. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2020</b> , 319, E540-E547	6	2
110	Both Small and Large Infra-renal Aortic Size is Associated with an Increased Prevalence of Ischaemic Heart Disease. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2020</b> , 60, 594-601	2.3	0
109	Associations between lung and endothelial function in early middle age. <i>Respirology</i> , <b>2020</b> , 25, 89-96	3.6	0
108	Early dysregulation of cardiac-specific microRNA-208a is linked to maladaptive cardiac remodelling in diabetic myocardium. <i>Cardiovascular Diabetology</i> , <b>2019</b> , 18, 13	8.7	24
107	Myocardial tissue characterisation using echocardiographic deformation imaging. <i>Cardiovascular Ultrasound</i> , <b>2019</b> , 17, 27	2.4	9

106	Relationship between epicardial adipose tissue thickness and epicardial adipocyte size with increasing body mass index. <i>Adipocyte</i> , <b>2019</b> , 8, 412-420	3.2	17
105	Correcting for Body Surface Area Identifies the True Prevalence of Abdominal Aortic Aneurysm in Screened Women. <i>European Journal of Vascular and Endovascular Surgery</i> , <b>2019</b> , 57, 221-228	2.3	14
104	Outcome after myocardial infarction without obstructive coronary artery disease. <i>Heart</i> , <b>2019</b> , 105, 524-530	5.30	22
103	All-Cause Mortality Following an Acute Coronary Syndrome: 12-Year Follow-Up of the Comprehensive 2002 New Zealand Acute Coronary Syndrome Audit. <i>Heart Lung and Circulation</i> , <b>2019</b> , 28, 245-256	1.8	11
102	Diabetes induces the activation of pro-ageing miR-34a in the heart, but has differential effects on cardiomyocytes and cardiac progenitor cells. <i>Cell Death and Differentiation</i> , <b>2018</b> , 25, 1336-1349	12.7	35
101	Periodontitis and multiple markers of cardiometabolic risk in the fourth decade: A cohort study. <i>Community Dentistry and Oral Epidemiology</i> , <b>2018</b> , 46, 615-623	2.8	6
100	Down-regulation of proangiogenic microRNA-126 and microRNA-132 are early modulators of diabetic cardiac microangiopathy. <i>Cardiovascular Research</i> , <b>2017</b> , 113, 90-101	9.9	54
99	The diagnostic sensitivity of circulating cardio-enriched microRNAs is increased after normalization of high-density lipoprotein levels. <i>International Journal of Cardiology</i> , <b>2017</b> , 236, 498-500	3.2	5
98	Resting heart rate variability and exercise capacity in Type 1 diabetes. <i>Physiological Reports</i> , <b>2017</b> , 5, e13248	2.6	14
97	Childhood body mass index and endothelial dysfunction evaluated by peripheral arterial tonometry in early midlife. <i>International Journal of Obesity</i> , <b>2017</b> , 41, 1355-1360	5.5	8
96	Meta-Analysis of Genome-Wide Association Studies for Abdominal Aortic Aneurysm Identifies Four New Disease-Specific Risk Loci. <i>Circulation Research</i> , <b>2017</b> , 120, 341-353	15.7	97
95	Down-regulation of miR-15a/b accelerates fibrotic remodelling in the Type 2 diabetic human and mouse heart. <i>Clinical Science</i> , <b>2017</b> , 131, 847-863	6.5	45
94	Recycling of Apolipoprotein(a) After PlgRKT-Mediated Endocytosis of Lipoprotein(a). <i>Circulation Research</i> , <b>2017</b> , 120, 1091-1102	15.7	55
93	Long-term effects of cardiac rehabilitation in elderly individuals with stable coronary artery disease. <i>Disability and Rehabilitation</i> , <b>2016</b> , 38, 837-43	2.4	5
92	Comparison of three targeted approaches to screening for abdominal aortic aneurysm based on cardiovascular risk. <i>British Journal of Surgery</i> , <b>2016</b> , 103, 1139-46	5.3	20
91	Integrated microRNA and messenger RNA analysis in aortic stenosis. <i>Scientific Reports</i> , <b>2016</b> , 6, 36904	4.9	20
90	Shared Genetic Risk Factors of Intracranial, Abdominal, and Thoracic Aneurysms. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5,	6	34
89	Differential expression pattern of cardiovascular microRNAs in the human type-2 diabetic heart with normal ejection fraction. <i>International Journal of Cardiology</i> , <b>2016</b> , 202, 40-3	3.2	18

88	Advances in Exercise, Physical Activity, and Diabetes Mellitus. <i>Diabetes Technology and Therapeutics</i> , <b>2016</b> , 18 Suppl 1, S76-85	8.1	0
87	Two C-C Family Chemokines, Eotaxin and RANTES, Are Novel Independent Plasma Biomarkers for Abdominal Aortic Aneurysm. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5,	6	14
86	Variation in Arterial Access for Invasive Coronary Procedures in New Zealand: A National Analysis (ANZACS-QI 5). <i>Heart Lung and Circulation</i> , <b>2016</b> , 25, 451-8	1.8	3
85	Diagnosis, Incidence, and Clinical Implications of Perioperative Myocardial Injury in Vascular Surgery. <i>Vascular and Endovascular Surgery</i> , <b>2016</b> , 50, 247-55	1.4	4
84	Variant ASGR1 Associated with a Reduced Risk of Coronary Artery Disease. <i>New England Journal of Medicine</i> , <b>2016</b> , 374, 2131-41	59.2	94
83	Repeated Episodes of Remote Ischemic Preconditioning for the Prevention of Myocardial Injury in Vascular Surgery. <i>Vascular and Endovascular Surgery</i> , <b>2016</b> , 50, 140-6	1.4	15
82	Chamber-specific changes in calcium-handling proteins in the type 2 diabetic human heart with preserved ejection fraction. <i>International Journal of Cardiology</i> , <b>2015</b> , 193, 53-5	3.2	7
81	Lipoprotein (a) upregulates ABCA1 in liver cells via scavenger receptor-B1 through its oxidized phospholipids. <i>Journal of Lipid Research</i> , <b>2015</b> , 56, 1318-28	6.3	20
80	Examining motivations and barriers for attending maintenance community-based cardiac rehabilitation using the health-belief model. <i>Heart Lung and Circulation</i> , <b>2015</b> , 24, 980-7	1.8	22
79	Community-Based Cardiac Rehabilitation Maintenance Programs: Use and Effects. <i>Heart Lung and Circulation</i> , <b>2015</b> , 24, 710-8	1.8	14
78	Circulating microRNA Profiling Needs Further Refinement Before Clinical Use in Patients With Aortic Stenosis. <i>Journal of the American Heart Association</i> , <b>2015</b> , 4, e002150	6	23
77	Prevalence of abdominal aortic aneurysm in patients referred for transthoracic echocardiography. <i>Internal Medicine Journal</i> , <b>2015</b> , 45, 32-9	1.6	16
76	Comparison of the management and in-hospital outcomes of acute coronary syndrome patients in Australia and New Zealand: results from the binational SNAPSHOT acute coronary syndrome 2012 audit. <i>Internal Medicine Journal</i> , <b>2015</b> , 45, 497-509	1.6	5
75	Childhood to Early-Midlife Systolic Blood Pressure Trajectories: Early-Life Predictors, Effect Modifiers, and Adult Cardiovascular Outcomes. <i>Hypertension</i> , <b>2015</b> , 66, 1108-15	8.5	172
74	Position statement for the operator and institutional requirements for a transcatheter aortic valve implantation (TAVI) program. <i>Heart Lung and Circulation</i> , <b>2015</b> , 24, 219-23	1.8	19
73	Letter by Coffey et al Regarding Article, "Temporal Trends in the Incidence and Prognosis of Aortic Stenosis: A Nationwide Study of the Swedish Population". <i>Circulation</i> , <b>2015</b> , 132, e239	16.7	
72	Absolute quantification of apolipoproteins and associated proteins on human plasma lipoproteins. <i>Journal of Proteomics</i> , <b>2014</b> , 106, 181-90	3.9	42
71	Exercise snacks before meals: a novel strategy to improve glycaemic control in individuals with insulin resistance. <i>Diabetologia</i> , <b>2014</b> , 57, 1437-45	10.3	103

70	Ribose-cysteine increases glutathione-based antioxidant status and reduces LDL in human lipoprotein(a) mice. <i>Atherosclerosis</i> , <b>2014</b> , 237, 725-33	3.1	21
69	The prevalence, incidence, progression, and risks of aortic valve sclerosis: a systematic review and meta-analysis. <i>Journal of the American College of Cardiology</i> , <b>2014</b> , 63, 2852-61	15.1	123
68	Impaired relaxation despite upregulated calcium-handling protein atrial myocardium from type 2 diabetic patients with preserved ejection fraction. <i>Cardiovascular Diabetology</i> , <b>2014</b> , 13, 72	8.7	34
67	Plasma heat shock protein 27 is associated with coronary artery disease, abdominal aortic aneurysm and peripheral artery disease. <i>SpringerPlus</i> , <b>2014</b> , 3, 635		12
66	Rapid onset of cardiomyopathy in STZ-induced female diabetic mice involves the downregulation of pro-survival Pim-1. <i>Cardiovascular Diabetology</i> , <b>2014</b> , 13, 68	8.7	39
65	Lack of progress in valvular heart disease in the pre-transcatheter aortic valve replacement era: increasing deaths and minimal change in mortality rate over the past three decades. <i>American Heart Journal</i> , <b>2014</b> , 167, 562-567.e2	4.9	33
64	Cerebral blood flow and cerebrovascular reactivity at rest and during sub-maximal exercise: effect of age and 12-week exercise training. <i>Age</i> , <b>2013</b> , 35, 905-20		122
63	Nonbacterial thrombotic endocarditis with ST-elevation myocardial infarction treated with percutaneous coronary aspiration thrombectomy. <i>Heart Lung and Circulation</i> , <b>2013</b> , 22, 386-9	1.8	5
62	A sequence variant associated with sortilin-1 (SORT1) on 1p13.3 is independently associated with abdominal aortic aneurysm. <i>Human Molecular Genetics</i> , <b>2013</b> , 22, 2941-7	5.6	73
61	Plasma active matrix metalloproteinase 9 and indices of diastolic function in patients with preserved systolic function. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 1242-6	3.2	6
60	Intra-individual changes of active matrix metalloproteinase-9 are associated with clinical in-stent restenosis of bare metal stents. <i>Cardiology</i> , <b>2013</b> , 124, 28-35	1.6	5
59	Letter by Coffey et al regarding article, "Estimating deaths from cardiovascular disease: a review of global methodologies of mortality measurement". <i>Circulation</i> , <b>2013</b> , 128, e84	16.7	1
58	Functional rescue of mutant ABCA1 proteins by sodium 4-phenylbutyrate. <i>Journal of Lipid Research</i> , <b>2013</b> , 54, 55-62	6.3	23
57	Effects of community-based cardiac rehabilitation on body composition and physical function in individuals with stable coronary artery disease: 1.6-year followup. <i>BioMed Research International</i> , <b>2013</b> , 2013, 903604	3	13
56	Estimating exercise capacity from walking tests in elderly individuals with stable coronary artery disease. <i>Disability and Rehabilitation</i> , <b>2013</b> , 35, 1853-8	2.4	19
55	Single high oral dose amiodarone for cardioversion of recent onset atrial fibrillation. <i>Heart Lung and Circulation</i> , <b>2012</b> , 21, 444-8	1.8	2
54	Rapid cycle change to predominantly radial access coronary angiography and percutaneous coronary intervention: effect on vascular access site complications. <i>Catheterization and Cardiovascular Interventions</i> , <b>2012</b> , 79, 589-94	2.7	10
53	An ABCA1 truncation shows no dominant negative effect in a familial hypoalphalipoproteinemia pedigree with three ABCA1 mutations. <i>Biochemical and Biophysical Research Communications</i> , <b>2011</b> , 409, 400-5	3.4	5

52	Plasma active matrix metalloproteinase 9 associated to diastolic dysfunction in patients with coronary artery disease. <i>International Journal of Cardiology</i> , <b>2011</b> , 147, 336-8	3.2	5
51	Proteomics of Lipoprotein(a) identifies a protein complement associated with response to wounding. <i>Journal of Proteomics</i> , <b>2011</b> , 74, 2881-91	3.9	40
50	Homology modeling and functional testing of an ABCA1 mutation causing Tangier disease. <i>Atherosclerosis</i> , <b>2011</b> , 218, 404-10	3.1	10
49	Seasonal variation and stability of matrix metalloproteinase-9 activity and tissue inhibitor of matrix metalloproteinase-1 with storage at -80°C. <i>Clinical Biochemistry</i> , <b>2011</b> , 44, 1346-8	3.5	6
48	Pro-MMP-9/TIMP-1 ratio correlates poorly with a direct assessment of MMP-9 activity. <i>Clinical Biochemistry</i> , <b>2011</b> , 44, 1480-2	3.5	4
47	Cardiorespiratory and cerebrovascular responses to head-up tilt II: influence of age, training status and acute exercise. <i>Experimental Gerontology</i> , <b>2011</b> , 46, 1-8	4.5	9
46	Cardiorespiratory and cerebrovascular responses to head-up tilt I: influence of age and training status. <i>Experimental Gerontology</i> , <b>2011</b> , 46, 9-17	4.5	8
45	Syncope is unrelated to supine and postural hypotension following prolonged exercise. <i>European Journal of Applied Physiology</i> , <b>2011</b> , 111, 469-76	3.4	17
44	Genome-wide association study identifies a sequence variant within the DAB2IP gene conferring susceptibility to abdominal aortic aneurysm. <i>Nature Genetics</i> , <b>2010</b> , 42, 692-7	36.3	155
43	Left ventricular systolic and diastolic function assessed by tissue Doppler imaging and outcome in asymptomatic aortic stenosis. <i>European Heart Journal</i> , <b>2010</b> , 31, 2216-22	9.5	60
42	Identical pattern of cerebral hypoperfusion during different types of syncope. <i>Journal of Human Hypertension</i> , <b>2010</b> , 24, 458-66	2.6	19
41	Ingestion of native and thermally oxidized polyunsaturated fats acutely increases circulating numbers of endothelial microparticles. <i>Metabolism: Clinical and Experimental</i> , <b>2010</b> , 59, 446-53	12.7	22
40	Initial orthostatic hypotension is unrelated to orthostatic tolerance in healthy young subjects. <i>Journal of Applied Physiology</i> , <b>2009</b> , 107, 506-17	3.7	68
39	Influence of age on syncope following prolonged exercise: differential responses but similar orthostatic intolerance. <i>Journal of Physiology</i> , <b>2009</b> , 587, 5959-69	3.9	23
38	Sequence variants affecting eosinophil numbers associate with asthma and myocardial infarction. <i>Nature Genetics</i> , <b>2009</b> , 41, 342-7	36.3	627
37	Active matrix metalloproteinases 3 and 9 are independently associated with coronary artery in-stent restenosis. <i>Atherosclerosis</i> , <b>2009</b> , 207, 603-7	3.1	17
36	Elevation in cerebral blood flow velocity with aerobic fitness throughout healthy human ageing. <i>Journal of Physiology</i> , <b>2008</b> , 586, 4005-10	3.9	261
35	Novel rare mutations and promoter haplotypes in ABCA1 contribute to low-HDL-C levels. <i>Clinical Genetics</i> , <b>2008</b> , 73, 179-84	4	38

34	Postprandial cytokine concentrations and meal composition in obese and lean women. <i>Obesity</i> , <b>2008</b> , 16, 2046-52	8	85
33	The effects of age on the spontaneous low-frequency oscillations in cerebral and systemic cardiovascular dynamics. <i>Physiological Measurement</i> , <b>2008</b> , 29, 1055-69	2.9	48
32	Early morning impairment in cerebral autoregulation and cerebrovascular CO2 reactivity in healthy humans: relation to endothelial function. <i>Experimental Physiology</i> , <b>2007</b> , 92, 769-77	2.4	69
31	Plasma protein lipofuscin-like fluorophores in men with coronary artery disease treated with statins. <i>Archives of Medical Research</i> , <b>2007</b> , 38, 757-63	6.6	1
30	Plasma lipoprotein(a) indicates risk for 4 distinct forms of vascular disease. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 679-85	5.5	55
29	Systemic inflammation and lung function in young adults. <i>Thorax</i> , <b>2007</b> , 62, 1064-8	7.3	91
28	Ingestion of moderately thermally oxidized polyunsaturated fat decreases serum resistance to oxidation in men with coronary artery disease. <i>Nutrition Research</i> , <b>2007</b> , 27, 265-272	4	1
27	Elevated plasma active matrix metalloproteinase-9 level is associated with coronary artery in-stent restenosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2006</b> , 26, e121-5	9.4	31
26	Breast feeding is related to C reactive protein concentration in adult women. <i>Journal of Epidemiology and Community Health</i> , <b>2006</b> , 60, 146-8	5.1	23
25	Clinical outcome of older patients with acute coronary syndrome over the last three decades. <i>Age and Ageing</i> , <b>2006</b> , 35, 280-5	3	5
24	Promoter haplotype of a new ABCA1 mutant influences expression of familial hypoalphalipoproteinemia. <i>Atherosclerosis</i> , <b>2006</b> , 187, 393-400	3.1	19
23	Aged garlic extract improves endothelial function in men with coronary artery disease. <i>Phytotherapy Research</i> , <b>2005</b> , 19, 314-9	6.7	98
22	C-reactive protein and cardiorespiratory fitness in young adults. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2005</b> , 12, 216-20		15
21	Effects of white and red wine on endothelial function in subjects with coronary artery disease. <i>Internal Medicine Journal</i> , <b>2004</b> , 34, 224-8	1.6	85
20	Association between C-reactive protein, metabolic cardiovascular risk factors, obesity and oral contraceptive use in young adults. <i>International Journal of Obesity</i> , <b>2004</b> , 28, 998-1003	5.5	57
19	Acute effect of drinking red and white wines on circulating levels of inflammation-sensitive molecules in men with coronary artery disease. <i>Metabolism: Clinical and Experimental</i> , <b>2004</b> , 53, 318-23	12.7	49
18	Ferritin and cardiovascular risk. <i>Atherosclerosis</i> , <b>2003</b> , 167, 171	3.1	2
17	Dose-dependent effects of folic acid on plasma homocysteine in a randomized trial conducted among 723 individuals with coronary heart disease. <i>European Heart Journal</i> , <b>2002</b> , 23, 1509-15	9.5	20

16	Fat embolism and acute hypotension during vertebroplasty: an experimental study in sheep. <i>Spine</i> , <b>2002</b> , 27, 460-6	3.3	126
15	Effect of meals rich in heated olive and safflower oils on oxidation of postprandial serum in healthy men. <i>Atherosclerosis</i> , <b>2002</b> , 160, 195-203	3.1	24
14	Relationship of serum ferritin with cardiovascular risk factors and inflammation in young men and women. <i>Atherosclerosis</i> , <b>2002</b> , 165, 179-84	3.1	125
13	When is an ANCA an anchor?. <i>Internal Medicine Journal</i> , <b>2001</b> , 31, 308-11	1.6	4
12	Ventricular rate and beat-to-beat variation of stroke volume in atrial fibrillation. <i>American Journal of Cardiology</i> , <b>2001</b> , 87, 1116-9, A9	3	15
11	Assessment of the mechanical properties of coronary arteries using intravascular ultrasound: an in vivo study. <i>International Journal of Cardiovascular Imaging</i> , <b>1999</b> , 15, 287-94		21
10	Coronary artery flow ten weeks after myocardial infarction or unstable angina: effects of combined warfarin and aspirin therapy. <i>International Journal of Cardiology</i> , <b>1999</b> , 69, 19-25	3.2	4
9	Impaired endothelial function following a meal rich in used cooking fat. <i>Journal of the American College of Cardiology</i> , <b>1999</b> , 33, 1050-5	15.1	152
8	Progression of the culprit lesion in unstable coronary artery disease with warfarin and aspirin versus aspirin alone: preliminary study. <i>Journal of the American College of Cardiology</i> , <b>1997</b> , 30, 364-9	15.1	51
7	The mechanism of blood flow in cardiopulmonary resuscitation--introducing the lung pump. <i>Resuscitation</i> , <b>1997</b> , 35, 255-8	4	7
6	Prevalence and timing of regional myocardial dysfunction after rotational coronary atherectomy. <i>Journal of the American College of Cardiology</i> , <b>1996</b> , 28, 861-9	15.1	20
5	Biopsy-induced flail tricuspid leaflet and tricuspid regurgitation following orthotopic cardiac transplantation. <i>American Journal of Cardiology</i> , <b>1996</b> , 77, 1339-44	3	73
4	Hypokalaemic periodic paralysis with cardiac arrhythmia and prolonged QT interval. <i>Australian and New Zealand Journal of Medicine</i> , <b>1995</b> , 25, 549		3
3	Improvement of transthoracic pulmonary venous flow Doppler signal with intravenous injection of sonicated albumin. <i>Journal of the American College of Cardiology</i> , <b>1995</b> , 26, 1741-6	15.1	45
2	Time course of "warm-up" in stable angina. <i>American Journal of Cardiology</i> , <b>1995</b> , 76, 70-3	3	33
1	Coronary artery ectasia: local pathology or diffuse disease?. <i>Catheterization and Cardiovascular Diagnosis</i> , <b>1994</b> , 33, 116-9		42