

Jonathan K Webb

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9490184/jonathan-k-webb-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

148
papers

4,687
citations

39
h-index

63
g-index

153
ext. papers

5,232
ext. citations

3
avg, IF

5.71
L-index

#	Paper	IF	Citations
148	Choice of monitoring method can influence estimates of usage of artificial hollows by vertebrate fauna. <i>Australian Journal of Zoology</i> , 2021 , 69, 18	0.5	1
147	Novel Predators can Elicit Rapid Shifts in Prey Demographics and Behavior. <i>Bulletin of the Ecological Society of America</i> , 2021 , 102, e01921	0.7	
146	Nest site selection in a southern and northern population of the velvet gecko (<i>Amalosia lesueurii</i>). <i>Journal of Thermal Biology</i> , 2021 , 102, 103121	2.9	0
145	Slow life history leaves endangered snake vulnerable to illegal collecting. <i>Scientific Reports</i> , 2021 , 11, 5380	4.9	0
144	Plasticity in thermal hardening of the invasive Asian house gecko. <i>Evolutionary Ecology</i> , 2021 , 35, 631-641.8		1
143	Trophic cascade driven by behavioral fine-tuning as naïve prey rapidly adjust to a novel predator. <i>Ecology</i> , 2021 , 102, e03363	4.6	4
142	No outbreeding depression in a trial of targeted gene flow in an endangered Australian marsupial. <i>Conservation Genetics</i> , 2021 , 22, 23-33	2.6	3
141	Effects of learning and adaptation on population viability. <i>Conservation Biology</i> , 2021 , 35, 1245-1255	6	2
140	Shifts in thermal tolerance of the invasive Asian house gecko (<i>Hemidactylus frenatus</i>) across native and introduced ranges. <i>Biological Invasions</i> , 2021 , 23, 989-996	2.7	2
139	Training fails to elicit behavioral change in a marsupial suffering evolutionary loss of antipredator behaviors. <i>Journal of Mammalogy</i> , 2020 , 101, 1108-1116	1.8	3
138	Effects of incubation temperatures on learning abilities of hatchling velvet geckos. <i>Animal Cognition</i> , 2020 , 23, 613-620	3.1	9
137	A trophic cascade initiated by an invasive vertebrate alters the structure of native reptile communities. <i>Global Change Biology</i> , 2020 , 26, 2829-2840	11.4	8
136	An Integrated Approach to Identify Low-Flammability Plant Species for Green Firebreaks. <i>Fire</i> , 2020 , 3, 9	2.4	0
135	Shifts in thermal preference of introduced Asian house geckos (<i>Hemidactylus frenatus</i>) in temperate regions of southeastern Australia. <i>Journal of Thermal Biology</i> , 2020 , 91, 102625	2.9	5
134	Training Animals in Captivity or the Wild, so They Can Return to the Wild 2020 , 289-308		2
133	Body temperature and time of day both affect nocturnal lizard performance: An experimental investigation. <i>Journal of Thermal Biology</i> , 2020 , 93, 102728	2.9	0
132	Thermophilic response to feeding in adult female velvet geckos. <i>Environmental Epigenetics</i> , 2020 , 66, 693-694	2.4	1

131	Higher incubation temperatures produce long-lasting upward shifts in cold tolerance, but not heat tolerance, of hatchling geckos. <i>Biology Open</i> , 2019 , 8,	2.2	12
130	Bias averted: personality may not influence trappability. <i>Behavioral Ecology and Sociobiology</i> , 2019 , 73, 1	2.5	12
129	Bangers and cash: Baiting efficiency in a heterogeneous population. <i>Wildlife Society Bulletin</i> , 2019 , 43, 669-677	1.4	2
128	Life history and ecology of the elegant snake-eyed skink (<i>Cryptoblepharus pulcher</i>) in south-eastern Australia. <i>Australian Journal of Zoology</i> , 2019 , 67, 51	0.5	
127	Behavioural responses of an Australian colubrid snake (<i>Dendrelaphis punctulatus</i>) to a novel toxic prey item (the Cane Toad <i>Rhinella marina</i>). <i>Biological Invasions</i> , 2018 , 20, 2507-2516	2.7	2
126	Invasive cane toads might initiate cascades of direct and indirect effects in a terrestrial ecosystem. <i>Biological Invasions</i> , 2018 , 20, 1833-1847	2.7	8
125	Not such silly sausages: Evidence suggests northern quolls exhibit aversion to toads after training with toad sausages. <i>Austral Ecology</i> , 2018 , 43, 592-601	1.5	14
124	Out of the frying pan: Reintroduction of toad-smart northern quolls to southern Kakadu National Park. <i>Austral Ecology</i> , 2018 , 43, 139-149	1.5	25
123	The perils of paradise: an endangered species conserved on an island loses antipredator behaviours within 13 generations. <i>Biology Letters</i> , 2018 , 14,	3.6	46
122	Taste overshadows less salient cues to elicit food aversion in endangered marsupial. <i>Applied Animal Behaviour Science</i> , 2018 , 209, 83-87	2.2	1
121	Interactions between corticosterone phenotype, environmental stressor pervasiveness and irruptive movement-related survival in the cane toad. <i>Journal of Experimental Biology</i> , 2018 , 221,	3	2
120	Cloacal and Ocular Microbiota of the Endangered Australian Northern Quoll. <i>Microorganisms</i> , 2018 , 6,	4.9	1
119	Effects of pregnancy on body temperature and locomotor performance of velvet geckos. <i>Journal of Thermal Biology</i> , 2017 , 65, 64-68	2.9	9
118	The effects of incubation temperature on locomotor performance, growth and survival in hatchling velvet geckos. <i>Journal of Zoology</i> , 2017 , 303, 46-53	2	9
117	New Weapons in the Toad Toolkit: A Review of Methods to Control and Mitigate the Biodiversity Impacts of Invasive Cane Toads (<i>Rhinella Marina</i>). <i>Quarterly Review of Biology</i> , 2017 , 92, 123-49	5.4	54
116	Chemical cues influence retreat-site selection by flat rock spiders. <i>Behaviour</i> , 2017 , 154, 149-161	1.4	6
115	Hotter nests produce hatchling lizards with lower thermal tolerance. <i>Journal of Experimental Biology</i> , 2017 , 220, 2159-2165	3	20
114	Incubation under climate warming affects learning ability and survival in hatchling lizards. <i>Biology Letters</i> , 2017 , 13,	3.6	39

113	Bait preference for remote camera trap studies of the endangered northern quoll (<i>Dasyurus hallucatus</i>). <i>Australian Mammalogy</i> , 2017 , 39, 72	1.1	8
112	Molecular evidence of <i>Chlamydia pecorum</i> and arthropod-associated <i>Chlamydiae</i> in an expanded range of marsupials. <i>Scientific Reports</i> , 2017 , 7, 12844	4.9	7
111	Avoiding the last supper: parentage analysis indicates multi-generational survival of re-introduced <i>Boad-smart</i> lineage. <i>Conservation Genetics</i> , 2017 , 18, 1475-1480	2.6	16
110	Eliciting conditioned taste aversion in lizards: Live toxic prey are more effective than scent and taste cues alone. <i>Integrative Zoology</i> , 2017 , 12, 112-120	1.9	14
109	Communal nesting under climate change: fitness consequences of higher incubation temperatures for a nocturnal lizard. <i>Global Change Biology</i> , 2016 , 22, 2405-14	11.4	21
108	Restricting access to invasion hubs enables sustained control of an invasive vertebrate. <i>Journal of Applied Ecology</i> , 2015 , 52, 341-347	5.8	22
107	Territoriality in a snake. <i>Behavioral Ecology and Sociobiology</i> , 2015 , 69, 1657-1661	2.5	7
106	Do individual differences in behavior influence wild rodents more than predation risk?. <i>Journal of Mammalogy</i> , 2015 , 96, 1337-1343	1.8	11
105	Predation on invasive cane toads (<i>Rhinella marina</i>) by native Australian rodents. <i>Journal of Pest Science</i> , 2015 , 88, 143-153	5.5	20
104	Fire-mediated niche-separation between two sympatric small mammal species. <i>Austral Ecology</i> , 2015 , 40, 50-59	1.5	8
103	Stemming the tide: progress towards resolving the causes of decline and implementing management responses for the disappearing mammal fauna of northern Australia. <i>Therya</i> , 2015 , 6, 169-226	1.8	74
102	Behavioural responses of reptile predators to invasive cane toads in tropical Australia. <i>Austral Ecology</i> , 2014 , 39, 448-454	1.5	13
101	Interplay among nocturnal activity, melatonin, corticosterone and performance in the invasive cane toad (<i>Rhinella marinus</i>). <i>General and Comparative Endocrinology</i> , 2014 , 206, 43-50	3	11
100	Behavioural flexibility allows an invasive vertebrate to survive in a semi-arid environment. <i>Biology Letters</i> , 2014 , 10, 20131014	3.6	31
99	Variation of prey responses to cues from a mesopredator and an apex predator. <i>Austral Ecology</i> , 2014 , 39, 749-754	1.5	10
98	Artificial water points facilitate the spread of an invasive vertebrate in arid Australia. <i>Journal of Applied Ecology</i> , 2014 , 51, 795-803	5.8	35
97	Forest-fire regimes affect thermoregulatory opportunities for terrestrial ectotherms. <i>Austral Ecology</i> , 2013 , 38, 190-198	1.5	17
96	Chemosensory discrimination of social cues mediates space use in snakes, <i>Cryptophis nigrescens</i> (Elapidae). <i>Animal Behaviour</i> , 2013 , 85, 1493-1500	2.8	10

95	The benefits of habitat restoration for rock-dwelling velvet geckos <i>Oedura lesueurii</i> . <i>Journal of Applied Ecology</i> , 2013 , 50, 432-439	5.8	18
94	Adrenocortical stress responses influence an invasive vertebrate's fitness in an extreme environment. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013 , 280, 20131444	4.4	39
93	Behaviour and survivorship of a dasyurid predator (<i>Antechinus flavipes</i>) in response to encounters with the toxic and invasive cane toad (<i>Rhinella marina</i>). <i>Australian Mammalogy</i> , 2013 , 35, 136	1.1	6
92	Movements and habitat use of an endangered snake, <i>Hoplocephalus bungaroides</i> (Elapidae): implications for conservation. <i>PLoS ONE</i> , 2013 , 8, e61711	3.7	9
91	Hot mothers, cool eggs: nest-site selection by egg-guarding spiders accommodates conflicting thermal optima. <i>Functional Ecology</i> , 2012 , 26, 469-475	5.6	33
90	Reply to comment on 'Chainsawing for conservation: ecologically informed tree removal for habitat management'. <i>Ecological Management and Restoration</i> , 2012 , 13, e12-e13	1.4	1
89	Phylogeography and dispersal in the velvet gecko (<i>Oedura lesueurii</i>), and potential implications for conservation of an endangered snake (<i>Hoplocephalus bungaroides</i>). <i>BMC Evolutionary Biology</i> , 2012 , 12, 67	3	6
88	Population and behavioural responses of native prey to alien predation. <i>Oecologia</i> , 2012 , 168, 947-57	2.9	40
87	Familiarity with a female does not affect a male's courtship intensity in garter snakes <i>Thamnophis sirtalis parietalis</i> . <i>Environmental Epigenetics</i> , 2012 , 58, 805-811	2.4	4
86	Habitat selection in a rocky landscape: experimentally decoupling the influence of retreat site attributes from that of landscape features. <i>PLoS ONE</i> , 2012 , 7, e37982	3.7	18
85	Removing forest canopy cover restores a reptile assemblage 2011 , 21, 274-80		68
84	Interactions Between Infective Helminth Larvae and Their Anuran Hosts. <i>Herpetologica</i> , 2011 , 67, 378-385		12
83	A small dasyurid predator (<i>Sminthopsis virginiae</i>) rapidly learns to avoid a toxic invader. <i>Wildlife Research</i> , 2011 , 38, 726	1.8	19
82	Chainsawing for conservation: Ecologically informed tree removal for habitat management. <i>Ecological Management and Restoration</i> , 2011 , 12, 110-118	1.4	17
81	Social and Thermal Cues Influence Nest-site Selection in a Nocturnal Gecko, <i>Oedura lesueurii</i> . <i>Ethology</i> , 2011 , 117, 796-801	1.7	12
80	School for Skinks: Can Conditioned Taste Aversion Enable Bluetongue Lizards (<i>Tiliqua scincoides</i>) to Avoid Toxic Cane Toads (<i>Rhinella marina</i>) as Prey?. <i>Ethology</i> , 2011 , 117, 749-757	1.7	14
79	Genetic Connectivity among Populations of an Endangered Snake Species from Southeastern Australia (<i>Hoplocephalus bungaroides</i> , Elapidae). <i>Ecology and Evolution</i> , 2011 , 1, 218-27	2.8	15
78	It's a dog-eat-croc world: dingo predation on the nests of freshwater crocodiles in tropical Australia. <i>Ecological Research</i> , 2011 , 26, 957-967	1.9	31

77	Excluding access to invasion hubs can contain the spread of an invasive vertebrate. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011 , 278, 2900-8	4.4	69
76	Hatchling Australian freshwater crocodiles rapidly learn to avoid toxic invasive cane toads. <i>Behaviour</i> , 2011 , 148, 501-517	1.4	33
75	Determinants of habitat selection by hatchling Australian freshwater crocodiles. <i>PLoS ONE</i> , 2011 , 6, e28533	3.3	9
74	Predicting the impact of climate change on Australia's most endangered snake, <i>Hoplocephalus bungaroides</i> . <i>Diversity and Distributions</i> , 2010 , 16, 109-118	5	41
73	Conditioned taste aversion enhances the survival of an endangered predator imperilled by a toxic invader. <i>Journal of Applied Ecology</i> , 2010 , 47, 558-565	5.8	101
72	Nesting in a thermally challenging environment: nest-site selection in a rock-dwelling gecko, <i>Oedura lesueurii</i> (Reptilia: Gekkonidae). <i>Biological Journal of the Linnean Society</i> , 2010 , 99, 250-259	1.9	30
71	Generalization of predator recognition: Velvet geckos display anti-predator behaviours in response to chemicals from non-dangerous elapid snakes. <i>Environmental Epigenetics</i> , 2010 , 56, 337-342	2.4	14
70	Olfactory recognition of predators by nocturnal lizards: safety outweighs thermal benefits. <i>Behavioral Ecology</i> , 2010 , 21, 72-77	2.3	29
69	Context-dependent avoidance of predatory centipedes by nocturnal geckos (<i>Oedura lesueurii</i>). <i>Behaviour</i> , 2010 , 147, 397-412	1.4	18
68	Flexible Defense: Context-Dependent Antipredator Responses of Two Species of Australian Elapid Snakes. <i>Herpetologica</i> , 2010 , 66, 1-11	1.9	8
67	Molecular and morphological assessment of Australia's most endangered snake, <i>Hoplocephalus bungaroides</i> , reveals two evolutionarily significant units for conservation. <i>Conservation Genetics</i> , 2010 , 11, 747-758	2.6	13
66	Intraguild predation, thermoregulation, and microhabitat selection by snakes. <i>Behavioral Ecology</i> , 2009 , 20, 271-277	2.3	15
65	Chemical cues from both dangerous and nondangerous snakes elicit antipredator behaviours from a nocturnal lizard. <i>Animal Behaviour</i> , 2009 , 77, 1471-1478	2.8	35
64	Quantifying historical changes in habitat availability for endangered species: use of pixel- and object-based remote sensing. <i>Journal of Applied Ecology</i> , 2009 , 46, 544-553	5.8	43
63	Behavioural responses of carnivorous marsupials (<i>Planigale maculata</i>) to toxic invasive cane toads (<i>Bufo marinus</i>). <i>Austral Ecology</i> , 2009 , 35, 560-567	1.5	21
62	Heat, sight and scent: multiple cues influence foraging site selection by an ambush-foraging snake <i>Hoplocephalus bungaroides</i> (Elapidae). <i>Environmental Epigenetics</i> , 2009 , 55, 266-271	2.4	6
61	Using Artificial Rocks to Restore Nonrenewable Shelter Sites in Human-Degraded Systems: Colonization by Fauna. <i>Restoration Ecology</i> , 2008 , 18, 428-438	3.1	43
60	A native dasyurid predator (common planigale, <i>Planigale maculata</i>) rapidly learns to avoid a toxic invader. <i>Austral Ecology</i> , 2008 , 33, 821-829	1.5	83

59	Population ecology of the velvet gecko, <i>Oedura lesueurii</i> in south eastern Australia: Implications for the persistence of an endangered snake. <i>Austral Ecology</i> , 2008 , 33, 839-847	1.5	17
58	Differential Effects of an Intense Wildfire on Survival of Sympatric Snakes. <i>Journal of Wildlife Management</i> , 2008 , 72, 1394-1398	1.9	37
57	Three-dimensional crevice structure affects retreat site selection by reptiles. <i>Animal Behaviour</i> , 2008 , 76, 1875-1884	2.8	34
56	Invasive cane toads (<i>Bufo marinus</i>) cause mass mortality of freshwater crocodiles (<i>Crocodylus johnstoni</i>) in tropical Australia. <i>Biological Conservation</i> , 2008 , 141, 1773-1782	6.2	155
55	The Physiological Cost of Pregnancy in a Tropical Viviparous Snake. <i>Copeia</i> , 2008 , 2008, 637-642	1.1	21
54	Spatial genetic analysis and long-term mark-recapture data demonstrate male-biased dispersal in a snake. <i>Biology Letters</i> , 2007 , 3, 33-5	3.6	63
53	Rapid expansion of the cane toad (<i>Bufo marinus</i>) invasion front in tropical Australia. <i>Austral Ecology</i> , 2007 , 32, 169-176	1.5	163
52	Do invasive cane toads (<i>Chaunus marinus</i>) compete with Australian frogs (<i>Cyclorana australis</i>)?. <i>Austral Ecology</i> , 2007 , 32, 900-907	1.5	38
51	Effects of seasonal variation in prey abundance on field metabolism, water flux, and activity of a tropical ambush foraging snake. <i>Physiological and Biochemical Zoology</i> , 2007 , 80, 522-33	2	21
50	Time of testing affects locomotor performance in nocturnal versus diurnal snakes. <i>Journal of Thermal Biology</i> , 2006 , 31, 268-273	2.9	9
49	Flexible mate choice: a male snake's preference for larger females is modified by the sizes of females encountered. <i>Animal Behaviour</i> , 2006 , 71, 203-209	2.8	44
48	THE ADAPTIVE SIGNIFICANCE OF REPTILIAN VIVIPARITY IN THE TROPICS: TESTING THE MATERNAL MANIPULATION HYPOTHESIS. <i>Evolution; International Journal of Organic Evolution</i> , 2006 , 60, 115	3.8	5
47	Biology of Burrowing Asps (Atractaspididae) from Southern Africa. <i>Copeia</i> , 2006 , 2006, 103-115	1.1	14
46	Effects of Tail Autotomy on Anti-predator Behavior and Locomotor Performance in a Nocturnal Gecko. <i>Copeia</i> , 2006 , 2006, 803-809	1.1	18
45	Sexual Dimorphism, Reproductive Biology, and Dietary Habits of Psammophiine Snakes (Colubridae) from Southern Africa. <i>Copeia</i> , 2006 , 2006, 650-664	1.1	48
44	Toad on the road: Use of roads as dispersal corridors by cane toads (<i>Bufo marinus</i>) at an invasion front in tropical Australia. <i>Biological Conservation</i> , 2006 , 133, 88-94	6.2	122
43	THE ADAPTIVE SIGNIFICANCE OF REPTILIAN VIVIPARITY IN THE TROPICS: TESTING THE MATERNAL MANIPULATION HYPOTHESIS. <i>Evolution; International Journal of Organic Evolution</i> , 2006 , 60, 115-122	3.8	63
42	Does rock disturbance by superb lyrebirds (<i>Menura novaehollandiae</i>) influence habitat selection by juvenile snakes?. <i>Austral Ecology</i> , 2006 , 31, 58-67	1.5	15

41	Habitat disturbance, not predation, is all that is required to influence habitat choice in juvenile snakes: A rejoinder to Lill. <i>Austral Ecology</i> , 2006 , 31, 905-906	1.5	
40	Invasion and the evolution of speed in toads. <i>Nature</i> , 2006 , 439, 803	50.4	594
39	Effects of tail autotomy on survival, growth and territory occupation in free-ranging juvenile geckos (<i>Oedura lesueurii</i>). <i>Austral Ecology</i> , 2006 , 31, 432-440	1.5	23
38	The adaptive significance of reptilian viviparity in the tropics: testing the maternal manipulation hypothesis. <i>Evolution; International Journal of Organic Evolution</i> , 2006 , 60, 115-22	3.8	68
37	Led by the Blind: Bandy-Bandy Snakes <i>Vermicella annulata</i> (Elapidae) Follow Blindsnake Chemical Trails. <i>Copeia</i> , 2005 , 2005, 184-187	1.1	2
36	Novel microsatellite loci identified from the Australian eastern small-eyed snake (Elapidae: <i>Rhinocephalus nigrescens</i>) and cross species amplification in the related genus <i>Suta</i> . <i>Molecular Ecology Notes</i> , 2005 , 5, 54-56		7
35	Does intraspecific niche partitioning in a native predator influence its response to an invasion by a toxic prey species?. <i>Austral Ecology</i> , 2005 , 30, 201-209	1.5	32
34	Why don't small snakes bask? Juvenile broad-headed snakes trade thermal benefits for safety. <i>Oikos</i> , 2005 , 110, 515-522	4	83
33	Canopy Removal Restores Habitat Quality for an Endangered Snake in a Fire Suppressed Landscape. <i>Copeia</i> , 2005 , 2005, 894-900	1.1	55
32	Thermal regimes and diel activity patterns of four species of small elapid snakes from south-eastern Australia. <i>Australian Journal of Zoology</i> , 2005 , 53, 1	0.5	12
31	How Do Nocturnal Snakes Select Diurnal Retreat Sites?. <i>Copeia</i> , 2004 , 2004, 919-925	1.1	42
30	Pregnancy Decreases Swimming Performance of Female Northern Death Adders (<i>Acanthophis praelongus</i>). <i>Copeia</i> , 2004 , 2004, 357-363	1.1	26
29	Energetics of bluetongue lizards (<i>Tiliqua scincoides</i>) in a seasonal tropical environment. <i>Oecologia</i> , 2003 , 136, 515-23	2.9	41
28	Does foraging mode influence life history traits? A comparative study of growth, maturation and survival of two species of sympatric snakes from south-eastern Australia. <i>Austral Ecology</i> , 2003 , 28, 601-610	1.5	47
27	CANOPY STRUCTURE, MICROCLIMATE, AND HABITAT SELECTION BY A NOCTURNAL SNAKE, <i>HOPLOCEPHALUS BUNGAROIDES</i> . <i>Ecology</i> , 2003 , 84, 2668-2679	4.6	110
26	Does foraging mode influence life history traits? A comparative study of growth, maturation and survival of two species of sympatric snakes from south-eastern Australia 2003 , 28, 601		1
25	What makes a species vulnerable to extinction? Comparative life-history traits of two sympatric snakes. <i>Ecological Research</i> , 2002 , 17, 59-67	1.9	89
24	Fast Growth and Early Maturation in a Viviparous Sit-and-Wait Predator, the Northern Death Adder (<i>Acanthophis praelongus</i>), from Tropical Australia. <i>Journal of Herpetology</i> , 2002 , 36, 505-509	1.1	16

23	Collectors endanger Australia's most threatened snake, the broad-headed snake <i>Hoplocephalus bungaroides</i> . <i>Oryx</i> , 2002 , 36, 170-181	1.5	45
22	Dietary Habits and Reproductive Biology of Typhlopoid Snakes from Southern Africa. <i>Journal of Herpetology</i> , 2001 , 35, 558	1.1	20
21	Life-history strategies in basal snakes: reproduction and dietary habits of the African thread snake <i>Leptotyphlops scutifrons</i> (Serpentes: Leptotyphlopidae). <i>Journal of Zoology</i> , 2000 , 250, 321-327	2	42
20	Life Underground: Food Habits and Reproductive Biology of Two Amphisbaenian Species from Southern Africa. <i>Journal of Herpetology</i> , 2000 , 34, 510	1.1	46
19	Paving the way for habitat restoration: can artificial rocks restore degraded habitats of endangered reptiles?. <i>Biological Conservation</i> , 2000 , 92, 93-99	6.2	104
18	Life-history strategies in basal snakes: reproduction and dietary habits of the African thread snake <i>Leptotyphlops scutifrons</i> (Serpentes: Leptotyphlopidae) 2000 , 250, 321		2
17	Ecological characteristics of a threatened snake species, <i>Hoplocephalus bungaroides</i> (Serpentes, Elapidae). <i>Animal Conservation</i> , 1998 , 1, 185-193	3.2	61
16	Using thermal ecology to predict retreat-site selection by an endangered snake species. <i>Biological Conservation</i> , 1998 , 86, 233-242	6.2	125
15	Reproductive Biology and Food Habits of Horned Adders, <i>Bitis caudalis</i> (Viperidae), from Southern Africa. <i>Copeia</i> , 1998 , 1998, 391	1.1	29
14	The impact of bush-rock removal on an endangered snake species, <i>Hoplocephalus bungaroides</i> (Serpentes : Elapidae). <i>Wildlife Research</i> , 1998 , 25, 285	1.8	67
13	Ecological characteristics of a threatened snake species, <i>Hoplocephalus bungaroides</i> (Serpentes, Elapidae) 1998 , 1, 185		3
12	Out on a limb: Conservation implications of tree-hollow use by a threatened snake species (<i>Hoplocephalus bungaroides</i> : Serpentes, Elapidae). <i>Biological Conservation</i> , 1997 , 81, 21-33	6.2	85
11	A field study of spatial ecology and movements of a threatened snake species, <i>Hoplocephalus bungaroides</i> . <i>Biological Conservation</i> , 1997 , 82, 203-217	6.2	107
10	Life on the Lowest Branch: Sexual Dimorphism, Diet, and Reproductive Biology of an African Twig Snake, <i>Thelotornis capensis</i> (Serpentes, Colubridae). <i>Copeia</i> , 1996 , 1996, 290	1.1	29
9	Natural History of the African Shieldnose Snake <i>Aspidelaps scutatus</i> (Serpentes, Elapidae). <i>Journal of Herpetology</i> , 1996 , 30, 361	1.1	10
8	Feeding Habits and Reproductive Biology of Australian Pygopodid Lizards of the Genus <i>Aprasia</i> . <i>Copeia</i> , 1994 , 1994, 390	1.1	20
7	Prey-size selection, gape limitation and predator vulnerability in Australian blindsnakes (Typhlopidae). <i>Animal Behaviour</i> , 1993 , 45, 1117-1126	2.8	42
6	Dietary Habits of Australian Blindsnakes (Typhlopidae). <i>Copeia</i> , 1993 , 1993, 762	1.1	33

5	To find an ant: trail-following in Australian blindsnakes (Typhlopidae). <i>Animal Behaviour</i> , 1992 , 43, 941-948	35
4	To find an ant: trail-following in Australian blindsnakes (Typhlopidae) 1992 , 43, 941-941	3
3	Natural History of Australian Typhloid Snakes. <i>Journal of Herpetology</i> , 1990 , 24, 357	1.1 27
2	Australian reptiles and their conservation 354-381	2
1	Trophic cascade driven by behavioural fine-tuning as naïve prey rapidly adjust to a novel predator	2