

Fumisato Sasaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9491038/publications.pdf>

Version: 2024-02-01

55
papers

713
citations

516710

16
h-index

580821

25
g-index

56
all docs

56
docs citations

56
times ranked

1293
citing authors

#	ARTICLE	IF	CITATIONS
1	Linked Color Imaging Focused on Neoplasm Detection in the Upper Gastrointestinal Tract. <i>Annals of Internal Medicine</i> , 2021, 174, 18-24.	3.9	61
2	Evaluation of an e-learning system for diagnosis of gastric lesions using magnifying narrow-band imaging: a multicenter randomized controlled study. <i>Endoscopy</i> , 2017, 49, 957-967.	1.8	57
3	Glycoprotein Nonmetastatic Melanoma B (Gpnmb)-Positive Macrophages Contribute to the Balance between Fibrosis and Fibrolysis during the Repair of Acute Liver Injury in Mice. <i>PLoS ONE</i> , 2015, 10, e0143413.	2.5	51
4	Increased rate of death related to presence of viremia among hepatitis C virus antibody-positive subjects in a community-based cohort study. <i>Hepatology</i> , 2009, 50, 393-399.	7.3	49
5	The complement component C3a fragment is a potential biomarker for hepatitis C virus-related hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2010, 45, 459-467.	5.1	42
6	Multifunctional Hydrophobized Microparticles for Accelerated Wound Healing after Endoscopic Submucosal Dissection. <i>Small</i> , 2019, 15, e1901566.	10.0	41
7	Effect of Endoscopic Submucosal Dissection for Superficial Esophageal Neoplasms and Risk Factors for Postoperative Stricture. <i>Medicine (United States)</i> , 2015, 94, e373.	1.0	40
8	Endoscopic characterization of the small bowel in patients with portal hypertension evaluated by double balloon endoscopy. <i>Journal of Gastroenterology</i> , 2008, 43, 589-596.	5.1	36
9	Diagnostic efficacy of liquid-based cytology for solid pancreatic lesion samples obtained with endoscopic ultrasound-guided fine-needle aspiration: Propensity score-matched analysis. <i>Digestive Endoscopy</i> , 2017, 29, 608-616.	2.3	32
10	Anti-ganglionic AChR antibodies in Japanese patients with motility disorders. <i>Journal of Gastroenterology</i> , 2018, 53, 1227-1240.	5.1	26
11	A high-fructose diet induces epithelial barrier dysfunction and exacerbates the severity of dextran sulfate sodium-induced colitis. <i>International Journal of Molecular Medicine</i> , 2019, 43, 1487-1496.	4.0	22
12	Human neutrophil peptides induce interleukin-8 in intestinal epithelial cells through the P2 receptor and ERK1/2 signaling pathways. <i>International Journal of Molecular Medicine</i> , 2015, 35, 1603-1609.	4.0	20
13	Preoperative classification of submucosal fibrosis in colorectal laterally spreading tumors by endoscopic ultrasonography. <i>Endoscopy International Open</i> , 2015, 03, E363-E367.	1.8	20
14	Human neutrophil peptide-1 aggravates dextran sulfate sodium-induced colitis. <i>Inflammatory Bowel Diseases</i> , 2012, 18, 667-675.	1.9	19
15	Hepatocyte growth factor stimulates the migration of gastric epithelial cells by altering the subcellular localization of the tight junction protein ZO-1. <i>Journal of Gastroenterology</i> , 2013, 48, 193-202.	5.1	17
16	Expression of glycoprotein nonmetastatic melanoma protein B in macrophages infiltrating injured mucosa is associated with the severity of experimental colitis in mice. <i>Molecular Medicine Reports</i> , 2015, 12, 7503-7511.	2.4	17
17	Hepatocyte Growth Factor Facilitates Esophageal Mucosal Repair and Inhibits the Submucosal Fibrosis in a Rat Model of Esophageal Ulcer. <i>Digestion</i> , 2019, 99, 227-238.	2.3	14
18	Oral administration of <i>Lactobacillus</i> 1/2 <i>plantarum</i> 06CC2 prevents experimental colitis in mice via an anti-inflammatory response. <i>Molecular Medicine Reports</i> , 2020, 21, 1181-1191.	2.4	12

#	ARTICLE	IF	CITATIONS
19	Robust closure of post-endoscopic submucosal dissection perforation by microparticle-based wound dressing. <i>Materials Science and Engineering C</i> , 2021, 123, 111993.	7.3	11
20	<i>Helicobacter pylori</i> eradication improves the quality of life regardless of the treatment outcome. <i>Medicine (United States)</i> , 2017, 96, e9507.	1.0	10
21	Difference in serum complement component C4a levels between hepatitis C virus carriers with persistently normal alanine aminotransferase levels or chronic hepatitis C. <i>Molecular Medicine Reports</i> , 2012, 6, 259-64.	2.4	9
22	Antihypertensive therapy improves insulin resistance and serum levels of interleukin-6 and α^{10} in spontaneously hypertensive rats with steatohepatitis. <i>Molecular Medicine Reports</i> , 2016, 14, 5385-5394.	2.4	9
23	Fecal Human Neutrophil Peptide Levels Correlate with Intestinal Inflammation in Ulcerative Colitis. <i>Digestion</i> , 2016, 93, 300-308.	2.3	9
24	Usefulness of Double Balloon Endoscopy As a Diagnostic and Therapeutic Method for Small-Intestinal Involvement in Patients with Inflammatory Bowel Disease. <i>Gastrointestinal Endoscopy</i> , 2007, 65, AB188.	1.0	8
25	Impact of antibody to hepatitis B core antigen on the clinical course of hepatitis C virus carriers in a hyperendemic area in Japan: A community-based cohort study. <i>Hepatology Research</i> , 2013, 43, 1130-1138.	3.4	8
26	Diagnostic ability of linked color imaging in ultraslim endoscopy to identify neoplastic lesions in the upper gastrointestinal tract. <i>Endoscopy International Open</i> , 2022, 10, E88-E95.	1.8	8
27	Low concentrations of human neutrophil peptide ameliorate experimental murine colitis. <i>International Journal of Molecular Medicine</i> , 2016, 38, 1777-1785.	4.0	7
28	The utility of apoptosis inhibitor of macrophages as a possible diagnostic marker in patients with Crohn's disease. <i>BMC Gastroenterology</i> , 2017, 17, 40.	2.0	7
29	Diagnostic utility of linked color imaging in the evaluation of colonic mucosal inflammation in ulcerative colitis: a pilot study. <i>Endoscopy International Open</i> , 2019, 07, E937-E943.	1.8	7
30	Double-balloon enteroscopy-assisted closure of perforated duodenal diverticulum using polyglycolic acid sheets. <i>Endoscopy</i> , 2015, 47, E204-E205.	1.8	6
31	Factors Associated with the Technical Success of Bilateral Endoscopic Metallic Stenting with Partial Stent-In-Stent Placement in Patients with Malignant Hilar Biliary Obstruction. <i>Gastroenterology Research and Practice</i> , 2019, 2019, 1-7.	1.5	4
32	Significance of Linked Color Imaging for Predicting the Risk of Clinical Relapse in Ulcerative Colitis. <i>Gastroenterology Research and Practice</i> , 2020, 2020, 1-6.	1.5	4
33	Covering Post-Endoscopic Submucosal Dissection Ulcers in Miniature Swine with Hexanoyl (Hx:C6) Group-Modified Alkaline-Treated Gelatin Porous Film (HAG) Induces Proper Healing by Decreasing Inflammation and Fibrosis. <i>Digestion</i> , 2021, 102, 415-427.	2.3	4
34	Prognostic significance of extracellular volume fraction with equilibrium contrast-enhanced computed tomography for pancreatic neuroendocrine neoplasms. <i>Pancreatology</i> , 2021, 21, 779-786.	1.1	4
35	Combined endoscopic submucosal dissection and transanal minimally invasive surgery for the management of lower rectal adenoma extending above the dentate line. <i>Medicine (United States)</i> , 2019, 98, e15289.	1.0	3
36	Cola Dissolution Therapy via Ileus Tube Was Effective for Ileus Secondary to Small Bowel Obstruction Induced by an Enterolith. <i>Internal Medicine</i> , 2019, 58, 2473-2478.	0.7	3

#	ARTICLE	IF	CITATIONS
37	Efficacy of endoscopic ultrasonography in evaluating tumor thickness in patients with superficial pharyngeal carcinoma: A pilot study. <i>Auris Nasus Larynx</i> , 2022, 49, 495-503.	1.2	3
38	Pivotal trial of a biodegradable stent for patients with refractory benign esophageal stricture. <i>Esophagus</i> , 2022, 19, 516-524.	1.9	3
39	Infliximab therapy intensification based on endoscopic activity is related to suppress treatment discontinuation in patients with Crohn disease. <i>Medicine (United States)</i> , 2021, 100, e24731.	1.0	2
40	Increased Gene Copy Number of DEFA1A3 Is Associated With the Severity of Ulcerative Colitis. <i>Clinical and Translational Gastroenterology</i> , 2021, 12, e00331.	2.5	2
41	A case of gallbladder neuroendocrine carcinoma diagnosed preoperatively using somatostatin receptor scintigraphy. <i>Oncology Letters</i> , 2020, 19, 247-254.	1.8	2
42	Su1489 Safety and Efficacy of Endoscopic Submucosal Dissection for Non-Ampullary Duodenal Neoplasms Using Polyglycolic Acid Felt and Fibrin Glue Sealing With Clips. <i>Gastrointestinal Endoscopy</i> , 2015, 81, AB303-AB304.	1.0	1
43	Tu1970 HIGH-ADHESION GELATIN FILMS REDUCE INFLAMMATION AND TISSUE CONTRACTION DURING GASTRIC ULCER HEALING FOLLOWING ENDOSCOPIC SUBMUCOSAL DISSECTION: A MINIATURE SWINE MODEL. <i>Gastrointestinal Endoscopy</i> , 2019, 89, AB636.	1.0	1
44	Magnified endoscopic imaging of a Peutz-Jeghers-type polyp in the jejunum. <i>Digestive and Liver Disease</i> , 2020, 53, 920-921.	0.9	1
45	Acetaldehyde breath test as a cancer risk marker in patients with esophageal and hypopharyngeal squamous cell carcinoma. <i>PLoS ONE</i> , 2021, 16, e0251457.	2.5	1
46	Double Balloon Endoscopy Through Reconstructed Gastrointestinal Tracts. <i>Gastrointestinal Endoscopy</i> , 2007, 65, AB181.	1.0	0
47	Emergency Endoscopic Hemostasis of Ruptured Esophagogastric Varices Increase Short Term Survival of Patients With Advanced Hepatocellular Carcinoma Accompanied by Macroscopic Portal Vein Tumor Thrombosis. <i>Gastroenterology</i> , 2011, 140, S-596.	1.3	0
48	Human Neutrophil Peptides Exacerbate Experimental Colitis Through a T Cell-Independent Mechanism. <i>Gastroenterology</i> , 2011, 140, S-494.	1.3	0
49	Tu1602 Feasibility of Endoscopic Papillary Large Balloon Dilatation With Double-Balloon Endoscopic Retrograde Cholangiography for Patients With Choledocholithiasis and Surgically Altered Anatomy. <i>Gastrointestinal Endoscopy</i> , 2016, 83, AB621.	1.0	0
50	Su1799 Fecal Human Neutrophil Peptides Correlate With Endoscopic Inflammation and Identify Patients With Mucosal Healing of Ulcerative Colitis. <i>Gastroenterology</i> , 2016, 150, S555.	1.3	0
51	Su1697 Colorectal Endoscopic Submucosal Dissection Using the Pocket-Creation Method Is Useful for the Treatment of Colorectal Tumors Associated With Severe Submucosal Fibrosis. <i>Gastrointestinal Endoscopy</i> , 2017, 85, AB400.	1.0	0
52	Su1214 UTILITY OF ENDOSCOPIC ULTRASONOGRAPHY FOR MEASURING TUMOR THICKNESS AS A RISK FACTOR FOR PREOPERATIVELY DIAGNOSING RECURRENT LYMPH NODE METASTASIS IN SUPERFICIAL PHARYNGEAL CANCER. <i>Gastrointestinal Endoscopy</i> , 2019, 89, AB319.	1.0	0
53	P057 INFLIXIMAB TREATMENT INTENIFICATION BASED ON ENDOSCOPIC ACTIVITY CONTRIBUTES TO CLINICAL RESPONSE IN PATIENTS WITH CROHN'S DISEASE. <i>Gastroenterology</i> , 2019, 156, S39-S40.	1.3	0
54	P057 INFLIXIMAB TREATMENT INTENIFICATION BASED ON ENDOSCOPIC ACTIVITY CONTRIBUTES TO CLINICAL RESPONSE IN PATIENTS WITH CROHN'S DISEASE. <i>Inflammatory Bowel Diseases</i> , 2019, 25, S28-S28.	1.9	0

#	ARTICLE	IF	CITATIONS
55	Tu1981 LINKED COLOR IMAGING IMPROVES THE DETECTION RATE OF UPPER GASTROINTESTINAL NEOPLASMS: A PROSPECTIVE, MULTICENTER, RANDOMIZED, CONTROLLED TRIAL (LCI-FIND TRIAL). <i>Gastrointestinal Endoscopy</i> , 2019, 89, AB641.	1.0	0