Akinkunmi P Okekunle

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9491550/publications.pdf

Version: 2024-02-01

1039406 839053 31 391 9 18 citations g-index h-index papers 31 31 31 597 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Free fatty acids profile among lean, overweight and obese non-alcoholic fatty liver disease patients: a case $\hat{a} \in \text{``control study}$. Lipids in Health and Disease, 2017, 16, 165. | 1.2 | 79 |
| 2 | Abnormal circulating amino acid profiles in multiple metabolic disorders. Diabetes Research and Clinical Practice, 2017, 132, 45-58. | 1.1 | 70 |
| 3 | Dietary branched-chain amino acids intake exhibited a different relationship with type 2 diabetes and obesity risk: a meta-analysis. Acta Diabetologica, 2019, 56, 187-195. | 1.2 | 29 |
| 4 | Lean nonâ€alcoholic fatty liver disease patients had comparable total caloric, carbohydrate, protein, fat, iron, sleep duration and overtime work as obese nonâ€alcoholic fatty liver disease patients. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 256-262. | 1.4 | 23 |
| 5 | Role of Branched-chain Amino Acid Metabolism in Tumor Development and Progression. Journal of Cancer Prevention, 2021, 26, 237-243. | 0.8 | 22 |
| 6 | Lipid profile and risk of ovarian tumours: a meta-analysis. BMC Cancer, 2020, 20, 200. | 1.1 | 18 |
| 7 | Passive smoking exposure and the risk of hypertension among non-smoking adults: the 2015–2016 NHANES data. Clinical Hypertension, 2021, 27, 1. | 0.7 | 16 |
| 8 | Dietary Intakes of Branched-Chained Amino Acid and Risk for Type 2 Diabetes in Adults: The Harbin Cohort Study on Diet, Nutrition and Chronic Non-Communicable Diseases Study. Canadian Journal of Diabetes, 2018, 42, 484-492.e7. | 0.4 | 15 |
| 9 | Nitric oxide is involved in the hypothyroidism with significant morphology changes in female Wistar rats induced by chronic exposure to high water iodine from potassium iodate. Chemosphere, 2018, 206, 320-329. | 4.2 | 11 |
| 10 | Postprandial Saturated Fatty Acids Increase the Risk of Type 2 Diabetes: A Cohort Study in a Chinese Population. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 1438-1446. | 1.8 | 10 |
| 11 | Dominant and Modifiable Risk Factors for Dementia in Sub-Saharan Africa: A Systematic Review and Meta-Analysis. Frontiers in Neurology, 2021, 12, 627761. | 1.1 | 10 |
| 12 | Factors associated with hypertension among strokeâ€free indigenous Africans: Findings from the SIREN study. Journal of Clinical Hypertension, 2021, 23, 773-784. | 1.0 | 9 |
| 13 | Secondhand smoke exposure and dyslipidemia among nonâ€smoking adults in the United States. Indoor Air, 2022, 32, . | 2.0 | 9 |
| 14 | Higher intakes of energy-adjusted dietary amino acids are inversely associated with obesity risk. Amino Acids, 2019, 51, 373-382. | 1.2 | 8 |
| 15 | Higher dietary soy intake appears inversely related to breast cancer risk independent of estrogen receptor breast cancer phenotypes. Heliyon, 2020, 6, e04228. | 1.4 | 8 |
| 16 | Indoor microbiome and risk of lower respiratory tract infections among children underâ€five years: A metaâ€analysis. Indoor Air, 2020, 30, 795-804. | 2.0 | 8 |
| 17 | Dietary intakes of green leafy vegetables and incidence of cardiovascular diseases. Cardiovascular Journal of Africa, 2021, 32, 43-51. | 0.2 | 8 |
| 18 | Dietary patterns associated with stroke among West Africans: A case–control study. International Journal of Stroke, 2023, 18, 193-200. | 2.9 | 8 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | A Novel Afrocentric Stroke Risk Assessment Score: Models from the Siren Study. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 106003. | 0.7 | 6 |
| 20 | Dietary branched-chain amino acids and odds of obesity among immigrant Filipino women: the Filipino women's diet and health study (FiLWHEL). BMC Public Health, 2022, 22, 654. | 1.2 | 6 |
| 21 | Sociodemographic Factors Related to Quality of Life Among Premenopausal Women in Ibadan, Nigeria. Women and Health, 2015, 55, 646-662. | 0.4 | 5 |
| 22 | Association of Environmental tobacco smoke exposure with depression among non-smoking adults. BMC Public Health, 2021, 21, 1755. | 1.2 | 4 |
| 23 | Nutritional Status, Dietary Patterns and associated factors among out-of-school Adolescents in Ibadan, Nigeria. World Nutrition, 2021, 12, 51-64. | 0.3 | 3 |
| 24 | Green leafy vegetable intakes are inversely related to the incidence of stroke. European Journal of Preventive Cardiology, 2022, 28, e21-e23. | 0.8 | 2 |
| 25 | Household Food Insecurity, Coping Strategies and Child Dietary Diversity (24-59 months) in Ibadan, Nigeria. World Nutrition, 2020, 11, 129-144. | 0.3 | 1 |
| 26 | Substance use and Psychosocial Functioning of Adolescents in Benue State, Nigeria: Assessing the role of age., 2019, 22, 36-50. | | 1 |
| 27 | Sociodemographic and behavioural risk factors for obesity among community-dwelling older adults in Ghana and Nigeria: A secondary analysis of data from the SIREN study. Chronic Illness, 2023, 19, 40-55. | 0.6 | 1 |
| 28 | Investigating the transmission dynamics of SARS-CoV-2 in Nigeria: A SEIR modelling approach. Scientific African, 2022, 15, e01116. | 0.7 | 1 |
| 29 | Knowledge of iron-containing foods among pregnant women in Lagos, Nigeria. Proceedings of the Nutrition Society, 2020, 79, . | 0.4 | 0 |
| 30 | Is Histidine promising in alleviating the risk of Metabolic disorder?. Proceedings of the Nutrition Society, 2020, 79, . | 0.4 | 0 |
| 31 | Association of Dietary Branched-Chain Amino Acids With Obesity: The Filipino Women's Diet and Health Study (FiLWHEL). Current Developments in Nutrition, 2021, 5, 1072. | 0.1 | O |