

Akinkunmi P Okekunle

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9491550/publications.pdf>

Version: 2024-02-01

31
papers

391
citations

1039406

9
h-index

839053

18
g-index

31
all docs

31
docs citations

31
times ranked

597
citing authors

#	ARTICLE	IF	CITATIONS
1	Sociodemographic and behavioural risk factors for obesity among community-dwelling older adults in Ghana and Nigeria: A secondary analysis of data from the SIREN study. <i>Chronic Illness</i> , 2023, 19, 40-55.	0.6	1
2	Dietary patterns associated with stroke among West Africans: A case-control study. <i>International Journal of Stroke</i> , 2023, 18, 193-200.	2.9	8
3	Secondhand smoke exposure and dyslipidemia among non-smoking adults in the United States. <i>Indoor Air</i> , 2022, 32, .	2.0	9
4	Green leafy vegetable intakes are inversely related to the incidence of stroke. <i>European Journal of Preventive Cardiology</i> , 2022, 28, e21-e23.	0.8	2
5	Investigating the transmission dynamics of SARS-CoV-2 in Nigeria: A SEIR modelling approach. <i>Scientific African</i> , 2022, 15, e011116.	0.7	1
6	Dietary branched-chain amino acids and odds of obesity among immigrant Filipino women: the Filipino women's diet and health study (FILWHEL). <i>BMC Public Health</i> , 2022, 22, 654.	1.2	6
7	Passive smoking exposure and the risk of hypertension among non-smoking adults: the 2015-2016 NHANES data. <i>Clinical Hypertension</i> , 2021, 27, 1.	0.7	16
8	Factors associated with hypertension among stroke-free indigenous Africans: Findings from the SIREN study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 773-784.	1.0	9
9	Nutritional Status, Dietary Patterns and associated factors among out-of-school Adolescents in Ibadan, Nigeria. <i>World Nutrition</i> , 2021, 12, 51-64.	0.3	3
10	Dominant and Modifiable Risk Factors for Dementia in Sub-Saharan Africa: A Systematic Review and Meta-Analysis. <i>Frontiers in Neurology</i> , 2021, 12, 627761.	1.1	10
11	Association of Dietary Branched-Chain Amino Acids With Obesity: The Filipino Women's Diet and Health Study (FILWHEL). <i>Current Developments in Nutrition</i> , 2021, 5, 1072.	0.1	0
12	Dietary intakes of green leafy vegetables and incidence of cardiovascular diseases. <i>Cardiovascular Journal of Africa</i> , 2021, 32, 43-51.	0.2	8
13	Association of Environmental tobacco smoke exposure with depression among non-smoking adults. <i>BMC Public Health</i> , 2021, 21, 1755.	1.2	4
14	A Novel Afrocentric Stroke Risk Assessment Score: Models from the Siren Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 106003.	0.7	6
15	Role of Branched-chain Amino Acid Metabolism in Tumor Development and Progression. <i>Journal of Cancer Prevention</i> , 2021, 26, 237-243.	0.8	22
16	Higher dietary soy intake appears inversely related to breast cancer risk independent of estrogen receptor breast cancer phenotypes. <i>Heliyon</i> , 2020, 6, e04228.	1.4	8
17	Knowledge of iron-containing foods among pregnant women in Lagos, Nigeria. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	0.4	0
18	Is Histidine promising in alleviating the risk of Metabolic disorder?. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	0.4	0

#	ARTICLE	IF	CITATIONS
19	Indoor microbiome and risk of lower respiratory tract infections among children under five years: A meta-analysis. <i>Indoor Air</i> , 2020, 30, 795-804.	2.0	8
20	Lipid profile and risk of ovarian tumours: a meta-analysis. <i>BMC Cancer</i> , 2020, 20, 200.	1.1	18
21	Household Food Insecurity, Coping Strategies and Child Dietary Diversity (24-59 months) in Ibadan, Nigeria. <i>World Nutrition</i> , 2020, 11, 129-144.	0.3	1
22	Lean non-alcoholic fatty liver disease patients had comparable total caloric, carbohydrate, protein, fat, iron, sleep duration and overtime work as obese non-alcoholic fatty liver disease patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 256-262.	1.4	23
23	Dietary branched-chain amino acids intake exhibited a different relationship with type 2 diabetes and obesity risk: a meta-analysis. <i>Acta Diabetologica</i> , 2019, 56, 187-195.	1.2	29
24	Higher intakes of energy-adjusted dietary amino acids are inversely associated with obesity risk. <i>Amino Acids</i> , 2019, 51, 373-382.	1.2	8
25	Substance use and Psychosocial Functioning of Adolescents in Benue State, Nigeria: Assessing the role of age. , 2019, 22, 36-50.		1
26	Postprandial Saturated Fatty Acids Increase the Risk of Type 2 Diabetes: A Cohort Study in a Chinese Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 1438-1446.	1.8	10
27	Nitric oxide is involved in the hypothyroidism with significant morphology changes in female Wistar rats induced by chronic exposure to high water iodine from potassium iodate. <i>Chemosphere</i> , 2018, 206, 320-329.	4.2	11
28	Dietary Intakes of Branched-Chained Amino Acid and Risk for Type 2 Diabetes in Adults: The Harbin Cohort Study on Diet, Nutrition and Chronic Non-Communicable Diseases Study. <i>Canadian Journal of Diabetes</i> , 2018, 42, 484-492.e7.	0.4	15
29	Abnormal circulating amino acid profiles in multiple metabolic disorders. <i>Diabetes Research and Clinical Practice</i> , 2017, 132, 45-58.	1.1	70
30	Free fatty acids profile among lean, overweight and obese non-alcoholic fatty liver disease patients: a case "control study. <i>Lipids in Health and Disease</i> , 2017, 16, 165.	1.2	79
31	Sociodemographic Factors Related to Quality of Life Among Premenopausal Women in Ibadan, Nigeria. <i>Women and Health</i> , 2015, 55, 646-662.	0.4	5