
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9492284/publications.pdf Version: 2024-02-01



NIELS IÃ DOENSEN

#	Article	IF	CITATIONS
1	Vitamin D Supplementation Improves Fasting Insulin Levels and HDL Cholesterol in Infertile Men. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 98-108.	3.6	7
2	Environmental factors in declining human fertility. Nature Reviews Endocrinology, 2022, 18, 139-157.	9.6	123
3	Anogenital distance, male factor infertility and time to pregnancy. Andrology, 2022, , .	3.5	4
4	Serum Testosterone Levels in 3-Month-Old Boys Predict Their Semen Quality as Young Adults. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 1965-1975.	3.6	10
5	Effect of Testosterone Replacement Therapy on Quality of Life and Sexual Function in Testicular Cancer Survivors With Mild Leydig Cell Insufficiency: Results From a Randomized Double-blind Trial. Clinical Genitourinary Cancer, 2022, 20, 334-343.	1.9	6
6	A randomized double-blind single center study of testosterone replacement therapy or placebo in testicular cancer survivors with mild Leydig cell insufficiency (Einstein-intervention). Clinical Genitourinary Cancer, 2022, 20, 404-414.	1.9	3
7	Optimized detection of germ cell neoplasia <i>inÂsitu</i> in contralateral biopsy reduces the risk of second testis cancer. BJU International, 2022, 130, 646-654.	2.5	7
8	Effect of a single-dose denosumab on semen quality in infertile men (the FITMI study): study protocol for a randomized controlled trial. Trials, 2022, 23, .	1.6	2
9	Combined exposures to bisphenols, polychlorinated dioxins, paracetamol, and phthalates as drivers of deteriorating semen quality. Environment International, 2022, 165, 107322.	10.0	24
10	UV filters in matched seminal fluid-, urine-, and serum samples from young men. Journal of Exposure Science and Environmental Epidemiology, 2021, 31, 345-355.	3.9	21
11	Semen quality and waiting time to pregnancy explored using association mining. Andrology, 2021, 9, 577-587.	3.5	12
12	<i>FSHB</i> and <i>FSHR</i> gene variants exert mild modulatory effect on reproductive hormone levels and testis size but not on semen quality: A study of 2020 men from the general Danish population. Andrology, 2021, 9, 618-631.	3.5	5
13	The association between cannabis use and testicular function in men: A systematic review and metaâ€analysis. Andrology, 2021, 9, 503-510.	3.5	23
14	Possible Relevance of Soluble Luteinizing Hormone Receptor during Development and Adulthood in Boys and Men. Cancers, 2021, 13, 1329.	3.7	1
15	Serum Insulin-like Factor 3 Levels Are Reduced in Former Androgen Users, Suggesting Impaired Leydig Cell Capacity. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e2664-e2672.	3.6	13
16	Small RNAs in Seminal Plasma as Novel Biomarkers for Germ Cell Tumors. Cancers, 2021, 13, 2346.	3.7	6
17	RUBIC (ReproUnion Biobank and Infertility Cohort): A binational clinical foundation to study risk factors, life course, and treatment of infertility and infertilityâ€related morbidity. Andrology, 2021, 9, 1828-1842.	3.5	13
18	Testicular cancer survivors have shorter anogenital distance that is not increased by 1 year of testosterone replacement therapy. Human Reproduction, 2021, 36, 2443-2451.	0.9	5

#	Article	IF	CITATIONS
19	Variant <i>PNLDC1</i> , Defective piRNA Processing, and Azoospermia. New England Journal of Medicine, 2021, 385, 707-719.	27.0	54
20	Association between intake of soft drinks and testicular function in young men. Human Reproduction, 2021, 36, 3036-3048.	0.9	14
21	Seminal plasma metabolomics profiles following long (4–7Âdays) and short (2Âh) sexual abstinence periods. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 264, 178-183.	1.1	12
22	Familial resemblance in markers of testicular function in fathers and their young sons: a cross-sectional study. Human Reproduction, 2021, 36, 543-550.	0.9	1
23	Longâ€ŧerm testosterone undecanoate treatment in the elderly testosterone deficient male – an observational cohort study. Andrology, 2021, , .	3.5	5
24	Are worldwide sperm counts declining?. Fertility and Sterility, 2021, 116, 1457-1463.	1.0	15
25	Vitamin D status is not associated with reproductive parameters in young Spanish men. Andrology, 2020, 8, 323-331.	3.5	12
26	Bone mineral density is preserved in men with idiopathic infertility. Andrology, 2020, 8, 315-322.	3.5	5
27	The current status and future of andrology: A consensus report from the Cairo workshop group. Andrology, 2020, 8, 27-52.	3.5	28
28	Changes in urinary excretion of phthalates, phthalate substitutes, bisphenols and other polychlorinated and phenolic substances in young Danish men; 2009–2017. International Journal of Hygiene and Environmental Health, 2020, 223, 93-105.	4.3	118
29	Semen quality in hypogonadal acromegalic patients. Pituitary, 2020, 23, 160-166.	2.9	6
30	A history of cryptorchidism is associated with impaired testicular function in early adulthood: a cross-sectional study of 6376 men from the general population. Human Reproduction, 2020, 35, 1765-1780.	0.9	13
31	Use of e-cigarettes associated with lower sperm counts in a cross-sectional study of young men from the general population. Human Reproduction, 2020, 35, 1693-1701.	0.9	20
32	Psychological stress, stressful lifeÂevents, male factor infertility, andÂtesticular function: a cross-sectional study. Fertility and Sterility, 2020, 113, 865-875.	1.0	31
33	Evaluation of Serum Insulin-like Factor 3 Quantification by LC-MS/MS as a Biomarker of Leydig Cell Function Journal of Clinical Endocrinology and Metabolism, 2020, 105, 1868-1877.	3.6	28
34	Impact of psychological stress measured in three different scales on testis function: A crossâ€sectional study of 1362 young men. Andrology, 2020, 8, 1674-1686.	3.5	13
35	Testicular microlithiasis on scrotal ultrasound in 4850 young men from the general population: associations with semen quality. Andrology, 2020, 8, 1736-1743.	3.5	4
36	Association of Dietary Patterns With Testicular Function in Young Danish Men. JAMA Network Open, 2020, 3, e1921610.	5.9	29

#	Article	IF	CITATIONS
37	Vitamin D and sex steroid production in men with normal or impaired Leydig cell function. Journal of Steroid Biochemistry and Molecular Biology, 2020, 199, 105589.	2.5	16
38	Associations of Fish Oil Supplement Use With Testicular Function in Young Men. JAMA Network Open, 2020, 3, e1919462.	5.9	23
39	High serum FSH is not a risk factor for low bone mineral density in infertile men. Bone, 2020, 136, 115366.	2.9	4
40	Testicular Vein Sampling Can Reveal Gonadotropin-Independent Unilateral Steroidogenesis Supporting Spermatogenesis. Journal of the Endocrine Society, 2019, 3, 1881-1886.	0.2	3
41	Adherence to diet quality indices in relation to semen quality and reproductive hormones in young men. Human Reproduction, 2019, 34, 1866-1875.	0.9	20
42	Semen quality of young men in Switzerland: a nationwide crossâ€sectional populationâ€based study. Andrology, 2019, 7, 818-826.	3.5	30
43	EAA clinical practice guidelines—gynecomastia evaluation and management. Andrology, 2019, 7, 778-793.	3.5	88
44	Populations, decreasing fertility, and reproductive health. Lancet, The, 2019, 393, 1500-1501.	13.7	36
45	Possible link between FSH and RANKL release from adipocytes in men with impaired gonadal function including Klinefelter syndrome. Bone, 2019, 123, 103-114.	2.9	13
46	Meat intake in relation to semen quality and reproductive hormone levels among young men in Spain. British Journal of Nutrition, 2019, 121, 451-460.	2.3	11
47	Anogenital distance is associated with semen quality but not reproductive hormones in 1106 young men from the general population. Human Reproduction, 2019, 34, 12-24.	0.9	29
48	An update on semen quality among young Finnish men and comparison with Danish data. Andrology, 2019, 7, 15-23.	3.5	20
49	Urinary concentrations of benzophenone-type ultra violet light filters and reproductive parameters in young men. International Journal of Hygiene and Environmental Health, 2018, 221, 531-540.	4.3	36
50	Effects of Vitamin D Supplementation on Semen Quality, Reproductive Hormones, and Live Birth Rate: A Randomized Clinical Trial. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 870-881.	3.6	81
51	Semen quality associated with subsequent hospitalizations – Can the effect be explained by socioâ€economic status and lifestyle factors?. Andrology, 2018, 6, 428-435.	3.5	23
52	Average sperm count remains unchanged despite reduction in maternal smoking: results from a large cross-sectional study with annual investigations over 21 years. Human Reproduction, 2018, 33, 998-1008.	0.9	54
53	Serum concentration of antiâ€Müllerian hormone is not associated with semen quality. Andrology, 2018, 6, 286-292.	3.5	19
54	Viable acrosome-intact human spermatozoa in the ejaculate as a marker of semen quality and fertility status. Human Reproduction, 2018, 33, 361-371.	0.9	15

#	Article	IF	CITATIONS
55	Semen quality in patients with pituitary disease and adult-onset hypogonadotropic hypogonadism. Endocrine Connections, 2018, 7, 523-533.	1.9	9
56	Longitudinal Changes in Serum Levels of Testosterone and Luteinizing Hormone in Testicular Cancer Patients after Orchiectomy Alone or Bleomycin, Etoposide, and Cisplatin. European Urology Focus, 2018, 4, 591-598.	3.1	23
57	Urinary bisphenol A concentrations are associated with reproductive parameters in young men. Environmental Research, 2018, 161, 122-128.	7.5	118
58	Urinary concentrations of parabens and reproductive parameters in young men. Science of the Total Environment, 2018, 621, 201-209.	8.0	43
59	ls the <i>FSHR</i> 2039A>G variant associated with susceptibility to testicular germ cell cancer?. Andrology, 2018, 6, 176-183.	3.5	6
60	Anogenital distance as a phenotypic signature through infancy. Pediatric Research, 2018, 83, 573-579.	2.3	27
61	Decrease in semen quality and Leydig cell function in infertile men: a longitudinal study. Human Reproduction, 2018, 33, 1963-1974.	0.9	22
62	Expression of the O-Glycosylation Enzyme GalNAc-T3 in the Equatorial Segment Correlates with the Quality of Spermatozoa. International Journal of Molecular Sciences, 2018, 19, 2949.	4.1	5
63	Positive association between cholesterol in human seminal plasma and sperm counts: results from a crossâ€sectional cohort study and immunohistochemical investigations. Andrology, 2018, 6, 817-828.	3.5	15
64	Urinary excretion of phenols, parabens and benzophenones in young men: Associations to reproductive hormones and semen quality are modified by mutations in the Filaggrin gene. Environment International, 2018, 121, 365-374.	10.0	30
65	Reproductive Function in a Population of Young Faroese Men with Elevated Exposure to Polychlorinated Biphenyls (PCBs) and Perfluorinated Alkylate Substances (PFAS). International Journal of Environmental Research and Public Health, 2018, 15, 1880.	2.6	63
66	Development and validation of a mass spectrometry-based assay for quantification of insulin-like factor 3 in human serum. Clinical Chemistry and Laboratory Medicine, 2018, 56, 1913-1920.	2.3	29
67	Quantification of the Leydig cell compartment in testicular biopsies and association with biochemical Leydig cell dysfunction in testicular cancer survivors. Andrology, 2018, 6, 748-755.	3.5	7
68	Dynamic GnRH and hCG testing: establishment of new diagnostic reference levels. European Journal of Endocrinology, 2017, 176, 379-391.	3.7	25
69	Influence of marital status on testosterone levels–A ten year follow-up of 1113 men. Psychoneuroendocrinology, 2017, 80, 155-161.	2.7	27
70	Gynaecomastia in 786 adult men: clinical and biochemical findings. European Journal of Endocrinology, 2017, 176, 555-566.	3.7	29
71	Semen Quality as a Predictor of Subsequent Morbidity: A Danish Cohort Study of 4,712 Men With Long-Term Follow-up. American Journal of Epidemiology, 2017, 186, 910-917.	3.4	107
72	Reproductive hormones and metabolic syndrome in 24 testicular cancer survivors and their biological brothers. Andrology, 2017, 5, 718-724.	3.5	5

#	Article	IF	CITATIONS
73	Exposure to phenols, parabens and UV filters: Associations with loss-of-function mutations in the filaggrin gene in men from the general population. Environment International, 2017, 105, 105-111.	10.0	20
74	Improved sperm kinematics in semen samples collected after 2 h versus 4–7 days of ejaculation abstinence. Human Reproduction, 2017, 32, 1364-1372.	0.9	49
75	Semen quality of young men from the general population in Baltic countries. Human Reproduction, 2017, 32, 1334-1340.	0.9	26
76	Validation of image cytometry for sperm concentration measurement: Comparison with manual counting of 4010 human semen samples. Clinica Chimica Acta, 2017, 468, 114-119.	1.1	6
77	Semen quality in the 21st century. Nature Reviews Urology, 2017, 14, 120-130.	3.8	155
78	Possible involvement of the glucocorticoid receptor ( <scp>NR</scp> 3C1) and selected <i><scp>NR</scp>3C1</i> gene variants in regulation of human testicular function. Andrology, 2017, 5, 1105-1114.	3.5	32
79	Factor V Leiden is associated with increased sperm count. Human Reproduction, 2017, 32, 2332-2339.	0.9	2
80	Temporal trends in sperm count: a systematic review and meta-regression analysis. Human Reproduction Update, 2017, 23, 646-659.	10.8	899
81	Leydig cell dysfunction, systemic inflammation and metabolic syndrome in long-term testicular cancer survivors. European Journal of Cancer, 2017, 84, 9-17.	2.8	17
82	Anti-Müllerian hormone levels and fecundability in women with a natural conception. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 217, 44-52.	1.1	13
83	Polymorphisms in JMJD1C are associated with pubertal onset in boys and reproductive function in men. Scientific Reports, 2017, 7, 17242.	3.3	1
84	Preorchiectomy Leydig Cell Dysfunction in Patients With Testicular Cancer. Clinical Genitourinary Cancer, 2017, 15, e37-e43.	1.9	17
85	Reply to Eugenio Ventimiglia, Francesco Montorsi, and Andrea Salonia's Letter to the Editor re: Jakob Damsgaard, Ulla N. Joensen, Elisabeth Carlsen, et al. Varicocele Is Associated with Impaired Semen Quality and Reproductive Hormone Levels: A Study of 7035 Healthy Young Men from Six European Countries, Fur Urol 2016:70:1019–29. Furopean Urology, 2017, 71, e71-e72.	1.9	1
86	A randomized double-blind study of testosterone replacement therapy or placebo in testicular cancer survivors with mild Leydig cell insufficiency (Einstein-intervention). BMC Cancer, 2017, 17, 461.	2.6	11
87	Fatty acid intake in relation to reproductive hormones and testicular volume among young healthy men. Asian Journal of Andrology, 2017, 19, 184.	1.6	39
88	Long-term changes in testosterone levels in testicular cancer survivors. Annals of Oncology, 2016, 27, vi291.	1.2	0
89	Testosterone deficiency in testicular cancer survivors – a systematic review and metaâ€analysis. Andrology, 2016, 4, 382-388.	3.5	50
90	Selection of high quality spermatozoa may be promoted by activated vitamin D in the woman. Journal of Clinical Endocrinology and Metabolism, 2016, 102, jc.2016-3008.	3.6	17

#	Article	IF	CITATIONS
91	Intake of Fruits and Vegetables with Low-to-Moderate Pesticide Residues Is Positively Associated with Semen-Quality Parameters among Young Healthy Men. Journal of Nutrition, 2016, 146, 1084-1092.	2.9	66
92	Varicocele Is Associated with Impaired Semen Quality and Reproductive Hormone Levels: A Study of 7035 Healthy Young Men from Six European Countries. European Urology, 2016, 70, 1019-1029.	1.9	176
93	Is Sedentary Lifestyle Associated With Testicular Function? A Cross-Sectional Study of 1,210 Men. American Journal of Epidemiology, 2016, 184, 284-294.	3.4	46
94	Self-reported onset of puberty and subsequent semen quality and reproductive hormones in healthy young men. Human Reproduction, 2016, 31, 1886-1894.	0.9	21
95	Vitamin D deficiency and low ionized calcium are linked with semen quality and sex steroid levels in infertile men. Human Reproduction, 2016, 31, 1875-1885.	0.9	95
96	Anogenital distance and reproductive parameters in young men. Andrologia, 2016, 48, 3-10.	2.1	25
97	Obesity and Bariatric Surgery Drive Epigenetic Variation of Spermatozoa in Humans. Cell Metabolism, 2016, 23, 369-378.	16.2	435
98	Semen quality improves marginally during young adulthood: a longitudinal follow-up study. Human Reproduction, 2016, 31, 502-510.	0.9	15
99	Compensated reduction in Leydig cell function is associated with lower semen quality variables: a study of 8182 European young men. Human Reproduction, 2016, 31, 947-957.	0.9	40
100	Psychological stress and testicular function: a cross-sectional study ofÂ1,215 Danish men. Fertility and Sterility, 2016, 105, 174-187.e2.	1.0	104
101	Male Reproductive Disorders and Fertility Trends: Influences of Environment and Genetic Susceptibility. Physiological Reviews, 2016, 96, 55-97.	28.8	700
102	Toward a multi-country monitoring system of reproductive health in the context of endocrine disrupting chemical exposure: Table 1. European Journal of Public Health, 2016, 26, 76-83.	0.3	42
103	2587 Pre-orchiectomy Leydig Cell function in testicular germ cell cancer (TGCC) patients. European Journal of Cancer, 2015, 51, S507.	2.8	0
104	Physical activity and television watching in relation to semen quality in young men. British Journal of Sports Medicine, 2015, 49, 265-270.	6.7	113
105	Spermatogenic capacity in fertile men with elevated exposure to polychlorinated biphenyls. Environmental Research, 2015, 138, 345-351.	7.5	22
106	Mediterranean and western dietary patterns are related to markers of testicular function among healthy men. Human Reproduction, 2015, 30, dev236.	0.9	55
107	Increasing international efforts to understand and conquer testicular germ cell cancer. Andrology, 2015, 3, 1-3.	3.5	3
108	A Longitudinal Study of Growth, Sex Steroids, and IGF-1 in Boys With Physiological Gynecomastia.	3.6	38

#	Article	IF	CITATIONS
109	Association Between Use of Marijuana and Male Reproductive Hormones and Semen Quality: A Study Among 1,215 Healthy Young Men. American Journal of Epidemiology, 2015, 182, 473-481.	3.4	163
110	Urinary Bisphenol A Levels in Young Men: Association with Reproductive Hormones and Semen Quality. Environmental Health Perspectives, 2014, 122, 478-484.	6.0	173
111	Associations of Filaggrin Gene Loss-of-Function Variants with Urinary Phthalate Metabolites and Testicular Function in Young Danish Men. Environmental Health Perspectives, 2014, 122, 345-350.	6.0	25
112	Resistance Training and Testosterone Levels in Male Patients with Chronic Kidney Disease Undergoing Dialysis. BioMed Research International, 2014, 2014, 1-7.	1.9	9
113	PFOS (perfluorooctanesulfonate) in serum is negatively associated with testosterone levels, but not with semen quality, in healthy men. Human Reproduction, 2014, 29, 1600-1600.	0.9	2
114	Habitual alcohol consumption associated with reduced semen quality and changes in reproductive hormones; a cross-sectional study among 1221 young Danish men. BMJ Open, 2014, 4, e005462-e005462.	1.9	112
115	Association between GH receptor polymorphism (exon 3 deletion), serum IGF1, semen quality, and reproductive hormone levels in 838 healthy young men. European Journal of Endocrinology, 2014, 170, 555-563.	3.7	7
116	The 2014 <scp>D</scp> anish references from birth to 20Âyears for height, weight and body mass index. Acta Paediatrica, International Journal of Paediatrics, 2014, 103, 214-224.	1.5	167
117	Meat Intake and Reproductive Parameters Among Young Men. Epidemiology, 2014, 25, 323-330.	2.7	46
118	Reproductive parameters in young men living in Rochester, New York. Fertility and Sterility, 2014, 101, 1064-1071.	1.0	32
119	Genetics of congenital hypogonadotropic hypogonadism in Denmark. European Journal of Medical Genetics, 2014, 57, 345-348.	1.3	30
120	Compass: A hybrid method for clinical and biobank data mining. Journal of Biomedical Informatics, 2014, 47, 160-170.	4.3	15
121	Sugar-sweetened beverage intake in relation to semen quality and reproductive hormone levels in young men. Human Reproduction, 2014, 29, 1575-1584.	0.9	64
122	Estimated Daily Intake and Hazard Quotients and Indices of Phthtalate Diesters for Young Danish Men. Environmental Science & Technology, 2014, 48, 706-712.	10.0	30
123	Human urinary excretion of non-persistent environmental chemicals: an overview of Danish data collected between 2006 and 2012. Reproduction, 2014, 147, 555-565.	2.6	184
124	Sex, age, pubertal development and use of oral contraceptives in relation to serum concentrations of DHEA, DHEAS, 17α-hydroxyprogesterone, Δ4-androstenedione, testosterone and their ratios in children, adolescents and young adults. Clinica Chimica Acta, 2014, 437, 6-13.	1.1	61
125	Alcohol and male reproductive health: a cross-sectional study of 8344 healthy men from Europe and the USA. Human Reproduction, 2014, 29, 1801-1809.	0.9	114
126	Possible fetal determinants of male infertility. Nature Reviews Endocrinology, 2014, 10, 553-562.	9.6	129

#	Article	IF	CITATIONS
127	Image cytometer method for automated assessment of human spermatozoa concentration. Andrology, 2013, 1, 615-623.	3.5	12
128	Semen quality in relation to antioxidant intake in a healthy male population. Fertility and Sterility, 2013, 100, 1572-1579.	1.0	76
129	Association Between Organic Dietary Choice During Pregnancy and Hypospadias in Offspring: A Study of Mothers of 306 Boys Operated on for Hypospadias. Journal of Urology, 2013, 189, 1077-1082.	0.4	42
130	Association of Sleep Disturbances With Reduced Semen Quality: A Cross-sectional Study Among 953 Healthy Young Danish Men. American Journal of Epidemiology, 2013, 177, 1027-1037.	3.4	80
131	Proposal of guidelines for the appraisal of SEMen QUAlity studies (SEMQUA). Human Reproduction, 2013, 28, 10-21.	0.9	51
132	High dietary intake of saturated fat is associated with reduced semen quality among 701 young Danish men from the general population. American Journal of Clinical Nutrition, 2013, 97, 411-418.	4.7	155
133	Temporal Variability in Urinary Phthalate Metabolite Excretion Based on Spot, Morning, and 24-h Urine Samples: Considerations for Epidemiological Studies. Environmental Science & Technology, 2013, 47, 958-967.	10.0	112
134	Temporal variability in urinary excretion of bisphenol A and seven other phenols in spot, morning, and 24-h urine samples. Environmental Research, 2013, 126, 164-170.	7.5	102
135	Sperm Concentration, Testicular Volume and Age Predict Risk of Carcinoma In Situ in Contralateral Testis of Men with Testicular Germ Cell Cancer. Journal of Urology, 2013, 190, 2074-2080.	0.4	33
136	A homozygous <scp>R</scp> 262 <scp>Q</scp> mutation in the gonadotropinâ€releasing hormone receptor presenting as reversal of hypogonadotropic hypogonadism and lateâ€onset hypogonadism. Clinical Endocrinology, 2013, 78, 316-317.	2.4	21
137	Sperm counts may have declined in young university students in Southern Spain. Andrology, 2013, 1, 408-413.	3.5	83
138	Semen quality and reproductive hormones in Faroese men: a cross-sectional population-based study of 481 men. BMJ Open, 2013, 3, e001946.	1.9	26
139	PFOS (perfluorooctanesulfonate) in serum is negatively associated with testosterone levels, but not with semen quality, in healthy men. Human Reproduction, 2013, 28, 599-608.	0.9	158
140	Identification of a Novel Androgen Receptor Mutation in a Family With Multiple Components Compatible With the Testicular Dysgenesis Syndrome. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 2223-2229.	3.6	26
141	UGT2B17 Genotype and the Pharmacokinetic Serum Profile of Testosterone during Substitution Therapy with Testosterone Undecanoate. A Retrospective Experience from 207 Men with Hypogonadism. Frontiers in Endocrinology, 2013, 4, 94.	3.5	9
142	Semen quality of fertile Japanese men: a cross-sectional population-based study of 792 men. BMJ Open, 2013, 3, e002223.	1.9	33
143	Dairy food intake in relation to semen quality and reproductive hormone levels among physically active young men. Human Reproduction, 2013, 28, 2265-2275.	0.9	82
144	47,XXY Klinefelter syndrome: Clinical characteristics and ageâ€specific recommendations for medical management. American Journal of Medical Genetics, Part C: Seminars in Medical Genetics, 2013, 163, 55-63.	1.6	86

#	Article	IF	CITATIONS
145	Semen quality of 1559 young men from four cities in Japan: a cross-sectional population-based study. BMJ Open, 2013, 3, e002222.	1.9	43
146	Phthalate Excretion Pattern and Testicular Function: A Study of 881 Healthy Danish Men. Environmental Health Perspectives, 2012, 120, 1397-1403.	6.0	147
147	Human semen quality in the new millennium: a prospective cross-sectional population-based study of 4867 men. BMJ Open, 2012, 2, e000990.	1.9	225
148	A genome-wide association study of men with symptoms of testicular dysgenesis syndrome and its network biology interpretation. Journal of Medical Genetics, 2012, 49, 58-65.	3.2	96
149	Urinary Concentrations of Di(2â€ethylhexyl) Phthalate Metabolites and Serum Reproductive Hormones: Pooled Analysis of Fertile and Infertile Men. Journal of Andrology, 2012, 33, 488-498.	2.0	70
150	Semen quality and reproductive hormone levels in men from Southern Spain. Journal of Developmental and Physical Disabilities, 2012, 35, 1-10.	3.6	44
151	Expression of the vitamin D metabolizing enzyme CYP24A1 at the annulus of human spermatozoa may serve as a novel marker of semen quality. Journal of Developmental and Physical Disabilities, 2012, 35, 499-510.	3.6	72
152	Recent adverse trends in semen quality and testis cancer incidence of Finnish men: reply to Bonde <i>etÂal.</i> , IJA 2012. Journal of Developmental and Physical Disabilities, 2012, 35, 627-628.	3.6	0
153	Regional differences and temporal trends in male reproductive health disorders: Semen quality may be a sensitive marker of environmental exposures. Molecular and Cellular Endocrinology, 2012, 355, 221-230.	3.2	141
154	Shorter Anogenital Distance Predicts Poorer Semen Quality in Young Men in Rochester, New York. Environmental Health Perspectives, 2011, 119, 958-963.	6.0	183
155	Vitamin D Is Positively Associated With Sperm Motility and Increases Intracellular Calcium in Human Spermatozoa. Obstetrical and Gynecological Survey, 2011, 66, 556-558.	0.4	3
156	Commentary: Sperm Counts, Data Responsibility, and Good Scientific Practice. Epidemiology, 2011, 22, 620-621.	2.7	24
157	Associations between urinary metabolites of di(2-ethylhexyl) phthalate and reproductive hormones in fertile men. Journal of Developmental and Physical Disabilities, 2011, 34, 369-378.	3.6	67
158	Parabens in urine, serum and seminal plasma from healthy Danish men determined by liquid chromatography–tandem mass spectrometry (LC–MS/MS). Journal of Exposure Science and Environmental Epidemiology, 2011, 21, 262-271.	3.9	220
159	Recent adverse trends in semen quality and testis cancer incidence among Finnish men. Journal of Developmental and Physical Disabilities, 2011, 34, e37-48.	3.6	133
160	Screening of subfertile men for testicular carcinoma in situ by an automated image analysisâ€based cytological test of the ejaculate. Journal of Developmental and Physical Disabilities, 2011, 34, e21-30; discussion e30-1.	3.6	25
161	Genetically Determined Dosage of Follicle-Stimulating Hormone (FSH) Affects Male Reproductive Parameters. Journal of Clinical Endocrinology and Metabolism, 2011, 96, E1534-E1541.	3.6	47
162	Prenatal and adult exposures to smoking are associated with adverse effects on reproductive hormones, semen quality, final height and body mass index. Human Reproduction, 2011, 26, 1000-1011.	0.9	75

#	Article	IF	CITATIONS
163	Vitamin D is positively associated with sperm motility and increases intracellular calcium in human spermatozoa. Human Reproduction, 2011, 26, 1307-1317.	0.9	201
164	Improvement of semen quality in an infertile man with 21â€hydroxylase deficiency, suppressed serum gonadotropins and testicular adrenal rest tumours. Journal of Developmental and Physical Disabilities, 2010, 33, 518-520.	3.6	28
165	Testicular adrenal rest tumours in boys, adolescents and adult men with congenital adrenal hyperplasia may be associated with the CYP21A2 mutation. Journal of Developmental and Physical Disabilities, 2010, 33, 521-527.	3.6	45
166	Increased number of sex chromosomes affects height in a nonlinear fashion: A study of 305 patients with sex chromosome aneuploidy. American Journal of Medical Genetics, Part A, 2010, 152A, 1206-1212.	1.2	163
167	Semen quality, reproductive hormones and fertility of men operated for hypospadias. Journal of Developmental and Physical Disabilities, 2010, 33, 80-87.	3.6	46
168	Testicular dysgenesis syndrome comprises some but not all cases of hypospadias and impaired spermatogenesis. Journal of Developmental and Physical Disabilities, 2010, 33, 298-303.	3.6	74
169	Are Environmental Levels of Bisphenol A Associated with Reproductive Function in Fertile Men?. Environmental Health Perspectives, 2010, 118, 1286-1291.	6.0	192
170	Correlations Between Phthalate Metabolites in Urine, Serum, and Seminal Plasma from Young Danish Men Determined by Isotope Dilution Liquid Chromatography Tandem Mass Spectrometry. Journal of Analytical Toxicology, 2010, 34, 400-410.	2.8	184
171	Caffeine Intake and Semen Quality in a Population of 2,554 Young Danish Men. American Journal of Epidemiology, 2010, 171, 883-891.	3.4	103
172	Reply: The downstream effects of vitamin D in spermatozoa needs further study. Human Reproduction, 2010, 25, 2153-2153.	0.9	0
173	Clinical and biochemical correlates of successful semen collection for cryopreservation from 12-18-year-old patients: a single-center study of 86 adolescents. Human Reproduction, 2010, 25, 2031-2038.	0.9	71
174	Serum inhibin-b in fertile men is strongly correlated with low but not high sperm counts: a coordinated study of 1,797 European and US men. Fertility and Sterility, 2010, 94, 2128-2134.	1.0	61
175	Vitamin D receptor and vitamin D metabolizing enzymes are expressed in the human male reproductive tract. Human Reproduction, 2010, 25, 1303-1311.	0.9	288
176	Associations between andrological measures, hormones and semen quality in fertile Australian men: inverse relationship between obesity and sperm output. Human Reproduction, 2009, 24, 1561-1568.	0.9	114
177	Is there a problem with male reproduction?. Nature Reviews Endocrinology, 2009, 5, 144-145.	9.6	7
178	Do Perfluoroalkyl Compounds Impair Human Semen Quality?. Environmental Health Perspectives, 2009, 117, 923-927.	6.0	315
179	Low semen volume in 47 adolescents and adults with 47,XXY Klinefelter or 46,XX male syndrome. Journal of Developmental and Physical Disabilities, 2009, 32, 376-384.	3.6	57
180	Testosterone Production is Better Preserved After 16 than 20 Gray Irradiation Treatment Against Testicular Carcinoma In Situ Cells. International Journal of Radiation Oncology Biology Physics, 2009, 75, 672-676.	0.8	45

#	Article	IF	CITATIONS
181	Testicular Dysgenesis Syndrome and Leydig Cell Function. Basic and Clinical Pharmacology and Toxicology, 2008, 102, 155-161.	2.5	61
182	Adverse trends in male reproductive health: we may have reached a crucial â€~tipping point'. Journal of Developmental and Physical Disabilities, 2008, 31, 74-80.	3.6	148
183	Semen quality in subâ€fertile range for a significant proportion of young men from the general German population: a coâ€ordinated, controlled study of 791 men from Hamburg and Leipzig. Journal of Developmental and Physical Disabilities, 2008, 31, 93-102.	3.6	84
184	Phenotypic variation within European carriers of the Y-chromosomal gr/gr deletion is independent of Y-chromosomal background. Journal of Medical Genetics, 2008, 46, 21-31.	3.2	65
185	Sons conceived by assisted reproduction techniques inherit deletions in the azoospermia factor (AZF) region of the Y chromosome and the DAZ gene copy number. Human Reproduction, 2008, 23, 1669-1678.	0.9	43
186	RE: "PARENTAL INFERTILITY AND SEMEN QUALITY IN MALE OFFSPRING: A FOLLOW-UP STUDY". American Journal of Epidemiology, 2007, 166, 1105-1105.	3.4	0
187	Does more than one biopsy of the contralateral testis in men with a germ cell tumor add value?. Nature Reviews Urology, 2007, 4, 652-653.	1.4	3
188	Testicular dysgenesis syndrome and carcinoma in situ of the testes. Nature Reviews Urology, 2007, 4, 402-403.	1.4	5
189	Increased frequency of reproductive health problems among fathers of boys with hypospadias. Human Reproduction, 2007, 22, 2639-2646.	0.9	57
190	Towards a non-invasive method for early detection of testicular neoplasia in semen samples by identification of fetal germ cell-specific markers. Human Reproduction, 2007, 22, 167-173.	0.9	49
191	Twin pregnancy possibly associated with high semen quality. Human Reproduction, 2007, 22, 751-755.	0.9	16
192	Self-rated health and semen quality among 3,457 young Danish men. Fertility and Sterility, 2007, 88, 1366-1373.	1.0	17
193	Testicular cancer trends as â€~whistle blowers' of testicular developmental problems in populations. Journal of Developmental and Physical Disabilities, 2007, 30, 198-205.	3.6	88
194	Current approaches for detection of carcinoma in situ testis. Journal of Developmental and Physical Disabilities, 2007, 30, 398-405.	3.6	33
195	Testicular carcinoma in situ in subfertile Danish men. Journal of Developmental and Physical Disabilities, 2007, 30, 406-412.	3.6	35
196	Primary testicular failure in Klinefelter's syndrome: the use of bivariate luteinizing hormone-testosterone reference charts. Clinical Endocrinology, 2007, 66, 276-281.	2.4	46
197	Nordic consensus on treatment of undescended testes. Acta Paediatrica, International Journal of Paediatrics, 2007, 96, 638-643.	1.5	310
198	Cryptorchidism: classification, prevalence and longâ€ŧerm consequences. Acta Paediatrica, International Journal of Paediatrics, 2007, 96, 611-616.	1.5	209

#	Article	IF	CITATIONS
199	Are men with testicular cancer at risk of developing a contralateral tumor?. Nature Reviews Urology, 2006, 3, 134-135.	1.4	2
200	Is human fecundity declining?. Journal of Developmental and Physical Disabilities, 2006, 29, 2-11.	3.6	270
201	Coordinated European investigations of semen quality: results from studies of Scandinavian young men is a matter of concern. Journal of Developmental and Physical Disabilities, 2006, 29, 54-61.	3.6	144
202	Reply: A study of finger lengths, semen quality and sex hormones in 360 young men from the general Danish population. Human Reproduction, 2006, 21, 1331-1332.	0.9	5
203	Fertility Treatment and Reproductive Health of Male Offspring: A Study of 1,925 Young Men from the General Population. American Journal of Epidemiology, 2006, 165, 583-590.	3.4	40
204	Semen quality of 324 fertile Japanese men. Human Reproduction, 2006, 21, 760-765.	0.9	66
205	Maternal Hormone Treatment Around Conception and Reproductive Health Among the Offspring: A Study of 1925 Young Danish Men From the General Population. Epidemiology, 2006, 17, S194.	2.7	0
206	Testicular dysgenesis and fertility. Andrologia, 2005, 37, 217-218.	2.1	34
207	Insulin-Like Factor 3 Serum Levels in 135 Normal Men and 85 Men with Testicular Disorders: Relationship to the Luteinizing Hormone-Testosterone Axis. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 3410-3418.	3.6	167
208	Higher than expected prevalence of congenital cryptorchidism in Lithuania: a study of 1204 boys at birth and 1 year follow-up. Human Reproduction, 2005, 20, 1928-1932.	0.9	88
209	A study of finger lengths, semen quality and sex hormones in 360 young men from the general Danish population. Human Reproduction, 2005, 20, 3109-3113.	0.9	60
210	Serum Inhibin B and Follicle-Stimulating Hormone Levels as Tools in the Evaluation of Infertile Men: Significance of Adequate Reference Values from Proven Fertile Men. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 2873-2879.	3.6	141
211	Impaired Leydig Cell Function in Infertile Men: A Study of 357 Idiopathic Infertile Men and 318 Proven Fertile Controls. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 3161-3167.	3.6	216
212	Association of In Utero Exposure to Maternal Smoking with Reduced Semen Quality and Testis Size in Adulthood: A Cross-Sectional Study of 1,770 Young Men from the General Population in Five European Countries. American Journal of Epidemiology, 2004, 159, 49-58.	3.4	214
213	Developmental expression of POU5F1 (OCT-3/4) in normal and dysgenetic human gonads. Human Reproduction, 2004, 19, 1338-1344.	0.9	188
214	Biology and epidemiology of testicular dysgenesis syndrome. BJU International, 2004, 93, 6-11.	2.5	48
215	Body mass index in relation to semen quality and reproductive hormonesamong 1,558 Danish men. Fertility and Sterility, 2004, 82, 863-870.	1.0	685
216	Frequent polymorphism of the mitochondrial DNA polymerase gamma gene (POLG) in patients with normal spermiograms and unexplained subfertility. Human Reproduction, 2004, 19, 65-70.	0.9	83

#	Article	IF	CITATIONS
217	Association between testicular dysgenesis syndrome (TDS) and testicular neoplasia: Evidence from 20 adult patients with signs of maldevelopment of the testis. Apmis, 2003, 111, 1-11.	2.0	142
218	East-West gradient in semen quality in the Nordic-Baltic area: a study of men from the general population in Denmark, Norway, Estonia and Finland. Human Reproduction, 2002, 17, 2199-2208.	0.9	274
219	Time to pregnancy in relation to semen quality assessed by CASA before and after sperm separation. Human Reproduction, 2002, 17, 173-177.	0.9	19
220	Poor semen quality may contribute to recent decline in fertility rates. Human Reproduction, 2002, 17, 1437-1440.	0.9	81
221	Time to pregnancy and semen parameters: a cross-sectional study among fertile couples from four European cities. Human Reproduction, 2002, 17, 503-515.	0.9	250
222	Spermaturia and serum hormone concentrations at the age of puberty in boys prenatally exposed to polychlorinated biphenyls. European Journal of Endocrinology, 2002, 146, 357-363.	3.7	74
223	CAG repeat length in androgen-receptor gene and reproductive variables in fertile and infertile men. Lancet, The, 2002, 359, 44-46.	13.7	89
224	Regional differences in semen qualities in the Baltic region. Journal of Developmental and Physical Disabilities, 2002, 25, 243-252.	3.6	71
225	Identification of a Y chromosome haplogroup associated with reduced sperm counts. Human Molecular Genetics, 2001, 10, 1873-1877.	2.9	82
226	Regional differences in waiting time to pregnancy among fertile couples from four European cities. Human Reproduction, 2001, 16, 2697-2704.	0.9	85
227	Sperm morphological defects related to environment, lifestyle and medical history of 1001 male partners of pregnant women from four European cities. Human Reproduction, 2001, 16, 2710-2717.	0.9	177
228	Regional differences in semen quality in Europe. Human Reproduction, 2001, 16, 1012-1019.	0.9	416
229	High frequency of sub-optimal semen quality in an unselected population of young men. Human Reproduction, 2000, 15, 366-372.	0.9	278
230	Inter-observer variation in the results of the clinical andrological examination including estimation of testicular size. Journal of Developmental and Physical Disabilities, 2000, 23, 248-253.	3.6	82
231	Serum Levels of Testosterone Do Not Provide Evidence of Selection Bias in Studies of Male Reproductive Health. Epidemiology, 2000, 11, 232.	2.7	10
232	Expression of Anti-Müllerian Hormone during Normal and Pathological Gonadal Development: Association with Differentiation of Sertoli and Granulosa Cells <sup>1</sup> . Journal of Clinical Endocrinology and Metabolism, 1999, 84, 3836-3844.	3.6	318
233	Environment and Male Reproductive Function. , 1999, , 321-337.		5
234	Expression of Anti-Mullerian Hormone during Normal and Pathological Gonadal Development: Association with Differentiation of Sertoli and Granulosa Cells. Journal of Clinical Endocrinology and Metabolism, 1999, 84, 3836-3844.	3.6	250

#	Article	IF	CITATIONS
235	Germ cell cancer and disorders of spermatogenesis: An environmental connection?. Apmis, 1998, 106, 3-12.	2.0	226
236	Developmental arrest of germ cells in the pathogenesis of germ cell neoplasia. Apmis, 1998, 106, 198-206.	2.0	154
237	Heterogeneity of gonadoblastoma germ cells: similarities with immature germ cells, spermatogonia and testicular carcinoma in situ cells. Histopathology, 1997, 30, 177-186.	2.9	99
238	Semen analysis performed by different laboratory teams: an intervariation study. Journal of Developmental and Physical Disabilities, 1997, 20, 201-208.	3.6	159
239	PROLONGED EXPRESSION OF THE c-kit RECEPTOR IN GERM CELLS OF INTERSEX FETAL TESTES. Journal of Pathology, 1996, 178, 166-169.	4.5	52
240	PROLONGED EXPRESSION OF THE câ€kit RECEPTOR IN GERM CELLS OF INTERSEX FETAL TESTES. Journal of Pathology, 1996, 178, 166-169.	4.5	3
241	Andrology: Sperm morphology using strict criteria after Percoll density separation: influence on cleavage and pregnancy rates after in-vitro fertilization. Human Reproduction, 1995, 10, 1781-1785.	0.9	26
242	Incidence of testicular mononuclear cell infiltrates in normal human males and in patients with germ cell neoplasia. Journal of Developmental and Physical Disabilities, 1995, 18, 313-320.	3.6	4
243	Trends in incidence of testicular cancer in boys and adolescent men. International Journal of Cancer, 1995, 61, 761-764.	5.1	58
244	DNA content and expression of tumour markers in germ cells adjacent to germ cell tumours in childhood: Probably A different origin for infantile and adolescent germ cell tumours. Journal of Pathology, 1995, 176, 269-278.	4.5	45
245	Improvement of sperm motility by the addition of progesterone to the Percoll medium during sperm purification. Human Reproduction, 1995, 10, 3183-3185.	0.9	11
246	Incidence of testicular mononuclear cell infiltrates in normal human males and in patients with germ cell neoplasia. Journal of Developmental and Physical Disabilities, 1995, 18, 313-320.	3.6	27
247	Expression of immunohistochemical markers for testicular carcinoma in situ by normal human fetal germ cells. Laboratory Investigation, 1995, 72, 223-31.	3.7	50
248	Testicular germ cell tumours of childhood in Denmark, 1943-1989: Incidence and evaluation of histology using immunohistochemical techniques. Journal of Pathology, 1994, 174, 39-47.	4.5	27
249	Immunohistochemical expression of embryonal marker TRA-1–60 in carcinoma in situ and germ cell tumors of the testis. Cancer, 1993, 72, 1308-1314.	4.1	71
250	Immunohistochemical markers of carcinoma in situ of the testis also expressed in normal infantile germ cells. Histopathology, 1993, 22, 373-378.	2.9	80
251	Testicular cancer after vasectomy: Origin from carcinoma in situ of the testis. European Journal of Cancer, 1993, 29, 1062-1064.	2.8	14
252	DNA distributions in maldescended testes: Hyperdiploid aneuploidy without evidence of germ cell neoplasia. Cytometry, 1991, 12, 77-81.	1.8	9