

Niels JÃ¸rgensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9492284/publications.pdf>

Version: 2024-02-01

252
papers

18,853
citations

8159

76
h-index

14156

128
g-index

254
all docs

254
docs citations

254
times ranked

12930
citing authors

#	ARTICLE	IF	CITATIONS
1	Vitamin D Supplementation Improves Fasting Insulin Levels and HDL Cholesterol in Infertile Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 98-108.	1.8	7
2	Environmental factors in declining human fertility. <i>Nature Reviews Endocrinology</i> , 2022, 18, 139-157.	4.3	123
3	Anogenital distance, male factor infertility and time to pregnancy. <i>Andrology</i> , 2022, , .	1.9	4
4	Serum Testosterone Levels in 3-Month-Old Boys Predict Their Semen Quality as Young Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 1965-1975.	1.8	10
5	Effect of Testosterone Replacement Therapy on Quality of Life and Sexual Function in Testicular Cancer Survivors With Mild Leydig Cell Insufficiency: Results From a Randomized Double-blind Trial. <i>Clinical Genitourinary Cancer</i> , 2022, 20, 334-343.	0.9	6
6	A randomized double-blind single center study of testosterone replacement therapy or placebo in testicular cancer survivors with mild Leydig cell insufficiency (Einstein-intervention). <i>Clinical Genitourinary Cancer</i> , 2022, 20, 404-414.	0.9	3
7	Optimized detection of germ cell neoplasia <i>in situ</i> in contralateral biopsy reduces the risk of second testis cancer. <i>BJU International</i> , 2022, 130, 646-654.	1.3	7
8	Effect of a single-dose denosumab on semen quality in infertile men (the FITMI study): study protocol for a randomized controlled trial. <i>Trials</i> , 2022, 23, .	0.7	2
9	Combined exposures to bisphenols, polychlorinated dioxins, paracetamol, and phthalates as drivers of deteriorating semen quality. <i>Environment International</i> , 2022, 165, 107322.	4.8	24
10	UV filters in matched seminal fluid-, urine-, and serum samples from young men. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2021, 31, 345-355.	1.8	21
11	Semen quality and waiting time to pregnancy explored using association mining. <i>Andrology</i> , 2021, 9, 577-587.	1.9	12
12	<i>FSHB</i> and <i>FSHR</i> gene variants exert mild modulatory effect on reproductive hormone levels and testis size but not on semen quality: A study of 2020 men from the general Danish population. <i>Andrology</i> , 2021, 9, 618-631.	1.9	5
13	The association between cannabis use and testicular function in men: A systematic review and meta-analysis. <i>Andrology</i> , 2021, 9, 503-510.	1.9	23
14	Possible Relevance of Soluble Luteinizing Hormone Receptor during Development and Adulthood in Boys and Men. <i>Cancers</i> , 2021, 13, 1329.	1.7	1
15	Serum Insulin-like Factor 3 Levels Are Reduced in Former Androgen Users, Suggesting Impaired Leydig Cell Capacity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2664-e2672.	1.8	13
16	Small RNAs in Seminal Plasma as Novel Biomarkers for Germ Cell Tumors. <i>Cancers</i> , 2021, 13, 2346.	1.7	6
17	RUBIC (ReproUnion Biobank and Infertility Cohort): A binational clinical foundation to study risk factors, life course, and treatment of infertility and infertility-related morbidity. <i>Andrology</i> , 2021, 9, 1828-1842.	1.9	13
18	Testicular cancer survivors have shorter anogenital distance that is not increased by 1 year of testosterone replacement therapy. <i>Human Reproduction</i> , 2021, 36, 2443-2451.	0.4	5

#	ARTICLE	IF	CITATIONS
19	Variant <i>PNLDC1</i> , Defective piRNA Processing, and Azoospermia. <i>New England Journal of Medicine</i> , 2021, 385, 707-719.	13.9	54
20	Association between intake of soft drinks and testicular function in young men. <i>Human Reproduction</i> , 2021, 36, 3036-3048.	0.4	14
21	Seminal plasma metabolomics profiles following long (4–7 days) and short (2 h) sexual abstinence periods. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 264, 178-183.	0.5	12
22	Familial resemblance in markers of testicular function in fathers and their young sons: a cross-sectional study. <i>Human Reproduction</i> , 2021, 36, 543-550.	0.4	1
23	Long-term testosterone undecanoate treatment in the elderly testosterone deficient male – an observational cohort study. <i>Andrology</i> , 2021, , .	1.9	5
24	Are worldwide sperm counts declining?. <i>Fertility and Sterility</i> , 2021, 116, 1457-1463.	0.5	15
25	Vitamin D status is not associated with reproductive parameters in young Spanish men. <i>Andrology</i> , 2020, 8, 323-331.	1.9	12
26	Bone mineral density is preserved in men with idiopathic infertility. <i>Andrology</i> , 2020, 8, 315-322.	1.9	5
27	The current status and future of andrology: A consensus report from the Cairo workshop group. <i>Andrology</i> , 2020, 8, 27-52.	1.9	28
28	Changes in urinary excretion of phthalates, phthalate substitutes, bisphenols and other polychlorinated and phenolic substances in young Danish men; 2009–2017. <i>International Journal of Hygiene and Environmental Health</i> , 2020, 223, 93-105.	2.1	118
29	Semen quality in hypogonadal acromegalic patients. <i>Pituitary</i> , 2020, 23, 160-166.	1.6	6
30	A history of cryptorchidism is associated with impaired testicular function in early adulthood: a cross-sectional study of 6376 men from the general population. <i>Human Reproduction</i> , 2020, 35, 1765-1780.	0.4	13
31	Use of e-cigarettes associated with lower sperm counts in a cross-sectional study of young men from the general population. <i>Human Reproduction</i> , 2020, 35, 1693-1701.	0.4	20
32	Psychological stress, stressful life events, male factor infertility, and testicular function: a cross-sectional study. <i>Fertility and Sterility</i> , 2020, 113, 865-875.	0.5	31
33	Evaluation of Serum Insulin-like Factor 3 Quantification by LC-MS/MS as a Biomarker of Leydig Cell Function.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1868-1877.	1.8	28
34	Impact of psychological stress measured in three different scales on testis function: A cross-sectional study of 1362 young men. <i>Andrology</i> , 2020, 8, 1674-1686.	1.9	13
35	Testicular microlithiasis on scrotal ultrasound in 4850 young men from the general population: associations with semen quality. <i>Andrology</i> , 2020, 8, 1736-1743.	1.9	4
36	Association of Dietary Patterns With Testicular Function in Young Danish Men. <i>JAMA Network Open</i> , 2020, 3, e1921610.	2.8	29

#	ARTICLE	IF	CITATIONS
37	Vitamin D and sex steroid production in men with normal or impaired Leydig cell function. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2020, 199, 105589.	1.2	16
38	Associations of Fish Oil Supplement Use With Testicular Function in Young Men. <i>JAMA Network Open</i> , 2020, 3, e1919462.	2.8	23
39	High serum FSH is not a risk factor for low bone mineral density in infertile men. <i>Bone</i> , 2020, 136, 115366.	1.4	4
40	Testicular Vein Sampling Can Reveal Gonadotropin-Independent Unilateral Steroidogenesis Supporting Spermatogenesis. <i>Journal of the Endocrine Society</i> , 2019, 3, 1881-1886.	0.1	3
41	Adherence to diet quality indices in relation to semen quality and reproductive hormones in young men. <i>Human Reproduction</i> , 2019, 34, 1866-1875.	0.4	20
42	Semen quality of young men in Switzerland: a nationwide cross-sectional population-based study. <i>Andrology</i> , 2019, 7, 818-826.	1.9	30
43	EAA clinical practice guidelines' gynecomastia evaluation and management. <i>Andrology</i> , 2019, 7, 778-793.	1.9	88
44	Populations, decreasing fertility, and reproductive health. <i>Lancet, The</i> , 2019, 393, 1500-1501.	6.3	36
45	Possible link between FSH and RANKL release from adipocytes in men with impaired gonadal function including Klinefelter syndrome. <i>Bone</i> , 2019, 123, 103-114.	1.4	13
46	Meat intake in relation to semen quality and reproductive hormone levels among young men in Spain. <i>British Journal of Nutrition</i> , 2019, 121, 451-460.	1.2	11
47	Anogenital distance is associated with semen quality but not reproductive hormones in 1106 young men from the general population. <i>Human Reproduction</i> , 2019, 34, 12-24.	0.4	29
48	An update on semen quality among young Finnish men and comparison with Danish data. <i>Andrology</i> , 2019, 7, 15-23.	1.9	20
49	Urinary concentrations of benzophenone-type ultra violet light filters and reproductive parameters in young men. <i>International Journal of Hygiene and Environmental Health</i> , 2018, 221, 531-540.	2.1	36
50	Effects of Vitamin D Supplementation on Semen Quality, Reproductive Hormones, and Live Birth Rate: A Randomized Clinical Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 870-881.	1.8	81
51	Semen quality associated with subsequent hospitalizations – Can the effect be explained by socio-economic status and lifestyle factors?. <i>Andrology</i> , 2018, 6, 428-435.	1.9	23
52	Average sperm count remains unchanged despite reduction in maternal smoking: results from a large cross-sectional study with annual investigations over 21 years. <i>Human Reproduction</i> , 2018, 33, 998-1008.	0.4	54
53	Serum concentration of anti-Müllerian hormone is not associated with semen quality. <i>Andrology</i> , 2018, 6, 286-292.	1.9	19
54	Viable acrosome-intact human spermatozoa in the ejaculate as a marker of semen quality and fertility status. <i>Human Reproduction</i> , 2018, 33, 361-371.	0.4	15

#	ARTICLE	IF	CITATIONS
55	Semen quality in patients with pituitary disease and adult-onset hypogonadotropic hypogonadism. <i>Endocrine Connections</i> , 2018, 7, 523-533.	0.8	9
56	Longitudinal Changes in Serum Levels of Testosterone and Luteinizing Hormone in Testicular Cancer Patients after Orchiectomy Alone or Bleomycin, Etoposide, and Cisplatin. <i>European Urology Focus</i> , 2018, 4, 591-598.	1.6	23
57	Urinary bisphenol A concentrations are associated with reproductive parameters in young men. <i>Environmental Research</i> , 2018, 161, 122-128.	3.7	118
58	Urinary concentrations of parabens and reproductive parameters in young men. <i>Science of the Total Environment</i> , 2018, 621, 201-209.	3.9	43
59	Is the <i>FSHR</i> 2039A>G variant associated with susceptibility to testicular germ cell cancer?. <i>Andrology</i> , 2018, 6, 176-183.	1.9	6
60	Anogenital distance as a phenotypic signature through infancy. <i>Pediatric Research</i> , 2018, 83, 573-579.	1.1	27
61	Decrease in semen quality and Leydig cell function in infertile men: a longitudinal study. <i>Human Reproduction</i> , 2018, 33, 1963-1974.	0.4	22
62	Expression of the O-Glycosylation Enzyme GalNAc-T3 in the Equatorial Segment Correlates with the Quality of Spermatozoa. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2949.	1.8	5
63	Positive association between cholesterol in human seminal plasma and sperm counts: results from a cross-sectional cohort study and immunohistochemical investigations. <i>Andrology</i> , 2018, 6, 817-828.	1.9	15
64	Urinary excretion of phenols, parabens and benzophenones in young men: Associations to reproductive hormones and semen quality are modified by mutations in the Filaggrin gene. <i>Environment International</i> , 2018, 121, 365-374.	4.8	30
65	Reproductive Function in a Population of Young Faroese Men with Elevated Exposure to Polychlorinated Biphenyls (PCBs) and Perfluorinated Alkylate Substances (PFAS). <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1880.	1.2	63
66	Development and validation of a mass spectrometry-based assay for quantification of insulin-like factor 3 in human serum. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 1913-1920.	1.4	29
67	Quantification of the Leydig cell compartment in testicular biopsies and association with biochemical Leydig cell dysfunction in testicular cancer survivors. <i>Andrology</i> , 2018, 6, 748-755.	1.9	7
68	Dynamic GnRH and hCG testing: establishment of new diagnostic reference levels. <i>European Journal of Endocrinology</i> , 2017, 176, 379-391.	1.9	25
69	Influence of marital status on testosterone levels – A ten year follow-up of 1113 men. <i>Psychoneuroendocrinology</i> , 2017, 80, 155-161.	1.3	27
70	Gynaecomastia in 786 adult men: clinical and biochemical findings. <i>European Journal of Endocrinology</i> , 2017, 176, 555-566.	1.9	29
71	Semen Quality as a Predictor of Subsequent Morbidity: A Danish Cohort Study of 4,712 Men With Long-Term Follow-up. <i>American Journal of Epidemiology</i> , 2017, 186, 910-917.	1.6	107
72	Reproductive hormones and metabolic syndrome in 24 testicular cancer survivors and their biological brothers. <i>Andrology</i> , 2017, 5, 718-724.	1.9	5

#	ARTICLE	IF	CITATIONS
73	Exposure to phenols, parabens and UV filters: Associations with loss-of-function mutations in the filaggrin gene in men from the general population. <i>Environment International</i> , 2017, 105, 105-111.	4.8	20
74	Improved sperm kinematics in semen samples collected after 2 h versus 4–7 days of ejaculation abstinence. <i>Human Reproduction</i> , 2017, 32, 1364-1372.	0.4	49
75	Semen quality of young men from the general population in Baltic countries. <i>Human Reproduction</i> , 2017, 32, 1334-1340.	0.4	26
76	Validation of image cytometry for sperm concentration measurement: Comparison with manual counting of 4010 human semen samples. <i>Clinica Chimica Acta</i> , 2017, 468, 114-119.	0.5	6
77	Semen quality in the 21st century. <i>Nature Reviews Urology</i> , 2017, 14, 120-130.	1.9	155
78	Possible involvement of the glucocorticoid receptor (<i>NR3C1</i>) and selected <i>NR3C1</i> gene variants in regulation of human testicular function. <i>Andrology</i> , 2017, 5, 1105-1114.	1.9	32
79	Factor V Leiden is associated with increased sperm count. <i>Human Reproduction</i> , 2017, 32, 2332-2339.	0.4	2
80	Temporal trends in sperm count: a systematic review and meta-regression analysis. <i>Human Reproduction Update</i> , 2017, 23, 646-659.	5.2	899
81	Leydig cell dysfunction, systemic inflammation and metabolic syndrome in long-term testicular cancer survivors. <i>European Journal of Cancer</i> , 2017, 84, 9-17.	1.3	17
82	Anti-Müllerian hormone levels and fecundability in women with a natural conception. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 217, 44-52.	0.5	13
83	Polymorphisms in <i>JMJD1C</i> are associated with pubertal onset in boys and reproductive function in men. <i>Scientific Reports</i> , 2017, 7, 17242.	1.6	1
84	Preorchietomy Leydig Cell Dysfunction in Patients With Testicular Cancer. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e37-e43.	0.9	17
85	Reply to Eugenio Ventimiglia, Francesco Montorsi, and Andrea Salonia's Letter to the Editor re: Jakob Damsgaard, Ulla N. Joensen, Elisabeth Carlsen, et al. Varicocele Is Associated with Impaired Semen Quality and Reproductive Hormone Levels: A Study of 7035 Healthy Young Men from Six European Countries. <i>Fur Urol</i> 2016;70:1019–29. <i>European Urology</i> , 2017, 71, e71-e72.	0.9	1
86	A randomized double-blind study of testosterone replacement therapy or placebo in testicular cancer survivors with mild Leydig cell insufficiency (Einstein-intervention). <i>BMC Cancer</i> , 2017, 17, 461.	1.1	11
87	Fatty acid intake in relation to reproductive hormones and testicular volume among young healthy men. <i>Asian Journal of Andrology</i> , 2017, 19, 184.	0.8	39
88	Long-term changes in testosterone levels in testicular cancer survivors. <i>Annals of Oncology</i> , 2016, 27, vi291.	0.6	0
89	Testosterone deficiency in testicular cancer survivors – a systematic review and meta-analysis. <i>Andrology</i> , 2016, 4, 382-388.	1.9	50
90	Selection of high quality spermatozoa may be promoted by activated vitamin D in the woman. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 102, jc.2016-3008.	1.8	17

#	ARTICLE	IF	CITATIONS
91	Intake of Fruits and Vegetables with Low-to-Moderate Pesticide Residues Is Positively Associated with Semen-Quality Parameters among Young Healthy Men. <i>Journal of Nutrition</i> , 2016, 146, 1084-1092.	1.3	66
92	Varicocele Is Associated with Impaired Semen Quality and Reproductive Hormone Levels: A Study of 7035 Healthy Young Men from Six European Countries. <i>European Urology</i> , 2016, 70, 1019-1029.	0.9	176
93	Is Sedentary Lifestyle Associated With Testicular Function? A Cross-Sectional Study of 1,210 Men. <i>American Journal of Epidemiology</i> , 2016, 184, 284-294.	1.6	46
94	Self-reported onset of puberty and subsequent semen quality and reproductive hormones in healthy young men. <i>Human Reproduction</i> , 2016, 31, 1886-1894.	0.4	21
95	Vitamin D deficiency and low ionized calcium are linked with semen quality and sex steroid levels in infertile men. <i>Human Reproduction</i> , 2016, 31, 1875-1885.	0.4	95
96	Anogenital distance and reproductive parameters in young men. <i>Andrologia</i> , 2016, 48, 3-10.	1.0	25
97	Obesity and Bariatric Surgery Drive Epigenetic Variation of Spermatozoa in Humans. <i>Cell Metabolism</i> , 2016, 23, 369-378.	7.2	435
98	Semen quality improves marginally during young adulthood: a longitudinal follow-up study. <i>Human Reproduction</i> , 2016, 31, 502-510.	0.4	15
99	Compensated reduction in Leydig cell function is associated with lower semen quality variables: a study of 8182 European young men. <i>Human Reproduction</i> , 2016, 31, 947-957.	0.4	40
100	Psychological stress and testicular function: a cross-sectional study of 1,215 Danish men. <i>Fertility and Sterility</i> , 2016, 105, 174-187.e2.	0.5	104
101	Male Reproductive Disorders and Fertility Trends: Influences of Environment and Genetic Susceptibility. <i>Physiological Reviews</i> , 2016, 96, 55-97.	13.1	700
102	Toward a multi-country monitoring system of reproductive health in the context of endocrine disrupting chemical exposure: Table 1. <i>European Journal of Public Health</i> , 2016, 26, 76-83.	0.1	42
103	2587 Pre-orchietomy Leydig Cell function in testicular germ cell cancer (TGCC) patients. <i>European Journal of Cancer</i> , 2015, 51, S507.	1.3	0
104	Physical activity and television watching in relation to semen quality in young men. <i>British Journal of Sports Medicine</i> , 2015, 49, 265-270.	3.1	113
105	Spermatogenic capacity in fertile men with elevated exposure to polychlorinated biphenyls. <i>Environmental Research</i> , 2015, 138, 345-351.	3.7	22
106	Mediterranean and western dietary patterns are related to markers of testicular function among healthy men. <i>Human Reproduction</i> , 2015, 30, dev236.	0.4	55
107	Increasing international efforts to understand and conquer testicular germ cell cancer. <i>Andrology</i> , 2015, 3, 1-3.	1.9	3
108	A Longitudinal Study of Growth, Sex Steroids, and IGF-1 in Boys With Physiological Gynecomastia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3752-3759.	1.8	38

#	ARTICLE	IF	CITATIONS
109	Association Between Use of Marijuana and Male Reproductive Hormones and Semen Quality: A Study Among 1,215 Healthy Young Men. <i>American Journal of Epidemiology</i> , 2015, 182, 473-481.	1.6	163
110	Urinary Bisphenol A Levels in Young Men: Association with Reproductive Hormones and Semen Quality. <i>Environmental Health Perspectives</i> , 2014, 122, 478-484.	2.8	173
111	Associations of Filaggrin Gene Loss-of-Function Variants with Urinary Phthalate Metabolites and Testicular Function in Young Danish Men. <i>Environmental Health Perspectives</i> , 2014, 122, 345-350.	2.8	25
112	Resistance Training and Testosterone Levels in Male Patients with Chronic Kidney Disease Undergoing Dialysis. <i>BioMed Research International</i> , 2014, 2014, 1-7.	0.9	9
113	PFOS (perfluorooctanesulfonate) in serum is negatively associated with testosterone levels, but not with semen quality, in healthy men. <i>Human Reproduction</i> , 2014, 29, 1600-1600.	0.4	2
114	Habitual alcohol consumption associated with reduced semen quality and changes in reproductive hormones; a cross-sectional study among 1221 young Danish men. <i>BMJ Open</i> , 2014, 4, e005462-e005462.	0.8	112
115	Association between GH receptor polymorphism (exon 3 deletion), serum IGF1, semen quality, and reproductive hormone levels in 838 healthy young men. <i>European Journal of Endocrinology</i> , 2014, 170, 555-563.	1.9	7
116	The 2014 Danish references from birth to 20 years for height, weight and body mass index. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 214-224.	0.7	167
117	Meat Intake and Reproductive Parameters Among Young Men. <i>Epidemiology</i> , 2014, 25, 323-330.	1.2	46
118	Reproductive parameters in young men living in Rochester, New York. <i>Fertility and Sterility</i> , 2014, 101, 1064-1071.	0.5	32
119	Genetics of congenital hypogonadotropic hypogonadism in Denmark. <i>European Journal of Medical Genetics</i> , 2014, 57, 345-348.	0.7	30
120	Compass: A hybrid method for clinical and biobank data mining. <i>Journal of Biomedical Informatics</i> , 2014, 47, 160-170.	2.5	15
121	Sugar-sweetened beverage intake in relation to semen quality and reproductive hormone levels in young men. <i>Human Reproduction</i> , 2014, 29, 1575-1584.	0.4	64
122	Estimated Daily Intake and Hazard Quotients and Indices of Phthalate Diesters for Young Danish Men. <i>Environmental Science & Technology</i> , 2014, 48, 706-712.	4.6	30
123	Human urinary excretion of non-persistent environmental chemicals: an overview of Danish data collected between 2006 and 2012. <i>Reproduction</i> , 2014, 147, 555-565.	1.1	184
124	Sex, age, pubertal development and use of oral contraceptives in relation to serum concentrations of DHEA, DHEAS, 17 β -hydroxyprogesterone, 17 α -4-androstenedione, testosterone and their ratios in children, adolescents and young adults. <i>Clinica Chimica Acta</i> , 2014, 437, 6-13.	0.5	61
125	Alcohol and male reproductive health: a cross-sectional study of 8344 healthy men from Europe and the USA. <i>Human Reproduction</i> , 2014, 29, 1801-1809.	0.4	114
126	Possible fetal determinants of male infertility. <i>Nature Reviews Endocrinology</i> , 2014, 10, 553-562.	4.3	129

#	ARTICLE	IF	CITATIONS
127	Image cytometer method for automated assessment of human spermatozoa concentration. <i>Andrology</i> , 2013, 1, 615-623.	1.9	12
128	Semen quality in relation to antioxidant intake in a healthy male population. <i>Fertility and Sterility</i> , 2013, 100, 1572-1579.	0.5	76
129	Association Between Organic Dietary Choice During Pregnancy and Hypospadias in Offspring: A Study of Mothers of 306 Boys Operated on for Hypospadias. <i>Journal of Urology</i> , 2013, 189, 1077-1082.	0.2	42
130	Association of Sleep Disturbances With Reduced Semen Quality: A Cross-sectional Study Among 953 Healthy Young Danish Men. <i>American Journal of Epidemiology</i> , 2013, 177, 1027-1037.	1.6	80
131	Proposal of guidelines for the appraisal of SEMen QUALity studies (SEMQUA). <i>Human Reproduction</i> , 2013, 28, 10-21.	0.4	51
132	High dietary intake of saturated fat is associated with reduced semen quality among 701 young Danish men from the general population. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 411-418.	2.2	155
133	Temporal Variability in Urinary Phthalate Metabolite Excretion Based on Spot, Morning, and 24-h Urine Samples: Considerations for Epidemiological Studies. <i>Environmental Science & Technology</i> , 2013, 47, 958-967.	4.6	112
134	Temporal variability in urinary excretion of bisphenol A and seven other phenols in spot, morning, and 24-h urine samples. <i>Environmental Research</i> , 2013, 126, 164-170.	3.7	102
135	Sperm Concentration, Testicular Volume and Age Predict Risk of Carcinoma In Situ in Contralateral Testis of Men with Testicular Germ Cell Cancer. <i>Journal of Urology</i> , 2013, 190, 2074-2080.	0.2	33
136	A homozygous $R^{262}Q$ mutation in the gonadotropin-releasing hormone receptor presenting as reversal of hypogonadotropic hypogonadism and late-onset hypogonadism. <i>Clinical Endocrinology</i> , 2013, 78, 316-317.	1.2	21
137	Sperm counts may have declined in young university students in Southern Spain. <i>Andrology</i> , 2013, 1, 408-413.	1.9	83
138	Semen quality and reproductive hormones in Faroese men: a cross-sectional population-based study of 481 men. <i>BMJ Open</i> , 2013, 3, e001946.	0.8	26
139	PFOS (perfluorooctanesulfonate) in serum is negatively associated with testosterone levels, but not with semen quality, in healthy men. <i>Human Reproduction</i> , 2013, 28, 599-608.	0.4	158
140	Identification of a Novel Androgen Receptor Mutation in a Family With Multiple Components Compatible With the Testicular Dysgenesis Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2223-2229.	1.8	26
141	UGT2B17 Genotype and the Pharmacokinetic Serum Profile of Testosterone during Substitution Therapy with Testosterone Undecanoate. A Retrospective Experience from 207 Men with Hypogonadism. <i>Frontiers in Endocrinology</i> , 2013, 4, 94.	1.5	9
142	Semen quality of fertile Japanese men: a cross-sectional population-based study of 792 men. <i>BMJ Open</i> , 2013, 3, e002223.	0.8	33
143	Dairy food intake in relation to semen quality and reproductive hormone levels among physically active young men. <i>Human Reproduction</i> , 2013, 28, 2265-2275.	0.4	82
144	47,XXY Klinefelter syndrome: Clinical characteristics and age-specific recommendations for medical management. <i>American Journal of Medical Genetics, Part C: Seminars in Medical Genetics</i> , 2013, 163, 55-63.	0.7	86

#	ARTICLE	IF	CITATIONS
145	Semen quality of 1559 young men from four cities in Japan: a cross-sectional population-based study. <i>BMJ Open</i> , 2013, 3, e002222.	0.8	43
146	Phthalate Excretion Pattern and Testicular Function: A Study of 881 Healthy Danish Men. <i>Environmental Health Perspectives</i> , 2012, 120, 1397-1403.	2.8	147
147	Human semen quality in the new millennium: a prospective cross-sectional population-based study of 4867 men. <i>BMJ Open</i> , 2012, 2, e000990.	0.8	225
148	A genome-wide association study of men with symptoms of testicular dysgenesis syndrome and its network biology interpretation. <i>Journal of Medical Genetics</i> , 2012, 49, 58-65.	1.5	96
149	Urinary Concentrations of Di(2-ethylhexyl) Phthalate Metabolites and Serum Reproductive Hormones: Pooled Analysis of Fertile and Infertile Men. <i>Journal of Andrology</i> , 2012, 33, 488-498.	2.0	70
150	Semen quality and reproductive hormone levels in men from Southern Spain. <i>Journal of Developmental and Physical Disabilities</i> , 2012, 35, 1-10.	3.6	44
151	Expression of the vitamin D metabolizing enzyme CYP24A1 at the annulus of human spermatozoa may serve as a novel marker of semen quality. <i>Journal of Developmental and Physical Disabilities</i> , 2012, 35, 499-510.	3.6	72
152	Recent adverse trends in semen quality and testis cancer incidence of Finnish men: reply to Bonde <i>et al.</i> , <i>IJA</i> 2012. <i>Journal of Developmental and Physical Disabilities</i> , 2012, 35, 627-628.	3.6	0
153	Regional differences and temporal trends in male reproductive health disorders: Semen quality may be a sensitive marker of environmental exposures. <i>Molecular and Cellular Endocrinology</i> , 2012, 355, 221-230.	1.6	141
154	Shorter Anogenital Distance Predicts Poorer Semen Quality in Young Men in Rochester, New York. <i>Environmental Health Perspectives</i> , 2011, 119, 958-963.	2.8	183
155	Vitamin D Is Positively Associated With Sperm Motility and Increases Intracellular Calcium in Human Spermatozoa. <i>Obstetrical and Gynecological Survey</i> , 2011, 66, 556-558.	0.2	3
156	Commentary: Sperm Counts, Data Responsibility, and Good Scientific Practice. <i>Epidemiology</i> , 2011, 22, 620-621.	1.2	24
157	Associations between urinary metabolites of di(2-ethylhexyl) phthalate and reproductive hormones in fertile men. <i>Journal of Developmental and Physical Disabilities</i> , 2011, 34, 369-378.	3.6	67
158	Parabens in urine, serum and seminal plasma from healthy Danish men determined by liquid chromatography-tandem mass spectrometry (LC-MS/MS). <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2011, 21, 262-271.	1.8	220
159	Recent adverse trends in semen quality and testis cancer incidence among Finnish men. <i>Journal of Developmental and Physical Disabilities</i> , 2011, 34, e37-48.	3.6	133
160	Screening of subfertile men for testicular carcinoma in situ by an automated image analysis-based cytological test of the ejaculate. <i>Journal of Developmental and Physical Disabilities</i> , 2011, 34, e21-30; discussion e30-1.	3.6	25
161	Genetically Determined Dosage of Follicle-Stimulating Hormone (FSH) Affects Male Reproductive Parameters. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1534-E1541.	1.8	47
162	Prenatal and adult exposures to smoking are associated with adverse effects on reproductive hormones, semen quality, final height and body mass index. <i>Human Reproduction</i> , 2011, 26, 1000-1011.	0.4	75

#	ARTICLE	IF	CITATIONS
163	Vitamin D is positively associated with sperm motility and increases intracellular calcium in human spermatozoa. <i>Human Reproduction</i> , 2011, 26, 1307-1317.	0.4	201
164	Improvement of semen quality in an infertile man with 21-hydroxylase deficiency, suppressed serum gonadotropins and testicular adrenal rest tumours. <i>Journal of Developmental and Physical Disabilities</i> , 2010, 33, 518-520.	3.6	28
165	Testicular adrenal rest tumours in boys, adolescents and adult men with congenital adrenal hyperplasia may be associated with the CYP21A2 mutation. <i>Journal of Developmental and Physical Disabilities</i> , 2010, 33, 521-527.	3.6	45
166	Increased number of sex chromosomes affects height in a nonlinear fashion: A study of 305 patients with sex chromosome aneuploidy. <i>American Journal of Medical Genetics, Part A</i> , 2010, 152A, 1206-1212.	0.7	163
167	Semen quality, reproductive hormones and fertility of men operated for hypospadias. <i>Journal of Developmental and Physical Disabilities</i> , 2010, 33, 80-87.	3.6	46
168	Testicular dysgenesis syndrome comprises some but not all cases of hypospadias and impaired spermatogenesis. <i>Journal of Developmental and Physical Disabilities</i> , 2010, 33, 298-303.	3.6	74
169	Are Environmental Levels of Bisphenol A Associated with Reproductive Function in Fertile Men?. <i>Environmental Health Perspectives</i> , 2010, 118, 1286-1291.	2.8	192
170	Correlations Between Phthalate Metabolites in Urine, Serum, and Seminal Plasma from Young Danish Men Determined by Isotope Dilution Liquid Chromatography Tandem Mass Spectrometry. <i>Journal of Analytical Toxicology</i> , 2010, 34, 400-410.	1.7	184
171	Caffeine Intake and Semen Quality in a Population of 2,554 Young Danish Men. <i>American Journal of Epidemiology</i> , 2010, 171, 883-891.	1.6	103
172	Reply: The downstream effects of vitamin D in spermatozoa needs further study. <i>Human Reproduction</i> , 2010, 25, 2153-2153.	0.4	0
173	Clinical and biochemical correlates of successful semen collection for cryopreservation from 12-18-year-old patients: a single-center study of 86 adolescents. <i>Human Reproduction</i> , 2010, 25, 2031-2038.	0.4	71
174	Serum inhibin-b in fertile men is strongly correlated with low but not high sperm counts: a coordinated study of 1,797 European and US men. <i>Fertility and Sterility</i> , 2010, 94, 2128-2134.	0.5	61
175	Vitamin D receptor and vitamin D metabolizing enzymes are expressed in the human male reproductive tract. <i>Human Reproduction</i> , 2010, 25, 1303-1311.	0.4	288
176	Associations between andrological measures, hormones and semen quality in fertile Australian men: inverse relationship between obesity and sperm output. <i>Human Reproduction</i> , 2009, 24, 1561-1568.	0.4	114
177	Is there a problem with male reproduction?. <i>Nature Reviews Endocrinology</i> , 2009, 5, 144-145.	4.3	7
178	Do Perfluoroalkyl Compounds Impair Human Semen Quality?. <i>Environmental Health Perspectives</i> , 2009, 117, 923-927.	2.8	315
179	Low semen volume in 47 adolescents and adults with 47,XXY Klinefelter or 46,XX male syndrome. <i>Journal of Developmental and Physical Disabilities</i> , 2009, 32, 376-384.	3.6	57
180	Testosterone Production is Better Preserved After 16 than 20 Gray Irradiation Treatment Against Testicular Carcinoma In Situ Cells. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 75, 672-676.	0.4	45

#	ARTICLE	IF	CITATIONS
181	Testicular Dysgenesis Syndrome and Leydig Cell Function. Basic and Clinical Pharmacology and Toxicology, 2008, 102, 155-161.	1.2	61
182	Adverse trends in male reproductive health: we may have reached a crucial "tipping point". Journal of Developmental and Physical Disabilities, 2008, 31, 74-80.	3.6	148
183	Semen quality in subfertile range for a significant proportion of young men from the general German population: a coordinated, controlled study of 791 men from Hamburg and Leipzig. Journal of Developmental and Physical Disabilities, 2008, 31, 93-102.	3.6	84
184	Phenotypic variation within European carriers of the Y-chromosomal gr/gr deletion is independent of Y-chromosomal background. Journal of Medical Genetics, 2008, 46, 21-31.	1.5	65
185	Sons conceived by assisted reproduction techniques inherit deletions in the azoospermia factor (AZF) region of the Y chromosome and the DAZ gene copy number. Human Reproduction, 2008, 23, 1669-1678.	0.4	43
186	RE: "PARENTAL INFERTILITY AND SEMEN QUALITY IN MALE OFFSPRING: A FOLLOW-UP STUDY". American Journal of Epidemiology, 2007, 166, 1105-1105.	1.6	0
187	Does more than one biopsy of the contralateral testis in men with a germ cell tumor add value?. Nature Reviews Urology, 2007, 4, 652-653.	1.4	3
188	Testicular dysgenesis syndrome and carcinoma in situ of the testes. Nature Reviews Urology, 2007, 4, 402-403.	1.4	5
189	Increased frequency of reproductive health problems among fathers of boys with hypospadias. Human Reproduction, 2007, 22, 2639-2646.	0.4	57
190	Towards a non-invasive method for early detection of testicular neoplasia in semen samples by identification of fetal germ cell-specific markers. Human Reproduction, 2007, 22, 167-173.	0.4	49
191	Twin pregnancy possibly associated with high semen quality. Human Reproduction, 2007, 22, 751-755.	0.4	16
192	Self-rated health and semen quality among 3,457 young Danish men. Fertility and Sterility, 2007, 88, 1366-1373.	0.5	17
193	Testicular cancer trends as "whistle blowers" of testicular developmental problems in populations. Journal of Developmental and Physical Disabilities, 2007, 30, 198-205.	3.6	88
194	Current approaches for detection of carcinoma in situ testis. Journal of Developmental and Physical Disabilities, 2007, 30, 398-405.	3.6	33
195	Testicular carcinoma in situ in subfertile Danish men. Journal of Developmental and Physical Disabilities, 2007, 30, 406-412.	3.6	35
196	Primary testicular failure in Klinefelter's syndrome: the use of bivariate luteinizing hormone-testosterone reference charts. Clinical Endocrinology, 2007, 66, 276-281.	1.2	46
197	Nordic consensus on treatment of undescended testes. Acta Paediatrica, International Journal of Paediatrics, 2007, 96, 638-643.	0.7	310
198	Cryptorchidism: classification, prevalence and long-term consequences. Acta Paediatrica, International Journal of Paediatrics, 2007, 96, 611-616.	0.7	209

#	ARTICLE	IF	CITATIONS
199	Are men with testicular cancer at risk of developing a contralateral tumor?. Nature Reviews Urology, 2006, 3, 134-135.	1.4	2
200	Is human fecundity declining?. Journal of Developmental and Physical Disabilities, 2006, 29, 2-11.	3.6	270
201	Coordinated European investigations of semen quality: results from studies of Scandinavian young men is a matter of concern. Journal of Developmental and Physical Disabilities, 2006, 29, 54-61.	3.6	144
202	Reply: A study of finger lengths, semen quality and sex hormones in 360 young men from the general Danish population. Human Reproduction, 2006, 21, 1331-1332.	0.4	5
203	Fertility Treatment and Reproductive Health of Male Offspring: A Study of 1,925 Young Men from the General Population. American Journal of Epidemiology, 2006, 165, 583-590.	1.6	40
204	Semen quality of 324 fertile Japanese men. Human Reproduction, 2006, 21, 760-765.	0.4	66
205	Maternal Hormone Treatment Around Conception and Reproductive Health Among the Offspring: A Study of 1925 Young Danish Men From the General Population. Epidemiology, 2006, 17, S194.	1.2	0
206	Testicular dysgenesis and fertility. Andrologia, 2005, 37, 217-218.	1.0	34
207	Insulin-Like Factor 3 Serum Levels in 135 Normal Men and 85 Men with Testicular Disorders: Relationship to the Luteinizing Hormone-Testosterone Axis. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 3410-3418.	1.8	167
208	Higher than expected prevalence of congenital cryptorchidism in Lithuania: a study of 1204 boys at birth and 1 year follow-up. Human Reproduction, 2005, 20, 1928-1932.	0.4	88
209	A study of finger lengths, semen quality and sex hormones in 360 young men from the general Danish population. Human Reproduction, 2005, 20, 3109-3113.	0.4	60
210	Serum Inhibin B and Follicle-Stimulating Hormone Levels as Tools in the Evaluation of Infertile Men: Significance of Adequate Reference Values from Proven Fertile Men. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 2873-2879.	1.8	141
211	Impaired Leydig Cell Function in Infertile Men: A Study of 357 Idiopathic Infertile Men and 318 Proven Fertile Controls. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 3161-3167.	1.8	216
212	Association of In Utero Exposure to Maternal Smoking with Reduced Semen Quality and Testis Size in Adulthood: A Cross-Sectional Study of 1,770 Young Men from the General Population in Five European Countries. American Journal of Epidemiology, 2004, 159, 49-58.	1.6	214
213	Developmental expression of POU5F1 (OCT-3/4) in normal and dysgenetic human gonads. Human Reproduction, 2004, 19, 1338-1344.	0.4	188
214	Biology and epidemiology of testicular dysgenesis syndrome. BJU International, 2004, 93, 6-11.	1.3	48
215	Body mass index in relation to semen quality and reproductive hormones among 1,558 Danish men. Fertility and Sterility, 2004, 82, 863-870.	0.5	685
216	Frequent polymorphism of the mitochondrial DNA polymerase gamma gene (POLG) in patients with normal spermiograms and unexplained subfertility. Human Reproduction, 2004, 19, 65-70.	0.4	83

#	ARTICLE	IF	CITATIONS
217	Association between testicular dysgenesis syndrome (TDS) and testicular neoplasia: Evidence from 20 adult patients with signs of maldevelopment of the testis. <i>Apmis</i> , 2003, 111, 1-11.	0.9	142
218	East-West gradient in semen quality in the Nordic-Baltic area: a study of men from the general population in Denmark, Norway, Estonia and Finland. <i>Human Reproduction</i> , 2002, 17, 2199-2208.	0.4	274
219	Time to pregnancy in relation to semen quality assessed by CASA before and after sperm separation. <i>Human Reproduction</i> , 2002, 17, 173-177.	0.4	19
220	Poor semen quality may contribute to recent decline in fertility rates. <i>Human Reproduction</i> , 2002, 17, 1437-1440.	0.4	81
221	Time to pregnancy and semen parameters: a cross-sectional study among fertile couples from four European cities. <i>Human Reproduction</i> , 2002, 17, 503-515.	0.4	250
222	Spermaturation and serum hormone concentrations at the age of puberty in boys prenatally exposed to polychlorinated biphenyls. <i>European Journal of Endocrinology</i> , 2002, 146, 357-363.	1.9	74
223	CAG repeat length in androgen-receptor gene and reproductive variables in fertile and infertile men. <i>Lancet, The</i> , 2002, 359, 44-46.	6.3	89
224	Regional differences in semen qualities in the Baltic region. <i>Journal of Developmental and Physical Disabilities</i> , 2002, 25, 243-252.	3.6	71
225	Identification of a Y chromosome haplogroup associated with reduced sperm counts. <i>Human Molecular Genetics</i> , 2001, 10, 1873-1877.	1.4	82
226	Regional differences in waiting time to pregnancy among fertile couples from four European cities. <i>Human Reproduction</i> , 2001, 16, 2697-2704.	0.4	85
227	Sperm morphological defects related to environment, lifestyle and medical history of 1001 male partners of pregnant women from four European cities. <i>Human Reproduction</i> , 2001, 16, 2710-2717.	0.4	177
228	Regional differences in semen quality in Europe. <i>Human Reproduction</i> , 2001, 16, 1012-1019.	0.4	416
229	High frequency of sub-optimal semen quality in an unselected population of young men. <i>Human Reproduction</i> , 2000, 15, 366-372.	0.4	278
230	Inter-observer variation in the results of the clinical andrological examination including estimation of testicular size. <i>Journal of Developmental and Physical Disabilities</i> , 2000, 23, 248-253.	3.6	82
231	Serum Levels of Testosterone Do Not Provide Evidence of Selection Bias in Studies of Male Reproductive Health. <i>Epidemiology</i> , 2000, 11, 232.	1.2	10
232	Expression of Anti-Müllerian Hormone during Normal and Pathological Gonadal Development: Association with Differentiation of Sertoli and Granulosa Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 3836-3844.	1.8	318
233	Environment and Male Reproductive Function. , 1999, , 321-337.		5
234	Expression of Anti-Müllerian Hormone during Normal and Pathological Gonadal Development: Association with Differentiation of Sertoli and Granulosa Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 3836-3844.	1.8	250

#	ARTICLE	IF	CITATIONS
235	Germ cell cancer and disorders of spermatogenesis: An environmental connection?. <i>Apmis</i> , 1998, 106, 3-12.	0.9	226
236	Developmental arrest of germ cells in the pathogenesis of germ cell neoplasia. <i>Apmis</i> , 1998, 106, 198-206.	0.9	154
237	Heterogeneity of gonadoblastoma germ cells: similarities with immature germ cells, spermatogonia and testicular carcinoma in situ cells. <i>Histopathology</i> , 1997, 30, 177-186.	1.6	99
238	Semen analysis performed by different laboratory teams: an intervariation study. <i>Journal of Developmental and Physical Disabilities</i> , 1997, 20, 201-208.	3.6	159
239	PROLONGED EXPRESSION OF THE c-kit RECEPTOR IN GERM CELLS OF INTERSEX FETAL TESTES. <i>Journal of Pathology</i> , 1996, 178, 166-169.	2.1	52
240	PROLONGED EXPRESSION OF THE c-kit RECEPTOR IN GERM CELLS OF INTERSEX FETAL TESTES. , 1996, 178, 166.		3
241	Andrology: Sperm morphology using strict criteria after Percoll density separation: influence on cleavage and pregnancy rates after in-vitro fertilization. <i>Human Reproduction</i> , 1995, 10, 1781-1785.	0.4	26
242	Incidence of testicular mononuclear cell infiltrates in normal human males and in patients with germ cell neoplasia. <i>Journal of Developmental and Physical Disabilities</i> , 1995, 18, 313-320.	3.6	4
243	Trends in incidence of testicular cancer in boys and adolescent men. <i>International Journal of Cancer</i> , 1995, 61, 761-764.	2.3	58
244	DNA content and expression of tumour markers in germ cells adjacent to germ cell tumours in childhood: Probably A different origin for infantile and adolescent germ cell tumours. <i>Journal of Pathology</i> , 1995, 176, 269-278.	2.1	45
245	Improvement of sperm motility by the addition of progesterone to the Percoll medium during sperm purification. <i>Human Reproduction</i> , 1995, 10, 3183-3185.	0.4	11
246	Incidence of testicular mononuclear cell infiltrates in normal human males and in patients with germ cell neoplasia. <i>Journal of Developmental and Physical Disabilities</i> , 1995, 18, 313-320.	3.6	27
247	Expression of immunohistochemical markers for testicular carcinoma in situ by normal human fetal germ cells. <i>Laboratory Investigation</i> , 1995, 72, 223-31.	1.7	50
248	Testicular germ cell tumours of childhood in Denmark, 1943-1989: Incidence and evaluation of histology using immunohistochemical techniques. <i>Journal of Pathology</i> , 1994, 174, 39-47.	2.1	27
249	Immunohistochemical expression of embryonal marker TRA-1â€“60 in carcinoma in situ and germ cell tumors of the testis. <i>Cancer</i> , 1993, 72, 1308-1314.	2.0	71
250	Immunohistochemical markers of carcinoma in situ of the testis also expressed in normal infantile germ cells. <i>Histopathology</i> , 1993, 22, 373-378.	1.6	80
251	Testicular cancer after vasectomy: Origin from carcinoma in situ of the testis. <i>European Journal of Cancer</i> , 1993, 29, 1062-1064.	1.3	14
252	DNA distributions in maldescended testes: Hyperdiploid aneuploidy without evidence of germ cell neoplasia. <i>Cytometry</i> , 1991, 12, 77-81.	1.8	9