Andreas Schlüter

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9493808/publications.pdf

Version: 2024-02-01

139 papers 7,861 citations

41344 49 h-index 82 g-index

145 all docs 145
docs citations

145 times ranked 7523 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Detection of 140 clinically relevant antibiotic-resistance genes in the plasmid metagenome of wastewater treatment plant bacteria showing reduced susceptibility to selected antibiotics. Microbiology (United Kingdom), 2009, 155, 2306-2319. | 1.8 | 411 |
| 2 | The metagenome of a biogas-producing microbial community of a production-scale biogas plant fermenter analysed by the 454-pyrosequencing technology. Journal of Biotechnology, 2008, 136, 77-90. | 3.8 | 329 |
| 3 | Genomics of IncP-1 antibiotic resistance plasmids isolated from wastewater treatment plants provides evidence for a widely accessible drug resistance gene pool. FEMS Microbiology Reviews, 2007, 31, 449-477. | 8.6 | 312 |
| 4 | Phylogenetic characterization of a biogas plant microbial community integrating clone library 16S-rDNA sequences and metagenome sequence data obtained by 454-pyrosequencing. Journal of Biotechnology, 2009, 142, 38-49. | 3.8 | 248 |
| 5 | Comparative and Joint Analysis of Two Metagenomic Datasets from a Biogas Fermenter Obtained by 454-Pyrosequencing. PLoS ONE, 2011, 6, e14519. | 2.5 | 208 |
| 6 | Taxonomic composition and gene content of a methane-producing microbial community isolated from a biogas reactor. Journal of Biotechnology, 2008, 136, 91-101. | 3.8 | 202 |
| 7 | Profiling of the metabolically active community from a production-scale biogas plant by means of high-throughput metatranscriptome sequencing. Journal of Biotechnology, 2012, 158, 248-258. | 3.8 | 198 |
| 8 | Occurrence of integron-associated resistance gene cassettes located on antibiotic resistance plasmids isolated from a wastewater treatment plant. FEMS Microbiology Ecology, 2003, 45, 239-252. | 2.7 | 187 |
| 9 | Metagenome and metaproteome analyses of microbial communities in mesophilic biogas-producing anaerobic batch fermentations indicate concerted plant carbohydrate degradation. Systematic and Applied Microbiology, 2013, 36, 330-338. | 2.8 | 182 |
| 10 | Comparative metagenomics of biogas-producing microbial communities from production-scale biogas plants operating under wet or dry fermentation conditions. Biotechnology for Biofuels, 2015, 8, 14. | 6.2 | 159 |
| 11 | New insights from the biogas microbiome by comprehensive genome-resolved metagenomics of nearly 1600 species originating from multiple anaerobic digesters. Biotechnology for Biofuels, 2020, 13, 25. | 6.2 | 136 |
| 12 | Unraveling the microbiome of a thermophilic biogas plant by metagenome and metatranscriptome analysis complemented by characterization of bacterial and archaeal isolates. Biotechnology for Biofuels, 2016, 9, 171. | 6.2 | 134 |
| 13 | Characterization of microbial biofilms in a thermophilic biogas system by high-throughput metagenome sequencing. FEMS Microbiology Ecology, 2012, 79, 785-799. | 2.7 | 130 |
| 14 | Antibiotic multiresistance plasmid pRSB101 isolated from a wastewater treatment plant is related to plasmids residing in phytopathogenic bacteria and carries eight different resistance determinants including a multidrug transport system. Microbiology (United Kingdom), 2004, 150, 3613-3630. | 1.8 | 128 |
| 15 | Metagenome, metatranscriptome, and metaproteome approaches unraveled compositions and functional relationships of microbial communities residing in biogas plants. Applied Microbiology and Biotechnology, 2018, 102, 5045-5063. | 3.6 | 128 |
| 16 | Identification and genome reconstruction of abundant distinct taxa in microbiomes from one thermophilic and three mesophilic production-scale biogas plants. Biotechnology for Biofuels, 2016, 9, 156. | 6.2 | 120 |
| 17 | Bioinformatic Analysis Reveals High Diversity of Bacterial Genes for Laccase-Like Enzymes. PLoS ONE, 2011, 6, e25724. | 2.5 | 115 |
| 18 | Complete genome sequencing of Agrobacterium sp. H13-3, the former Rhizobium lupini H13-3, reveals a tripartite genome consisting of a circular and a linear chromosome and an accessory plasmid but lacking a tumor-inducing Ti-plasmid. Journal of Biotechnology, 2011, 155, 50-62. | 3.8 | 112 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Effect of the strain Bacillus amyloliquefaciens FZB42 on the microbial community in the rhizosphere of lettuce under field conditions analyzed by whole metagenome sequencing. Frontiers in Microbiology, 2014, 5, 252. | 3.5 | 111 |
| 20 | Importance of rare taxa for bacterial diversity in the rhizosphere of <i>Bt</i> - and conventional maize varieties. ISME Journal, 2013, 7, 37-49. | 9.8 | 105 |
| 21 | Metagenome analyses reveal the influence of the inoculant Lactobacillus buchneri CD034 on the microbial community involved in grass ensiling. Journal of Biotechnology, 2013, 167, 334-343. | 3.8 | 102 |
| 22 | Mobilizable IncQ-Related Plasmid Carrying a New Quinolone Resistance Gene, qnrS2, Isolated from the Bacterial Community of a Wastewater Treatment Plant. Antimicrobial Agents and Chemotherapy, 2006, 50, 3075-3080. | 3.2 | 95 |
| 23 | Sequence of the 68,869bp IncP-1α plasmid pTB11 from a waste-water treatment plant reveals a highly conserved backbone, a Tn402-like integron and other transposable elements. Plasmid, 2005, 53, 218-238. | 1.4 | 93 |
| 24 | Establishment and interpretation of the genome sequence of the phytopathogenic fungus Rhizoctonia solani AG1-IB isolate $7/3/14$. Journal of Biotechnology, 2013, 167, 142-155. | 3.8 | 93 |
| 25 | Genetic diversity and composition of a plasmid metagenome from a wastewater treatment plant. Journal of Biotechnology, 2008, 136, 65-76. | 3.8 | 87 |
| 26 | Insights into the completely annotated genome of Lactobacillus buchneri CD034, a strain isolated from stable grass silage. Journal of Biotechnology, 2012, 161, 153-166. | 3.8 | 85 |
| 27 | Bioinformatics for NGS-based metagenomics and the application to biogas research. Journal of Biotechnology, 2017, 261, 10-23. | 3.8 | 84 |
| 28 | Diversity and role of plasmids in adaptation of bacteria inhabiting the Lubin copper mine in Poland, an environment rich in heavy metals. Frontiers in Microbiology, 2015, 6, 152. | 3.5 | 83 |
| 29 | Fungal community profiles in agricultural soils of a long-term field trial under different tillage, fertilization and crop rotation conditions analyzed by high-throughput ITS-amplicon sequencing. PLoS ONE, 2018, 13, e0195345. | 2.5 | 82 |
| 30 | Proteotyping of biogas plant microbiomes separates biogas plants according to process temperature and reactor type. Biotechnology for Biofuels, 2016, 9, 155. | 6.2 | 80 |
| 31 | An Fnr-like protein encoded in Rhizobium leguminosarum biovar viciae shows structural and functional homology to Rhizobium meliloti FixK. Molecular Genetics and Genomics, 1990, 223, 138-147. | 2.4 | 79 |
| 32 | Insight into the plasmid metagenome of wastewater treatment plant bacteria showing reduced susceptibility to antimicrobial drugs analysed by the 454-pyrosequencing technology. Journal of Biotechnology, 2008, 136, 54-64. | 3.8 | 74 |
| 33 | Comparative genomic analysis of Acinetobacter spp. plasmids originating from clinical settings and environmental habitats. Scientific Reports, 2018, 8, 7783. | 3.3 | 72 |
| 34 | Genome analysis of the sugar beet pathogen Rhizoctonia solani AG2-2IIIB revealed high numbers in secreted proteins and cell wall degrading enzymes. BMC Genomics, 2016, 17, 245. | 2.8 | 69 |
| 35 | Efficiency and biotechnological aspects of biogas production from microalgal substrates. Journal of Biotechnology, 2016, 234, 7-26. | 3.8 | 69 |
| 36 | Towards molecular biomarkers for biogas production from lignocellulose-rich substrates. Anaerobe, 2014, 29, 10-21. | 2.1 | 68 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Deeply sequenced metagenome and metatranscriptome of a biogas-producing microbial community from an agricultural production-scale biogas plant. GigaScience, 2015, 4, 33. | 6.4 | 68 |
| 38 | The complete genome sequences of four new IncN plasmids from wastewater treatment plant effluent provide new insights into IncN plasmid diversity and evolution. Plasmid, 2012, 68, 13-24. | 1.4 | 65 |
| 39 | Complete genome sequence of the novel Porphyromonadaceae bacterium strain ING2-E5B isolated from a mesophilic lab-scale biogas reactor. Journal of Biotechnology, 2015, 193, 34-36. | 3.8 | 65 |
| 40 | Intraspecies Transfer of the Chromosomal Acinetobacter baumannii <i>bla</i> _{NDM-1} Carbapenemase Gene. Antimicrobial Agents and Chemotherapy, 2016, 60, 3032-3040. | 3.2 | 65 |
| 41 | Community shifts in a well-operating agricultural biogas plant: how process variations are handled by the microbiome. Applied Microbiology and Biotechnology, 2015, 99, 7791-7803. | 3.6 | 64 |
| 42 | Effect of Long-Term Farming Practices on Agricultural Soil Microbiome Members Represented by Metagenomically Assembled Genomes (MAGs) and Their Predicted Plant-Beneficial Genes. Genes, 2019, 10, 424. | 2.4 | 61 |
| 43 | The Rhizobium meliloti fdxN gene encoding a ferredoxin-like protein is necessary for nitrogen fixation and is cotranscribed with nifA and nifB. Molecular Genetics and Genomics, 1989, 216, 293-302. | 2.4 | 60 |
| 44 | Rhizobium leguminosarum bv. viciae contains a second fnr / fixK â€like gene and an unusual fixL homologue. Molecular Microbiology, 1996, 21, 267-280. | 2.5 | 58 |
| 45 | Complete genome sequence of the strain Defluviitoga tunisiensis L3, isolated from a thermophilic, production-scale biogas plant. Journal of Biotechnology, 2015, 203, 17-18. | 3.8 | 58 |
| 46 | Deep Sequencing Analysis Reveals the Mycoviral Diversity of the Virome of an Avirulent Isolate of Rhizoctonia solani AG-2-2 IV. PLoS ONE, 2016, 11, e0165965. | 2.5 | 58 |
| 47 | Plasmid pB8 is closely related to the prototype $IncP-1\hat{l}^2$ plasmid R751 but transfers poorly to Escherichia coli and carries a new transposon encoding a small multidrug resistance efflux protein. Plasmid, 2005, 54, 135-148. | 1.4 | 56 |
| 48 | The complete genome sequence of the dominant Sinorhizobium meliloti field isolate SM11 extends the S. meliloti pan-genome. Journal of Biotechnology, 2011, 155, 20-33. | 3.8 | 56 |
| 49 | Complete Genome Sequence of the Hydrogenotrophic, Methanogenic Archaeon Methanoculleus bourgensis Strain MS2 ^T , Isolated from a Sewage Sludge Digester. Journal of Bacteriology, 2012, 194, 5487-5488. | 2.2 | 55 |
| 50 | Genomic characterization of Defluviitoga tunisiensis L3, a key hydrolytic bacterium in a thermophilic biogas plant and its abundance as determined by metagenome fragment recruitment. Journal of Biotechnology, 2016, 232, 50-60. | 3.8 | 53 |
| 51 | Architecture and functions of a multipartite genome of the methylotrophic bacterium Paracoccus aminophilus JCM 7686, containing primary and secondary chromids. BMC Genomics, 2014, 15, 124. | 2.8 | 51 |
| 52 | Genomics and prevalence of bacterial and archaeal isolates from biogas-producing microbiomes. Biotechnology for Biofuels, 2017, 10, 264. | 6.2 | 50 |
| 53 | Functional and Regulatory Analysis of the Two Copies of the fixNOQP Operon of Rhizobium leguminosarum Strain VF39. Molecular Plant-Microbe Interactions, 1997, 10, 605-616. | 2.6 | 48 |
| 54 | Genome sequence of Methanobacterium congolense strain Buetzberg, a hydrogenotrophic, methanogenic archaeon, isolated from a mesophilic industrial-scale biogas plant utilizing bio-waste. Journal of Biotechnology, 2017, 247, 1-5. | 3.8 | 48 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Complete Genome Sequencing of Acinetobacter baumannii Strain K50 Discloses the Large Conjugative Plasmid pK50a Encoding Carbapenemase OXA-23 and Extended-Spectrum \hat{I}^2 -Lactamase GES-11. Antimicrobial Agents and Chemotherapy, 2018, 62, . | 3.2 | 46 |
| 56 | Genome-guided insight into the methylotrophy of Paracoccus aminophilus JCM 7686. Frontiers in Microbiology, 2015, 6, 852. | 3.5 | 44 |
| 57 | Comparative transcriptome analysis of the biocontrol strain Bacillus amyloliquefaciens FZB42 as response to biofilm formation analyzed by RNA sequencing. Journal of Biotechnology, 2016, 231, 212-223. | 3.8 | 43 |
| 58 | Targeted <i>inÂsitu</i> metatranscriptomics for selected taxa from mesophilic and thermophilic biogas plants. Microbial Biotechnology, 2018, 11, 667-679. | 4.2 | 43 |
| 59 | Complete genome sequence of the hydrogenotrophic Archaeon Methanobacterium sp. Mb1 isolated from a production-scale biogas plant. Journal of Biotechnology, 2013, 168, 734-736. | 3.8 | 42 |
| 60 | Complete sequence of broad-host-range plasmid pNOR-2000 harbouring the metallo- \hat{l}^2 -lactamase gene blaVIM-2 from Pseudomonas aeruginosa. Journal of Antimicrobial Chemotherapy, 2013, 68, 1060-1065. | 3.0 | 40 |
| 61 | Lifestyleâ€determining extrachromosomal replicon pAMV1 and its contribution to the carbon metabolism of the methylotrophic bacterium ⟨i⟩Paracoccus aminovorans⟨/i⟩ JCM 7685. Environmental Microbiology, 2017, 19, 4536-4550. | 3.8 | 40 |
| 62 | Taxonomic Profiling and Metagenome Analysis of a Microbial Community from a Habitat Contaminated with Industrial Discharges. Microbial Ecology, 2013, 66, 533-550. | 2.8 | 39 |
| 63 | Draft whole genome sequence of the cyanideâ€degrading bacterium <i><scp>P</scp>seudomonas pseudoalcaligenes</i> <scp>CECT</scp> 5344. Environmental Microbiology, 2013, 15, 253-270. | 3.8 | 38 |
| 64 | Characterization of Bathyarchaeota genomes assembled from metagenomes of biofilms residing in mesophilic and thermophilic biogas reactors. Biotechnology for Biofuels, 2018, 11, 167. | 6.2 | 38 |
| 65 | Identification of Beneficial Microbial Consortia and Bioactive Compounds with Potential as Plant Biostimulants for a Sustainable Agriculture. Microorganisms, 2021, 9, 426. | 3.6 | 37 |
| 66 | Taxonomic analysis of the microbial community in stored sugar beets using high-throughput sequencing of different marker genes. FEMS Microbiology Ecology, 2016, 92, fiw004. | 2.7 | 36 |
| 67 | The IncF plasmid pRSB225 isolated from a municipal wastewater treatment plant's on-site preflooder combining antibiotic resistance and putative virulence functions is highly related to virulence plasmids identified in pathogenic E. coli isolates. Plasmid, 2013, 69, 127-137. | 1.4 | 35 |
| 68 | Insights into the annotated genome sequence of Methanoculleus bourgensis MS2T, related to dominant methanogens in biogas-producing plants. Journal of Biotechnology, 2015, 201, 43-53. | 3.8 | 35 |
| 69 | Carbapenem-Hydrolyzing GES-5-Encoding Gene on Different Plasmid Types Recovered from a Bacterial Community in a Sewage Treatment Plant. Applied and Environmental Microbiology, 2012, 78, 1292-1295. | 3.1 | 34 |
| 70 | An integrated metagenome and -proteome analysis of the microbial community residing in a biogas production plant. Journal of Biotechnology, 2016, 231, 268-279. | 3.8 | 33 |
| 71 | Novel Macrolide Resistance Module Carried by the IncP- $1\hat{l}^2$ Resistance Plasmid pRSB111, Isolated from a Wastewater Treatment Plant. Antimicrobial Agents and Chemotherapy, 2007, 51, 673-678. | 3.2 | 32 |
| 72 | Bacterial communities in chitin-amended soil as revealed by 16S rRNA gene based pyrosequencing. Soil Biology and Biochemistry, 2014, 76, 5-11. | 8.8 | 32 |

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 73 | Transcriptome analysis of the phytopathogenic fungus Rhizoctonia solani AG1-IB 7/3/14 applying high-throughput sequencing of expressed sequence tags (ESTs). Fungal Biology, 2014, 118, 800-813. | 2.5 | 32 |
| 74 | Development of a Rhizoctonia solani AG1-IB Specific Gene Model Enables Comparative Genome Analyses between Phytopathogenic R. solani AG1-IA, AG1-IB, AG3 and AG8 Isolates. PLoS ONE, 2015, 10, e0144769. | 2.5 | 32 |
| 75 | Genetic Potential of the Biocontrol Agent Pseudomonas brassicacearum (Formerly P. trivialis) 3Re2-7 Unraveled by Genome Sequencing and Mining, Comparative Genomics and Transcriptomics. Genes, 2019, 10, 601. | 2.4 | 32 |
| 76 | Detailed analysis of metagenome datasets obtained from biogas-producing microbial communities residing in biogas reactors does not indicate the presence of putative pathogenic microorganisms. Biotechnology for Biofuels, 2013, 6, 49. | 6.2 | 31 |
| 77 | Cultivation-Independent Screening Revealed Hot Spots of IncP-1, IncP-7 and IncP-9 Plasmid Occurrence in Different Environmental Habitats. PLoS ONE, 2014, 9, e89922. | 2.5 | 31 |
| 78 | Biphasic Study to Characterize Agricultural Biogas Plants by High-Throughput 16S rRNA Gene Amplicon Sequencing and Microscopic Analysis. Journal of Microbiology and Biotechnology, 2017, 27, 321-334. | 2.1 | 31 |
| 79 | Complete genome sequence of the cellulolytic thermophile Ruminoclostridium cellulosi wild-type strain DG5 isolated from a thermophilic biogas plant. Journal of Biotechnology, 2014, 188, 136-137. | 3.8 | 30 |
| 80 | Proteiniphilum saccharofermentans str. M3/6T isolated from a laboratory biogas reactor is versatile in polysaccharide and oligopeptide utilization as deduced from genome-based metabolic reconstructions. Biotechnology Reports (Amsterdam, Netherlands), 2018, 18, e00254. | 4.4 | 30 |
| 81 | Complete genome sequence of the cyanide-degrading bacterium Pseudomonas pseudoalcaligenes CECT5344. Journal of Biotechnology, 2014, 175, 67-68. | 3.8 | 28 |
| 82 | The Rhizoctonia solani AG1-IB (isolate $7/3/14$) transcriptome during interaction with the host plant lettuce (Lactuca sativa L.). PLoS ONE, 2017, 12, e0177278. | 2.5 | 28 |
| 83 | Sequence analysis of the 181-kb accessory plasmid pSmeSM11b, isolated from a dominantSinorhizobium melilotistrain identified during a long-term field release experiment. FEMS Microbiology Letters, 2007, 271, 297-309. | 1.8 | 27 |
| 84 | Improved genome sequence of the phytopathogenic fungus Rhizoctonia solani AG1-IB 7/3/14 as established by deep mate-pair sequencing on the MiSeq (Illumina) system. Journal of Biotechnology, 2015, 203, 19-21. | 3.8 | 27 |
| 85 | IncP- 1^2 Plasmid pGNB1 Isolated from a Bacterial Community from a Wastewater Treatment Plant Mediates Decolorization of Triphenylmethane Dyes. Applied and Environmental Microbiology, 2007, 73, 6345-6350. | 3.1 | 25 |
| 86 | Rhizobial plasmid pLPU83a is able to switch between different transfer machineries depending on its genomic background. FEMS Microbiology Ecology, 2014, 88, 565-578. | 2.7 | 24 |
| 87 | DNA and RNA Extraction and Quantitative Real-Time PCR-Based Assays for Biogas Biocenoses in an Interlaboratory Comparison. Bioengineering, 2016, 3, 7. | 3 . 5 | 23 |
| 88 | The Role of Petrimonas mucosa ING2-E5AT in Mesophilic Biogas Reactor Systems as Deduced from Multiomics Analyses. Microorganisms, 2020, 8, 2024. | 3.6 | 23 |
| 89 | acdc – Automated Contamination Detection and Confidence estimation for single-cell genome data. BMC Bioinformatics, 2016, 17, 543. | 2.6 | 22 |
| 90 | Prevalence of pSmeSM11a-like plasmids in indigenous Sinorhizobium meliloti strains isolated in the course of a field release experiment with genetically modified S. meliloti strains. FEMS Microbiology Ecology, 2008, 63, 118-131. | 2.7 | 21 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 91 | Draft genome sequence of the cellulolytic Clostridium thermocellum wild-type strain BC1 playing a role in cellulosic biomass degradation. Journal of Biotechnology, 2013, 168, 62-63. | 3.8 | 21 |
| 92 | Draft genome sequence of Herbinix hemicellulosilytica T3/55T, a new thermophilic cellulose degrading bacterium isolated from a thermophilic biogas reactor. Journal of Biotechnology, 2015, 214, 59-60. | 3.8 | 21 |
| 93 | Genome content, metabolic pathways and biotechnological potential of the psychrophilic Arctic bacterium Psychrobacter sp. DAB_AL43B, a source and a host of novel Psychrobacter -specific vectors. Journal of Biotechnology, 2017, 263, 64-74. | 3.8 | 21 |
| 94 | IncP- $1\hat{l}^2$ plasmids of Comamonas sp. and Delftia sp. strains isolated from a wastewater treatment plant mediate resistance to and decolorization of the triphenylmethane dye crystal violet. Microbiology (United Kingdom), 2012, 158, 2060-2072. | 1.8 | 20 |
| 95 | Finished genome sequence and methylome of the cyanide-degrading Pseudomonas pseudoalcaligenes strain CECT5344 as resolved by single-molecule real-time sequencing. Journal of Biotechnology, 2016, 232, 61-68. | 3.8 | 20 |
| 96 | Draft genome sequence of the sugar beet pathogen Rhizoctonia solani AG2-2IIIB strain BBA69670. Journal of Biotechnology, 2016, 222, 11-12. | 3.8 | 20 |
| 97 | Sequencing and comparative analysis of IncP- $1\hat{l}\pm$ antibiotic resistance plasmids reveal a highly conserved backbone and differences within accessory regions. Journal of Biotechnology, 2011, 155, 95-103. | 3.8 | 19 |
| 98 | Complete genome sequence of the methanogenic neotype strain Methanobacterium formicicum MFT. Journal of Biotechnology, 2014, 192, 40-41. | 3.8 | 19 |
| 99 | IncH-Type Plasmid Harboring <i>bla</i> _{CTX-M-15} , <i>bla</i> _{DHA-1} , and <i>qnrB4</i> Genes Recovered from Animal Isolates. Antimicrobial Agents and Chemotherapy, 2014, 58, 3768-3773. | 3.2 | 19 |
| 100 | Complete genome analysis of Clostridium bornimense strain M2/40T: A new acidogenic Clostridium species isolated from a mesophilic two-phase laboratory-scale biogas reactor. Journal of Biotechnology, 2016, 232, 38-49. | 3.8 | 19 |
| 101 | Identification of Oxygen-Responsive Transcripts in the Silage Inoculant Lactobacillus buchneri CD034 by RNA Sequencing. PLoS ONE, 2015, 10, e0134149. | 2.5 | 19 |
| 102 | Comparative genomic hybridisation and ultrafast pyrosequencing revealed remarkable differences between the Sinorhizobium meliloti genomes of the model strain Rm1021 and the field isolate SM11. Journal of Biotechnology, 2008, 136, 31-37. | 3.8 | 18 |
| 103 | The Rhizobium leguminosarum bv. viciae glnD gene, encoding a uridylyltransferase/uridylyl-removing enzyme, is expressed in the root nodule but is not essential for nitrogen fixation. Microbiology (United Kingdom), 2000, 146, 2987-2996. | 1.8 | 18 |
| 104 | First genomic analysis of the broad-host-range Rhizobium sp. LPU83 strain, a member of the low-genetic diversity Oregon-like Rhizobium sp. group. Journal of Biotechnology, 2011, 155, 3-10. | 3.8 | 17 |
| 105 | MetaSAMSâ€"A novel software platform for taxonomic classification, functional annotation and comparative analysis of metagenome datasets. Journal of Biotechnology, 2013, 167, 156-165. | 3.8 | 17 |
| 106 | Genomics of high molecular weight plasmids isolated from an on-farm biopurification system. Scientific Reports, 2016, 6, 28284. | 3.3 | 17 |
| 107 | Complete genome sequence of Peptoniphilus sp. strain ING2-D1G isolated from a mesophilic lab-scale completely stirred tank reactor utilizing maize silage in co-digestion with pig and cattle manure for biomethanation. Journal of Biotechnology, 2014, 192, 59-61. | 3.8 | 16 |
| 108 | Characterization of a collection of plasmid-containing bacteria isolated from an on-farm biopurification system used for pesticide removal. Plasmid, 2015, 80, 16-23. | 1.4 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Different molecular rearrangements in the integron of the IncP-1? resistance plasmid pB10 isolated from a wastewater treatment plant result in elevated ?-lactam resistance levels. Archives of Microbiology, 2004, 182, 429-435. | 2.2 | 15 |
| 110 | First draft genome sequence of the amylolytic Bacillus thermoamylovorans wild-type strain 1A1 isolated from a thermophilic biogas plant. Journal of Biotechnology, 2014, 192, 154-155. | 3.8 | 15 |
| 111 | Identification of a novel mycovirus isolated from Rhizoctonia solani (AG 2-2 IV) provides further information about genome plasticity within the order Tymovirales. Archives of Virology, 2017, 162, 555-559. | 2.1 | 15 |
| 112 | Fractionation of biogas plant sludge material improves metaproteomic characterization to investigate metabolic activity of microbial communities. Proteomics, 2015, 15, 3585-3589. | 2.2 | 14 |
| 113 | Transcriptomic buffering of cryptic genetic variation contributes to meningococcal virulence. BMC Genomics, 2017, 18, 282. | 2.8 | 14 |
| 114 | TLA-2, a Novel Ambler Class A Expanded-Spectrum \hat{l}^2 -Lactamase. Antimicrobial Agents and Chemotherapy, 2005, 49, 4767-4770. | 3.2 | 13 |
| 115 | Successful heterologous expression of a novel chitinase identified by sequence analyses of the metagenome from a chitin-enriched soil sample. Journal of Biotechnology, 2015, 201, 60-68. | 3.8 | 13 |
| 116 | Assembly of the Lactuca sativa, L. cv. Tizian draft genome sequence reveals differences within major resistance complex 1 as compared to the cv. Salinas reference genome. Journal of Biotechnology, 2018, 267, 12-18. | 3.8 | 13 |
| 117 | Impact of process temperature and organic loading rate on cellulolytic / hydrolytic biofilm microbiomes during biomethanation of ryegrass silage revealed by genome-centered metagenomics and metatranscriptomics. Environmental Microbiomes, 2020, 15, 7. | 5.0 | 13 |
| 118 | New FeFe-hydrogenase genes identified in a metagenomic fosmid library from a municipal wastewater treatment plant as revealed by high-throughput sequencing. Research in Microbiology, 2015, 166, 9-19. | 2.1 | 12 |
| 119 | Draft genome sequence of the potato pathogen Rhizoctonia solani AG3-PT isolate Ben3. Archives of Microbiology, 2017, 199, 1065-1068. | 2.2 | 12 |
| 120 | Complete Genome Sequence of Acinetobacter baumannii CIP 70.10, a Susceptible Reference Strain for Comparative Genome Analyses. Genome Announcements, 2015, 3, . | 0.8 | 11 |
| 121 | Complete Genome Sequence of the Methanogen Methanoculleus bourgensis BA1 Isolated from a Biogas Reactor. Genome Announcements, 2016, 4, . | 0.8 | 11 |
| 122 | A comprehensive analysis of the Lactuca sativa, L. transcriptome during different stages of the compatible interaction with Rhizoctonia solani. Scientific Reports, 2019, 9, 7221. | 3.3 | 11 |
| 123 | Complete Genome Sequence of the Novel Cellulolytic, Anaerobic, Thermophilic Bacterium <i>Herbivorax saccincola</i> Type Strain GGR1, Isolated from a Lab Scale Biogas Reactor as Established by Illumina and Nanopore MinION Sequencing. Genome Announcements, 2018, 6, . | 0.8 | 10 |
| 124 | Insight into the structure, function and conjugative transfer of pLPU83a, an accessory plasmid of Rhizobium favelukesii LPU83. Plasmid, 2019, 103, 9-16. | 1.4 | 10 |
| 125 | Global transcriptome analysis of <i>Rhizobium favelukesii</i> LPU83 in response to acid stress. FEMS Microbiology Ecology, 2020, 97, . | 2.7 | 10 |
| 126 | Draft genome sequence of Sinorhizobium meliloti RU11/001, a model organism for flagellum structure, motility and chemotaxis. Journal of Biotechnology, 2013, 168, 731-733. | 3.8 | 9 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Genome sequence of the acid-tolerant strain Rhizobium sp. LPU83. Journal of Biotechnology, 2014, 176, 40-41. | 3.8 | 8 |
| 128 | Whole genome sequence of Clostridium bornimense strain M2/40 isolated from a lab-scale mesophilic two-phase biogas reactor digesting maize silage and wheat straw. Journal of Biotechnology, 2014, 184, 199-200. | 3.8 | 8 |
| 129 | Complete Genome Sequence of $\langle i \rangle$ Herbinix luporum $\langle j \rangle$ SD1D, a New Cellulose-Degrading Bacterium Isolated from a Thermophilic Biogas Reactor. Genome Announcements, 2016, 4, . | 0.8 | 8 |
| 130 | Genome Analyses and Genome-Centered Metatranscriptomics of Methanothermobacter wolfeii Strain SIV6, Isolated from a Thermophilic Production-Scale Biogas Fermenter. Microorganisms, 2020, 8, 13. | 3.6 | 8 |
| 131 | Indicative Marker Microbiome Structures Deduced from the Taxonomic Inventory of 67 Full-Scale Anaerobic Digesters of 49 Agricultural Biogas Plants. Microorganisms, 2021, 9, 1457. | 3.6 | 8 |
| 132 | Phage Genome Diversity in a Biogas-Producing Microbiome Analyzed by Illumina and Nanopore GridION Sequencing. Microorganisms, 2022, 10, 368. | 3.6 | 8 |
| 133 | Genome Sequence of a Neisseria meningitidis Capsule Null Locus Strain from the Clonal Complex of Sequence Type 198. Journal of Bacteriology, 2012, 194, 5144-5145. | 2.2 | 7 |
| 134 | Exopolysaccharide Characterization of Rhizobium favelukesii LPU83 and Its Role in the Symbiosis With Alfalfa. Frontiers in Plant Science, 2021, 12, 642576. | 3.6 | 7 |
| 135 | Genome Analyses of the Less Aggressive Rhizoctonia solani AG1-IB Isolates 1/2/21 and O8/2 Compared to the Reference AG1-IB Isolate 7/3/14. Journal of Fungi (Basel, Switzerland), 2021, 7, 832. | 3.5 | 5 |
| 136 | Genome Sequence of the Symbiotic Type Strain Rhizobium tibeticum CCBAU85039 T. Genome Announcements, 2017, 5 , . | 0.8 | 2 |
| 137 | The completely annotated genome and comparative genomics of the Peptoniphilaceae bacterium str. ING2-D1G, a novel acidogenic bacterium isolated from a mesophilic biogas reactor. Journal of Biotechnology, 2017, 257, 178-186. | 3.8 | 2 |
| 138 | Complete Genome Sequence of the Clinical Strain Acinetobacter baumannii R2090 Carrying the Chromosomally Encoded Metallo- \hat{l}^2 -Lactamase Gene <i>bla</i> _{NDM-1} . Genome Announcements, 2015, 3, . | 0.8 | 1 |
| 139 | Draft Genome Sequence of <i>Propionispora</i> sp. Strain 2/2-37, a New Xylan-Degrading Bacterium Isolated from a Mesophilic Biogas Reactor. Genome Announcements, 2016, 4, . | 0.8 | 1 |