
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9494547/publications.pdf Version: 2024-02-01



WELHSUL HSU

#	Article	IF	CITATIONS
1	Knee Stability and Graft Function after Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2004, 32, 1825-1832.	1.9	342
2	Treatment of osteomyelitis with teicoplanin-encapsulated biodegradable thermosensitive hydrogel nanoparticles. Biomaterials, 2010, 31, 5227-5236.	5.7	127
3	Comparison of Computer-Assisted Navigation and Conventional Instrumentation for Bilateral Total Knee Arthroplasty. Journal of Arthroplasty, 2009, 24, 668-673.	1.5	94
4	Differences in Torsional Joint Stiffness of the Knee between Genders. American Journal of Sports Medicine, 2006, 34, 765-770.	1.9	87
5	Effect of shock-wave therapy on patellar tendinopathy in a rabbit model. Journal of Orthopaedic Research, 2004, 22, 221-227.	1.2	82
6	Necrotizing Soft-Tissue Infections and Sepsis Caused by Vibrio vulnificus Compared with Those Caused by Aeromonas Species. Journal of Bone and Joint Surgery - Series A, 2007, 89, 631-636.	1.4	75
7	Effect of the iliotibial band on knee biomechanics during a simulated pivot shift test. Journal of Orthopaedic Research, 2006, 24, 967-973.	1.2	66
8	Effect of integrity of the posterior cortex in displaced femoral neck fractures on outcome after surgical fixation in young adults. Injury, 2011, 42, 217-222.	0.7	60
9	Necrotizing Soft-Tissue Infections and Primary Sepsis Caused by Vibrio vulnificus and Vibrio cholerae non-O1. Journal of Trauma, 2009, 66, 899-905.	2.3	59
10	Tranexamic acid in total shoulder arthroplasty and reverse shoulder arthroplasty: a systematic review and meta-analysis. BMC Musculoskeletal Disorders, 2018, 19, 60.	0.8	57
11	Prognostic factors and monomicrobial necrotizing fasciitis: gram-positive versus gram-negative pathogens. BMC Infectious Diseases, 2011, 11, 5.	1.3	54
12	Total Knee Arthroplasty with Use of Computer-Assisted Navigation Compared with Conventional Guiding Systems in the Same Patient: Radiographic Results in Asian Patients. Journal of Bone and Joint Surgery - Series A, 2011, 93, 1197-1202.	1.4	54
13	Microbiology and surgical indicators of necrotizing fasciitis in a tertiary hospital of southwest Taiwan. International Journal of Infectious Diseases, 2012, 16, e159-e165.	1.5	42
14	Intraoperative computed tomography with integrated navigation in percutaneous iliosacral screwing. Injury, 2013, 44, 203-208.	0.7	40
15	Effect of fragmentary displacement and morphology in the treatment of comminuted femoral shaft fractures with an intramedullary nail. Injury, 2014, 45, 752-756.	0.7	38
16	Outcome analysis of unstable posterior ring injury of the pelvis: Comparison between percutaneous iliosacral screw fixation and conservative treatment. Biomedical Journal, 2013, 36, 289.	1.4	34
17	Enhancing mechanical strength during early fracture healing via shockwave treatment: an animal study. Clinical Biomechanics, 2003, 18, S33-S39.	0.5	26
18	Chronic kidney disease is associated with a risk of higher mortality following total knee arthroplasty in diabetic patients: a nationwide population-based study. Oncotarget, 2017, 8, 100288-100295.	0.8	23

#	Article	IF	CITATIONS
19	Tourniquet use in arthroscopic anterior cruciate ligament reconstruction: a systematic review and meta-analysis of randomised controlled trials. BMC Musculoskeletal Disorders, 2017, 18, 358.	0.8	22
20	Comparison of computer-assisted navigation and conventional instrumentation for bilateral total knee arthroplasty. Medicine (United States), 2019, 98, e18083.	0.4	22
21	Effect of preoperative deformity on postoperative leg axis in total knee arthroplasty: a prospective randomized study. Knee Surgery, Sports Traumatology, Arthroscopy, 2010, 18, 1323-1327.	2.3	21
22	Necrotizing fasciitis following venomous snakebites in a tertiary hospital of southwest Taiwan. International Journal of Infectious Diseases, 2017, 63, 30-36.	1.5	21
23	Depression increases the risk of rotator cuff tear and rotator cuff repair surgery: A nationwide population-based study. PLoS ONE, 2019, 14, e0225778.	1.1	20
24	The relationship between health-related fitness and quality of life in postmenopausal women from Southern Taiwan. Clinical Interventions in Aging, 2014, 9, 1573.	1.3	18
25	Monitoring and Assessment of Rehabilitation Progress on Range of Motion After Total Knee Replacement by Sensor-Based System. Sensors, 2020, 20, 1703.	2.1	18
26	Independent Predictors of Mortality for Aeromonas Necrotizing Fasciitis of Limbs: An 18-year Retrospective Study. Scientific Reports, 2020, 10, 7716.	1.6	17
27	The effect of renal function on surgical outcomes of intracapsular hip fractures with osteosynthesis. Archives of Orthopaedic and Trauma Surgery, 2014, 134, 39-45.	1.3	16
28	Synchronous multifocal necrotizing fasciitis prognostic factors: a retrospective case series study in a single center. Infection, 2016, 44, 757-763.	2.3	16
29	Epinephrine in irrigation fluid for visual clarity in arthroscopic shoulder surgery: a systematic review and meta-analysis. International Orthopaedics, 2018, 42, 2881-2889.	0.9	16
30	The effect of endoskeleton on antibiotic impregnated cement spacer for treating deep hip infection. BMC Musculoskeletal Disorders, 2011, 12, 10.	0.8	15
31	Single Nucleotide Polymorphisms Other than Factor V Leiden Are Associated with Coagulopathy and Osteonecrosis of the Femoral Head in Chinese Patients. PLoS ONE, 2014, 9, e104461.	1.1	15
32	Predictors for gram-negative monomicrobial necrotizing fasciitis in southern Taiwan. BMC Infectious Diseases, 2020, 20, 60.	1.3	15
33	Twenty-four-week hospital-based progressive resistance training on functional recovery in female patients post total knee arthroplasty. Knee, 2019, 26, 729-736.	0.8	14
34	Acute injury of anterior cruciate ligament during karate training. Knee, 2007, 14, 245-248.	0.8	12
35	Effects of circuit exercise and <scp>T</scp> ai <scp>C</scp> hi on body composition in middleâ€aged and older women. Geriatrics and Gerontology International, 2015, 15, 282-288.	0.7	12
36	Effect of high body mass index on knee muscle strength and function after anterior cruciate ligament reconstruction using hamstring tendon autografts. BMC Musculoskeletal Disorders, 2018, 19, 363.	0.8	12

#	Article	IF	CITATIONS
37	Improved Antibiotic Impregnated Cement Prosthesis for Treating Deep Hip Infection. Journal of Arthroplasty, 2010, 25, 1304-1306.	1.5	11
38	Ocular Injury by Transient Formaldehyde Exposure in a Rabbit Eye Model. PLoS ONE, 2013, 8, e66649.	1.1	11
39	Prevalence and associated factors of myopia among rural school students in Chia-Yi, Taiwan. BMC Ophthalmology, 2020, 20, 320.	0.6	11
40	Dissecting popliteal cyst resulting from a fragmented, dislodged metal part of the patellar component after total knee arthroplasty. Journal of Arthroplasty, 2002, 17, 792-797.	1.5	10
41	Implementation and outcomes of hospital-wide computerized antimicrobial approval system and on-the-spot education in a traumatic intensive care unit in Taiwan. Journal of Microbiology, Immunology and Infection, 2018, 51, 672-680.	1.5	10
42	Vibrio cholerae non-O1 - the first reported case of keratitis in a healthy patient. BMC Infectious Diseases, 2019, 19, 916.	1.3	10
43	Genitourinary tuberculosis in Taiwan: A 15-year experience at a teaching hospital. Journal of Microbiology, Immunology and Infection, 2019, 52, 312-319.	1.5	10
44	Anterior Cruciate Ligament Reconstruction in Patients Older Than 50 Years: A Systematic Review and Meta-analysis. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712091569.	0.8	10
45	Effect of basal metabolic rate on the bone mineral density in middle to old age women in Taiwan. Maturitas, 2013, 76, 70-74.	1.0	9
46	Efficiency of quantitative echogenicity for investigating supraspinatus tendinopathy by the gray-level histogram of two ultrasound devices. Journal of Medical Ultrasonics (2001), 2017, 44, 297-303.	0.6	9
47	Circuit training enhances function in patients undergoing total knee arthroplasty: a retrospective cohort study. Journal of Orthopaedic Surgery and Research, 2017, 12, 156.	0.9	9
48	Chronic Kidney Disease Worsens Health Outcomes in Diabetic Patients After Hip Fracture Surgery: An Asian Nationwide Population-Based Cohort Study. Journal of Bone and Mineral Research, 2019, 34, 849-858.	3.1	9
49	Effects of Chronic Kidney Disease on Hemiarthroplasty Outcomes for Fragility Hip Fracture in Diabetic Patients: A Nationwide Population-Based Observational Study. Journal of Arthroplasty, 2020, 35, 477-484.e4.	1.5	9
50	Revision Total Hip Arthroplasty for Large Medial Defects With Witch's Hat-Shaped Structural Allografts — Minimum 10-Year Follow-Up. Journal of Arthroplasty, 2014, 29, 428-431.	1.5	8
51	Different types of bullae of limbs with necrotizing fasciitis predict different outcome: a prospective study. Infection, 2021, 49, 135-144.	2.3	7
52	Predicting osteoporosis with body compositions in postmenopausal women: a non-invasive method. Journal of Orthopaedic Surgery and Research, 2021, 16, 215.	0.9	7
53	Cellular senescence occurring in the rabbit medial collateral ligament during healing. Journal of Orthopaedic Research, 2013, 31, 81-90.	1.2	5
54	Chronic Kidney Disease Is Associated with High Mortality Risk in Patients with Diabetes after Primary Shoulder Arthroplasty: A Nationwide Population-Based Cohort Study. Diagnostics, 2021, 11, 822.	1.3	5

#	Article	IF	CITATIONS
55	GMI, an Immunomodulatory Peptide from Ganoderma microsporum, Restrains Periprosthetic Joint Infections via Modulating the Functions of Myeloid-Derived Suppressor Cells and Effector T Cells. International Journal of Molecular Sciences, 2021, 22, 6854.	1.8	5
56	Differences in gait and muscle strength of patients with acute and chronic anterior cruciate ligament injury. Clinical Biomechanics, 2020, 80, 105161.	0.5	4
57	Twelve-Week Lower Trapezius-Centred Muscular Training Regimen in University Archers. Healthcare (Switzerland), 2022, 10, 171.	1.0	4
58	Effect of resistance training on satellite cells in old mice – a transcriptome study. Bone and Joint Research, 2022, 11, 121-133.	1.3	4
59	Did the use of crutches in an elderly patient activate a dormant subclavian lymphatic malformation?—a case report. Monthly Notices of the Royal Astronomical Society: Letters, 2005, 76, 725-727.	1.2	3
60	Fluoroscopic-controlled, arthroscopic removal of intra-articular broken wire after patellar fracture. Injury Extra, 2006, 37, 86-89.	0.2	3
61	Effect of Extracorporeal Shockwave Therapy on Passive Ankle Stiffness in Patients With Plantar Fasciopathy. Journal of Foot and Ankle Surgery, 2018, 57, 15-18.	0.5	3
62	Clinical information and guidance shared via a patient infotainment system can reduce hospital stay and maintain 2 medical quality for total knee arthroplasty: A single-blinded quasi-randomised controlled trial. International Journal of Nursing Studies, 2020, 104, 103440.	2.5	3
63	Necrotising fasciitis and primary sepsis caused by Vibrio fluvialis—A case report. Injury Extra, 2005, 36, 546-549.	0.2	2
64	Acute Pyogenic Inguinal Abscess from Complex Soft-Tissue Infection or Intra-Abdominal Pathology. Surgical Infections, 2014, 15, 467-473.	0.7	2
65	Effect of chronic kidney disease on outcomes following proximal humerus fragility fracture surgery in diabetic patients: A nationwide population-based cohort study. PLoS ONE, 2021, 16, e0258393.	1.1	2
66	Bone marrow-stimulating techniques in arthroscopic rotator cuff repair: a systematic review protocol. BMJ Open, 2018, 8, e022086.	0.8	1
67	The role of cross sectional imaging in the management of acute pyogenic inguinal abscess - extrapelvic versus intrapelvic origin. BMC Infectious Diseases, 2013, 13, 155.	1.3	0
68	Stevens–Johnson syndrome following cataract surgery. Taiwan Journal of Ophthalmology, 2015, 5, 96-98.	0.3	0
69	Trunk Movement and Sequential Trunk Muscle Activation During Oscillation Exercises Using Flexible Poles. Journal of Sport Rehabilitation, 2022, , 1-8.	0.4	0