

# Aswani Yella

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9495868/aswani-yella-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53  
papers

11,460  
citations

27  
h-index

55  
g-index

55  
ext. papers

12,036  
ext. citations

9.2  
avg, IF

5.92  
L-index

#	Paper	IF	Citations
53	Dye-sensitized solar cells using cobalt electrolytes: the influence of porosity and pore size to achieve high-efficiency. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 2833-2843	7.1	42
52	TiO <sub>2</sub> colloid-based compact layers for hybrid lead halide perovskite solar cells. <i>Applied Materials Today</i> , <b>2017</b> , 7, 112-119	6.6	17
51	Organic Dyes Containing Coplanar Dihexyl-Substituted Dithienosilole Groups for Efficient Dye-Sensitized Solar Cells. <i>International Journal of Photoenergy</i> , <b>2017</b> , 2017, 1-14	2.1	6
50	Molecular Design Principles for Near-Infrared Absorbing and Emitting Indolizine Dyes. <i>Chemistry - A European Journal</i> , <b>2016</b> , 22, 15536-15542	4.8	36
49	Molecularly Engineered Ru(II) Sensitizers Compatible with Cobalt(II/III) Redox Mediators for Dye-Sensitized Solar Cells. <i>Inorganic Chemistry</i> , <b>2016</b> , 55, 7388-95	5.1	18
48	A low recombination rate indolizine sensitizer for dye-sensitized solar cells. <i>Chemical Communications</i> , <b>2016</b> , 52, 8424-7	5.8	40
47	Ligand Engineering for the Efficient Dye-Sensitized Solar Cells with Ruthenium Sensitizers and Cobalt Electrolytes. <i>Inorganic Chemistry</i> , <b>2016</b> , 55, 6653-9	5.1	65
46	Thieno[3,4-b]pyrazine as an Electron Deficient Bridge in D-A- $\pi$ DSCs. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 5376-84	9.5	45
45	Unraveling the Dual Character of Sulfur Atoms on Sensitizers in Dye-Sensitized Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 26827-26833	9.5	12
44	Unravel the Impact of Anchoring Groups on the Photovoltaic Performances of Diketopyrrolopyrrole Sensitizers for Dye-Sensitized Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2015</b> , 3, 2389-2396	8.3	56
43	Electron Kinetics in Dye Sensitized Solar Cells Employing Anatase with (101) and (001) Facets. <i>Electrochimica Acta</i> , <b>2015</b> , 160, 296-305	6.7	11
42	Molecular Engineering of PushPull Porphyrin Dyes for Highly Efficient Dye-Sensitized Solar Cells: The Role of Benzene Spacers. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 3017-3021	3.6	95
41	Peripherally and axially carboxylic acid substituted subphthalocyanines for dye-sensitized solar cells. <i>Chemistry - A European Journal</i> , <b>2014</b> , 20, 2016-21	4.8	19
40	Molecular engineering of push-pull porphyrin dyes for highly efficient dye-sensitized solar cells: the role of benzene spacers. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 2973-7	16.4	369
39	Quantum-confined ZnO nanoshell photoanodes for mesoscopic solar cells. <i>Nano Letters</i> , <b>2014</b> , 14, 1190-1195	51.5	40
38	Sub-nanometer conformal TiO <sub>2</sub> blocking layer for high efficiency solid-state perovskite absorber solar cells. <i>Advanced Materials</i> , <b>2014</b> , 26, 4309-12	24	136
37	Nanocrystalline rutile electron extraction layer enables low-temperature solution processed perovskite photovoltaics with 13.7% efficiency. <i>Nano Letters</i> , <b>2014</b> , 14, 2591-6	11.5	352

36	Near-IR photoresponse of ruthenium dipyrinate terpyridine sensitizers in the dye-sensitized solar cells. <i>Inorganic Chemistry</i> , <b>2014</b> , 53, 5417-9	5.1	35
35	Dye-sensitized solar cells with 13% efficiency achieved through the molecular engineering of porphyrin sensitizers. <i>Nature Chemistry</i> , <b>2014</b> , 6, 242-7	17.6	3560
34	Acetylene-bridged dyes with high open circuit potential for dye-sensitized solar cells. <i>RSC Advances</i> , <b>2014</b> , 4, 35251	3.7	20
33	High-Surface-Area Porous Platinum Electrodes for Enhanced Charge Transfer. <i>Advanced Energy Materials</i> , <b>2014</b> , 4, 1400510	21.8	22
32	New sensitizers for dye-sensitized solar cells featuring a carbon-bridged phenylenevinylene. <i>Chemical Communications</i> , <b>2013</b> , 49, 582-4	5.8	46
31	Graphene-type sheets of Nb(1-x)W(x)S <sub>2</sub> : synthesis and in situ functionalization. <i>Dalton Transactions</i> , <b>2013</b> , 42, 5292-7	4.3	5
30	Thiocyanate-Free Ru(II) Sensitizers with a 4,4'-Dicarboxyvinyl-2,2'-bipyridine Anchor for Dye-Sensitized Solar Cells. <i>Advanced Functional Materials</i> , <b>2013</b> , 23, 2285-2294	15.6	26
29	Sterically demanded unsymmetrical zinc phthalocyanines for dye-sensitized solar cells. <i>Dyes and Pigments</i> , <b>2013</b> , 98, 518-529	4.6	34
28	Low-temperature crystalline titanium dioxide by atomic layer deposition for dye-sensitized solar cells. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2013</b> , 5, 3487-93	9.5	70
27	Molecular Engineering of a Fluorene Donor for Dye-Sensitized Solar Cells. <i>Chemistry of Materials</i> , <b>2013</b> , 25, 2733-2739	9.6	136
26	Unravelling the Potential for Dithienopyrrole Sensitizers in Dye-Sensitized Solar Cells. <i>Chemistry of Materials</i> , <b>2013</b> , 25, 2642-2648	9.6	47
25	Towards compatibility between ruthenium sensitizers and cobalt electrolytes in dye-sensitized solar cells. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 8731-5	16.4	57
24	The Molecular Engineering of Organic Sensitizers for Solar-Cell Applications. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 394-398	3.6	21
23	The molecular engineering of organic sensitizers for solar-cell applications. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 376-80	16.4	118
22	Towards Compatibility between Ruthenium Sensitizers and Cobalt Electrolytes in Dye-Sensitized Solar Cells. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 8893-8897	3.6	8
21	Modulating dye E(S <sup>+</sup> /S <sup>*</sup> ) with efficient heterocyclic nitrogen containing acceptors for DSCs. <i>Chemical Communications</i> , <b>2012</b> , 48, 2295-7	5.8	31
20	Design and development of functionalized cyclometalated ruthenium chromophores for light-harvesting applications. <i>Inorganic Chemistry</i> , <b>2011</b> , 50, 5494-508	5.1	174
19	Porphyrin-sensitized solar cells with cobalt (II/III)-based redox electrolyte exceed 12 percent efficiency. <i>Science</i> , <b>2011</b> , 334, 629-34	33.3	5284

18	From Single Molecules to Nanoscopically Structured Materials: Self-Assembly of Metal Chalcogenide/Metal Oxide Nanostructures Based on the Degree of Pearson Hardness. <i>Chemistry of Materials</i> , <b>2011</b> , 23, 3534-3539	9.6	19
17	Diffusion-Driven Formation of MoS <sub>2</sub> Nanotube Bundles Containing MoS <sub>2</sub> Nanopods. <i>Chemistry of Materials</i> , <b>2011</b> , 23, 4716-4720	9.6	15
16	Soluble IF-ReS <sub>2</sub> nanoparticles by surface functionalization with terpyridine ligands. <i>Langmuir</i> , <b>2011</b> , 27, 385-91	4	13
15	IF-ReS <sub>2</sub> with Covalently Linked Porphyrin Antennae. <i>Israel Journal of Chemistry</i> , <b>2010</b> , 50, 500-505	3.4	12
14	Snapshots of the Formation of Inorganic MoS <sub>2</sub> Onion-Type Fullerenes: A Shrinking Giant Bubble Pathway. <i>Angewandte Chemie</i> , <b>2010</b> , 122, 2629-2634	3.6	4
13	Mechanische Spannung und Valenzabsättigung in Konkurrenz: Nano-Mikrozellen aus Stapeln nanoskaliger Schichten. <i>Angewandte Chemie</i> , <b>2010</b> , 122, 3373-3377	3.6	7
12	Reversible Selbstorganisation von Metallchalcogenid-Metalloxid- Nanostrukturen basierend auf dem Pearson-Konzept. <i>Angewandte Chemie</i> , <b>2010</b> , 122, 7741-7745	3.6	13
11	Snapshots of the formation of inorganic MoS <sub>2</sub> onion-type fullerenes: a "shrinking giant bubble" pathway. <i>Angewandte Chemie - International Edition</i> , <b>2010</b> , 49, 2575-80	16.4	13
10	Mismatch strain versus dangling bonds: formation of "coin-roll nanowires" by stacking nanosheets. <i>Angewandte Chemie - International Edition</i> , <b>2010</b> , 49, 3301-5	16.4	14
9	Reversible self-assembly of metal chalcogenide/metal oxide nanostructures based on Pearson hardness. <i>Angewandte Chemie - International Edition</i> , <b>2010</b> , 49, 7578-82	16.4	26
8	Synthesis and functionalization of chalcogenide nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , <b>2010</b> , 247, 2338-2363	1.3	22
7	Enzyme-Mediated Deposition of a TiO <sub>2</sub> Coating onto Biofunctionalized WS <sub>2</sub> Chalcogenide Nanotubes. <i>Advanced Functional Materials</i> , <b>2009</b> , 19, 285-291	15.6	48
6	Bismut-katalysiertes Wachstum von SnS <sub>2</sub> -Nanoröhren und deren Stabilität. <i>Angewandte Chemie</i> , <b>2009</b> , 121, 6546-6551	3.6	13
5	Bismuth-catalyzed growth of SnS <sub>2</sub> nanotubes and their stability. <i>Angewandte Chemie - International Edition</i> , <b>2009</b> , 48, 6426-30	16.4	68
4	Synthesis of Hierarchically Grown ZnO@NT-WS <sub>2</sub> Nanocomposites. <i>Chemistry of Materials</i> , <b>2009</b> , 21, 5382-5387	9.3	14
3	Synthesis of Fullerene- and Nanotube-Like SnS <sub>2</sub> Nanoparticles and Sn/S/Carbon Nanocomposites. <i>Chemistry of Materials</i> , <b>2009</b> , 21, 2474-2481	9.6	35
2	Large Scale MOCVD Synthesis of Hollow ReS <sub>2</sub> Nanoparticles with Nested Fullerene-Like Structure. <i>Chemistry of Materials</i> , <b>2008</b> , 20, 3587-3593	9.6	25
1	In Situ Heating TEM Study of Onion-like WS <sub>2</sub> and MoS <sub>2</sub> Nanostructures Obtained via MOCVD. <i>Chemistry of Materials</i> , <b>2008</b> , 20, 65-71	9.6	46

