
Seung Joon Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9496937/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Early Bactericidal Activity of Delpazolid (LCB01-0371) in Patients with Pulmonary Tuberculosis. Antimicrobial Agents and Chemotherapy, 2022, 66, AAC0168421.	3.2	21
2	Association between clinical outcomes and local treatment in stage <scp>IV</scp> nonâ€small cell lung cancer patients with single extrathoracic metastasis. Thoracic Cancer, 2022, 13, 1349-1360.	1.9	4
3	Protective Effect of Human-Neural-Crest-Derived Nasal Turbinate Stem Cells against Amyloid-β Neurotoxicity through Inhibition of Osteopontin in a Human Cerebral Organoid Model of Alzheimer's Disease. Cells, 2022, 11, 1029.	4.1	5
4	Dysregulation of DNA Methylation and Epigenetic Clocks in Prostate Cancer among Puerto Rican Men. Biomolecules, 2022, 12, 2.	4.0	1
5	Characteristics and clinical outcomes of patients with nonsmoking small cell lung cancer in Korea. BMC Pulmonary Medicine, 2022, 22, 200.	2.0	3
6	Clinical impact of rebiopsy among patients with epidermal growth factor receptorâ€mutant lung adenocarcinoma in a realâ€world clinical setting. Thoracic Cancer, 2021, 12, 890-898.	1.9	3
7	Clinical significance of microbial colonization identified by initial bronchoscopy in patients with lung cancer requiring chemotherapy. Journal of Thoracic Disease, 2021, 13, 1306-1314.	1.4	1
8	Predictability of early changes in derived neutrophil-to-lymphocyte ratio and neutrophil-to-lymphocyte ratio in patients with advanced non-small cell lung cancer treated with immune checkpoint inhibitors. Journal of Thoracic Disease, 2021, 13, 2824-2832.	1.4	9
9	Predictive Role of Prior Radiotherapy and Immunotherapy-Related Adverse Effects in Advanced NSCLC Patients Receiving Anti-PD-1/L1 Therapy. Journal of Clinical Medicine, 2021, 10, 3719.	2.4	2
10	Significance of Glasgow Prognostic Scores in NSCLC Patients Treated With Immunotherapy After Platinum-based Cytotoxic Chemotherapy. In Vivo, 2021, 35, 3423-3430.	1.3	2
11	The clinical value of F-18 FDG PET/CT in differentiating malignant from benign lesions in pneumoconiosis patients. European Radiology, 2020, 30, 442-451.	4.5	14
12	Clinical significance of anemia as a prognostic factor in non-small cell lung cancer carcinoma with activating epidermal growth factor receptor mutations. Journal of Thoracic Disease, 2020, 12, 1895-1902.	1.4	5
13	Impact of smoking amount on clinicopathological features and survival in non-small cell lung cancer. BMC Cancer, 2020, 20, 848.	2.6	12
14	Regional emphysema score is associated with tumor location and poor prognosis in completely resected NSCLC patients. BMC Pulmonary Medicine, 2020, 20, 242.	2.0	7
15	A randomized, multi-center, open-label study to compare the safety and efficacy between afatinib monotherapy and combination therapy of afatinib and HAD-B1 for the locally advanced or metastatic NSCLC patients with EGFR mutations. Medicine (United States), 2020, 99, e23455.	1.0	1
16	Smoking is associated with pneumonia development in lung cancer patients. BMC Pulmonary Medicine, 2020, 20, 117.	2.0	9
17	TGF-Î ² induced EMT and stemness characteristics are associated with epigenetic regulation in lung cancer. Scientific Reports, 2020, 10, 10597.	3.3	93
18	Pleural Neutrophil-to-Lymphocyte Ratio May Be Associated With Early Disease Progression in Stage IV Non-small Cell Lung Cancer. In Vivo, 2020, 34, 2179-2185.	1.3	4

#	Article	IF	CITATIONS
19	<p>Impact of Combined Chronic Obstructive Pulmonary Disease Status and Systemic Inflammation on Outcome of Advanced NSCLC: Multicenter Retrospective Cohort Study</p> . International Journal of COPD, 2020, Volume 15, 3323-3334.	2.3	3
20	Upfront radiosurgery plus targeted agents followed by active brain control using radiosurgery delays neurological death in non-small cell lung cancer with brain metastasis. Clinical and Experimental Metastasis, 2020, 37, 353-363.	3.3	3
21	Risk factors for primary lung cancer among never-smoking women in South Korea: a retrospective nationwide population-based cohort study. Korean Journal of Internal Medicine, 2020, 35, 692-702.	1.7	6
22	Characteristics of female lung cancer in Korea: analysis of Korean National Lung Cancer Registry. Journal of Thoracic Disease, 2020, 12, 4612-4622.	1.4	4
23	CTâ€guided transthoracic needle biopsy for evaluation of PD‣1 expression: Comparison of 22C3 and SP263 assays. Thoracic Cancer, 2019, 10, 1612-1618.	1.9	3
24	Prevalence and analysis of tobacco use disorder in patients diagnosed with lung cancer. PLoS ONE, 2019, 14, e0220127.	2.5	5
25	<comparison and="" between="" characteristics="" clinical="" diagnosed<br="" of="" overall="" spirometrically="" survival="">chronic obstructive pulmonary disease (COPD) and non-COPD never-smoking stage I-IV non-small cell lung cancer patients. International Journal of COPD, 2019, Volume 14, 929-938.</comparison>	2.3	15
26	Comparison of PANAMutyper and PNAClamp for Detecting KRAS Mutations from Patients With Malignant Pleural Effusion. In Vivo, 2019, 33, 945-954.	1.3	1
27	Elevated pretreatment platelet-to-lymphocyte ratio is associated with poor survival in stage IV non-small cell lung cancer with malignant pleural effusion. Scientific Reports, 2019, 9, 4721.	3.3	16
28	Clinical Characteristics and Prognostic Factors of Lung Cancer in Korea: A Pilot Study of Data from the Korean Nationwide Lung Cancer Registry. Tuberculosis and Respiratory Diseases, 2019, 82, 118.	1.8	45
29	Trends and Updated Statistics of Lung Cancer in Korea. Tuberculosis and Respiratory Diseases, 2019, 82, 175.	1.8	18
30	Role of CT-guided transthoracic biopsy in the diagnosis of mycobacterial infection. Journal of Investigative Medicine, 2019, 67, 850-855.	1.6	3
31	Hypoxia-induced cancer stemness acquisition is associated with CXCR4 activation by its aberrant promoter demethylation. BMC Cancer, 2019, 19, 148.	2.6	27
32	Comparison of PNA Clamping-assisted Fluorescence Melting Curve Analysis and PNA Clamping in Detecting <i>EGFR</i> Mutations in Matched Tumor Tissue, Cell Block, Pleural Effusion and Blood of Lung Cancer Patients With Malignant Pleural Effusion. In Vivo, 2019, 33, 595-603.	1.3	5
33	Report of the Korean Association of Lung Cancer Registry (KALC-R), 2014. Cancer Research and Treatment, 2019, 51, 1400-1410.	3.0	49
34	Telomere length in peripheral blood leukocytes and risk of renal cell carcinoma. Translational Cancer Research, 2019, 8, S397-S403.	1.0	2
35	Chronic nicotine exposure affects programmed death-ligand 1 expression and sensitivity to epidermal growth factor receptor-tyrosine kinase inhibitor in lung cancer. Translational Cancer Research, 2019, 8, S378-S388.	1.0	3
36	Clinical significance of Glasgow Prognostic Score in patients with tuberculous pleurisy. Journal of Thoracic Disease. 2018. 10. 6077-6087.	1.4	2

SEUNG JOON KIM

#	Article	IF	CITATIONS
37	Clinical Characteristics of False-Positive Lymph Node on Chest CT or PET-CT Confirmed by Endobronchial Ultrasound-Guided Transbronchial Needle Aspiration in Lung Cancer. Tuberculosis and Respiratory Diseases, 2018, 81, 339.	1.8	11
38	Prognostic value of platelet count and lymphocyte to monocyte ratio combination in stage IV non-small cell lung cancer with malignant pleural effusion. PLoS ONE, 2018, 13, e0200341.	2.5	28
39	Overall survival of driver mutation-negative non-small cell lung cancer patients with COPD under chemotherapy compared to non-COPD non-small cell lung cancer patients. International Journal of COPD, 2018, Volume 13, 2139-2146.	2.3	18
40	Clinical Activity of Pan-HER Inhibitors Against HER2-Mutant Lung Adenocarcinoma. Clinical Lung Cancer, 2018, 19, e775-e781.	2.6	22
41	miRNAs associated with prostate cancer risk and progression. BMC Urology, 2017, 17, 18.	1.4	79
42	Inhibiting IGF-1R attenuates cell proliferation and VEGF production in IGF-1R over-expressing EGFR mutant non-small cell lung cancer cells. Experimental Lung Research, 2017, 43, 29-37.	1.2	15
43	Roflumilast treatment inhibits lung carcinogenesis in benzo(a)pyrene-induced murine lung cancer model. European Journal of Pharmacology, 2017, 812, 189-195.	3.5	19
44	Clinical Significance of C-MET Overexpression and Epidermal Growth Factor Receptor Mutation in Platinum-Based Adjuvant Chemotherapy Outcome in Surgically Resected Lung Adenocarcinoma. Annals of Surgical Oncology, 2017, 24, 770-777.	1.5	8
45	Changes in PD-L1 expression according to tumor infiltrating lymphocytes of acquired EGFR-TKI resistant EGFR-mutant non-small-cell lung cancer. Oncotarget, 2017, 8, 107630-107639.	1.8	16
46	Clinical significance of positive Pneumocystis jirovecii polymerase chain reaction in non-human immunodeficiency virus immunocompromised patients in a real practice. Korean Journal of Internal Medicine, 2017, 32, 478-485.	1.7	5
47	The role of hypoxia on the acquisition of epithelial-mesenchymal transition and cancer stemness: a possible link to epigenetic regulation. Korean Journal of Internal Medicine, 2017, 32, 589-599.	1.7	80
48	Prognostic Impact of Multiple Clinicopathologic Risk Factors and c-MET Overexpression in Patients Who Have Undergone Resection of Stage IB Non–Small-Cell Lung Cancer. Clinical Lung Cancer, 2016, 17, e31-e43.	2.6	11
49	Serum lactate dehydrogenase levels at presentation in stage IV non-small cell lung cancer: predictive value of metastases and relation to survival outcomes. Tumor Biology, 2016, 37, 619-625.	1.8	47
50	Clinical Characteristics and Continued Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor Administration in <i>EGFR</i> -mutated Non-Small Cell Lung Cancer with Skeletal Metastasis. Cancer Research and Treatment, 2016, 48, 1110-1119.	3.0	11
51	Comparison of <scp>PNA</scp> clamping and direct sequencing for detecting <scp><i>KRAS</i></scp> mutations in matched tumour tissue, cell block, pleural effusion and serum from patients with malignant pleural effusion. Respirology, 2015, 20, 138-146.	2.3	14
52	Chronic Obstructive Pulmonary Disease-Related Non-Small-Cell Lung Cancer Exhibits a Low Prevalence of EGFR and ALK Driver Mutations. PLoS ONE, 2015, 10, e0142306.	2.5	28
53	Epigenetic modulation of Chlorella (Chlorella vulgaris) on exposure to polycyclic aromatic hydrocarbons. Environmental Toxicology and Pharmacology, 2015, 40, 758-763.	4.0	2
54	Expression of insulin-like growth factor 1 receptor (IGF-1R) predicts poor responses to epidermal growth factor receptor (EGFR) tyrosine kinase inhibitors in non-small cell lung cancer patients harboring activating EGFR mutations. Lung Cancer, 2015, 87, 311-317.	2.0	56

SEUNG JOON KIM

#	Article	IF	CITATIONS
55	Silencing of miR-137 by aberrant promoter hypermethylation in surgically resected lung cancer. Lung Cancer, 2015, 89, 99-103.	2.0	11
56	Bis Expression in Patients with Surgically Resected Lung Cancer and its Clinical Significance. Annals of Surgical Oncology, 2015, 22, 1365-1370.	1,5	4
57	Serum Carcinoembryonic Antigen Levels and the Risk of Whole-body Metastatic Potential in Advanced Non-small Cell Lung Cancer. Journal of Cancer, 2014, 5, 663-669.	2.5	32
58	Metabolic Activity on [18F]-Fluorodeoxyglucose-Positron Emission Tomography/Computed Tomography and Glucose Transporter-1 Expression Might Predict Clinical Outcomes in Patients With Limited Disease Small-Cell Lung Cancer Who Receive Concurrent Chemoradiation. Clinical Lung Cancer, 2014, 15, e13-e21.	2.6	17
59	Influence of Mindfulness-Based Stress Reduction (MBSR) on Telomerase Activity in Women With Breast Cancer (BC). Biological Research for Nursing, 2014, 16, 438-447.	1.9	144
60	Detection and comparison of EGFR mutations in matched tumor tissues, cell blocks, pleural effusions, and sera from patients with NSCLC with malignant pleural effusion, by PNA clamping and direct sequencing. Lung Cancer, 2013, 81, 207-212.	2.0	56
61	Preventive Effects of Oral Tolerance on Allergic Inflammation and Airway Remodeling in a Murine Model. American Journal of Rhinology and Allergy, 2013, 27, e11-e16.	2.0	9
62	A Case of Sarcoidosis That Was Initially Misdiagnosed as Nontuberculous Mycobacteria Pulmonary Disease. Tuberculosis and Respiratory Diseases, 2009, 66, 309.	1.8	2
63	Effects of Tranilast and Pentoxifylline in a Mouse Model of Chronic Asthma Using House Dust Mite Antigen. Journal of Asthma, 2009, 46, 884-894.	1.7	16
64	Survey of COPD Management among the Primary Care Physicians in Korea. Tuberculosis and Respiratory Diseases, 2008, 64, 109.	1.8	7
65	Time Sequence of Airway Remodeling in a Mouse Model of Chronic Asthma: the Relation with Airway Hyperresponsiveness. Journal of Korean Medical Science, 2007, 22, 183.	2.5	13
66	A Case of Isoniazid Induced Acute Pancreatitis. Tuberculosis and Respiratory Diseases, 2004, 56, 411.	0.2	2
67	Effects of CpG-oligodeoxynucleotides in Chronic Inflammation and Remodeling of Airway in a Murine Model of Bronchial Asthma. Tuberculosis and Respiratory Diseases, 2004, 57, 543.	1.8	0
68	A Case of Paragonimiasis in the Abdominal Subcutaneous Tissue with Pleural Effusion. Tuberculosis and Respiratory Diseases, 2004, 56, 550.	0.2	1
69	Relationship Between Vascularity and Other Remodeling Parameters in Asthmatic Airway. Tuberculosis and Respiratory Diseases, 2003, 54, 191.	0.2	0
70	A Case of Primary Pulmonary Sarcoma with Morphologic Features of Malignant Fibrous Histiocytoma. Tuberculosis and Respiratory Diseases, 2002, 52, 186.	0.2	0
71	A Case of Scrub Typhus with Acute Respiratory Distress Symdrome and Meningoencephalitis. Tuberculosis and Respiratory Diseases, 2002, 52, 283.	0.2	1
72	The Clinical Significance of Measurement of Serum Vascular Endothelial Growth Factor in Patients with Hemoptysis. Tuberculosis and Respiratory Diseases, 2002, 52, 137.	0.2	1

#	Article	IF	CITATIONS
73	Therapeutic applications of three-dimensional organoid models in lung cancer. Organoid, 0, 1, e6.	0.0	Ο