

# Midori Matsumoto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9497728/publications.pdf>

Version: 2024-02-01

65  
papers

1,014  
citations

516215

16  
h-index

476904

29  
g-index

70  
all docs

70  
docs citations

70  
times ranked

866  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ca <sup>2+</sup> spikes in the flagellum control chemotactic behavior of sperm. <i>EMBO Journal</i> , 2005, 24, 2741-2752.	3.5	165
2	A sperm-activating peptide controls a cGMP-signaling pathway in starfish sperm. <i>Developmental Biology</i> , 2003, 260, 314-324.	0.9	81
3	Egg and sperm recognition systems during fertilization. <i>Development Growth and Differentiation</i> , 2008, 50, S221-38.	0.6	66
4	Identification and expression analysis of <i>Drosophila melanogaster</i> genes encoding $\beta$ -hexosaminidases of the sperm plasma membrane. <i>Glycobiology</i> , 2006, 16, 786-800.	1.3	55
5	Switching from Asexual to Sexual Reproduction in the Planarian <i>Dugesia ryukyuensis</i> : Bioassay System and Basic Description of Sexualizing Process. <i>Zoological Science</i> , 1999, 16, 291-298.	0.3	45
6	Structure of acrosome reaction-inducing substance in the jelly coat of starfish eggs: A mini review. <i>Biochemical and Biophysical Research Communications</i> , 2012, 425, 595-598.	1.0	33
7	Drpiwi-1 is essential for germline cell formation during sexualization of the planarian <i>Dugesia ryukyuensis</i> . <i>Developmental Biology</i> , 2012, 361, 167-176.	0.9	31
8	Transcriptional pattern of a novel gene, expressed specifically after the point-of-no-return during sexualization, in planaria. <i>Development Genes and Evolution</i> , 2003, 212, 585-592.	0.4	27
9	Switch from Asexual to Sexual Reproduction in the Planarian <i>Dugesia ryukyuensis</i> . <i>Integrative and Comparative Biology</i> , 2003, 43, 242-246.	0.9	27
10	The <i>Dugesia ryukyuensis</i> Database as a Molecular Resource for Studying Switching of the Reproductive System. <i>Zoological Science</i> , 2007, 24, 31-37.	0.3	26
11	Neuropeptides trigger oocyte maturation and subsequent spawning in the hydrozoan jellyfish <i>Cytaeis uchidae</i> . <i>Molecular Reproduction and Development</i> , 2013, 80, 223-232.	1.0	26
12	Characterization of the pigment produced by the planarian, <i>Dugesia ryukyuensis</i> . <i>Pigment Cell &amp; Melanoma Research</i> , 2006, 19, 248-249.	4.0	20
13	Characterization of a scavenger receptor cysteine-rich-domain-containing protein of the starfish, <i>Asterina pectinifera</i> : ApSRCR1 acts as an opsonin in the larval and adult innate immune systems. <i>Developmental and Comparative Immunology</i> , 2012, 36, 51-61.	1.0	20
14	The Dr-nanos gene is essential for germ cell specification in the planarian <i>Dugesia ryukyuensis</i> . <i>International Journal of Developmental Biology</i> , 2012, 56, 165-171.	0.3	20
15	Acrosome reaction-related steroidal saponin, Co-ARIS, from the starfish induces structural changes in microdomains. <i>Developmental Biology</i> , 2010, 347, 147-153.	0.9	18
16	Sequence analysis of cDNAs encoding precursors of starfish asterosaps. , 1999, 25, 130-136.		17
17	Comparison of Sexual Reproductive Behaviors in Two Species of Macrobiotidae (Tardigrada: Tj ETQq1 1 0.784314 rrgBT /Overlock 10 Tff	0.3	17
18	Biochemical characterization of inner sugar chains of acrosome reaction-inducing substance in jelly coat of starfish eggs. <i>Glycobiology</i> , 2003, 13, 567-580.	1.3	15

#	ARTICLE	IF	CITATIONS
19	Peptide-induced hyperactivation-like vigorous flagellar movement in starfish sperm. <i>Zygote</i> , 2006, 14, 23-32.	0.5	15
20	The identification of d-tryptophan as a bioactive substance for postembryonic ovarian development in the planarian <i>Dugesia ryukyuensis</i> . <i>Scientific Reports</i> , 2017, 7, 45175.	1.6	15
21	Regulation of the starfish sperm acrosome reaction by cGMP, pH, cAMP and Ca <sup>2+</sup> . <i>International Journal of Developmental Biology</i> , 2008, 52, 523-526.	0.3	13
22	Acrosome reaction is subfamily specific in sea star fertilization. <i>Developmental Biology</i> , 2006, 298, 597-604.	0.9	12
23	Characterization of the Sperm Receptor for Acrosome Reaction-Inducing Substance of the Starfish, <i>Asterias Amurensis</i> . <i>Zoological Science</i> , 2002, 19, 435-442.	0.3	11
24	Asterosap-induced elevation in intracellular pH is indispensable for ARIS-induced sustained increase in intracellular Ca <sup>2+</sup> and following acrosome reaction in starfish spermatozoa. <i>Zygote</i> , 2005, 13, 63-71.	0.5	11
25	Effects of 17 $\beta$ -Estradiol and Bisphenol A on the Formation of Reproductive Organs in Planarians. <i>Biological Bulletin</i> , 2011, 220, 47-56.	0.7	10
26	Planarian d-amino acid oxidase is involved in ovarian development during sexual induction. <i>Mechanisms of Development</i> , 2014, 132, 69-78.	1.7	10
27	Na <sup>+</sup> /Ca <sup>2+</sup> exchanger contributes to asterosap-induced elevation of intracellular Ca <sup>2+</sup> concentration in starfish spermatozoa. <i>Zygote</i> , 2006, 14, 133-141.	0.5	9
28	Neoblast-enriched fraction rescues eye formation in eye-defective planarian <i>menashi</i> <sup>TM</sup> <i>Dugesia ryukyuensis</i> . <i>Development Growth and Differentiation</i> , 2008, 50, 689-696.	0.6	9
29	Conserved sequences of sperm-activating peptide and its receptor throughout evolution, despite speciation in the sea star <i>Asterias amurensis</i> and closely related species. <i>Zygote</i> , 2008, 16, 229-237.	0.5	9
30	Production of asexual and sexual offspring in the triploid sexual planarian <i>Dugesia ryukyuensis</i> . <i>Integrative Zoology</i> , 2009, 4, 265-271.	1.3	9
31	Uneven distribution pattern and increasing numbers of mesenchyme cells during development in the starfish, <i>Asterina pectinifera</i> . <i>Development Growth and Differentiation</i> , 2011, 53, 440-449.	0.6	9
32	Innate sexuality determines the mechanisms of telomere maintenance. <i>International Journal of Developmental Biology</i> , 2013, 57, 69-72.	0.3	9
33	Distribution of <i>Macrobiotus shonaicus</i> Stec, Arakawa & Michalczyk, 2018 (Tardigrada: Tj ETQq1 1 0.784314 rgBT <sub>0,2</sub> /Overl		
34	Switching from asexual to sexual reproduction in the planarian <i>Dugesia ryukyuensis</i> . <i>Invertebrate Reproduction and Development</i> , 1999, 36, 153-158.	0.3	8
35	Production of diploid and triploid offspring by inbreeding of the triploid planarian <i>Dugesia ryukyuensis</i> . <i>Chromosoma</i> , 2008, 117, 289-296.	1.0	8
36	Novel conserved structural domains of acrosome reaction-inducing substance are widespread in invertebrates. <i>Molecular Reproduction and Development</i> , 2011, 78, 57-66.	1.0	8

#	ARTICLE	IF	CITATIONS
37	Triploid planarian reproduces truly bisexually with euploid gametes produced through a different meiotic system between sex. <i>Chromosoma</i> , 2014, 123, 265-272.	1.0	8
38	A comprehensive comparison of sex-inducing activity in asexual worms of the planarian <i>Dugesia ryukyuensis</i> : the crucial sex-inducing substance appears to be present in yolk glands in <i>Tricladida</i> . <i>Zoological Letters</i> , 2018, 4, 14.	0.7	8
39	Characterization of novel genes expressed specifically in the sexual organs of the planarian <i>Dugesia ryukyuensis</i> . <i>International Journal of Developmental Biology</i> , 2007, 51, 345-349.	0.3	8
40	Comparative study of eye defective worm "menashi" and regenerating wild-type in planarian, <i>Dugesia ryukyuensis</i> . <i>Pigment Cell &amp; Melanoma Research</i> , 2005, 18, 86-91.	4.0	7
41	Stem cells from innate sexual but not acquired sexual planarians have the capability to form a sexual individual. <i>Molecular Reproduction and Development</i> , 2012, 79, 757-766.	1.0	7
42	Inhibition of <i>DrRad51</i> gene causes DNA damage in planarian. <i>Molecular Reproduction and Development</i> , 2018, 85, 188-196.	1.0	7
43	Spermatozoa morphology changes during reproduction and first observation of acrosomal contact in two dioecious species of <i>Macrobiotidae</i> (Tardigrada: Eutardigrada). <i>Zygote</i> , 2021, 29, 42-48.	0.5	7
44	Expression of Nephtrin Homologue in the Freshwater Planarian, <i>Dugesia japonica</i> . <i>Acta Histochemica Et Cytochemica</i> , 2014, 47, 303-310.	0.8	6
45	Reproduction of <i>Mesobiotus</i> : Comparison of Morphology and Behavior in the Family <i>Macrobiotidae</i> (Tardigrada: Eutardigrada). <i>Zoological Science</i> , 2021, 38, 444-450.	0.3	6
46	Sexual reproductive behaviours of tardigrades: a review. <i>Invertebrate Reproduction and Development</i> , 2021, 65, 279-287.	0.3	6
47	Description of a model tardigrade <i>Paramacrobiotus metropolitanus</i> sp. nov. (Eutardigrada) from Japan with a summary of its life history, reproduction and genomics. <i>Zootaxa</i> , 2022, 5134, 92-112.	0.2	6
48	Guanylyl cyclase and cGMP-specific phosphodiesterase participate in the acrosome reaction of starfish sperm. <i>Zygote</i> , 2004, 12, 345-355.	0.5	5
49	Starfish Ap DOCK protein essentially functions in larval defense system operated by mesenchyme cells. <i>Immunology and Cell Biology</i> , 2012, 90, 955-965.	1.0	5
50	Reproductive mode and ovarian morphology regulation in chimeric planarians composed of asexual and sexual neoblasts. <i>Molecular Reproduction and Development</i> , 2012, 79, 451-460.	1.0	5
51	<i>DrRad51</i> is required for chiasmata formation in meiosis in planarian <i>Dugesia ryukyuensis</i> . <i>Molecular Reproduction and Development</i> , 2014, 81, 409-421.	1.0	5
52	Identification of Guanylate Cyclases and Related Signaling Proteins in Sperm Tail from Sea Stars by Mass Spectrometry. <i>Marine Biotechnology</i> , 2008, 10, 564-571.	1.1	4
53	Enzyme kinetics of dUTPase from the planarian <i>Dugesia ryukyuensis</i> . <i>BMC Research Notes</i> , 2019, 12, 163.	0.6	4
54	Mesenchyme cells can function to induce epithelial cell proliferation in starfish embryos. <i>Developmental Dynamics</i> , 2010, 239, 818-827.	0.8	3

#	ARTICLE	IF	CITATIONS
55	Protein kinase A activity leads to the extension of the acrosomal process in starfish sperm. <i>Molecular Reproduction and Development</i> , 2017, 84, 614-625.	1.0	3
56	Species-specificity of the acrosome reaction in starfish. <i>Zygote</i> , 1999, 8, S62-S62.	0.5	2
57	A Chloride Ion Channel in <i>Halocynthia roretzi</i> Hemocytes is Associated with PO Activity but Not Pigmentation During the Contact Reaction. <i>Zoological Science</i> , 2008, 25, 1130-1138.	0.3	2
58	A self-marker-like protein governs hemocyte allorecognition in <i>Halocynthia roretzi</i> . <i>Zoological Letters</i> , 2019, 5, 34.	0.7	2
59	Co-localization of DrPiwi-1 and DrPiwi-2 in the oogonial cytoplasm is essential for oocyte differentiation in sexualized planarians. <i>Cells and Development</i> , 2021, 167, 203710.	0.7	2
60	Acrosome reaction in starfish: signal molecules in the jelly coat and their receptors. <i>Zygote</i> , 1999, 8, S26-S27.	0.5	1
61	Morphological differences in tardigrade spermatozoa induce variation in gamete motility. <i>BMC Zoology</i> , 2022, 7, .	0.3	1
62	Cyclic AMP-dependent PKA phosphorylates starfish sperm proteins during acrosome reaction. <i>Open Life Sciences</i> , 2007, 2, 109-121.	0.6	0
63	Triploid planarian reproduces bisexually with euploid gametes. <i>Molecular Reproduction and Development</i> , 2014, 81, 283-283.	1.0	0
64	In Silico Reconstruction of Sperm Chemotaxis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9104.	1.8	0
65	Recognition Mechanism of Egg and Sperm Based on Sugar Chains. , 2008, , 278-281.		0