
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/949907/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Incorporation of Bevacizumab in the Primary Treatment of Ovarian Cancer. New England Journal of Medicine, 2011, 365, 2473-2483.	27.0	2,011
2	Bevacizumab for advanced cervical cancer: final overall survival and adverse event analysis of a randomised, controlled, open-label, phase 3 trial (Gynecologic Oncology Group 240). Lancet, The, 2017, 390, 1654-1663.	13.7	424
3	Niraparib monotherapy for late-line treatment of ovarian cancer (QUADRA): a multicentre, open-label, single-arm, phase 2 trial. Lancet Oncology, The, 2019, 20, 636-648.	10.7	366
4	Final Overall Survival of a Randomized Trial of Bevacizumab for Primary Treatment of Ovarian Cancer. Journal of Clinical Oncology, 2019, 37, 2317-2328.	1.6	289
5	Efficacy and safety of tisotumab vedotin in previously treated recurrent or metastatic cervical cancer (innovaTV 204/GOG-3023/ENGOT-cx6): a multicentre, open-label, single-arm, phase 2 study. Lancet Oncology, The, 2021, 22, 609-619.	10.7	186
6	Avelumab alone or in combination with chemotherapy versus chemotherapy alone in platinum-resistant or platinum-refractory ovarian cancer (JAVELIN Ovarian 200): an open-label, three-arm, randomised, phase 3 study. Lancet Oncology, The, 2021, 22, 1034-1046.	10.7	171
7	A Randomized, Phase III Trial to Evaluate Rucaparib Monotherapy as Maintenance Treatment in Patients With Newly Diagnosed Ovarian Cancer (ATHENA–MONO/GOG-3020/ENGOT-ov45). Journal of Clinical Oncology, 2022, 40, 3952-3964.	1.6	125
8	Niraparib Maintenance Therapy in Patients With Recurrent Ovarian Cancer After a Partial Response to the Last Platinum-Based Chemotherapy in the ENGOT-OV16/NOVA Trial. Journal of Clinical Oncology, 2019, 37, 2968-2973.	1.6	121
9	The role of immune checkpoint inhibition in the treatment of ovarian cancer. Gynecologic Oncology Research and Practice, 2016, 3, 11.	3.6	118
10	Chemotherapy with or without avelumab followed by avelumab maintenance versus chemotherapy alone in patients with previously untreated epithelial ovarian cancer (JAVELIN Ovarian 100): an open-label, randomised, phase 3 trial. Lancet Oncology, The, 2021, 22, 1275-1289.	10.7	118
11	Quality-of-Life Comparisons in a Randomized Trial of Interval Secondary Cytoreduction in Advanced Ovarian Carcinoma: A Gynecologic Oncology Group Study. Journal of Clinical Oncology, 2005, 23, 5605-5612.	1.6	109
12	MILO/ENGOT-ov11: Binimetinib Versus Physician's Choice Chemotherapy in Recurrent or Persistent Low-Grade Serous Carcinomas of the Ovary, Fallopian Tube, or Primary Peritoneum. Journal of Clinical Oncology, 2020, 38, 3753-3762.	1.6	82
13	Adjuvant chemotherapy following chemoradiation as primary treatment for locally advanced cervical cancer compared to chemoradiation alone: The randomized phase III OUTBACK Trial (ANZGOG 0902,) Tj ETQq1	1 01768431	4 rgBT /Over
14	Patient reported outcomes of a randomized, placebo-controlled trial of bevacizumab in the front-line treatment of ovarian cancer: A Gynecologic Oncology Group Study. Gynecologic Oncology, 2013, 128, 573-578.	1.4	69
15	Radiotherapy Versus Inguinofemoral Lymphadenectomy as Treatment for Vulvar Cancer Patients With Micrometastases in the Sentinel Node: Results of GROINSS-V II. Journal of Clinical Oncology, 2021, 39, 3623-3632.	1.6	69
16	Impact of facility volume on therapy and survival for locally advanced cervical cancer. Gynecologic Oncology, 2014, 132, 416-422.	1.4	65
17	Ovarian cancer clinical trial endpoints: Society of Gynecologic Oncology white paper. Gynecologic Oncology, 2014, 132, 8-17.	1.4	65
18	Phase II study of the safety and efficacy of the anti-PD-1 antibody balstilimab in patients with recurrent and/or metastatic cervical cancer. Gynecologic Oncology, 2021, 163, 274-280.	1.4	59

#	Article	IF	CITATIONS
19	A phase II evaluation of sunitinib in the treatment of persistent or recurrent clear cell ovarian carcinoma: An NRG Oncology/Gynecologic Oncology Group Study (GOG-254). Gynecologic Oncology, 2018, 150, 247-252.	1.4	56
20	A virtual molecular tumor board to improve efficiency and scalability of delivering precision oncology to physicians and their patients. JAMIA Open, 2019, 2, 505-515.	2.0	56
21	A phase II evaluation of elesclomol sodium and weekly paclitaxel in the treatment of recurrent or persistent platinum-resistant ovarian, fallopian tube or primary peritoneal cancer: An NRG oncology/gynecologic oncology group study. Gynecologic Oncology, 2018, 151, 422-427.	1.4	49
22	Integration of immunotherapy into treatment of cervical cancer: Recent data and ongoing trials. Cancer Treatment Reviews, 2022, 106, 102385.	7.7	44
23	Neratinib in patients with HER2-mutant, metastatic cervical cancer: Findings from the phase 2 SUMMIT basket trial. Gynecologic Oncology, 2020, 159, 150-156.	1.4	43
24	Loss of the tumor suppressor SMARCA4 in small cell carcinoma of the ovary, hypercalcemic type (SCCOHT). Rare Diseases (Austin, Tex ), 2014, 2, e967148.	1.8	40
25	ATHENA (GOG-3020/ENGOT-ov45): a randomized, phase III trial to evaluate rucaparib as monotherapy (ATHENA–MONO) and rucaparib in combination with nivolumab (ATHENA–COMBO) as maintenance treatment following frontline platinum-based chemotherapy in ovarian cancer. International Journal of Gynecological Cancer. 2021. 31. 1589-1594.	2.5	40
26	Twenty-first century cervical cancer management: A historical perspective of the gynecologic oncology group/NRG oncology over the past twenty years. Gynecologic Oncology, 2018, 150, 391-397.	1.4	39
27	Therapeutic options for treatment of human papillomavirus-associated cancers - novel immunologic vaccines: ADXS11–001. Gynecologic Oncology Research and Practice, 2017, 4, 10.	3.6	37
28	Chemotherapy-induced neutropenia as a biomarker of survival in advanced ovarian carcinoma: An exploratory study of the Gynecologic Oncology Group. Gynecologic Oncology, 2014, 133, 439-445.	1.4	35
29	Phase II study of axalimogene filolisbac (ADXS-HPV) for platinum-refractory cervical carcinoma: An NRG oncology/gynecologic oncology group study. Gynecologic Oncology, 2020, 158, 562-569.	1.4	35
30	Mechanistic insights into ADXS11-001 human papillomavirus-associated cancer immunotherapy. Gynecologic Oncology Research and Practice, 2017, 4, 9.	3.6	30
31	A phase I study of sequential ipilimumab in the definitive treatment of node positive cervical cancer: GOG 9929 Journal of Clinical Oncology, 2017, 35, 5526-5526.	1.6	26
32	A phase II trial of oxaliplatin, docetaxel, and bevacizumab as first-line therapy of advanced cancer of the ovary, peritoneum, and fallopian tube. Gynecologic Oncology, 2014, 132, 517-525.	1.4	22
33	Evaluation of an individualized starting-dose of niraparib in the PRIMA/ENGOT-OV26/GOG-3012 study Journal of Clinical Oncology, 2020, 38, 6050-6050.	1.6	20
34	Efficacy of niraparib by time of surgery and postoperative residual disease status: A post hoc analysis of patients in the PRIMA/ENGOT-OV26/GOG-3012 study. Gynecologic Oncology, 2022, 166, 36-43.	1.4	18
35	The association between timing of initiation of adjuvant therapy and the survival of early stage ovarian cancer patients – An analysis of NRG Oncology/Gynecologic Oncology Group trials. Gynecologic Oncology, 2016, 143, 490-495.	1.4	16
36	A phase II evaluation of brivanib in the treatment of persistent or recurrent carcinoma of the cervix: An NRG Oncology/Gynecologic Oncology Group study. Gynecologic Oncology, 2017, 146, 554-559.	1.4	15

#	Article	IF	CITATIONS
37	Incorporation of whole pelvic radiation into treatment of stage IVB cervical cancer: A novel treatment strategy. Gynecologic Oncology, 2020, 156, 100-106.	1.4	14
38	Phase 1b study of AVB-500 in combination with paclitaxel or pegylated liposomal doxorubicin platinum-resistant recurrent ovarian cancer. Gynecologic Oncology, 2021, 163, 254-261.	1.4	14
39	CALLA: Efficacy and safety of durvalumab with and following concurrent chemoradiotherapy (CCRT) versus CCRT alone in women with locally advanced cervical cancer: A phase III, randomized, double-blind, multicenter study Journal of Clinical Oncology, 2019, 37, TPS5597-TPS5597.	1.6	10
40	Management of nausea and vomiting from poly(ADP-ribose) polymerase inhibitor therapy for advanced ovarian cancer. Gynecologic Oncology, 2020, 159, 581-587.	1.4	9
41	A phase I combination study of vigil and atezolizumab in recurrent/refractory advanced-stage ovarian cancer: Efficacy assessment in BRCA1/2-wt patients Journal of Clinical Oncology, 2020, 38, 3002-3002.	1.6	9
42	Longitudinal Changes in Sleep: Associations with Shifts in Circulating Cytokines and Emotional Distress in a Cancer Survivor Population. International Journal of Behavioral Medicine, 2021, 28, 140-150.	1.7	8
43	Quality of Life and Adverse Events: Prognostic Relationships in Long-Term Ovarian Cancer Survival. Journal of the National Cancer Institute, 2021, 113, 1369-1378.	6.3	8
44	Molecular results and potential biomarkers identified from MILO/ENGOT-ov11 phase 3 study of binimetinib versus physicians choice of chemotherapy (PCC) in recurrent low-grade serous ovarian cancer (LGSOC) Journal of Clinical Oncology, 2021, 39, 5519-5519.	1.6	8
45	Patient characteristics, treatment patterns, and clinical outcomes among patients with previously treated recurrent or metastatic cervical cancer: A community oncology-based analysis. Gynecologic Oncology, 2021, 161, 422-428.	1.4	8
46	Utilizing an interim futility analysis of the OVAL study (VB-111-701/GOG 3018) for potential reduction of risk: A phase III, double blind, randomized controlled trial of ofranergene obadenovec (VB-111) and weekly paclitaxel in patients with platinum resistant ovarian cancer. Gynecologic Oncology, 2021, 161, 496-501.	1.4	7
47	Bevacizumab plus fosbretabulin in recurrent ovarian cancer: Overall survival and exploratory analyses of a randomized phase II NRG oncology/gynecologic oncology group study. Gynecologic Oncology, 2020, 159, 79-87.	1.4	6
48	SIENDO/ENGOT-EN5/GOG-3055: A randomized phase 3 trial of maintenance selinexor versus placebo after combination platinum-based chemotherapy in advanced or recurrent endometrial cancer Journal of Clinical Oncology, 2021, 39, TPS5610-TPS5610.	1.6	6
49	Cardiac safety of trabectedin monotherapy or in combination with pegylated liposomal doxorubicin in patients with sarcomas and ovarian cancer. Cancer Medicine, 2021, 10, 3565-3574.	2.8	6
50	Randomized phase III study of maintenance selinexor versus placebo in endometrial cancer (ENGOT-EN5/GOG-3055/SIENDO): Impact of subgroup analysis and molecular classification Journal of Clinical Oncology, 2022, 40, 5511-5511.	1.6	6
51	Uplift (ENGOT-ov67): A pivotal cohort to evaluate XMT-1536 (upifitamab rilsodotin), a NaPi2b-directed antibody drug conjugate for platinum-resistant ovarian cancer Journal of Clinical Oncology, 2021, 39, TPS5607-TPS5607.	1.6	5
52	ENGOT-ov60/GOG3052/RAMP 201: A phase 2 study of VS-6766 (dual RAF/MEK inhibitor) alone and in combination with defactinib (FAK inhibitor) in recurrent low-grade serous ovarian cancer (LGSOC) Journal of Clinical Oncology, 2021, 39, TPS5603-TPS5603.	1.6	4
53	Gastrointestinal symptoms and diagnosis preceding ovarian cancer diagnosis: Effects on treatment allocation and potential diagnostic delay. Gynecologic Oncology, 2021, 161, 832-837.	1.4	4
54	The GOG partners: A program for industry sponsored clinical trials in gynecologic oncology within the GOG foundation. Gynecologic Oncology, 2021, 162, 203-209.	1.4	4

#	Article	IF	CITATIONS
55	Randomized double-blind placebo-controlled trial of primary maintenance vigil immunotherapy (VITAL) Tj ETQq1		$\sim$
	Clinical Oncology, 2020, 38, 6017-6017.	1.6	4
56	ATHENA–MONO (GOG-3020/ENGOT-ov45): A randomized, double-blind, phase 3 trial evaluating rucaparib monotherapy versus placebo as maintenance treatment following response to first-line platinum-based chemotherapy in ovarian cancer Journal of Clinical Oncology, 2022, 40, LBA5500-LBA5500.	1.6	4
57	Niraparib treatment for patients with <i>BRCA</i> -mutated ovarian cancer: review of clinical data and therapeutic context. Future Oncology, 2022, 18, 2505-2536.	2.4	4
58	Updates on drug discovery in ovarian cancer. Gynecologic Oncology Research and Practice, 2014, 1, 3.	3.6	3
59	Will bevacizumab biosimilars impact the value of systemic therapy in gynecologic cancers?. Gynecologic Oncology Research and Practice, 2017, 4, 7.	3.6	3
60	Selecting new upfront regimens for advanced ovarian cancer with biomarker guidance. Gynecologic Oncology, 2020, 159, 604-606.	1.4	3
61	Poly(ADP-ribose) polymerase (PARP) inhibitors as treatment versus maintenance in ovarian carcinoma. Gynecologic Oncology, 2017, 146, 11-15.	1.4	2
62	The American Society of Clinical Oncology 2018 annual meeting: A review and summary of selected abstracts. Gynecologic Oncology, 2018, 151, e1-e6.	1.4	2
63	Niraparib efficacy and safety in patients with BRCA mutated (BRCAm) ovarian cancer: Results from three phase 3 niraparib trials Journal of Clinical Oncology, 2021, 39, 5518-5518.	1.6	2
64	The role of proinflammatory immune (IFN-gamma) gene signature in predicting prognosis and response to chemotherapy in uterine carcinoma Journal of Clinical Oncology, 2019, 37, e14209-e14209.	1.6	2
65	Niraparib exposure-response relationship in patients (pts) with newly diagnosed advanced ovarian cancer (AOC) Journal of Clinical Oncology, 2020, 38, 6051-6051.	1.6	2
66	PARP inhibition as frontline therapy in ovarian cancer. Clinical Advances in Hematology and Oncology, 2020, 18, 550-556.	0.3	2
67	ROSELLA: A phase 3 study of relacorilant in combination with nab-paclitaxel versus investigator's choice in advanced, platinum-resistant, high-grade epithelial ovarian, primary peritoneal, or fallopian-tube cancer Journal of Clinical Oncology, 2022, 40, TPS5620-TPS5620.	1.6	2
68	Letter to the editor, Reply to: Lee and Matulonis: Immunotherapy and radiation combinatorial trials in gynecologic cancer: A potential synergy?. Gynecologic Oncology Reports, 2019, 30, 100506.	0.6	1
69	Response to "surgical management of cervical cancer by laparoscopy or laparotomy― Gynecologic Oncology Reports, 2019, 27, 6-7.	0.6	1
70	Sequential Chemotherapy for Early-Stage, Post–Radical Hysterectomy Cervical Cancer. JAMA Oncology, 2021, 7, 353.	7.1	1
71	Clinical trial in progress: Pivotal study of VB-111 combined with paclitaxel versus paclitaxel for treatment of platinum-resistant ovarian cancer (OVAL, VB-111-701/GOG-3018) Journal of Clinical Oncology, 2021, 39, TPS5599-TPS5599.	1.6	1
72	The role of different TGFβ signatures in predicting outcome in high grade serous ovarian carcinoma Journal of Clinical Oncology, 2019, 37, e14262-e14262.	1.6	1

#	Article	IF	CITATIONS
73	Clinical trial in progress: Pivotal study of VB-111 combined with paclitaxel versus paclitaxel for treatment of platinum-resistant ovarian cancer (OVAL, VB-111-701/GOG-3018) Journal of Clinical Oncology, 2020, 38, TPS6097-TPS6097.	1.6	1
74	Prognostic significance of ethnicity and age in advanced stage epithelial ovarian cancer: An NRG oncology/gynecologic oncology group study. Gynecologic Oncology, 2021, , .	1.4	1
75	PARP inhibition in recurrent ovarian cancer. Clinical Advances in Hematology and Oncology, 2020, 18, 647-655.	0.3	1
76	Reply to Farolfi et al and Haines et al. Journal of Clinical Oncology, 2020, 38, 173-174.	1.6	0
77	Philip John DiSaia, MD: Available Light & The Origin of Storms. Journal of Obstetrics and Gynaecology Research, 2020, 46, 959-988.	1.3	0
78	Phase 1b study of GAS6/AXL inhibitor (AVB-500) in recurrent, platinum-resistant ovarian carcinoma Journal of Clinical Oncology, 2021, 39, 5566-5566.	1.6	0
79	Cardiac safety of trabectedin monotherapy and in combination with pegylated liposomal doxorubicin in patients with sarcomas and ovarian cancer Journal of Clinical Oncology, 2020, 38, 11547-11547.	1.6	0
80	Testing for High-Risk Human Papillomavirus in Lower Genital Tract Tumors: If Knowledge Does Not Translate to an Action That Helps Patients—Why Do It?. Journal of Clinical Oncology, 2022, , JCO2200251.	1.6	0
81	Staging locally advanced cervical cancer with FIGO 2018 versus FIGO 2008: Impact on overall survival and progression-free survival in the OUTBACK trial (ANZGOG 0902, RTOG 1174, NRG 0274) Journal of Clinical Oncology, 2022, 40, 5531-5531.	1.6	0