## Jan Bouchal

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9499446/jan-bouchal-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57	1,919	23	43
papers	citations	h-index	g-index
62 ext. papers	2,248 ext. citations	4.8 avg, IF	4·45 L-index

#	Paper	IF	Citations
57	Skp2 and Slug Are Coexpressed in Aggressive Prostate Cancer and Inhibited by Neddylation Blockade. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
56	Epithelial to mesenchymal transition and microRNA expression are associated with spindle and apocrine cell morphology in triple-negative breast cancer. <i>Scientific Reports</i> , <b>2021</b> , 11, 5145	4.9	3
55	Complex Alterations of Fatty Acid Metabolism and Phospholipidome Uncovered in Isolated Colon Cancer Epithelial Cells. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	8
54	Toll-Like Receptor 3 in Solid Cancer and Therapy Resistance. <i>Cancers</i> , <b>2020</b> , 12,	6.6	10
53	Slug-expressing mouse prostate epithelial cells have increased stem cell potential. <i>Stem Cell Research</i> , <b>2020</b> , 46, 101844	1.6	11
52	ZEB1: A Critical Regulator of Cell Plasticity, DNA Damage Response, and Therapy Resistance. <i>Frontiers in Molecular Biosciences</i> , <b>2020</b> , 7, 36	5.6	40
51	The Percentage of Free PSA and Urinary Markers Distinguish Prostate Cancer from Benign Hyperplasia and Contribute to a More Accurate Indication for Prostate Biopsy. <i>Biomedicines</i> , <b>2020</b> , 8,	4.8	4
50	Cancer-associated fibroblasts promote prostate tumor growth and progression through upregulation of cholesterol and steroid biosynthesis. <i>Cell Communication and Signaling</i> , <b>2020</b> , 18, 11	7.5	23
49	Specific alterations of sphingolipid metabolism identified in EpCAM-positive cells isolated from human colon tumors. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , <b>2020</b> , 1865, 15	8742	3
48	Autophagy role(s) in response to oncogenes and DNA replication stress. <i>Cell Death and Differentiation</i> , <b>2020</b> , 27, 1134-1153	12.7	37
47	High Skp2 expression is associated with a mesenchymal phenotype and increased tumorigenic potential of prostate cancer cells. <i>Scientific Reports</i> , <b>2019</b> , 9, 5695	4.9	14
46	Generation of human iPSCs from fetal prostate fibroblasts HPrF. Stem Cell Research, 2019, 35, 101405	1.6	1
45	Targeting genotoxic and proteotoxic stress-response pathways in human prostate cancer by clinically available PARP inhibitors, vorinostat and disulfiram. <i>Prostate</i> , <b>2019</b> , 79, 352-362	4.2	13
44	Olaparib is effective in combination with, and as maintenance therapy after, first-line endocrine therapy in prostate cancer cells. <i>Molecular Oncology</i> , <b>2018</b> , 12, 561-576	7.9	12
43	The fibroblast surface markers FAP, anti-fibroblast, and FSP are expressed by cells of epithelial origin and may be altered during epithelial-to-mesenchymal transition. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , <b>2018</b> , 93, 941-951	4.6	30
42	Trop-2 plasticity is controlled by epithelial-to-mesenchymal transition. <i>Carcinogenesis</i> , <b>2018</b> , 39, 1411-1	4486	6
41	Presence of growth/differentiation factor-15 cytokine in human follicular fluid, granulosa cells, and oocytes. <i>Journal of Assisted Reproduction and Genetics</i> , <b>2018</b> , 35, 1407-1417	3.4	3

40	Infiltration of Prostate Cancer by CD204+ and CD3+ Cells Correlates with ERG Expression and TMPRSS2-ERG Gene Fusion. <i>Klinicka Onkologie</i> , <b>2018</b> , 31, 421-428	2	4
39	Selective inhibition reveals cyclin-dependent kinase 2 as another kinase that phosphorylates the androgen receptor at serine 81. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>2018</b> , 1865, 354	- <del>1</del> 63	6
38	Generation of human iPSCs from human prostate cancer-associated fibroblasts IBPi002-A. <i>Stem Cell Research</i> , <b>2018</b> , 33, 255-259	1.6	3
37	Prognostic and predictive value of loss of nuclear RAD51 immunoreactivity in resected non-small cell lung cancer patients. <i>Lung Cancer</i> , <b>2017</b> , 105, 31-38	5.9	6
36	Cisplatin or LA-12 enhance killing effects of TRAIL in prostate cancer cells through Bid-dependent stimulation of mitochondrial apoptotic pathway but not caspase-10. <i>PLoS ONE</i> , <b>2017</b> , 12, e0188584	3.7	14
35	Clonality testing of lymphoproliferative disorders in a large cohort of primary and consultant biopsies. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia,</i> <b>2017</b> , 161, 197-205	1.7	2
34	The AR/NCOA1 axis regulates prostate cancer migration by involvement of PRKD1. Endocrine-Related Cancer, <b>2016</b> , 23, 495-508	5.7	11
33	DNA damage signalling barrier, oxidative stress and treatment-relevant DNA repair factor alterations during progression of human prostate cancer. <i>Molecular Oncology</i> , <b>2016</b> , 10, 879-94	7.9	34
32	The dual role of asporin in breast cancer progression. <i>Oncotarget</i> , <b>2016</b> , 7, 52045-52060	3.3	19
31	Glycoprotein asporin as a novel player in tumour microenvironment and cancer progression.  Biomedical Papers of the Medical Faculty of the University Palacký, Olomouc,  Czechoslovakia, <b>2016</b> , 160, 467-473	1.7	9
30	Cranberry intervention in patients with prostate cancer prior to radical prostatectomy. Clinical, pathological and laboratory findings. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2016</b> , 160, 559-565	1.7	11
29	Androgenetic alopecia and polymorphism of the androgen receptor gene (SNP rs6152) in patients with benign prostate hyperplasia or prostate cancer. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2015</b> , 29, 91-6	4.6	11
28	BCL2 is an independent predictor of outcome in basal-like triple-negative breast cancers treated with adjuvant anthracycline-based chemotherapy. <i>Tumor Biology</i> , <b>2015</b> , 36, 4243-52	2.9	27
27	Opposite regulation of MDM2 and MDMX expression in acquisition of mesenchymal phenotype in benign and cancer cells. <i>Oncotarget</i> , <b>2015</b> , 6, 36156-71	3.3	13
26	The role of cancer-associated fibroblasts, solid stress and other microenvironmental factors in tumor progression and therapy resistance. <i>Cancer Cell International</i> , <b>2014</b> , 14, 41	6.4	131
25	Relation of ETS transcription factor family member ERG, androgen receptor and topoisomerase 2 expression to TMPRSS2-ERG fusion status in prostate cancer. <i>Neoplasma</i> , <b>2014</b> , 61, 9-16	3.3	6
24	The role of high cell density in the promotion of neuroendocrine transdifferentiation of prostate cancer cells. <i>Molecular Cancer</i> , <b>2014</b> , 13, 113	42.1	18
23	Triple negative breast cancer - BCL2 in prognosis and prediction. Review. <i>Current Drug Targets</i> , <b>2014</b> , 15, 1166-75	3	24

22	TMPRSS2-ERG gene fusion in prostate cancer. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2014</b> , 158, 502-10	1.7	6
21	Automatic cell cloning assay for determining the clonogenic capacity of cancer and cancer stem-like cells. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2013, 83, 472-82	4.6	22
20	Copy number changes in triple-negative breast cancer: New molecular targets <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 1063-1063	2.2	
19	Evaluation of candidate biomarkers to predict cancer cell sensitivity or resistance to PARP-1 inhibitor treatment. <i>Cell Cycle</i> , <b>2012</b> , 11, 3837-50	4.7	125
18	BCL2 protein in prediction of relapse in triple-negative breast cancer (TNBC) treated with adjuvant anthracycline-based chemotherapy <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 1087-1087	2.2	2
17	Androgen depletion induces senescence in prostate cancer cells through down-regulation of Skp2. <i>Neoplasia</i> , <b>2011</b> , 13, 526-36	6.4	56
16	Quadriplex model enhances urine-based detection of prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , <b>2011</b> , 14, 354-60	6.2	17
15	Transcriptional coactivators p300 and CBP stimulate estrogen receptor-beta signaling and regulate cellular events in prostate cancer. <i>Prostate</i> , <b>2011</b> , 71, 431-7	4.2	37
14	Inhibition of the acetyltransferases p300 and CBP reveals a targetable function for p300 in the survival and invasion pathways of prostate cancer cell lines. <i>Molecular Cancer Therapeutics</i> , <b>2011</b> , 10, 1644-55	6.1	161
13	Collagen triple helix repeat containing 1 protein, periostin and versican in primary and metastatic breast cancer: an immunohistochemical study. <i>Journal of Clinical Pathology</i> , <b>2011</b> , 64, 977-82	3.9	47
12	Genetic determinants of prostate cancer: a review. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2011</b> , 155, 3-9	1.7	19
11	Wnt signaling in prostate development and carcinogenesis. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2011</b> , 155, 11-8	1.7	26
10	Telomere attrition occurs during ex vivo expansion of human dental pulp stem cells. <i>Journal of Biomedicine and Biotechnology</i> , <b>2010</b> , 2010, 673513		27
9	Urine markers in monitoring for prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , <b>2010</b> , 13, 12-9	6.2	60
8	Novel markers for differentiation of lobular and ductal invasive breast carcinomas by laser microdissection and microarray analysis. <i>BMC Cancer</i> , <b>2007</b> , 7, 55	4.8	287
7	A novel myoepithelial/progenitor cell marker in the breast?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2007</b> , 450, 607-9	5.1	44
6	Novel immunohistochemical markers for the differentiation of lobular and ductal invasive breast carcinomas. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2007</b> , 151, 59-64	1.7	32
5	Wnt signaling pathway in mammary gland development and carcinogenesis. <i>Pathobiology</i> , <b>2006</b> , 73, 213	3 <i>-3</i> 28	157

## LIST OF PUBLICATIONS

4	Immunohistochemical analysis of the biological potential of odontogenic keratocysts. <i>Journal of Oral Pathology and Medicine</i> , <b>2006</b> , 35, 75-80	3.3	64
3	Microarray analysis of bicalutamide action on telomerase activity, p53 pathway and viability of prostate carcinoma cell lines. <i>Journal of Pharmacy and Pharmacology</i> , <b>2005</b> , 57, 83-92	4.8	16
2	The synthetic ligand of peroxisome proliferator-activated receptor-gamma ciglitazone affects human glioblastoma cell lines. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2004</b> , 309, 1239-	- <b>47</b> 7	54
1	The effects of natural ligands of hormone receptors and their antagonists on telomerase activity in the androgen sensitive prostatic cancer cell line LNCaP. <i>Biochemical Pharmacology</i> , <b>2002</b> , 63, 1177-81	6	12