

# William W Kwok

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9500083/publications.pdf>

Version: 2024-02-01

154  
papers

8,674  
citations

41627

51  
h-index

58552

86  
g-index

159  
all docs

159  
docs citations

159  
times ranked

11543  
citing authors

#	ARTICLE	IF	CITATIONS
1	Specific T cells targeting <i>Staphylococcus aureus</i> fibronectin-binding protein 1 induce a type 2/type 1 inflammatory response in sensitized atopic dermatitis patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1245-1253.	2.7	13
2	High and Sustained Ex Vivo Frequency but Altered Phenotype of SARS-CoV-2-Specific CD4+ T-Cells in an Anti-CD20-Treated Patient with Prolonged COVID-19. <i>Viruses</i> , 2022, 14, 1265.	1.5	5
3	Recurrent <i>Clostridioides difficile</i> Infection Is Associated With Impaired T Helper Type 17 Immunity to <i>C. difficile</i> Toxin B. <i>Gastroenterology</i> , 2021, 160, 1410-1413.e4.	0.6	10
4	Identification of Human Antigen-Specific CD4+ Cells with Peptide-MHC Multimer Technologies. <i>Methods in Molecular Biology</i> , 2021, 2285, 153-163.	0.4	1
5	In vitro and ex vivo functional characterization of human HLA-DRB1 <sup>∗</sup> 04 restricted T cell receptors. <i>Journal of Translational Autoimmunity</i> , 2021, 4, 100087.	2.0	7
6	Unsupervised machine learning reveals key immune cell subsets in COVID-19, rhinovirus infection, and cancer therapy. <i>ELife</i> , 2021, 10, .	2.8	16
7	Broadly directed SARS-CoV-2-specific CD4+ T cell response includes frequently detected peptide specificities within the membrane and nucleoprotein in patients with acute and resolved COVID-19. <i>PLoS Pathogens</i> , 2021, 17, e1009842.	2.1	40
8	Autoreactive T cell receptors with shared germline-like $\hat{\pm}$ chains in type 1 diabetes. <i>JCI Insight</i> , 2021, 6, .	2.3	14
9	Cross-reactive and mono-reactive SARS-CoV-2 CD4+ T cells in pre-pandemic and COVID-19 convalescent individuals. <i>PLoS Pathogens</i> , 2021, 17, e1010203.	2.1	24
10	Ontogeny of different subsets of yellow fever virus-specific circulatory CXCR5+ CD4+ T cells after yellow fever vaccination. <i>Scientific Reports</i> , 2020, 10, 15686.	1.6	6
11	HLA-DR15 Molecules Jointly Shape an Autoreactive T Cell Repertoire in Multiple Sclerosis. <i>Cell</i> , 2020, 183, 1264-1281.e20.	13.5	133
12	Next-Generation HLA Sequence Analysis Uncovers Seven HLA-DQ Amino Acid Residues and Six Motifs Resistant to Childhood Type 1 Diabetes. <i>Diabetes</i> , 2020, 69, 2523-2535.	0.3	7
13	Multi-HLA class II tetramer analyses of citrulline-reactive T cells and early treatment response in rheumatoid arthritis. <i>BMC Immunology</i> , 2020, 21, 27.	0.9	20
14	Hybrid Insulin Peptides Are Recognized by Human T Cells in the Context of DRB1 <sup>∗</sup> 04:01. <i>Diabetes</i> , 2020, 69, 1492-1502.	0.3	30
15	Increased islet antigen-specific regulatory and effector CD4 <sup>+</sup> T cells in healthy individuals with the type 1 diabetes-protective haplotype. <i>Science Immunology</i> , 2020, 5, .	5.6	21
16	Human TH1 and TH2 cells targeting rhinovirus and allergen coordinately promote allergic asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 146, 555-570.	1.5	32
17	Motifs of Three HLA-DQ Amino Acid Residues ( $\hat{1}$ 44, $\hat{2}$ 57, $\hat{2}$ 135) Capture Full Association With the Risk of Type 1 Diabetes in DQ2 and DQ8 Children. <i>Diabetes</i> , 2020, 69, 1573-1587.	0.3	17
18	HCV-specific CD4+ T cells of patients with acute and chronic HCV infection display high expression of TIGIT and other co-inhibitory molecules. <i>Scientific Reports</i> , 2019, 9, 10624.	1.6	27

#	ARTICLE	IF	CITATIONS
19	Discriminative T cell recognition of cross-reactive islet-antigens is associated with HLA-DQ8 transdimer-mediated autoimmune diabetes. <i>Science Advances</i> , 2019, 5, eaaw9336.	4.7	15
20	Systematic Assessment of Immune Marker Variation in Type 1 Diabetes: A Prospective Longitudinal Study. <i>Frontiers in Immunology</i> , 2019, 10, 2023.	2.2	8
21	Eleven Amino Acids of HLA-DRB1 and Fifteen Amino Acids of HLA-DRB3, 4, and 5 Include Potentially Causal Residues Responsible for the Risk of Childhood Type 1 Diabetes. <i>Diabetes</i> , 2019, 68, 1692-1704.	0.3	11
22	Identification of Human Antigen-Specific CD4+ T-Cells with Peptide-MHC Multimer Technologies. <i>Methods in Molecular Biology</i> , 2019, 1988, 375-386.	0.4	2
23	Modulation of CRTh2 expression on allergen-specific T cells following peptide immunotherapy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 2157-2166.	2.7	25
24	Epitope Selection for HLA-DQ2 Presentation: Implications for Celiac Disease and Viral Defense. <i>Journal of Immunology</i> , 2019, 202, 2558-2569.	0.4	10
25	How C-terminal additions to insulin B-chain fragments create superagonists for T cells in mouse and human type 1 diabetes. <i>Science Immunology</i> , 2019, 4, .	5.6	38
26	Analysis of pancreatic beta cell specific CD4+ T cells reveals a predominance of proinsulin specific cells. <i>Cellular Immunology</i> , 2019, 335, 68-75.	1.4	13
27	Der p 1-specific regulatory T-cell response during house dust mite allergen immunotherapy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 976-985.	2.7	60
28	Single-Cell Tracking Reveals a Role for Pre-Existing CCR5+ Memory Th1 Cells in the Control of Rhinovirus-A39 After Experimental Challenge in Humans. <i>Journal of Infectious Diseases</i> , 2018, 217, 381-392.	1.9	14
29	Modifying Enzymes Are Elicited by ER Stress, Generating Epitopes That Are Selectively Recognized by CD4+ T Cells in Patients With Type 1 Diabetes. <i>Diabetes</i> , 2018, 67, 1356-1368.	0.3	61
30	C-terminal modification of the insulin B:11-23 peptide creates superagonists in mouse and human type 1 diabetes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 162-167.	3.3	60
31	Regulatory CD4 <sup>+</sup> T Cells Recognize Major Histocompatibility Complex Class II Molecule-Restricted Peptide Epitopes of Apolipoprotein B. <i>Circulation</i> , 2018, 138, 1130-1143.	1.6	140
32	Synchronous immune alterations mirror clinical response during allergen immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1750-1760.e1.	1.5	61
33	A Novel Approach of Identifying Immunodominant Self and Viral Antigen Cross-Reactive T Cells and Defining the Epitopes They Recognize. <i>Frontiers in Immunology</i> , 2018, 9, 2811.	2.2	3
34	DRB4*01:01 Has a Distinct Motif and Presents a Proinsulin Epitope That Is Recognized in Subjects with Type 1 Diabetes. <i>Journal of Immunology</i> , 2018, 201, 3524-3533.	0.4	12
35	Peanut-specific T cell responses in patients with different clinical reactivity. <i>PLoS ONE</i> , 2018, 13, e0204620.	1.1	18
36	Memory T cells specific to citrullinated $\alpha$ -enolase are enriched in the rheumatic joint. <i>Journal of Autoimmunity</i> , 2018, 92, 47-56.	3.0	43

#	ARTICLE	IF	CITATIONS
37	Unsupervised capture and profiling of rare immune cells using multi-directional magnetic ratcheting. Lab on A Chip, 2018, 18, 2396-2409.	3.1	13
38	SV-BR-1-GM, a Clinically Effective GM-CSF-Secreting Breast Cancer Cell Line, Expresses an Immune Signature and Directly Activates CD4+ T Lymphocytes. Frontiers in Immunology, 2018, 9, 776.	2.2	17
39	Heterogeneity of Ara h Component-Specific CD4 T Cell Responses in Peanut-Allergic Subjects. Frontiers in Immunology, 2018, 9, 1408.	2.2	17
40	Ratiometric Barcoding for Mass Cytometry. Analytical Chemistry, 2018, 90, 10688-10694.	3.2	9
41	Tumor-infiltrating BRAFV600E-specific CD4+ T cells correlated with complete clinical response in melanoma. Journal of Clinical Investigation, 2018, 128, 1563-1568.	3.9	93
42	Î± S1 -Casein elucidate major T-cell responses in cow's milk allergy. Journal of Allergy and Clinical Immunology, 2017, 140, 854-857.e6.	1.5	18
43	Antigen-Specific T Cell Analysis Reveals That Active Immune Responses to Î² Cell Antigens Are Focused on a Unique Set of Epitopes. Journal of Immunology, 2017, 199, 91-96.	0.4	20
44	Single-Cell RNA Sequencing Reveals Expanded Clones of Islet Antigen-Reactive CD4+ T Cells in Peripheral Blood of Subjects with Type 1 Diabetes. Journal of Immunology, 2017, 199, 323-335.	0.4	62
45	Peanut Specific-CD4+ T Cells Responses in Peanut Allergic and Peanut Sensitized but Tolerant Subjects. Journal of Allergy and Clinical Immunology, 2017, 139, AB71.	1.5	0
46	Tetramer-Guided Epitope Mapping: A Rapid Approach to Identify HLA-Restricted T-Cell Epitopes from Composite Allergens. Methods in Molecular Biology, 2017, 1592, 199-209.	0.4	11
47	Islet-Derived CD4 T Cells Targeting Proinsulin in Human Autoimmune Diabetes. Diabetes, 2017, 66, 722-734.	0.3	154
48	Lanthanideâ€Coordinated Semiconducting Polymer Dots Used for Flow Cytometry and Mass Cytometry. Angewandte Chemie, 2017, 129, 15104-15108.	1.6	3
49	Lanthanideâ€Coordinated Semiconducting Polymer Dots Used for Flow Cytometry and Mass Cytometry. Angewandte Chemie - International Edition, 2017, 56, 14908-14912.	7.2	32
50	A phenotypically and functionally distinct human T <sub>H</sub> 2 cell subpopulation is associated with allergic disorders. Science Translational Medicine, 2017, 9, .	5.8	291
51	Ana o 1 and Ana o 2 cashew allergens share crossâ€reactive <sc>CD</sc>4<sup>+</sup> T cell epitopes with other tree nuts. Clinical and Experimental Allergy, 2016, 46, 871-883.	1.4	26
52	Circulating Memory CD4+ T Cells Target Conserved Epitopes of Rhinovirus Capsid Proteins and Respond Rapidly to Experimental Infection in Humans. Journal of Immunology, 2016, 197, 3214-3224.	0.4	32
53	Allergic asthma is distinguished by sensitivity of allergen-specific CD4 <sup>+</sup> T cells and airway structural cells to type 2 inflammation. Science Translational Medicine, 2016, 8, 359ra132.	5.8	43
54	Efficient ex vivo analysis of CD4+ T-cell responses using combinatorial HLA class II tetramer staining. Nature Communications, 2016, 7, 12614.	5.8	58

#	ARTICLE	IF	CITATIONS
55	A Comparative Analysis of the Peptide Repertoires of HLA-DR Molecules Differentially Associated With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2016, 68, 2412-2421.	2.9	10
56	Reply. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 1622-1623.	1.5	0
57	Neuroinvasive West Nile Infection Elicits Elevated and Atypically Polarized T Cell Responses That Promote a Pathogenic Outcome. <i>PLoS Pathogens</i> , 2016, 12, e1005375.	2.1	31
58	Jug r 2-reactive CD4+ T cells have a dominant immune role in walnut allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 983-992.e7.	1.5	25
59	Chronic cat allergen exposure induces a T H 2 cell-dependent IgG 4 response related to low sensitization. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 1627-1635.e13.	1.5	42
60	Central T cell tolerance: Identification of tissue-restricted autoantigens in the thymus HLA-DR peptidome. <i>Journal of Autoimmunity</i> , 2015, 60, 12-19.	3.0	27
61	Functional inflammatory profiles distinguish myelin-reactive T cells from patients with multiple sclerosis. <i>Science Translational Medicine</i> , 2015, 7, 287ra74.	5.8	246
62	Identification of novel Mycobacterium tuberculosis CD4 T-cell antigens via high throughput proteome screening. <i>Tuberculosis</i> , 2015, 95, 275-287.	0.8	19
63	Modulation of Peanut-specific humoral and cellular responses pre- and post-oral immunotherapy. <i>Clinical and Experimental Allergy</i> , 2015, 45, 1146-1149.	1.4	2
64	Assessment of CD4+ T Cell Responses to Glutamic Acid Decarboxylase 65 Using DQ8 Tetramers Reveals a Pathogenic Role of GAD65 121-140 and GAD65 250-266 in T1D Development. <i>PLoS ONE</i> , 2014, 9, e112882.	1.1	34
65	Recognition of Posttranslationally Modified GAD65 Epitopes in Subjects With Type 1 Diabetes. <i>Diabetes</i> , 2014, 63, 3033-3040.	0.3	124
66	Peptide-induced immune regulation by a promiscuous and immunodominant CD4T-cell epitope of Timothy grass pollen: a role of Cbl-b and Itch in regulation. <i>Thorax</i> , 2014, 69, 335-345.	2.7	13
67	Circulating Type-1 Anti-Tumor CD4+ T Cells are Preferentially Pro-Apoptotic in Cancer Patients. <i>Frontiers in Oncology</i> , 2014, 4, 266.	1.3	19
68	Arginine kinase Pen m 2 as an important shrimp allergen recognized by T H 2 cells. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 1456-1459.e7.	1.5	20
69	Differential CD4+ T cell responses of allergic and non-allergic subjects to the immunodominant epitope region of the horse major allergen <i>E</i> . <i>Immunology</i> , 2014, 141, 52-60.	2.0	8
70	Autoreactive T cells specific for insulin B:11-23 recognize a low-affinity peptide register in human subjects with autoimmune diabetes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 14840-14845.	3.3	112
71	Specific immunotherapy modifies allergen-specific CD4+ T-cell responses in an epitope-dependent manner. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 872-879.e7.	1.5	110
72	Virologic and Immunologic Evidence of Multifocal Genital Herpes Simplex Virus 2 Infection. <i>Journal of Virology</i> , 2014, 88, 4921-4931.	1.5	55

#	ARTICLE	IF	CITATIONS
73	Yellow Fever Vaccination Elicits Broad Functional CD4 <sup>+</sup> T Cell Responses That Recognize Structural and Nonstructural Proteins. <i>Journal of Virology</i> , 2013, 87, 12794-12804.	1.5	75
74	Targeting CD4 <sup>+</sup> T-Helper Cells Improves the Induction of Antitumor Responses in Dendritic Cell-Based Vaccination. <i>Cancer Research</i> , 2013, 73, 19-29.	0.4	131
75	Memory T Cells in Latent Mycobacterium tuberculosis Infection Are Directed against Three Antigenic Islands and Largely Contained in a CXCR3 <sup>+</sup> CCR6 <sup>+</sup> Th1 Subset. <i>PLoS Pathogens</i> , 2013, 9, e1003130.	2.1	258
76	CD4 <sup>+</sup> T cells recognize unique and conserved 2009 H1N1 influenza hemagglutinin epitopes after natural infection and vaccination. <i>International Immunology</i> , 2013, 25, 447-457.	1.8	46
77	Differential Binding of Pyruvate Dehydrogenase Complex-E2 Epitopes by DRB1*08:01 and DRB1*11:01 Is Predicted by Their Structural Motifs and Correlates with Disease Risk. <i>Journal of Immunology</i> , 2013, 190, 4516-4524.	0.4	13
78	MHC II tetramers visualize human CD4 <sup>+</sup> T cell responses to Epstein-Barr virus infection and demonstrate atypical kinetics of the nuclear antigen EBNA1 response. <i>Journal of Experimental Medicine</i> , 2013, 210, 933-949.	4.2	95
79	CD4 <sup>+</sup> T cells recognize diverse epitopes within GAD65: implications for repertoire development and diabetes monitoring. <i>Immunology</i> , 2013, 138, 269-279.	2.0	43
80	Broadly directed virus-specific CD4 <sup>+</sup> T cell responses are primed during acute hepatitis C infection, but rapidly disappear from human blood with viral persistence. <i>Journal of Experimental Medicine</i> , 2012, 209, 61-75.	4.2	208
81	Response to Comment on "Frequency of Epitope-Specific Naive CD4 <sup>+</sup> T Cells Correlates with Immunodominance in the Human Memory Repertoire". <i>Journal of Immunology</i> , 2012, 188, 5206-5206.	0.4	0
82	Frequency of Epitope-Specific Naive CD4 <sup>+</sup> T Cells Correlates with Immunodominance in the Human Memory Repertoire. <i>Journal of Immunology</i> , 2012, 188, 2537-2544.	0.4	112
83	Dissecting Mechanisms of Immunodominance to the Common Tuberculosis Antigens ESAT-6, CFP10, Rv2031c (hspX), Rv2654c (TB7.7), and Rv1038c (EsxJ). <i>Journal of Immunology</i> , 2012, 188, 5020-5031.	0.4	95
84	Characterization of CD4 <sup>+</sup> T cell subsets in allergy. <i>Current Opinion in Immunology</i> , 2012, 24, 700-706.	2.4	68
85	Differentiation stage determines pathologic and protective allergen-specific CD4 <sup>+</sup> T-cell outcomes during specific immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 544-551.e7.	1.5	143
86	Induction and maintenance of allergen-specific FOXP3 <sup>+</sup> Treg cells in human tonsils as potential first-line organs of oral tolerance. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 510-520.e9.	1.5	140
87	DRB1*12:01 presents a unique subset of epitopes by preferring aromatics in pocket 9. <i>Molecular Immunology</i> , 2012, 50, 26-34.	1.0	7
88	Ara h 1-reactive T cells in individuals with peanut allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, 1211-1218.e3.	1.5	114
89	Autoreactive CD4 <sup>+</sup> T cells in patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 128, 100-101.	1.5	14
90	Differences in self-peptide binding between T1D-related susceptible and protective DR4 subtypes. <i>Journal of Autoimmunity</i> , 2011, 36, 155-160.	3.0	13

#	ARTICLE	IF	CITATIONS
91	Autoantigen-specific regulatory T cells, a potential tool for immune-tolerance reconstitution in type-2 autoimmune hepatitis. <i>Hepatology</i> , 2011, 53, 536-547.	3.6	90
92	Human CD8 <sup>+</sup> and CD4 <sup>+</sup> T Cell Memory to Lymphocytic Choriomeningitis Virus Infection. <i>Journal of Virology</i> , 2011, 85, 11770-11780.	1.5	15
93	Uveitis-Associated Epitopes of Retinal Antigens Are Pathogenic in the Humanized Mouse Model of Uveitis and Identify Autoaggressive T Cells. <i>Journal of Immunology</i> , 2011, 187, 1977-1985.	0.4	29
94	Increased Frequencies of Myelin Oligodendrocyte Glycoprotein/MHC Class II-Binding CD4 Cells in Patients with Multiple Sclerosis. <i>Journal of Immunology</i> , 2011, 187, 1039-1046.	0.4	61
95	Acquisition of Pneumococci Specific Effector and Regulatory Cd4+ T Cells Localising within Human Upper Respiratory-Tract Mucosal Lymphoid Tissue. <i>PLoS Pathogens</i> , 2011, 7, e1002396.	2.1	55
96	Papillomavirus-Specific CD4+ T Cells Exhibit Reduced STAT-5 Signaling and Altered Cytokine Profiles in Patients with Recurrent Respiratory Papillomatosis. <i>Journal of Immunology</i> , 2011, 186, 6633-6640.	0.4	20
97	Reassessing the role of HLA-DRB3 T cell responses: Evidence for significant expression and complementary antigen presentation. <i>European Journal of Immunology</i> , 2010, 40, 91-102.	1.6	21
98	Involvement of CD91 and scavenger receptors in Hsp70-facilitated activation of human antigen-specific CD4 <sup>+</sup> memory T cells. <i>European Journal of Immunology</i> , 2010, 40, 986-997.	1.6	28
99	Allergen-specific naïve and memory CD4 <sup>+</sup> T cells exhibit functional and phenotypic differences between individuals with or without allergy. <i>European Journal of Immunology</i> , 2010, 40, 2460-2469.	1.6	25
100	HLA-DR1001 presents altered self-peptides derived from joint-associated proteins by accepting citrulline in three of its binding pockets. <i>Arthritis and Rheumatism</i> , 2010, 62, 2909-2918.	6.7	86
101	Peptide-MHC Cellular Microarray with Innovative Data Analysis System for Simultaneously Detecting Multiple CD4 T-Cell Responses. <i>PLoS ONE</i> , 2010, 5, e11355.	1.1	18
102	Assessment of Seasonal Influenza A Virus-Specific CD4 T-Cell Responses to 2009 Pandemic H1N1 Swine-Origin Influenza A Virus. <i>Journal of Virology</i> , 2010, 84, 3312-3319.	1.5	98
103	HIV Controller CD4+ T Cells Respond to Minimal Amounts of Gag Antigen Due to High TCR Avidity. <i>PLoS Pathogens</i> , 2010, 6, e1000780.	2.1	74
104	Direct ex vivo analysis of allergen-specific CD4+ T cells. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 1407-1409.e1.	1.5	75
105	Tumor Antigen-Specific FOXP3+ CD4 T Cells Identified in Human Metastatic Melanoma: Peptide Vaccination Results in Selective Expansion of Th1-like Counterparts. <i>Cancer Research</i> , 2009, 69, 8085-8093.	0.4	40
106	Searching immunodominant epitopes prior to epidemic: HLA class II-restricted SARS-CoV spike protein epitopes in unexposed individuals. <i>International Immunology</i> , 2009, 21, 63-71.	1.8	31
107	Functional islet-specific Treg can be generated from CD4 <sup>+</sup> CD25 <sup>hi</sup> T cells of healthy and type 1 diabetic subjects. <i>European Journal of Immunology</i> , 2009, 39, 612-620.	1.6	44
108	H5N1 strain-specific Hemagglutinin CD4+ T cell epitopes restricted by HLA DR4. <i>Vaccine</i> , 2009, 27, 3862-3869.	1.7	7

#	ARTICLE	IF	CITATIONS
109	The Binding of Antigenic Peptides to HLA-DR Is Influenced by Interactions between Pocket 6 and Pocket 9. <i>Journal of Immunology</i> , 2009, 183, 3249-3258.	0.4	27
110	Lineages of human T-cell clones, including T helper 17/T helper 1 cells, isolated at different stages of anti- $\alpha$ -factor VIII immune responses. <i>Blood</i> , 2009, 114, 1423-1428.	0.6	62
111	Visualizing Antigen Specific CD4+ T Cells using MHC Class II Tetramers. <i>Journal of Visualized Experiments</i> , 2009, , .	0.2	20
112	Human homologues of a <i>Borrelia</i> T cell epitope associated with antibiotic-refractory Lyme arthritis. <i>Molecular Immunology</i> , 2008, 45, 180-189.	1.0	33
113	Searching for borrelial T cell epitopes associated with antibiotic-refractory Lyme arthritis. <i>Molecular Immunology</i> , 2008, 45, 2323-2332.	1.0	32
114	Definition of the peptide binding motif within DRB1*1401 restricted epitopes by peptide competition and structural modeling. <i>Molecular Immunology</i> , 2008, 45, 2651-2659.	1.0	14
115	CD4+ T cells from type 1 diabetic and healthy subjects exhibit different thresholds of activation to a naturally processed proinsulin epitope. <i>Journal of Autoimmunity</i> , 2008, 31, 30-41.	3.0	52
116	The Anthrax Vaccine Adsorbed Vaccine Generates Protective Antigen (PA)-Specific CD4 + T Cells with a Phenotype Distinct from That of Naïve PA T Cells. <i>Infection and Immunity</i> , 2008, 76, 4538-4545.	1.0	33
117	High Level of PD-1 Expression on Hepatitis C Virus (HCV)-Specific CD8 <sup>+</sup> and CD4 <sup>+</sup> T Cells during Acute HCV Infection, Irrespective of Clinical Outcome. <i>Journal of Virology</i> , 2008, 82, 3154-3160.	1.5	193
118	Low-Affinity Major Histocompatibility Complex-Binding Peptides in Type 1 Diabetes. <i>Diabetes</i> , 2008, 57, 1788-1789.	0.3	11
119	Healthy Human Subjects Have CD4+ T Cells Directed against H5N1 Influenza Virus. <i>Journal of Immunology</i> , 2008, 180, 1758-1768.	0.4	118
120	Identification and In Vitro Expansion of Functional Antigen-Specific CD25 <sup>+</sup> FoxP3 <sup>+</sup> Regulatory T Cells in Hepatitis C Virus Infection. <i>Journal of Virology</i> , 2008, 82, 5043-5053.	1.5	150
121	Definition of the DRB1*0901 peptide binding motif within novel DRB1*0901 restricted T cell epitopes by peptide binding and structural modeling. <i>FASEB Journal</i> , 2008, 22, 1067.11.	0.2	0
122	Dominance and Diversity in the Primary Human CD4 T Cell Response to Replication-Competent Vaccinia Virus. <i>Journal of Immunology</i> , 2007, 178, 6374-6386.	0.4	38
123	Tetramer-guided epitope mapping reveals broad, individualized repertoires of tetanus toxin-specific CD4+ T cells and suggests HLA-based differences in epitope recognition. <i>International Immunology</i> , 2007, 19, 1291-1301.	1.8	53
124	Antigen-Specific CD4 + T Cells Recognize Epitopes of Protective Antigen following Vaccination with an Anthrax Vaccine. <i>Infection and Immunity</i> , 2007, 75, 1852-1860.	1.0	27
125	Potential of an altered peptide ligand of lipocalin allergen Bos d 2 for peptide immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, 965-972.	1.5	31
126	CD8+ suppressor-mediated regulation of human CD4+ T cell responses to glutamic acid decarboxylase $\epsilon$ ,65. <i>European Journal of Immunology</i> , 2007, 37, 78-86.	1.6	21



#	ARTICLE	IF	CITATIONS
127	Detection of low avidity desmoglein 3-reactive T cells in pemphigus vulgaris using HLA-DR $\beta$ 1 $\alpha$ 20402 tetramers. <i>Clinical Immunology</i> , 2007, 122, 330-337.	1.4	17
128	Tracking Antigen Specific CD4+ T-Cells With Soluble MHC Molecules. <i>Methods in Molecular Medicine</i> , 2007, 136, 39-50.	0.8	2
129	Multiplex mapping of CD4 T cell epitopes using class II tetramers. <i>Clinical Immunology</i> , 2006, 120, 21-32.	1.4	49
130	Allelic Variation in Key Peptide-Binding Pockets Discriminates between Closely Related Diabetes-Protective and Diabetes-Susceptible HLA-DQB1*06 Alleles. <i>Journal of Immunology</i> , 2006, 176, 1988-1998.	0.4	47
131	Melan-A/MART-1-Specific CD4 T Cells in Melanoma Patients: Identification of New Epitopes and Ex Vivo Visualization of Specific T Cells by MHC Class II Tetramers. <i>Journal of Immunology</i> , 2006, 177, 6769-6779.	0.4	48
132	Islet-Specific Glucose-6-Phosphatase Catalytic Subunit-Related Protein-Reactive CD4+ T Cells in Human Subjects. <i>Journal of Immunology</i> , 2006, 176, 2781-2789.	0.4	100
133	HLA-DQ2 and -DQ8 signatures of gluten T cell epitopes in celiac disease. <i>Journal of Clinical Investigation</i> , 2006, 116, 2226-2236.	3.9	181
134	Expression of HLA-DP0401 Molecules for Identification of DP0401 Restricted Antigen Specific T Cells. <i>Journal of Clinical Immunology</i> , 2005, 25, 428-436.	2.0	13
135	Comparative study of GAD65-specific CD4+ T cells in healthy and type 1 diabetic subjects. <i>Journal of Autoimmunity</i> , 2005, 25, 303-311.	3.0	85
136	GAD65- and proinsulin-specific CD4+ T-cells detected by MHC class II tetramers in peripheral blood of type 1 diabetes patients and at-risk subjects. <i>Journal of Autoimmunity</i> , 2005, 25, 235-243.	3.0	82
137	Persistence of Herpes Simplex Virus Type 2 VP16-Specific CD4+ T Cells. <i>Human Immunology</i> , 2005, 66, 777-787.	1.2	3
138	Autoreactive T Cells in Healthy Individuals. <i>Journal of Immunology</i> , 2004, 172, 5967-5972.	0.4	309
139	In vivo biotinylation of the major histocompatibility complex (MHC) class II/peptide complex by coexpression of BirA enzyme for the generation of MHC class II/tetramers. <i>Human Immunology</i> , 2004, 65, 692-699.	1.2	40
140	Use of HLA class II tetramers in tracking antigen-specific T cells and mapping T-cell epitopes. <i>Methods</i> , 2003, 29, 282-288.	1.9	53
141	HLA Class II-Restricted CD4+ T Cell Responses Directed Against Influenza Viral Antigens Postinfluenza Vaccination. <i>Journal of Immunology</i> , 2003, 171, 3163-3169.	0.4	90
142	Detection of GAD65-Specific T-Cells by Major Histocompatibility Complex Class II Tetramers in Type 1 Diabetic Patients and At-Risk Subjects. <i>Diabetes</i> , 2002, 51, 1375-1382.	0.3	189
143	Mutational analysis of critical residues determining antigen presentation and activation of HLA-DQ0602 restricted T-cell clones. <i>Human Immunology</i> , 2002, 63, 185-193.	1.2	20
144	Rapid epitope identification from complex class-II-restricted T-cell antigens. <i>Trends in Immunology</i> , 2001, 22, 583-588.	2.9	52

#	ARTICLE	IF	CITATIONS
145	T Cell Selection and Differential Activation on Structurally Related HLA-DR4 Ligands. <i>Journal of Immunology</i> , 2001, 167, 3250-3256.	0.4	20
146	CD8 CTL from Genital Herpes Simplex Lesions: Recognition of Viral Tegument and Immediate Early Proteins and Lysis of Infected Cutaneous Cells. <i>Journal of Immunology</i> , 2001, 166, 4049-4058.	0.4	117
147	Tetramer-Guided Epitope Mapping: Rapid Identification and Characterization of Immunodominant CD4+ T Cell Epitopes from Complex Antigens. <i>Journal of Immunology</i> , 2001, 166, 6665-6670.	0.4	135
148	A disease-associated cellular immune response in type 1 diabetics to an immunodominant epitope of insulin. <i>Journal of Clinical Investigation</i> , 2001, 107, 173-180.	3.9	183
149	Distinct T Cell Interactions with HLA Class II Tetramers Characterize a Spectrum of TCR Affinities in the Human Antigen-Specific T Cell Response. <i>Journal of Immunology</i> , 2000, 165, 6994-6998.	0.4	61
150	HLA-DQ Tetramers Identify Epitope-Specific T Cells in Peripheral Blood of Herpes Simplex Virus Type 2-Infected Individuals: Direct Detection of Immunodominant Antigen-Responsive Cells. <i>Journal of Immunology</i> , 2000, 164, 4244-4249.	0.4	118
151	Tegument-Specific, Virus-Reactive CD4 T Cells Localize to the Cornea in Herpes Simplex Virus Interstitial Keratitis in Humans. <i>Journal of Virology</i> , 2000, 74, 10930-10938.	1.5	83
152	MHC class II tetramers identify peptide-specific human CD4+ T cells proliferating in response to influenza A antigen. <i>Journal of Clinical Investigation</i> , 1999, 104, R63-R67.	3.9	342
153	Recognition of Herpes Simplex Virus Type 2 Tegument Proteins by CD4 T Cells Infiltrating Human Genital Herpes Lesions. <i>Journal of Virology</i> , 1998, 72, 7476-7483.	1.5	81
154	Preferential presentation of herpes simplex virus T-cell antigen by HLA DQA1*0501/DQB1*0201 in comparison to HLA DQA1*0201/DQB1*0201. <i>Human Immunology</i> , 1997, 53, 195-205.	1.2	21