

Sunil Kumar Mishra Mds

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9500429/sunil-kumar-mishra-mds-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 papers	341 citations	8 h-index	17 g-index
85 ext. papers	469 ext. citations	1.2 avg, IF	4.26 L-index

#	Paper	IF	Citations
68	Stress distribution around different abutments on titanium and CFR-PEEK implant with different prosthetic crowns under parafunctional loading: A 3D FEA study. <i>Journal of Oral Biology and Craniofacial Research</i> , 2021 , 11, 313-320	2.6	4
67	Identification of anterior loop in different populations to avoid nerve injury during surgical procedures-a systematic review and meta-analysis. <i>Oral and Maxillofacial Surgery</i> , 2021 , 25, 159-174	1.6	3
66	Comparative analysis of stress distribution around CFR-PEEK implants and titanium implants with different prosthetic crowns: A finite element analysis. <i>Dental and Medical Problems</i> , 2021 , 58, 359-367	1.6	0
65	Rehabilitation of Severe Atrophic Ridges with Zygomatic Implant and/or All-on-4 Treatment Concepts-A Case Series. <i>Nigerian Journal of Clinical Practice</i> , 2021 , 24, 1410-1413	1	
64	Evaluation of hydrophilic gel made from Acemannan and Moringa oleifera in enhancing osseointegration of dental implants. A preliminary study in rabbits. <i>Journal of Oral Biology and Craniofacial Research</i> , 2020 , 10, 13-19	2.6	4
63	Dental negligence: It is time to overcome it. <i>Scientific Dental Journal</i> , 2020 , 4, 39	0.1	
62	Evolution of dental implants through the work of per-ingvar branemark: A systematic review. <i>Indian Journal of Dental Research</i> , 2020 , 31, 930-956	0.8	2
61	Attitude of dental professionals toward cast partial denture: A questionnaire survey in India. <i>Journal of Indian Prosthodontic Society</i> , 2020 , 20, 104-109	1.2	1
60	Branemark Osseointegration Center, India: A Consensus Report on Rehabilitation of a Single Anterior Missing Tooth with Dental Implants. <i>International Journal of Prosthodontics and Restorative Dentistry</i> , 2020 , 10, 3-11	0	
59	Is it the Time to Move Ahead with COVID-19 in Dental Practice?. <i>International Journal of Prosthodontics and Restorative Dentistry</i> , 2020 , 10, 1-1	0	
58	Crestal Bone Changes and Patient Satisfaction with Single Implant-Retained Mandibular Overdentures with Dalla Bona and Locator Attachments with Immediate Loading Protocols. A Randomized Controlled Clinical Study. <i>Journal of Prosthodontics</i> , 2020 , 29, 756-765	3.9	0
57	Evaluation of stress distribution in an endodontically treated tooth restored with four different post systems and two different crowns- A finite element analysis. <i>Journal of Oral Biology and Craniofacial Research</i> , 2020 , 10, 719-726	2.6	1
56	Complications of screw- and cement-retained implant-supported full-arch restorations: a systematic review and meta-analysis. <i>International Journal of Oral Implantology (New Malden, London, England)</i> , 2020 , 13, 11-40	2.7	4
55	Patient's oral health-related quality of life and satisfaction with implant supported overdentures -a systematic review. <i>Journal of Oral Biology and Craniofacial Research</i> , 2019 , 9, 340-346	2.6	9
54	Positive Material Identification testing of dental implant to correlate their compositions with allergic conditions. <i>Journal of Oral Biology and Craniofacial Research</i> , 2019 , 9, 294-298	2.6	4
53	Cell Phone Radiation Effect on Bone-to-Implant Osseointegration: A Preliminary Histologic Evaluation in Rabbits. <i>International Journal of Oral and Maxillofacial Implants</i> , 2019 , 34, 643-650	2.8	0
52	Socket-shield technique for implant placement to stabilize the facial gingival and osseous architecture: A systematic review. <i>Journal of Investigative and Clinical Dentistry</i> , 2019 , 10, e12449	2.3	15

51	Patient expectations and satisfaction with conventional complete dentures: a systematic review. <i>Tanta Dental Journal</i> , 2019 , 16, 55	0.2	2
50	Uses, accuracy and limitations of semiadjustable articulators in dentistry: a systematic review. <i>Tanta Dental Journal</i> , 2019 , 16, 121	0.2	
49	Masticatory overload due to areca nut chewing on dental implants. <i>Saudi Journal for Health Sciences</i> , 2019 , 8, 123	0.3	
48	PEEK materials as an alternative to titanium in dental implants: A systematic review. <i>Clinical Implant Dentistry and Related Research</i> , 2019 , 21, 208-222	3.9	61
47	Evaluation of bone stimulation by different designs of microthreaded implants in enhancing osseointegration: An in vivo animal study supported by a numerical analysis. <i>Clinical Implant Dentistry and Related Research</i> , 2018 , 20, 215-221	3.9	4
46	Improving the ocular esthetics of a patient with custom-made ocular prosthesis fabricated using digital photograph. <i>Journal of Dental and Allied Sciences</i> , 2018 , 7, 38		1
45	Evaluation of Flexural Modulus of Flexible Denture Base Material kept in Water, Denture Cleanser, Artificial Saliva, and Open Air for Different Time Intervals: An in vitro Study. <i>International Journal of Prosthodontics and Restorative Dentistry</i> , 2018 , 8, 54-58	0	1
44	Comparative study to evaluate bone loss during osteotomy using standard drill, bone trephine, and alveolar expanders for implant placement. <i>Journal of Indian Prosthodontic Society, The</i> , 2018 , 18, 226-230	1.2	2
43	An in vitro Study to Evaluate the Bioactivity of Osteoblast Cells on the Titanium Disk Coated with the Hydro Gel formulated from Acemannan and Curcuminoids. <i>International Journal of Prosthodontics and Restorative Dentistry</i> , 2018 , 8, 22-27	0	
42	Management of compromised anterior maxillary edentulous arch with symphyseal bone graft. <i>Advances in Human Biology</i> , 2018 , 8, 127	0.9	
41	Does radiations emitted from cell phone effects orofacial structures and dental implants?. <i>International Journal of Environmental Health Engineering</i> , 2018 , 7, 1	0.3	
40	Importance and awareness of medico legal issues in dental practice Alarm call. <i>Annals of Tropical Medicine and Public Health</i> , 2018 , 11, 103		
39	Push-out bond strength of different endodontic obturation material at three different sites - study. <i>Journal of Clinical and Experimental Dentistry</i> , 2017 , 9, e733-e737	1.4	2
38	Microleakage at the Different Implant Abutment Interface: A Systematic Review. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017 , 11, ZE10-ZE15	0	30
37	Effect of Cell Phone Radiations on Orofacial Structures: A Systematic Review. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017 , 11, ZE01-ZE05	0	1
36	Comparison of the flexural strength of polymethyl methacrylate resin reinforced with multiwalled carbon nanotubes and processed by conventional water bath technique and microwave polymerization. <i>Journal of Indian Prosthodontic Society, The</i> , 2017 , 17, 332-339	1.2	6
35	A Novel Method for the Management of Anophthalmic Socket. <i>Advanced Biomedical Research</i> , 2017 , 6, 72	1.2	1
34	Anodized dental implant surface. <i>Indian Journal of Dental Research</i> , 2017 , 28, 76-99	0.8	4

- 33 A modified technique for making putty-wash two-step impression. *BLDE University Journal of Health Sciences*, **2017**, 2, 55 0.1 1
- 32 Rehabilitation of a hemimaxillectomy patient having microstomia with two-piece hollow obturator. *SRM Journal of Research in Dental Sciences*, **2017**, 8, 191 0.2
- 31 Prosthodontic rehabilitation of velopharyngeal insufficiency with definitive obturator. *Journal of Cleft Lip Palate and Craniofacial Anomalies*, **2017**, 4, 164 0.4
- 30 Restoration of anterior esthetics with Richmond crown. *BLDE University Journal of Health Sciences*, **2017**, 2, 109 0.1
- 29 Custom made eye prosthesis: An accurate solution for anophthalmic socket. *Al-Basar International Journal of Ophthalmology*, **2017**, 4, 91 0
- 28 Diagnosis of smokers palate in a denture wearer patient. *BLDE University Journal of Health Sciences*, **2017**, 2, 125 0.1
- 27 Osseoperception in Dental Implants: A Systematic Review. *Journal of Prosthodontics*, **2016**, 25, 185-95 3.9 26
- 26 Is there enough evidence so that mandible can be used as a tool for sex dimorphism? A systematic review. *Journal of Forensic Dental Sciences*, **2016**, 8, 174 0.8 7
- 25 Do antidepressant drugs leads to dental implant failure. *European Journal of Prosthodontics*, **2016**, 4, 42 1
- 24 Osseoperception: Can implant-mediated sensibility becomes a reality. *European Journal of Prosthodontics*, **2016**, 4, 62
- 23 Fabrication of custom-made eye prosthesis with accuracy. *Journal of Current Research in Scientific Medicine*, **2016**, 2, 139 0.4
- 22 A simple technique for making the final ocular impression. *European Journal of Prosthodontics*, **2016**, 4, 60
- 21 Time-dependent Variation in Compressive Strengths of Three Posterior Esthetic Restorative Materials: An in vitro Study. *International Journal of Prosthodontics and Restorative Dentistry*, **2016**, 6, 63-65 0
- 20 Polyetheretherketone implants: Can they replace titanium in future. *European Journal of Prosthodontics*, **2016**, 4, 41
- 19 Primary failure of eruption. *Archives of Medicine and Health Sciences*, **2016**, 4, 292 0.5
- 18 Prosthetic rehabilitation of a child with ectodermal dysplasia: A case report with review of literature. *Journal of Current Research in Scientific Medicine*, **2016**, 2, 53 0.4
- 17 Hemisection: A conservative approach of tooth preservation. *Journal of Current Research in Scientific Medicine*, **2016**, 2, 46 0.4 2
- 16 Different techniques for management of pier abutment: Reports of three cases with review of literature. *Archives of Medicine and Health Sciences*, **2016**, 4, 89 0.5

15	Replacement of missing central incisor with single implant-supported fixed prosthesis. <i>Journal of Current Research in Scientific Medicine</i> , 2016 , 2, 116	0.4	2
14	Full-mouth rehabilitation of a patient with severely worn dentition for function and esthetics. <i>Journal of Indian Academy of Dental Specialist Researchers</i> , 2016 , 3, 29		1
13	A Comparison of Masticatory Performance and Efficiency of Complete Dentures Made with High Impact and Flexible Resins: A Pilot Study. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2015 , 9, ZC29-34		0.3
12	Magnet retained lip prosthesis in a geriatric patient. <i>Journal of Indian Prosthodontic Society, The</i> , 2015 , 15, 187-90	1.2	3
11	Rehabilitation of amputated thumb with a silicone prosthesis. <i>Journal of Natural Science, Biology and Medicine</i> , 2015 , 6, 275-7	0.8	2
10	Hybrid approach to fabrication of hollow internally weighted mandibular denture: A case report. <i>Journal of Natural Science, Biology and Medicine</i> , 2015 , 6, S143-5	0.8	
9	Effects of fluconazole, chlorhexidine gluconate, and silver-zinc zeolite on flexural strength of heat-cured polymethyl methacrylate resin. <i>Journal of Natural Science, Biology and Medicine</i> , 2015 , 6, 340-2	0.8	4
8	Heat generated by dental implant drills during osteotomy-a review: heat generated by dental implant drills. <i>Journal of Indian Prosthodontic Society, The</i> , 2014 , 14, 131-43	1.2	43
7	Immediate implant loading in compromised maxillary partially edentulous arch- a case report. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014 , 8, ZD06-7	0	
6	The effect of different chemical surface treatments of denture teeth on shear bond strength: a comparative study. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014 , 8, ZC15-8	0	5
5	Titanium allergy: a literature review. <i>Indian Journal of Dermatology</i> , 2014 , 59, 630	0.9	55
4	An in vitro study of the effect of design of repair surface on the transverse strength of repaired acrylic resin using autopolymerizing resin. <i>Nigerian Journal of Clinical Practice</i> , 2014 , 17, 38-42	1	3
3	Dental implants in growing children. <i>Journal of the Indian Society of Pedodontics and Preventive Dentistry</i> , 2013 , 31, 3-9	0.9	17
2	Re-osseointegration of loosened implant in a splinted fixed prosthesis. <i>Nigerian Journal of Clinical Practice</i> , 2011 , 14, 102-5	1	1
1	Linear dimensional accuracy of a polyvinyl siloxane of varying viscosities using different impression techniques. <i>Journal of Investigative and Clinical Dentistry</i> , 2010 , 1, 37-46	2.3	4