

Anna Company

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9501035/anna-company-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

3,536
citations

34
h-index

58
g-index

90
ext. papers

3,899
ext. citations

8.1
avg, IF

5.3
L-index

#	Paper	IF	Citations
81	Oxidative C β Cleavage in Metalloenzymes and Model Compounds. <i>European Journal of Inorganic Chemistry</i> , 2022 , 2022, e202100754	2.3	1
80	Well-Defined Aryl-Fe(II) Complexes in Cross-Coupling and C β Activation Processes. <i>Organometallics</i> , 2021 , 40, 1195-1200	3.8	0
79	Bio-Relevant Chemistry of Nickel 2021 , 846-877		1
78	Mechanistic Insights into the α -Defluorination-Hydroxylation of 2-Halophenolates Promoted by a Bis(Et ₂ O) ₂ Copper(III) Complex. <i>Inorganic Chemistry</i> , 2020 , 59, 17018-17027	5.1	5
77	Oxoiron(V) Complexes of Relevance in Oxidation Catalysis of Organic Substrates. <i>Israel Journal of Chemistry</i> , 2020 , 60, 1004-1018	3.4	19
76	Unravelling the mechanism of cobalt-catalysed remote C-H nitration of 8-aminoquinolinamides and expansion of substrate scope towards 1-naphthylpicolinamide. <i>Chemical Science</i> , 2020 , 11, 534-542	9.4	0
75	Catalytic O ₂ activation with synthetic models of α -ketoglutarate dependent oxygenases. <i>Chemical Communications</i> , 2020 , 56, 14369-14372	5.8	0
74	Spectroscopic and Reactivity Comparisons between Nonheme Oxoiron(IV) and Oxoiron(V) Species Bearing the Same Ancillary Ligand. <i>Journal of the American Chemical Society</i> , 2019 , 141, 15078-15091	16.4	29
73	Oxidative Cleavage of Cellobiose by Lytic Polysaccharide Monooxygenase (LPMO)-Inspired Copper Complexes. <i>ACS Omega</i> , 2019 , 4, 10729-10740	3.9	8
72	Spectroscopic and DFT Characterization of a Highly Reactive Nonheme Fe-Oxo Intermediate. <i>Journal of the American Chemical Society</i> , 2018 , 140, 3916-3928	16.4	61
71	Preparation of a coordinatively saturated μ_2 - η^2 -peroxodicopper(II) compound. <i>Inorganica Chimica Acta</i> , 2018 , 481, 166-170	2.7	0
70	Effective Tetradentate Compound Complexes against spp. that Act on Critical Enzymatic Pathways of These Parasites. <i>Molecules</i> , 2018 , 24,	4.8	3
69	Acid-Triggered O-O Bond Heterolysis of a Nonheme Fe (OOH) Species for the Stereospecific Hydroxylation of Strong C-H Bonds. <i>Chemistry - A European Journal</i> , 2018 , 24, 5331-5340	4.8	33
68	Mechanistic insights into the S ₂ -type reactivity of aryl-Co(III) masked-carbenes for C-C bond forming transformations. <i>Chemical Science</i> , 2018 , 9, 5736-5746	9.4	10
67	Activation of Dioxygen at a Lewis Acidic Nickel(II) Complex: Characterization of a Metastable Organoperoxide Complex. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 2307-2311	16.4	29
66	Activation of Dioxygen at a Lewis Acidic Nickel(II) Complex: Characterization of a Metastable Organoperoxide Complex. <i>Angewandte Chemie</i> , 2017 , 129, 2347-2351	3.6	11
65	Direct use of CO ₂ for O-arylcarbamate synthesis via mild Cu(II)-catalyzed aerobic C-H functionalization in pincer-like macrocyclic systems. <i>Journal of Organometallic Chemistry</i> , 2017 , 845, 44-48	2.3	9

64	OD Bond Activation in Cu- and Fe-Based Coordination Complexes: Breaking It Makes the Difference. <i>Advances in Inorganic Chemistry</i> , 2017 , 63-105	2.1	1
63	Trapping of superoxido cobalt and peroxido dicobalt species formed reversibly from Co and O. <i>Chemical Communications</i> , 2017 , 53, 11782-11785	5.8	25
62	Carboxylate-Assisted Formation of Aryl-Co(III) Masked-Carbenes in Cobalt-Catalyzed C-H Functionalization with Diazo Esters. <i>Journal of the American Chemical Society</i> , 2017 , 139, 14649-14655	16.4	28
61	Trifluoromethylation of a Well-Defined Square-Planar Aryl-Ni Complex involving Ni /CF and Ni -CF Intermediate Species. <i>Chemistry - A European Journal</i> , 2017 , 23, 11662-11668	4.8	20
60	Chemoselective Aliphatic C-H Bond Oxidation Enabled by Polarity Reversal. <i>ACS Central Science</i> , 2017 , 3, 1350-1358	16.8	78
59	Selective Alkane Oxidation 2017 , 1525-1540		
58	Nitrous oxide activation by a cobalt(ii) complex for aldehyde oxidation under mild conditions. <i>Dalton Transactions</i> , 2016 , 45, 14530-3	4.3	15
57	Characterization and Reactivity Studies of a Terminal Copper-Nitrene Species. <i>Angewandte Chemie</i> , 2016 , 128, 14211-14214	3.6	9
56	Exceedingly Fast Oxygen Atom Transfer to Olefins via a Catalytically Competent Nonheme Iron Species. <i>Angewandte Chemie</i> , 2016 , 128, 6418-6422	3.6	16
55	Oxygen Atom Exchange between H ₂ O and Non-Heme Oxoiron(IV) Complexes: Ligand Dependence and Mechanism. <i>Inorganic Chemistry</i> , 2016 , 55, 5818-27	5.1	33
54	Exceedingly Fast Oxygen Atom Transfer to Olefins via a Catalytically Competent Nonheme Iron Species. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 6310-4	16.4	50
53	A First Example of Cobalt-Catalyzed Remote C-H Functionalization of 8-Aminoquinolines Operating through a Single Electron Transfer Mechanism. <i>Advanced Synthesis and Catalysis</i> , 2016 , 358, 1679-1688	5.6	97
52	Rapid Hydrogen and Oxygen Atom Transfer by a High-Valent Nickel-Oxygen Species. <i>Journal of the American Chemical Society</i> , 2016 , 138, 12987-12996	16.4	46
51	Isolation of Key Organometallic Aryl-Co(III) Intermediates in Cobalt-Catalyzed C(sp)-H Functionalizations and New Insights into Alkyne Annulation Reaction Mechanisms. <i>Journal of the American Chemical Society</i> , 2016 , 138, 14388-14397	16.4	50
50	Characterization and Reactivity Studies of a Terminal Copper-Nitrene Species. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 14005-14008	16.4	25
49	Spectroscopically Characterized Synthetic Mononuclear Nickel-Oxygen Species. <i>Chemistry - A European Journal</i> , 2016 , 22, 13422-9	4.8	32
48	Structural and reactivity models for copper oxygenases: cooperative effects and novel reactivities. <i>Accounts of Chemical Research</i> , 2015 , 48, 2397-406	24.3	90
47	Design, Preparation, and Characterization of Zn and Cu Metallopeptides Based On Tetradentate Aminopyridine Ligands Showing Enhanced DNA Cleavage Activity. <i>Inorganic Chemistry</i> , 2015 , 54, 10542-58	5.1	21

46	Computational Insight into the Mechanism of Alkane Hydroxylation by Non-heme Fe(PyTACN) Iron Complexes. Effects of the Substrate and Solvent. <i>Inorganic Chemistry</i> , 2015 , 54, 8223-36	5.1	21
45	Trapping a Highly Reactive Nonheme Iron Intermediate That Oxygenates Strong C-H Bonds with Stereoretention. <i>Journal of the American Chemical Society</i> , 2015 , 137, 15833-42	16.4	125
44	Reactivity of a Nickel(II) Bis(amidate) Complex with meta-Chloroperbenzoic Acid: Formation of a Potent Oxidizing Species. <i>Chemistry - A European Journal</i> , 2015 , 21, 15029-38	4.8	66
43	Regioselective Access to Sultam Motifs through Cobalt-Catalyzed Annulation of Aryl Sulfonamides and Alkynes using an 8-Aminoquinoline Directing Group. <i>Advanced Synthesis and Catalysis</i> , 2015 , 357, 4003-4012	5.6	72
42	Triggering the generation of an iron(IV)-oxo compound and its reactivity toward sulfides by Ru(II) photocatalysis. <i>Journal of the American Chemical Society</i> , 2014 , 136, 4624-33	16.4	70
41	Structural modeling of iron halogenases: synthesis and reactivity of halide-iron(IV)-oxo compounds. <i>Chemical Communications</i> , 2014 , 50, 10887-90	5.8	49
40	Selective ortho-hydroxylation-defluorination of 2-fluorophenolates with a bis(Ebxo)dicopper(III) species. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 9608-12	16.4	23
39	Building complexity in O ₂ -binding copper complexes. Site-selective metalation and intermolecular O ₂ -binding at dicopper and heterometallic complexes derived from an unsymmetric ligand. <i>Inorganic Chemistry</i> , 2014 , 53, 12929-38	5.1	7
38	Selective Ortho-Hydroxylation/Defluorination of 2-Fluorophenolates with a Bis(Ebxo)dicopper(III) Species. <i>Angewandte Chemie</i> , 2014 , 126, 9762-9766	3.6	3
37	Assessing the impact of electronic and steric tuning of the ligand in the spin state and catalytic oxidation ability of the Fe(II)(Pytacn) family of complexes. <i>Inorganic Chemistry</i> , 2013 , 52, 9229-44	5.1	79
36	Small Molecule Models for Nonporphyrinic Iron and Manganese Oxygenases 2013 , 487-564		21
35	Robust iron coordination complexes with N-based neutral ligands as efficient Fenton-like catalysts at neutral pH. <i>Environmental Science & Technology</i> , 2013 , 47, 9918-27	10.3	34
34	The mechanism of stereospecific C-H oxidation by Fe(Pytacn) complexes: bioinspired non-heme iron catalysts containing cis-labile exchangeable sites. <i>Chemistry - A European Journal</i> , 2013 , 19, 6724-38	4.8	72
33	Fe(PyTACN)-Catalyzed cis-Dihydroxylation of Olefins with Hydrogen Peroxide. <i>Advanced Synthesis and Catalysis</i> , 2013 , 355, 947-956	5.6	42
32	O-O bond formation mediated by a hexanuclear iron complex supported on a stannoxane core. <i>Chemistry - A European Journal</i> , 2012 , 18, 2787-91	4.8	42
31	Alkane C-H Oxygenation Catalyzed by Transition Metal Complexes. <i>Catalysis By Metal Complexes</i> , 2012 , 143-228		14
30	Application of a Nickel-Bispidine Complex as Pre-Catalyst for C(sp ²)-C(sp ³) Bond Formations. <i>Catalysis Letters</i> , 2012 , 142, 557-565	2.8	16
29	Palladium-catalysed hydroxylation and alkoxylation. <i>Chemical Society Reviews</i> , 2011 , 40, 4912-24	58.5	308

28	Entrapment of Heteropolyacids in Metallic Silver Matrices: Unique Heterogenized Acid Catalysts. <i>ChemCatChem</i> , 2011 , 3, 227-232	5.2	16
27	Low-Valent Molybdenum-Based Dual Pre-Catalysts for Highly Efficient Catalytic Epoxidation of Alkenes and Deoxygenation of Sulfoxides. <i>ChemCatChem</i> , 2011 , 3, 1186-1192	5.2	46
26	Evidence for a Precursor Complex in C-H Hydrogen Atom Transfer Reactions Mediated by a Manganese(IV) Oxo Complex. <i>Angewandte Chemie</i> , 2011 , 123, 5766-5771	3.6	16
25	Evidence for a precursor complex in C-H hydrogen atom transfer reactions mediated by a manganese(IV) oxo complex. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 5648-53	16.4	83
24	Modeling the cis-oxo-labile binding site motif of non-heme iron oxygenases: water exchange and oxidation reactivity of a non-heme iron(IV)-oxo compound bearing a tripodal tetradentate ligand. <i>Chemistry - A European Journal</i> , 2011 , 17, 1622-34	4.8	97
23	O ₂ Reactivity at Model Copper Systems: Mimicking Tyrosinase Activity 2010 , 265-289		
22	Dioxygenase-like reactivity of an isolable superoxo-nickel(II) complex. <i>Chemistry - A European Journal</i> , 2010 , 16, 9669-75	4.8	49
21	O ₂ Activation and Selective Phenolate ortho Hydroxylation by an Unsymmetric Dicopper μ - η^1 -Peroxido Complex. <i>Angewandte Chemie</i> , 2010 , 122, 2456-2459	3.6	32
20	Monooxygenase-Like Reactivity of an Unprecedented Heterobimetallic {FeO ₂ Ni} Moiety. <i>Angewandte Chemie</i> , 2010 , 122, 7208-7212	3.6	11
19	O ₂ activation and selective phenolate ortho hydroxylation by an unsymmetric dicopper μ - η^1 : η^1 -peroxido complex. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 2406-9	16.4	101
18	Monooxygenase-like reactivity of an unprecedented heterobimetallic {FeO ₂ Ni} moiety. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 7054-8	16.4	25
17	Olefin-dependent discrimination between two nonheme HO-FeV=O tautomeric species in catalytic H ₂ O ₂ epoxidations. <i>Chemistry - A European Journal</i> , 2009 , 15, 3359-62	4.8	71
16	Stereospecific C-H Oxidation with H ₂ O ₂ Catalyzed by a Chemically Robust Site-Isolated Iron Catalyst. <i>Angewandte Chemie</i> , 2009 , 121, 5830-5833	3.6	53
15	Stereospecific C-H oxidation with H ₂ O ₂ catalyzed by a chemically robust site-isolated iron catalyst. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 5720-3	16.4	234
14	Zn and Fe complexes containing a redox active macrocyclic biquinazoline ligand. <i>Inorganic Chemistry</i> , 2009 , 48, 2944-55	5.1	29
13	Efficient and selective peracetic Acid epoxidation catalyzed by a robust manganese catalyst. <i>Organic Letters</i> , 2008 , 10, 2095-8	6.2	88
12	Tyrosinase-like reactivity in a Cu(III) ₂ (μ -O) ₂ species. <i>Chemistry - A European Journal</i> , 2008 , 14, 3535-8	4.8	69
11	A novel platform for modeling oxidative catalysis in non-heme iron oxygenases with unprecedented efficiency. <i>Chemistry - A European Journal</i> , 2008 , 14, 5727-31	4.8	121

10	Nanosized trigonal prismatic and antiprismatic CuII coordination cages based on tricarboxylate linkers. <i>Dalton Transactions</i> , 2008 , 1679-82	4.3	10
9	Self-assembling of nanoscopic molecular rectangles, extended helicates and porous-like materials based on macrocyclic dicopper building blocks under fine supramolecular control. <i>Chemical Communications</i> , 2007 , 4410-2	5.8	18
8	Chiral manganese complexes with pinene appended tetradentate ligands as stereoselective epoxidation catalysts. <i>Dalton Transactions</i> , 2007 , 5539-45	4.3	74
7	Fast O2 binding at dicopper complexes containing Schiff-base dinucleating ligands. <i>Inorganic Chemistry</i> , 2007 , 46, 4997-5012	5.1	39
6	Alkane hydroxylation by a nonheme iron catalyst that challenges the heme paradigm for oxygenase action. <i>Journal of the American Chemical Society</i> , 2007 , 129, 15766-7	16.4	181
5	Structural and kinetic study of reversible CO2 fixation by dicopper macrocyclic complexes. From intramolecular binding to self-assembly of molecular boxes. <i>Inorganic Chemistry</i> , 2007 , 46, 9098-110	5.1	48
4	Copper(II) hexaaza macrocyclic binuclear complexes obtained from the reaction of their copper(I) derivatives and molecular dioxygen. <i>Inorganic Chemistry</i> , 2006 , 45, 3569-81	5.1	56
3	Isomeric molecular rectangles resulting from self-assembly of dicopper complexes of macrocyclic ligands. <i>Inorganic Chemistry</i> , 2006 , 45, 2501-8	5.1	18
2	Redox-controlled molecular flipper based on a chiral Cu complex. <i>Inorganic Chemistry</i> , 2006 , 45, 9643-5	5.1	9
1	O2 chemistry of dicopper complexes with alkyltriamine ligands. Comparing synergistic effects on O2 binding. <i>Inorganic Chemistry</i> , 2006 , 45, 5239-41	5.1	23