

Dimitrios Papazoglou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9501418/publications.pdf>

Version: 2024-02-01

71
papers

1,962
citations

236833

25
h-index

265120

42
g-index

72
all docs

72
docs citations

72
times ranked

2817
citing authors

#	ARTICLE	IF	CITATIONS
1	VEGF gene sequence variation defines VEGF gene expression status and angiogenic activity in non-small cell lung cancer. <i>Lung Cancer</i> , 2004, 46, 293-298.	0.9	246
2	Complications of Diabetes 2016. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-3.	1.0	164
3	Evaluation of a Multisensor Armband in Estimating Energy Expenditure in Obese Individuals. <i>Obesity</i> , 2006, 14, 2217-2223.	1.5	96
4	Complications of Diabetes. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-5.	1.0	83
5	Vascular endothelial growth factor gene polymorphisms and pre-eclampsia. <i>Molecular Human Reproduction</i> , 2004, 10, 321-324.	1.3	77
6	Vascular endothelial growth factor gene polymorphisms and idiopathic recurrent pregnancy loss. <i>Fertility and Sterility</i> , 2005, 83, 959-963.	0.5	71
7	Evaluation of a New Indicator Test for Sudomotor Function (Neuropad®) in the Diagnosis of Peripheral Neuropathy in Type 2 Diabetic Patients. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2005, 113, 195-198.	0.6	65
8	Peripheral Neuropathy is Associated With Increased Serum Levels of Uric Acid in Type 2 Diabetes Mellitus. <i>Angiology</i> , 2011, 62, 291-295.	0.8	60
9	Vascular endothelial growth factor gene polymorphisms and pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 371-378.	0.7	58
10	Common Variants in <i>FTO</i> , <i>MC4R</i> , <i>TMEM18</i> , <i>PRL</i> , <i>AIF1</i> , and <i>PCSK1</i> Show Evidence of Association With Adult Obesity in the Greek Population. <i>Obesity</i> , 2012, 20, 389-395.	1.5	56
11	Association of $\hat{\sim}634G/C$ and $936C/T$ polymorphisms of the vascular endothelial growth factor with spontaneous preterm delivery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 461-465.	1.3	52
12	Clarithromycin Enhances the Antibacterial Activity and Wound Healing Capacity in Type 2 Diabetes Mellitus by Increasing LL-37 Load on Neutrophil Extracellular Traps. <i>Frontiers in Immunology</i> , 2018, 9, 2064.	2.2	47
13	Sensitivity and specificity of a new indicator test (Neuropad) for the diagnosis of peripheral neuropathy in type 2 diabetes patients: a comparison with clinical examination and nerve conduction study. <i>Journal of Diabetes and Its Complications</i> , 2007, 21, 353-358.	1.2	46
14	Accuracy of the Neuropad Test for the Diagnosis of Distal Symmetric Polyneuropathy in Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, 1378-1382.	4.3	38
15	Glycaemic Control is Correlated with Well-Being Index (WHO-5) in Subjects with Type 2 Diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2010, 118, 364-367.	0.6	36
16	Association of $\hat{\sim}634G/C$ and $936C/T$ polymorphisms of the vascular endothelial growth factor with spontaneous preterm delivery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 461-465.	1.3	35
17	C2028T polymorphism in exon 12 and dinucleotide repeat polymorphism in intron 13 of the HIF-1 α gene define HIF-1 α protein expression in non-small cell lung cancer. <i>Lung Cancer</i> , 2006, 53, 257-262.	0.9	35
18	Foot Temperature in Type 2 Diabetic Patients with or without Peripheral Neuropathy. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2009, 117, 44-47.	0.6	33

#	ARTICLE	IF	CITATIONS
19	A Comparison of the New Indicator Test for Sudomotor Function (Neuropad®) with the Vibration Perception Threshold and the Clinical Examination in the Diagnosis of Peripheral Neuropathy in Subjects with Type 2 Diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2008, 116, 135-138.	0.6	32
20	Reproducibility of the New Indicator Test for Sudomotor Function (Neuropad®) in Patients with Type 2 Diabetes Mellitus: Short Communication. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2005, 113, 577-581.	0.6	31
21	Matrix Metalloproteinase-1 and Tissue Inhibitor of Metalloproteinases-1 Levels in Severely Obese Patients: What is the Effect of Weight Loss?. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2010, 118, 730-734.	0.6	29
22	The role of cytokines IL-6 and IL-8 in the pathogenesis of spontaneous abortions. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 1283-1285.	0.7	29
23	Association between Foot Temperature and Sudomotor Dysfunction in Type 2 Diabetes. <i>Journal of Diabetes Science and Technology</i> , 2010, 4, 803-807.	1.3	26
24	Independent and additive predictive value of total cholesterol content of erythrocyte membranes with regard to coronary artery disease clinical presentation. <i>International Journal of Cardiology</i> , 2011, 150, 22-27.	0.8	26
25	Simplified Diagnosis of Cardiovascular Autonomic Neuropathy in Type 2 Diabetes Using Ewing's Battery. <i>Review of Diabetic Studies</i> , 2015, 12, 213-219.	0.5	26
26	Umbilical cord serum vascular endothelial growth factor (VEGF) levels in normal pregnancies and in pregnancies complicated by preterm delivery or pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2004, 85, 6-11.	1.0	25
27	Evaluation of sural nerve automated nerve conduction study in the diagnosis of peripheral neuropathy in patients with type 2 diabetes mellitus. <i>Archives of Medical Science</i> , 2016, 2, 390-393.	0.4	25
28	Independent and additive prognostic ability of serum carboxy-terminal telopeptide of collagen type-I in heart failure patients: a multi-marker approach with high-negative predictive value to rule out long-term adverse events. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 62-71.	0.8	23
29	Use of the New Indicator Test (Neuropad®) for the Assessment of the Staged Severity of Neuropathy in Type 2 Diabetic Patients. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2007, 115, 58-61.	0.6	22
30	The Fatty Acid Amide Hydrolase (<i>FAAH</i>) Pro129Thr Polymorphism is not Associated with Severe Obesity in Greek Subjects. <i>Hormone and Metabolic Research</i> , 2008, 40, 907-910.	0.7	21
31	Usefulness of Matrix Metalloproteinase-9 Plasma Levels to Identify Patients With Preserved Left Ventricular Systolic Function After Acute Myocardial Infarction Who Could Benefit from Eplerenone. <i>American Journal of Cardiology</i> , 2012, 110, 1085-1091.	0.7	20
32	Survival Fraction at 2 Gy and γ H2AX Expression Kinetics in Peripheral Blood Lymphocytes From Cancer Patients: Relationship With Acute Radiation-Induced Toxicities. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 92, 667-674.	0.4	20
33	Thyroxine replacement dose in patients with Hashimoto disease: A potential role for interleukin-6. <i>Cytokine</i> , 2006, 35, 166-170.	1.4	17
34	Tool Chest. <i>The Diabetes Educator</i> , 2007, 33, 257-266.	2.6	17
35	Prevalence of Hemochromatosis Gene (<i>HFE</i>) Mutations in Greece. <i>Acta Haematologica</i> , 2003, 109, 137-140.	0.7	15
36	Effect of angiotensin-converting enzyme insertion/deletion genotype on collagen type I synthesis and degradation in patients with atrial fibrillation and arterial hypertension. <i>Expert Opinion on Pharmacotherapy</i> , 2007, 8, 2225-2234.	0.9	15

#	ARTICLE	IF	CITATIONS
37	Interleukin-6 levels in umbilical artery serum in normal and abnormal pregnancies. <i>International Journal of Gynecology and Obstetrics</i> , 2002, 78, 147-151.	1.0	14
38	Uncoupling Protein-2 45-Base Pair Insertion/Deletion Polymorphism: Is There an Association with Severe Obesity and Weight Loss in Morbidly Obese Subjects?. <i>Metabolic Syndrome and Related Disorders</i> , 2012, 10, 307-311.	0.5	14
39	Diabetes Mellitus and Hypertension as Major Risk Factors of Mortality From Covid-19 Pneumonia. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2020, , .	0.6	14
40	Loss of Cofunction Mutations in MC4R Are Very Rare in the Greek Severely Obese Adult Population. <i>Obesity</i> , 2012, 20, 2278-2282.	1.5	13
41	Retinol Binding Protein-4 and Adiponectin Levels in Thyroid Overt and Subclinical Dysfunction. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2016, 124, 87-92.	0.6	13
42	Lopinavir/ritonavir as a third agent in the antiviral regimen for SARS-CoV-2 infection. <i>Journal of Chemotherapy</i> , 2021, 33, 193-197.	0.7	13
43	Circulating levels of a biomarker of collagen metabolism are associated with health-related quality of life in patients with chronic heart failure. <i>Quality of Life Research</i> , 2012, 21, 143-153.	1.5	12
44	Carotid Plaque Echomorphology and Serum Vascular Endothelial Growth Factor Levels. <i>European Neurology</i> , 2004, 51, 104-108.	0.6	11
45	Liquid Biopsy in Type 2 Diabetes Mellitus Management: Building Specific Biosignatures via Machine Learning. <i>Journal of Clinical Medicine</i> , 2022, 11, 1045.	1.0	10
46	Cardiovascular Autonomic Neuropathy and Distal Symmetric Sensorimotor Polyneuropathy: These Two Diabetic Microvascular Complications do not Invariably Co-Exist. <i>Current Vascular Pharmacology</i> , 2019, 18, 50-56.	0.8	9
47	Early 3-day course of remdesivir in vaccinated outpatients with SARS-CoV-2 infection. A success story. <i>Journal of Chemotherapy</i> , 2022, 34, 550-553.	0.7	9
48	Lanarkshire Oximetry Index as a Diagnostic Tool for Peripheral Arterial Disease in Type 2 Diabetes: A Pilot Study. <i>Angiology</i> , 2010, 61, 388-391.	0.8	8
49	Evaluation of a new foam to increase skin hydration of the foot in type 2 diabetes: a pilot study. <i>International Wound Journal</i> , 2011, 8, 297-300.	1.3	8
50	Correlation of cardiac autonomic neuropathy with small and large peripheral nerve function in type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2019, 156, 107844.	1.1	8
51	Monocyte Chemoattractant Protein 1 Is Correlated With Glycemic Control and Peripheral Arterial Disease in Type 2 Diabetic Patients With Metabolic Syndrome. <i>Angiology</i> , 2013, 64, 223-229.	0.8	7
52	Association between CUBN gene variants, type 2 diabetes and vitamin D concentrations in an elderly Greek population. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2020, 198, 105549.	1.2	7
53	Local Antibiotic Delivery Systems in the Surgical Treatment of Diabetic Foot Osteomyelitis: Again, No Benefit?. <i>International Journal of Lower Extremity Wounds</i> , 2022, 21, 555-561.	0.6	7
54	Clinical Tools for Peripheral Neuropathy to Exclude Cardiovascular Autonomic Neuropathy in Type 2 Diabetes Mellitus. <i>Diabetes Therapy</i> , 2020, 11, 979-986.	1.2	7

#	ARTICLE	IF	CITATIONS
55	Exploring Genomic Structure Differences and Similarities between the Greek and European HapMap Populations: Implications for Association Studies. <i>Annals of Human Genetics</i> , 2012, 76, 472-483.	0.3	6
56	The Diagnostic Utility of VibraTip for Distal Symmetrical Polyneuropathy in Type 2 Diabetes Mellitus. <i>Diabetes Therapy</i> , 2020, 11, 341-346.	1.2	6
57	Genetic variation in CARD8, a gene coding for an NLRP3 inflammasome-associated protein, alters the genetic risk for diabetic nephropathy in the context of type 2 diabetes mellitus. <i>Diabetes and Vascular Disease Research</i> , 2020, 17, 147916412097089.	0.9	6
58	Skin Advanced Glycation End Products among Subjects with Type 2 Diabetes Mellitus with or without Distal Sensorimotor Polyneuropathy. <i>Journal of Diabetes Research</i> , 2021, 2021, 1-7.	1.0	6
59	Post-thyroidectomy thyroxine replacement dose in patients with or without compensated heart failure: The role of cytokines. <i>Cytokine</i> , 2008, 41, 121-126.	1.4	5
60	Ghrelin Levels in Basal Conditions and During Glucose Tolerance Test in Prediabetic and Diabetic Patients. <i>Hormone and Metabolic Research</i> , 2018, 50, 822-826.	0.7	5
61	Myasthenia gravis genome-wide association study implicates AGRN as a risk locus. <i>Journal of Medical Genetics</i> , 2022, 59, 801-809.	1.5	5
62	Late Presenters of HIV Infection in an HIV Unit of a Tertiary University Hospital in a Rural Region of Greece. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 601-605.	0.5	4
63	Automated Measurement of Sural Nerve Conduction is a Useful Screening Tool for Peripheral Neuropathy in Type 1 Diabetes Mellitus. <i>Review of Diabetic Studies</i> , 2019, 15, 58-59.	0.5	4
64	Hypoxia Inducible Factor Expression and Angiogenesis Analysis in the Pituitary Gland and Patterns of Death. <i>In Vivo</i> , 2018, 32, 185-190.	0.6	4
65	Serotonin Receptor 2A 1438G/A Promoter Polymorphism in Relation to Obesity and Response to Sibutramine. <i>Genetic Testing and Molecular Biomarkers</i> , 2012, 16, 109-112.	0.3	3
66	Glucose on Admission: Unfavourable Effects on Hospitalisation and Outcomes in Type 2 Diabetes Mellitus Patients with COVID-19 Pneumonia. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2022, 130, 561-562.	0.6	3
67	Corrigendum to "VEGF gene sequence variation defines VEGF gene expression status and angiogenic activity in non-small cell lung cancer" [Lung Cancer 46 (2003) 293-298]. <i>Lung Cancer</i> , 2005, 48, 297.	0.9	1
68	Diabetes Mellitus as the Major Factor of Prolonged Hospitalisation in Mild or Moderate COVID-19 Pneumonia. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2022, 130, 351-352.	0.6	1
69	Variants in clock genes could be associated with lower risk of type 2 diabetes in an elderly Greek population. <i>Maturitas</i> , 2021, 152, 20-25.	1.0	1
70	Tenofovir Alafenamide Fumarate Therapy for HIV Treatment: Cardiometabolic and Renal Safety. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 697-702.	0.5	0
71	Onionskin-like histiocytes in an HIV late presenter. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2022, , .	0.2	0